

FEB 1 8 2015

SOLIDWASTE OPERATIONSDIVISION



February 17, 2015

Ms. Martha Hynson Solid Waste Program Maryland Department of the Environment Waste Management Administration 1800 Washington Blvd., STE 605 Baltimore, MD 21230-1719

Dear Mr. Dexter:

Enclosed please find one (1) copy of our 2014 Annual Generator Tonnage Report to meet the requirements of COMAR 26.04.10.08. The report covers the period from January 1, 2014 through December 31, 2014.

If you need additional information or clarification, please call.

Sincerely,

James C. Ashby

MARYLAND DEPARTMENT OF THE ENVIRONMENT

Land Management Administration • Solid Waste Program
1800 Washington Boulevard • Suite 605 • Baltimore Maryland 21230-1719
410-537-3315 • 800-633-6101 x3315 • www.mde.maryland.gov

Coal Combustion Byproducts (CCBs) Annual Generator Tonnage Report Instructions for Calendar Year 2014

The following is general information relating to the requirement for reporting quantities of coal combustion byproducts (CCBs) that were managed in the State of Maryland during calendar year 2014. Please answer the questions on the form provided, attaching additional information and any requested supplemental information to the back of the form. Note that the form for this year requires both volume and weight of the CCBs produced. If you know one of these parameters but not the others, for example, you have the tonnage produced but not the volume, you may calculate the other parameter; however, please provide the calculations and assumptions that you used in your estimate. Questions can be directed to the Solid Waste Program at (410) 537-3315 or via email at ed.dexter@maryland.gov.

L. Background. This requirement that generators of CCBs submit an annual report was instituted in the Code of Maryland Regulations COMAR 26.04.10.08, that was promulgated effective December 1, 2008. The regulation requires that any non-residential generator of CCBs submit a report to the Department by March 1 of each year describing the manner in which CCBs generated within the State were managed during the preceding calendar year. Additional information and specific instructions follow. For more detailed information, please refer to COMAR 26.04.10.08.

II. General Information and Applicability.

A. Definitions. CCBs are defined in COMAR 26.04.10.02B as:

- "(3) Coal Combustion Byproducts. (a) "Coal combustion byproducts" means the residue generated by or resulting from the burning of coal.
- (b) "Coal combustion byproducts" includes fly ash, bottom ash, boiler slag, pozzolan, and other solid residuals removed by air pollution control devices from the flue gas and combustion chambers of coal burning furnaces and boilers, including flue gas desulfurization sludge and other solid residuals recovered from flue gas by wet or dry methods."

A generator of CCBs is defined in COMAR 26.04.10.02B as:

- "(9) Generator.
- (a) "Generator" means a person whose operations, activities, processes, or actions create coal combustion byproducts.
- (b) "Generator" does not include a person who only generates coal combustion byproducts by burning coal at a private residence."

31-Jan-14 Page 1 of 6

TTY Users: 800-735-2258

Facility Name: Mettiki Coal, LLC	CCB Tonnage Report -	- 2014
----------------------------------	----------------------	--------

B. Applicability. If you or your company meets the definition of a generator of CCBs as defined above, you must provide the information as required below. For the purposes of this report, "you" shall hereinafter refer to the generator defined above. Please note that COMAR 26.04.10.08 requires generators of CCBs to submit an annual report to the Department concerning the disposition of the CCBs that they generated the previous year. THIS INCLUDES CCBS THAT WERE NOT SEPARATELY COLLECTED BUT WERE PRODUCED BY THE BURNING OF COAL AND WERE DIRECTLY CONTRIBUTED TO A PRODUCT, such as cement. Where the amount cannot be directly measured, estimates based on the amount of coal burned can be used. The method of determining the volume of CCBs produced must be described.

III. Required Information. The following information must be provided to the Department by March 1, 2015:

A. Contact information:		
Facility Name: Mettiki Coal, LLC		
Name of Permit Holder: <u>Mettiki Coal, LL</u>	c	
Facility Address: 293 Table Rock Road	Street	
Facility Address: Oakland City	Maryland State	21550
County: Garrett	- <u>-</u>	r
Contact Information (Person filing report or En	nvironmental Manager)	
Facility Telephone No.: 301-334-5336	Facility Fax No.:	301-334-1602
Contact Name:James C Ashby	_ _	
Contact Title: Manager, Environmental	Affairs	
Contact Address: 293 Table Rock Road	Street	
Contact Address: Oakland City	Maryland State	21550 Zip
Contact Email: jim.ashby@arlp.com		
Contact Telephone No.: 301-334-5336	Contact Fax No.:	301-334-1602

For questions on how to complete this form, please contact the Solid Waste Program at 410-537-3315

Facility Name: Mettiki Coal, LLC CCB Tonnage Report – 2014

B. A description of the process that generates the CCBs, including the type of coal or other raw material that generates the CCBs. If the space provided is insufficient, please attach additional pages:

Coal thermal dryer burning bituminous coal. Raw coal is first sent to the preparation plant where it is washed in a water bath to reduce sulfur and ash content. In the final stage of preparation, hot air from pulverized coal burners is passed through a fluidized bed of the wet washed coal in the thermal dryer to reduce the moisture content of the processed coal from approximately 15% to approximately 5% to meet contract specifications for shipment to the consumer.

C. The volume and weight of CCBs generated during calendar year 2014, including an identification of the different types of CCBs generated and the volume of each type generated. If the space provided is insufficient, please attach additional pages in a similar format. If converting from volume to weight or weight to volume, please provide your calculations and assumptions.

Table I: Volume and Weight of CCBs Generated for Calendar Year 2014: Please note the change to this table from previous years, to include both the volume and weight of the types of CCBs your facility produces.

Volume :	and Weight of CCBs Ge	nerated for Calendar Y	ear 2014
Thermal Coal Dryer Ash			
Type of CCB	Type of CCB	Type of CCB	Type of CCB
Volume of CCB, in Cubic Yards	Volume of CCB, in Cubic Yards	Volume of CCB, in Cubic Yards	Volume of CCB, in Cubic Yards
Weight of CCB, in Tons	Weight of CCB, in Tons	Weight of CCB, in Tons	Weight of CCB, in Tons

Facility Name: Mettiki Coal, LLC	CCB Tonnage Report – 2014
Additional notes:	
	sments, or both, conducted relating to the CCBs or company during the reporting year. Please attach
E. Copies of all laboratory reports of all chem this information to the report. See Attachmen	ical characterizations of the CCBs. Please attach
F. A description of how you disposed of or us	ed your CCBs in calendar year 2014, identifying:
Paragraph C above) including any CCBs stored	posed of or used (if different than described in d during the previous calendar year, the location of he type and volume of CCBs disposed of or used
Volumes presented in Table 1 are disposed in	in MDE Permit # DM84-101 refuse disposal site on
Mettiki owned property near the mine in Garre	ett County Maryland. Material is comingled with
alkaline materials on site for reclamation.	
	-
	

and (b) The different uses by type and volume of CCBs:
All volumes are disposed in the permitted site.
If the space provided is insufficient, please attach additional pages in a similar format.
G. A description of how you intend to dispose of or use CCBs in the next 5 years, identifying:
(a) The types and volume of CCBs intended to be disposed of or used, the location of intended disposal, mine reclamation and use sites, and the type and volume of CCBs intended to be disposed of or used at each site:
The previous five (5) year average of approximately 21,000 cu/ft (800 cu yds / 1,300 tons) per
year of ash generation is expected to continue to be placed in our permitted coal refuse disposal
site.
and (b) The different intended uses by type and volume of CCBs.
Disposal/reclamation

If the space provided is insufficient, please attach additional pages in a similar format.

IV. Signature and Certification. An authorized official of the generator must sign the annual report, and certify as to the accuracy and completeness of the information contained in the annual report:

and the first of the second se	The profits of the state of the	
Michael Burch	Michael B. Burch, General Manager, 301-334-5331	2/17/15
Signature	Name, Title, & Telephone No. (Print or Type)	Date
j 	Your Email Address	

V: Attachments (please list):

Attachment 1 – c	hemical characte	erization data				
						
				<u> </u>		
		-			-	
			_ 			
						



Lancaster Laboratories Environmental

Analysis Report

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

Sample Description: Mettiki Dryer Ash Grab Solid Sample

Ash Sampling 2010

LL Sample # SW 7665617

LL Group # 1516728 Account # 07329

Project Name: Ash Sampling

Collected: 11/04/2014 14:00 by JA

Mettiki Coal Corporation

293 Table Rock Road

Oakland MD 21550

Submitted: 11/06/2014 08:00 Reported: 11/18/2014 08:14

CAT No.	Analysis Name	CAS Number	Dry Result	Dry Method Detection Limit	Dilution Factor
Metal	â	SW-846 6010B	mg/kg	mg/kg	
01643	Aluminum	7429-90-5	1,680	4,79	1
06935	Arsenic	7440-38-2	N.D.	0.675	1
06946	Barium	7440-39-3	3.37	0.0348	<u>.</u>
07914	Boron	7440-42-8	0.985 J	0.886	<u>:</u>
06949	Cadmium	7440-43-9	N.D.	0.0348	1
06951	Chromium	7440-47-3	1.43 J	0.116	· .
06953	Copper	7440-50-8	4.45	0.348	* -
06955	Lead	7439-92-1	N.D.	0,527	1
01656	Lithium	7439-93-2	3.5	0.67	1
06958	Manganese	7439-96-5	1.81	0.0875	:
06960	Molybdenum	7439-98-7	N.D.	0.179	- -
06961	Nickel	7440-02-0	0.996 J	0.158	1
06936	Selenium	7782-49-2	N.D.	0.464	•
06966	Silver	7440-22-4	N.D.	0.200	1
06925	Thallium	7440-28-0	N.D.	0.843	1
06972	Zinc	7440-66-6	2.13	0.274	<u>.</u>
		SW-846 7471A	mg/kg	mg/kg	
00159	Mercury	7439-97-6	N.D.	0.0103	-
Wet C	hemistry	SM 2540 G-1997	%	%	
00111	Moisture	n.a.	7.0	0.50	•
	Moisture represen	nts the loss in weight of the s Celsius. The moisture resul s.		irying at	

General Sample Comments

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record							
CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
	Aluminum	SW-846 6010B	1	143115708004	11/10/2014 21:24	Elaine F Stoltzfus	3 1
06935	Arsenic	SW-846 6010B	1	143115708004	11/10/2014 21:24	Elaine F Stoltzfus	5 1
06946	Barium	SW-846 6013B	1	143115708004	11/10/2014 21:24	Elaine F Stoltzfu	5 1
07914	Boron	SW-846 6010B	1	143115738004	11/10/2014 21:24	Elaine F Stoltzfu	e l
06949	Cadmium	SW-846 6013B	1	143115738334	11/10/2014 21:24	Elaine F Stoltzfu	5 1
06951	Chromium	SW-846 6010B	1	143115708004	11/10/2014 21:24	Elaine F Stoltzfus	5 1
06953	Copper	SW-846 601JB	ì	143115738304	11/10/2014 21:24	Elaine F Scoltzfu	s 1



Lancaster Laboratories Environmental

Analysis Report

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

Sample Description: Mettiki Dryer Ash Grab Solid Sample

TCLP NON-VOLATILE EXTRACTION

Ash Sampling 2010

LL Sample # TL 7665618

LL Group # 1516728 Account # 07329

Project Name: Ash Sampling

Collected: 11/04/2014 14:00

by JA

Mettiki Coal Corporation

293 Table Rock Road

Oakland MD 21550

Submitted: 11/06/2014 08:00 Reported: 11/18/2014 08:14

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor	
Metal	S	SW-846 6010B	mg/l	mg/l		
01743	Aluminum	7429-90-5	3.20	0.0674	ī	
07035	Arsenic	7440-38-2	N.D.	0.0072	1	
07046	Barium	7440-39-3	0.0294	0.00033	1	
07049	Cadmium	7440-43-9	N.D.	0.00033	1	
07051	Chromium	7440-47-3	0.0040 J	0.0013	:	
07053	Copper	7440-50-8	0.0191	0.0328	•	
07055	Lead	7439-92-1	N.D.	0.0047	1	
07058	Manganese	7439-96-5	0.0072	0.00083	1	
07036	Selenium	7782-49-2	0.0052 J	0.0048	1	
07066	Silver	7440-22-4	N.D.	0.0018	1	
07072	Zinc	7440-66-6	0.0200 J	0.0020	1	
		SW-846 7470A	mg/l	mg/l		
00259	Mercury	7439-97-6	N,D.	0.000060	1	

General Sample Comments

If the analysis is for determination of Hazardous Waste Characteristics, see Table 1 in EPA Code of Federal Regulations 40 CFR 261.24.

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record							
CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
01743	Aluminum	SW-846 6010B	1	143175705004	11/13/2014 23:	8 Katlin N Cataldi	1
07035	Arsenic	SW-846 6010B	1	143175705004	11/13/2014 23:	a Katlin N Cataldi	1
07046	Barium	SW-846 60103	:	143175705004	11/13/2014 23:	B Katlin N Catalii	1
07049	Cadmium	SW-846 6010B	1	143175705004	11/13/2014 23:	18 Katlin N Cataldi	1
07051	Chromium	SW-846 6010B	1	143175705004	11/13/2014 23:	8 Katlin N Cataldi	1
07053	Copper	SW-846 6010B	<u>.</u>	143175705004	11/13/2014 23:	[8 Katlin N Cataldi	1
07055	Lead	SW-846 6010B	1	143175705004	11/13/2014 23:	18 - Katlin N Cataldi	1
07058	Manganese	SW-846 6010B	1	143175705004	11/13/2014 23:3	8 Katlin N Cataldı	1
07036	Selenium	SW-846 6010B	1	143175705004	11/13/2014 23:	a Katlin N Cataldi	1
07066	Silver	SW-846 6010B	1	143175705004	11/13/2014 23:	[B Katlin N Cataldi	1
07372	Zinc	SW-846 6010B	1	143175705004	11/13/2014 23:	18 Katlin N Cataldi	1
00259	Mercury	SW-846 7470A	1	143175713001	11/14/2014 58:	37 Damary Valentin	1
05705	WW/TL SW 846 ICP Digest	SW-846 3010A	1	143175705004	11/13/2014 :5::	26 James L Mertz	1
	(tot)						
05713	WW SW846 Hg Digest	SW-846 747JA	1	143175713001	11/13/2014 16:	.i James L Mertz	1
00947	TCLP Non-volatile Extraction	SW-846 [31]	î	14316-2834-094 7E	11/12/2014 15:	00 Katheryne V Sponheimer	n.a.



Lancaster Laboratories Environmental

Analysis Report

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

Sample Description: Mettiki Dryer Ash Grab Solid Sample

SPLP NON-VOLATILE EXTRACTION

Ash Sampling 2010

LL Sample # TL 7665619

LL Group # 1516728 Account # 07329

Project Name: Ash Sampling

Collected: 11/04/2014 14:00 by JA

Mettiki Coal Corporation

293 Table Rock Road

Oakland MD 21550

Submitted: 11/06/2014 08:00 Reported: 11/18/2014 08:14

CAT No.	Analysis Name	CAS Number	As Received Regult	As Received Method Detection Limit	Dilution Factor	
Metal	S	SW-846 6010B	mg/l	mg/l		
01743	Aluminum	7429-90-5	0.719	0.0674	1	
07035	Arsenic	7440-38-2	N.D.	0.0072	1	
07046	Barium	7440-39-3	0,0070 J	0.0033	10	
07049	Cadmium	7440-43-9	0.00051 J	0.00033	1	
07051	Chromium	7440-47-3	N.D.	0.0013	1	
07053	Copper	7440-50-8	N.D.	0.0028	1	
07055	Lead	7439-92-1	N.D.	0.0047	1	
07358	Manganese	7439-96-5	0.0012 J	0.00083	1	
07036	Selenium	7782-49-2	N.D.	0.0048	1	
07066	Silver	7443-22-4	N.D.	0.0018	1	
07072	Zinc	7440-66-6	0.0024 J	0.0020	1	
		SW-846 7470A	mg/l	mg/l		
00259	Mercury	7439-97-6	N.D.	0.000060	:	

General Sample Comments

If the analysis is for determination of Hazardous Waste Characteristics, see Table 1 in EPA Code of Federal Regulations 40 CFR 261.24.

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Ti	me	Analyst	Dilution Factor
01743	Aluminum	SW-846 6010B	1	143175705005	11/14/2014	21:44	Katlin N Cataldi	1
07035	Arsenic	SW-846 6010B	1	143175705005	11/14/2014	2 . 44	Katlin N Cataldi	1
07046	Barium	SW-846 6010B	3	143175705005	11/17/2014	21:30	Katlin N Cataldi	10
07349	Cadmium	SW-846 6010B	1	143175705905	11/14/2014	21:44	Katlin N Cataldi	1
07051	Chromium	SW-846 6010B	1	143175735005	11/14/2014	21:44	Katlin N Cataldı	1
07053	Copper	SW-846 6010B	1	143175705005	11/14/2014	21:44	Katlin N Cataldi	1
07055	Lead	SW-846 60103	1	143175705005	11/14/2014	21:44	Katlin N Cataldı	1
07058	Manganese	SW-846 6010B	1	143175705005	11/14/2014	2::44	Katlin N Cataldi	1
07036	Selenium	SW-846 60103	1	143178705905	11/17/2014	17:01	Eric L Eby	1
07066	Silver	SW-846 6010B	1	143175705005	11/14/2014	21:44	Katlin N Cataldi	1
07072	Zinc	SW-846 6010B	1	143175705005	11/14/2014	21:44	Katlin N Catald:	1
00259	Mercury	SW-846 7470A	1	143175713003	11/17/2014	10:42	Damary Valentin	1
05705	WW/TL SW 846 ICP Digest (tot)	SW-846 3010A	1	143175705005	11/14/2014	26:15	James L Mertz	1
05713	WW SW846 Hg Digest	SW-846 7470A	1	143175713003	11/14/2014	08:29	James L Meriz	1
01567	Synthetic Precipitation Leach	SW-846 1312	1	143:6-2486-156 7	11/12/2014	13:00	Christina A Huber	n.a.

Jturm Environmental Jervices

METTIKI COAL COMPANY COMPANY:

SAMPLED 11-04-14 SAMPLE ID: **NOVEMBER 6, 2014** DATE

ACID BASE ACCOUNT

Calcium Carbonate Equilvalent Tons/1000 Tons of Material

	ACID D	ACID BASE ACCOON!						ions/ 1000 ions of Material	ns or material	j	
SAMPLE	DEPTH (feet)	Strata Thick (feet)	Rock Type	FIZ	Color	% Sulfur	Max from % Sulfur	Σ̈	Max Needed (pH-7)	Excess CaCO ₃	Paste pH
METTIKI DRYER ASH	? ASH			1	2.5Y 2.5/0	.005	.16	12.34		12.18	9.6
				-							
		1 									
										1	
 PYRITIC SULFUR 	S.							İ	! !		

APPROVED_

MAIN OFFICE—POST OFFICE BOX 650 • BRIDGEPOHT, WEST VIRGINIA 26330 • (304) 623-6549 CHARLESTON BRANCH—POST OFFICE BOX 8337 • SOUTH CHARLESTON. WEST VIRGINIA 25303-0337 • (304) 744-9864