

## Appendix B

### MOBILE6 Inventories and Documentation

# MEMORANDUM

June 2, 2003

To: Joan Rohlfs

From: Mike Clifford

Subject: Mobile source emissions inventories for severe ozone nonattainment area state implementation plan

## Introduction

This memo transmits the final mobile source emissions inventories developed for the severe ozone nonattainment area state implementation plan (SIP) for the Washington region, and documents the technical methods applied in that process. Exhibits 1 and 2 contain the VOC and NO<sub>x</sub> emissions estimates by travel component for the analysis years and conditions required for rate of progress and attainment planning; Exhibits 3 and 4 contain the aggregate emissions data summarized by state.

Primary components include network and off-network analyses. The fundamental emissions calculation in each category represents emissions as the product of a travel element and an emissions rate associated with that travel. For example, VMT (in miles per day) multiplied by a VOC or NO<sub>x</sub> emissions rate (in grams per mile) yields emissions (in grams, which is aggregated and converted to tons, per day). Each of the travel categories is described below. Most of the work to prepare these inventories was performed between October 2002 and March 2003; however, the inventories were recomputed in April to reflect technical corrections (I/M program and diesel sales fraction updates) advanced by the air management agencies.

## Network Components

### Travel Demand

The travel demand component for this work was based upon the execution of the COG/TPB's Version 2.1 travel forecasting process, see [COG/TPB Travel Forecasting Model, Version 2.1/TP+, Release C, User's Guide \(Report\)](#), December, 2002.

This represents the first application of this new modeling process in regional long range planning activities. Inputs to the process include Round 6.2 Cooperative Forecast land activity assumptions and the current regional long range plan adopted by the TPB in July 2002.

## Emissions Factors

The emissions factors for this work were developed by E. H. Pechan and Associates (Pechan), and COG/DEP staff using EPA's Mobile6 emissions factor model (User's Guide to Mobile6.0, EPA, January, 2002). Following the development of inputs to the model under the guidance of the joint TPB / MWAQC Mobile6 Task Force, and documentation of the inputs and methods by Pechan staff in two memos, appropriate emissions factors for all years were developed by Pechan and COG/DEP staff. (These two memos are contained in Attachment A: the first is entitled "1990 and 2005 MOBILE6 Input Documentation", January 27, 2003; the second is: "Adjusted Base Years MOBILE6 Input Documentation for 1996, 1999, 2002, and 2005", March 10, 2003.)

While all inputs to the Mobile6 emissions factor model were examined in detail and updated as appropriate to reflect new data or procedures, one aspect of the updated emissions factor development process deserves special mention - the development of the vehicle miles traveled (VMT) mix input, i.e., the amount of travel occurring in the Washington area by type of vehicle. This approach is notable in that it represents a significant improvement over past methods. The following explanation also responds to a request from EPA (Attachment B - March 4, 2003 EPA memo containing Region III comments on VMT Mix Methodology) regarding the reason for the change in methodology.

Past methods used at COG to estimate VMT mix have involved the use of state-wide databases of travel tabulated according to FHWA categories of vehicles (which differ from EPA's Mobile model categories of vehicles). These values were then applied in a static manner through time, i.e., a base year set of VMT mix percentages were developed and applied for all analysis years. With Mobile6 a more precise accounting of travel by vehicle type is now possible: (1) by cross-section, i.e., 28 types of vehicles and associated VMT mix percentages contained within the model, based upon local vehicle registration data as a starting point, and (2) through time, i.e., the percentage of each vehicle type changes through time in the model according to observed data trends, e.g., the well documented increases in SUV's and decreases in autos. Similarly, COG/TPB's current travel demand modeling process contains an explicit representation of truck travel, which is modeled as a function of land use characteristics, which also vary on a cross-sectional basis throughout the region and through time as land use changes.

The resulting VMT mix methodology, described in detail in the 1/27/3 Pechan memo, is a significant improvement over past methods in that it incorporates the best of both local and national data and trends, reflecting: (1) the use of local vehicle registration data to develop VMT characteristics for the full 28 vehicle types required by the Mobile6 model, and (2) the changes in VMT mix occurring through time and reflected within the Mobile6 model, and (3) adjustments to reflect the overall split between light duty and heavy duty vehicles specific to the Washington region. The new process is therefore a more accurate one in estimating VMT mix for both base year and forecast year conditions and should therefore lead to better estimates for the resulting emissions factors in each case as well.

## Mobile Source Emissions

The calculation of mobile emissions occurs through application of the COG/TPB emissions post-processor (Attachment C - memo dated March 19, 2003, updated 5/14/03, entitled "Description of the Version 2.1/TP+/MOBILE6 Emissions Post-Processor"). This series of programs applies the travel and emissions factors to develop emissions for each of the start, running and soak portions of the trip cycle. This work was performed for each of the required analysis years; the results in Exhibits 1 - 4 reflect the final execution of the programs following technical corrections work activities.

### **Off-Network Components**

These separate calculations of emissions represent additional mobile source emissions which are computed offline, via spreadsheet methods. Separate emissions estimates are prepared for the following categories: diurnal and resting losses, local roads, school and transit buses, and auto access. Attachments D - G are technical memos documenting these separate analyses.

### **Technical Corrections**

Following review of initial emissions results, the air management agencies identified a number of technical corrections associated with the Mobile model input specifications for diesel sales fractions and vehicle inspection and maintenance programs. These updates, contained in Pechan's April 3, 2003 memo (Attachment H), were incorporated into the Mobile6 specifications for each analysis year and rerun by DEP / Pechan to develop updated emissions factors. These factors, in turn, were applied by COG/TPB staff in the recalculation of mobile emissions for all analysis cases and reflect the final numbers contained in Exhibits 1 - 4.

### **Round 6.3 Sensitivity Test**

In Exhibits 1 and 2 there is a "Round 6.3 Adjustment" entry for year 2002 and 2005 summaries of controlled emissions. This adjustment reflects the impacts of forthcoming land activity estimates for the region. Since the new forecasts represent higher estimates of households, population and jobs, a sensitivity analysis was performed to estimate the additional emissions which might be expected. Methods and results are documented in the attached technical memorandum (Attachment I) from Mike Clifford to the TPB Technical Committee dated April 4, 2003. As with the above analysis, the Round 6.3 sensitivity tests were rerun using the technical corrections inputs; Exhibits 1 - 4 incorporate all updates and reflect the final mobile source inventory calculations.

Following:

Exhibits 1 - 4

# Exhibit 1

## Summary Table VOC Mobile Emissions Inventories for "Severe Area" Rate of Progress and Attainment (Tons / Day)

		1990 Adjusted					Uncontrolled		Controlled		Controlled with 6.3 Adj.'s	
		1990 Base	1996	1999	2002	2005	2002	2005	2002	2005	2002	2005
Network	Start	59.61	36.41	31.33	27.51	24.38	36.11	33.09	25.09	17.00	25.60	17.41
	Running	162.00	91.36	78.58	71.26	66.74	90.16	88.86	61.36	46.52	61.95	47.22
	Soak	21.00	11.58	11.01	11.03	11.61	14.18	15.34	11.00	11.02	11.24	11.28
Off-Network	Diurnals	8.27	5.14	4.63	4.29	4.07	5.25	5.16	3.13	2.82	3.13	2.82
	Resting	17.31	13.71	12.95	12.46	12.13	15.25	15.57	12.31	10.55	12.31	10.55
	Local Roads	27.10	15.39	13.56	12.58	11.99	15.86	15.66	9.51	7.30	9.49	7.37
	School Bus	0.65	0.50	0.46	0.43	0.40	0.48	0.47	0.43	0.38	0.43	0.38
	Transit Bus	1.27	0.74	0.63	0.51	0.44	0.57	0.49	0.38	0.27	0.38	0.27
	Auto Access	1.94	1.16	1.01	0.91	0.84	1.97	1.92	1.33	1.02	1.34	1.05
<b>TOTAL</b>		299.15	176.00	154.16	140.98	132.59	179.82	176.56	124.53	96.88	125.87	98.34
<b>Round 6.3 Adjustment:</b>									<u>1.34</u>	<u>1.46</u>		
									<b>125.87</b>	<b>98.34</b>		

- NOTES:**
1. Primary travel demand estimates utilize Round 6.2 forecasts
  2. Emission Factors reflect I/M and diesel sales fractions "technical corrections"
  3. Start-up emissions reflect 4/30/03 program code updates
  4. 2002 and 2005 controlled network emissions reflect Round 6.3 forecasts.

## Exhibit 2

### Summary Table NOx Mobile Emissions Inventories for "Severe Area" Rate of Progress and Attainment (Tons / Day)

		1990 Base	1990 Adjusted			Uncontrolled		Controlled		Controlled with 6.3 adj.'s		
		1996	1999	2002	2005	2002	2005	2002	2005	2002	2005	
Network	Start	23.10	19.93	18.89	18.63	17.87	24.38	24.83	13.85	10.70	14.13	10.95
	Running	324.37	256.63	247.14	226.41	207.06	281.10	268.06	249.71	203.20	251.58	204.25
	Soak	----	----	----	----	----	----	----	----	----	----	----
Off-Network	Diurnals	----	----	----	----	----	----	----	----	----	----	----
	Resting	----	----	----	----	----	----	----	----	----	----	----
	Local Roads	17.73	12.03	11.20	10.70	10.42	13.90	13.49	11.21	10.27	11.21	10.38
	School Bus	5.97	5.72	5.69	5.65	5.38	6.35	6.34	6.09	5.49	6.09	5.49
	Transit Bus	8.16	6.42	6.08	5.82	5.37	6.54	6.03	6.59	5.55	6.59	5.55
	Auto Access	1.47	1.06	0.99	0.96	0.94	2.13	2.21	1.67	1.45	1.67	1.50
<b>TOTAL</b>		380.80	301.79	289.98	268.18	247.04	334.40	320.96	289.12	236.67	291.28	238.12
<b>Round 6.3 Adjustment:</b>									2.16	1.45		
									<b>291.28</b>	<b>238.12</b>		

**NOTES:**

1. Primary travel demand estimates utilize Round 6.2 forecasts
2. Emission Factors reflect I/M and diesel sales fractions "technical corrections"
3. Start-up emissions reflect 4/30/03 program code updates
4. 2002 and 2005 controlled network emissions reflect Round 6.3 forecasts.







Attachments:

A. M. Mullen (Pechan) memos on Mobile6 Input Documentation, 1/27/3 and 3/10/3

B. M. Morris (EPA) memo on Region III Comments on VMT Mix, 3/4/3

C. R. Milone (COG/TPB) memo on Emissions Post-Processor, 5/14/3

D. E. Lucas (COG/TPB) memo on Diurnal and Resting Loss Emissions, 4/8/3

E. E. Lucas memo on Local Street Emissions, 4/8/3

F. J. Posey (COG/TPB) memo on Transit and School Bus Data, 9/30/2

G. E. Lucas memo on Auto Access, 5/19/3

H. M. Mullen memo on Technical Corrections, 4/3/3

I. M. Clifford (COG/TPB) memo on Round 6.3 Sensitivity 4/4/3

# **Attachment A**

# Memorandum

**Date:** January 27, 2003  
**To:** Michael Clifford, COG/TPB  
Joan Rohlf, COG/DEP  
**From:** Maureen Mullen, E.H. Pechan & Associates, Inc.  
**Subject:** 1990 and 2005 MOBILE6 Input Documentation  
**cc:** MOBILE6 Task Force Members

---

The purpose of this memorandum is to document the MOBILE6 inputs, and the methodologies that were used for developing these inputs, that were developed for the Metropolitan Washington Council of Governments for the purposes of complying with conformity and SIP requirements. This memo includes documentation of the inputs that were prepared for calculating emissions in 2005 and 1990. Separate sets of input files were created to model emission factors corresponding to travel in the COG region 1) on network and local roadways, 2) during auto access to transit, and 3) by diesel transit and school buses. The data included in each of these inputs is discussed separately below.

## **A. MOBILE6 NETWORK AND LOCAL INPUT FILE SETUP**

The MOBILE6 input files representing the network and local roadway conditions include formatting commands, one-time inputs, and scenario data. The one-time inputs include county-specific registration distributions by age, county-specific diesel sales fractions by model year, and inspection and maintenance (I/M) programs.

### **1. MOBILE6 Run Data**

Separate MOBILE6 input files were created for each of the following jurisdictions within the COG region: Washington, DC; Calvert County, Charles County, Frederick County, Montgomery County, and Prince George's County, MD; and Alexandria, Arlington County, Fairfax County, Loudoun County, Prince William County, and Stafford County, VA. The MOBILE6 header and run information common to all of these areas is shown in Table 1. Differences between the 1990 and 2005 input files are indicated on this table.

- The trip length distribution data referenced in Table 1 is shown in Table 2. These data, developed by COG/TPB staff based on the MWCOG Version 2 model, were presented at the May 1, 2002 MOBILE6 Task Force meeting. This same trip length distribution was applied in both the 1990 and 2005 input files.
- The fuel program input, indicating the presence of a reformulated gasoline program, is included in the 2005 inputs, but not in the 1990 inputs, as this program began in 1995.
- The command to disable the CAA is used only in 1990.
- Because the MWCOG region is in the Northeast Ozone Transport Region, the region

follows a different implementation schedule for the National Low Emission Vehicle (NLEV) program than that included in the MOBILE6 default. Table 3 shows the LEV implementation schedule for the MWCOCG region. This information is accessed through use of the 94+ LDG IMP command. This LEV information was applied only in 2005. It is not applicable in 1990.

Additional data included in the run portion of the MOBILE6 input file includes the registration distribution data, diesel sales fractions, inspection and maintenance (I/M) program inputs, and anti-tampering program (ATP) inputs. These inputs vary by county or State and are discussed in further detail below.

a. Registration Distributions

County-specific registration distributions were used in the MOBILE6 input files. These distributions show the fraction of registered vehicles from ages 1 through 25 for each of 16 MOBILE6 vehicle types. The registration distribution inputs were different for 1990 and 2005. The registration distribution inputs used for 1990 and 2005 are provided in Appendix 1. Below is a detailed explanation of how these distributions were derived for 2005 and 1990.

### **2005 Registration Distributions**

For the 2005 emission factor modeling, DC, Virginia, and Maryland obtained the most recent registration data available. Registration distributions input to MOBILE6 are assumed to represent July 1 registration data. Both Maryland and Virginia were able to obtain registration data sets extracted on July 1, 2002. DC's registration data set was extracted on August 26, 2002. Thus, an adjustment was made to the first model year of all vehicle types in the DC registration data. The number of registered LDVs and LDTs in the first model year was multiplied by 9/11. This fraction represents 9 months from the beginning of the 2002 model year (assumed to be October 1, 2001) as of July 1, 2002, but 11 months of registered vehicles in the DC database for the 2002 model year. Similarly, the number of HDVs and MCs registered in DC in the 2002 model year were multiplied by 6/8. This represents six months from the beginning of the model year (starts Jan 1) to July 1, 2002, but 8 months of registered HDVs and MCs in the DC database for the 2002 model year. For Maryland, Virginia, and DC, any 2003 model year vehicles were included with the 2002 model year as the first model year in the registration data.

For each county in Virginia and Maryland, the 2002 registration data included counts of registered vehicles by the MOBILE5 vehicle categories. For use with MOBILE6, the LDGV and LDDV vehicle counts by model year were grouped together and the fraction by model year calculated. This was then used as the MOBILE6 LDV registration distribution. The LDGT1 and LDDT vehicle counts by model year were grouped together to create the MOBILE6 LDT1 and LDT2 registration distributions. The MOBILE5 LDGT2 vehicle counts were converted to fractions by model year and applied to the MOBILE6 LDT3 and LDT4 vehicle categories. The HDGV and HDDV vehicle counts by model year were grouped together to create the registration distribution for the MOBILE HDV categories, except the MOBILE6 HDBT (transit bus) category. The MOBILE6 HDBT registration distribution was calculated from the HDDV data only. DC did not have breakdowns of the vehicle registrations by gasoline and diesel. Thus, the MOBILE6 default diesel sales fractions by model year DC HDV data were applied to obtain the MOBILE6 HDBT registration distribution.

## **1990 Registration Distributions**

The 1990 distributions represent the DC's Department of Motor Vehicle Administration's (DMV) registration data, Maryland's Motor Vehicle Administration's (MVA) registration data, and Virginia's DMV registration based on the 1990 MOBILE5 registration distribution values. Because MOBILE5 only included eight vehicle categories (i.e., LDGV, LDGT1, LDGT2, HDGV, LDDV, LDDT, HDDV, and MC), these distributions had to be allocated to the 16 MOBILE6 vehicle categories included in the MOBILE6 registration distributions. This allocation was performed following the procedures in the MOBILE6 User's Guide. The MOBILE5 LDGV and motorcycle registration distributions were used directly as the MOBILE6 LDV and motorcycle registration distributions. Similarly, the MOBILE5 LDGT1 registration distributions were used directly as the MOBILE6 LDT1 and LDT2 registration distributions and the MOBILE5 LDGT2 distributions were used as the MOBILE6 LDT3 and LDT4 registration distributions. For HDVs, the MOBILE5 HDGV and HDDV values were first weighted together to make a single HDV group by multiplying the MOBILE5 HDGV registration distribution fractions by a value of 0.6504 while the HDDV registration distribution fraction by a value of 0.3496 for all twenty-five vehicle ages. These values are the 1990 model year's vehicle adjustment/weighting factors presented in Appendix D (Columns O and P) of the MOBILE6 User's Guide. Then, the adjusted HDGV and HDDV values were added together for each vehicle age to obtain the resulting HDV MOBILE6 registration distribution. This HDV registration distribution was applied to all MOBILE6 heavy-duty vehicle categories except for the transit bus category. For the transit bus category, the MOBILE5 HDDV registration distributions were applied directly.

### **b. Diesel Sales Fractions**

The diesel sales fractions input to MOBILE6 are specific to the calendar year being modeled. The MOBILE6 diesel sales fractions for 1990 and 2005 are shown in Appendix 2.

## **2005 Diesel Sales Fractions**

For 2005, diesel sales fractions were developed for each of the Maryland and Virginia counties, based on a 2005 year of analysis. The LDV diesel sales fractions were calculated by model year by dividing the LDDV registrations by the total of the LDGV plus LDDV registrations for each model year. Similarly, the LDT diesel sales fraction was calculated by model year by dividing the LDDT registrations by the total of the MOBILE5 LDGT1 plus LDDT registrations for each model year. These diesel sales fractions were applied to the MOBILE6 LDT1 and LDT2 categories. Based on the guidance in the MOBILE6 user's guide, the diesel sales fractions for the most recent model year for which data were available (2002) were also applied to all newer years through 2005. The MOBILE6 defaults for a 2005 calendar year are used for the District as well as for all of the heavy duty categories for Maryland and Virginia, since these sales fractions vary significantly by the MOBILE6 weight classes and the registration data for these States is not broken down by weight class. Appendix 2 shows the resulting diesel sales fractions, with the defaults shown for the District, and only the locally-derived LDV and LDT1/2 data shown for Maryland and Virginia.

## **1990 Diesel Sales Fractions**

The LDV and the LDT diesel sales fractions were derived from the 1990 MOBILE5 diesel sales fractions. The format of the 1990 MOBILE5 diesel sales fractions inputs were converted to the appropriate MOBILE6 input format, but the values were unchanged from MOBILE5. The MOBILE5 LDV diesel sales fractions were applied to the MOBILE6 LDV diesel sales fractions while the MOBILE5 LDT values were applied to MOBILE6's LDT1 and LDT2 diesel sales fractions. The MOBILE6 default diesel sales fractions were used for all other vehicle categories. For DC, the MOBILE6 default diesel sales fractions were applied to all vehicle categories.

c. I/M Anti-Tampering Program Inputs

Each jurisdiction provided I/M program inputs and ATP inputs in MOBILE6 format for 2005. Table 4 shows the I/M program parameters for DC. As shown in this table, a separate cutpoint file is needed for the vehicles included in the IM240 test. For all vehicles and model years included in the IM240 test (LDGVs, LDGTs, and HDGVs), the HC cutpoint modeled in this file is 0.8 grams per mile (g/mi), the CO cutpoint modeled is 15.0 g/mi, and the NOx cutpoint modeled is 2.0 g/mi. The I/M program parameters for Maryland are shown in Table 5. As with DC, a cutpoint file is needed to model the IM240 test. This cutpoint file is shown in Table 6. Table 7 shows the I/M program parameters for Virginia. The ATP inputs for all three jurisdictions are shown in Table 8.

The I/M and ATP inputs for 1990 were developed by converting the 1990 MOBILE5-based I/M inputs to MOBILE6 format, with some review and corrections by the air agencies. Tables 9 and 10 show the 1990 I/M program and ATP inputs, respectively

## 2. MOBILE6 Scenario Data

The MOBILE6 network/local input files each contain 134 different scenarios. Table 11 summarizes the scenario commands and inputs. The calendar year, RVP, and VMT fractions differ for 1990 and 2005. All other scenario inputs are the same regionwide for both years. The minimum and maximum daily temperatures shown in Table 11 represent the average minimum and maximum daily temperatures recorded at National Airport and Dulles Airport during the top ten ozone exceedance days from 1998 through 2000. These same temperatures were used to model both 1990 and 2005. The RVP input changes from 8.2 psi in 1990 to 7.8 in 2005.

a. Scenario-Specific Inputs

As shown in Table 11, several of these inputs vary by scenario. Table 12 summarizes the data modeled for each of these inputs by scenario. In scenarios 1 through 65, the AVERAGE SPEED input is modeled in 1 mile per hour (mph) increments, from 1 mph through 65 mph. The roadway type is also specified with the AVERAGE SPEED command. In scenarios 1 through 65, a roadway type of "Arterial" is specified. In scenarios 66 through 130, a roadway type of "Non-Ramp" is specified, again with speeds varying from 1 mph through 65 mph in 1 mph speed increments. The "Non-Ramp" roadway type represents interstates excluding the ramp portion of the interstate VMT. In each of these first 130 scenarios, the file referenced in the SOAK DISTRIBUTION command represents the stabilized operating mode. This soak distribution is the first distribution shown in Table 13. Scenario 131 is used to represent ramp VMT. This scenario includes the VMT BY FACILITY command, with the referenced file including 100 percent of the VMT on ramps. This ramp VMT is modeled at the MOBILE6 default ramp speed of 34.6 miles per hour. Scenarios 132 and 133 are used to represent cold start and hot start conditions, respectively.

Table 13 shows the soak distributions used in each of these scenarios. The final scenario, 134, models conditions on local roads for the off-network analysis. In this scenario, a different VMT mix is applied, specific to the local roads.

b. VMT Mix Fractions

VMT mix fractions by vehicle type for each jurisdiction in 1990 and 2005 were based on an estimate of the overall non-bus HDV VMT fraction as output from COG's travel demand model combined with county-specific registration distributions and diesel sales fractions and MOBILE6 default data on the VMT mix by vehicle type within the heavy and light-duty vehicle categories. As determined by the COG's travel demand model, the 1990 HDVs (excluding buses) account for 7.36 percent of the network VMT and 1.60 percent of local road VMT. The LDV + MC group is determined to account for 92.64 percent of the total network VMT. The local LDV + MC group accounts for 98.40 percent of the local road total VMT. The 2005 HDVs (excluding buses) account for 8.05 percent of the network VMT and 1.76 percent of local road VMT. The LDV + MC group accounts for 91.95 percent of the total network VMT and 98.24 percent of the local road total VMT in 2005.

A set of MOBILE6 input files was first prepared using each county's registration distribution and the corresponding diesel sales fraction data for that county. These input files included no VMT mix information, and were run for a July evaluation month for a sample scenario. These MOBILE6 input files were run through MOBILE6 and the database outputs for these inputs were obtained. The MOBILE6 database output format gives VMT fractions for each of the 28 MOBILE6 vehicle types, based on the registration distribution and diesel sales fractions supplied in the input file, as well as the MOBILE6 default VMT mix by vehicle category for 2005. Next, following the guidance included in EPA's MOBILE6 technical guidance document (section 4.1.4), the total VMT fractions in the LDV+MC and the HDV groups in the MOBILE6 database output files were separately totaled. Following the MOBILE6 technical guidance, the LDV and MC VMT fractions were multiplied by the ratio of COG's estimated LDV + MC VMT fraction to the default MOBILE6 LDV + MC VMT fraction. The HDV VMT fractions, excluding the bus fractions (which were multiplied by 0), were multiplied the ratio of COG's estimated HDV VMT fraction to the default MOBILE6 default non-bus HDV VMT fraction. Finally, the new VMT mixes were allocated to the 16 vehicle types required when using VMT mix as an input to MOBILE6. These VMT mixes were then used in the MOBILE6 input files. This procedure was followed separately for network road and local roads for 1990 and 2005 for each county. Tables 14 and 15 show the resulting VMT mix fractions for 1990 network and local roads, respectively. Tables 16 and 17 show the resulting VMT mix fractions for 2005 network and local roads, respectively. The network VMT mix fractions were included in Scenarios 1 through 133 of the MOBILE6 input files, while Scenario 134 used the local road VMT mix fractions.

**B. MOBILE6 AUTO ACCESS TO TRANSIT INPUT FILE SETUP AND PROCESSING**

A separate set of MOBILE6 input files was created for use in off-network calculations of emissions resulting from auto access to transit. These input files were identical to the corresponding MOBILE6 network/local input files, with the exception of the VMT mixes used.

The same procedure was used for developing the VMT mixes to represent auto access to transit. However, as this analysis pertains to vehicle accessing the transit system, the vehicle types generating the VMT are believed to be strictly commuting vehicles. Therefore, the HDV fraction was assumed to be 0 percent in both 1990 and 2005, with the LDV + MC accounting for 100 percent of the vehicles accessing the transit system. The resulting VMT mix fractions used for 1990 and 2005 are reported in Tables 18 and 19, respectively.

The resulting MOBILE6 output files representing auto access to transit were post-processed. Running VOC emission factors by speed were estimated by averaging the total exhaust plus running loss plus crankcase VOC emission factors expressed in grams per mile over the 12 jurisdictions. Similarly, average NOx exhaust emission factors were estimated at each speed over the 12 jurisdictions. The composite hot and cold start VOC and NOx emission rates were calculated based on the start-up portion of the emission factors from scenarios 132 and 133 (cold start and hot start, respectively) in grams per mile, combined with data from the MOBILE6 database output on the average daily miles driven by vehicle type, and the average trip starts made per day. Once these values were calculated for each county, an average hot start and cold start emission factor was estimated over the 12-county region.

**Start-up Rate (gm/trip) =**

$$\begin{aligned}
 & (\text{LDGV ef} * \text{LDGV\_M} / \text{LDGV\_S} * \text{LDGV\_APCT}) + \\
 & (\text{LDGT12 ef} * \text{LDGT12\_M} / \text{LDGT12\_S} * \text{LDGT12\_APCT}) + \\
 & (\text{LDGT34 ef} * \text{LDGT34\_M} / \text{LDGT34\_S} * \text{LDGT34\_APCT}) + \\
 & (\text{LDDV ef} * \text{LDDV\_M} / \text{LDDV\_S} * \text{LDDV\_APCT}) + \\
 & (\text{LDDT ef} * \text{LDDT\_M} / \text{LDDT\_S} * \text{LDDT\_APCT}) + \\
 & (\text{MC ef} * \text{MC\_M} / \text{MC\_S} * \text{MC\_APCT})
 \end{aligned}$$

Where:

LDGV ef, ..., MC ef = vehicle-specific start-up emission factor (gm/mi) taken from the MOBILE6 database output

LDGV\_APCT, ..., MC\_APCT = vehicle-specific proportion of VMT of the total (gas & diesel) vehicle VMT

LDGV\_M, ..., MC\_M = vehicle-specific average daily miles driven

LDGV\_T, ..., MC\_S = vehicle-specific average trip starts made per day

**C. MOBILE6 DIESEL SCHOOL BUS AND DIESEL TRANSIT BUS INPUT FILE SETUP**

Separate MOBILE6 files were set up to model diesel school bus and diesel transit bus emission factors. These input files were set up on a regional rather than county basis, with one input file per year for diesel school buses and one input file per year for diesel transit buses. Based on the October 10, 2002 memo prepared by COG DTP staff, a 2005 MOBILE6 registration distribution was developed for the school bus analysis by using the first 16 years of the default MOBILE6 HDBS registration distribution and renormalizing these data over these 16 years (i.e., zeroing out years 17 through 25). The registration distribution used to model diesel transit buses was based on the regional total fleet distribution survey data provided by COG DTP staff. The



2005 school bus and transit bus RDTs are also provided in Appendix 1. These same registration distributions were also used in the 1990 bus analysis. For the 1990 and 2005 school bus MOBILE6 input files, the VMT mix in all scenarios was set to 1 for the HDBS category and 0 for all other categories. For the 1990 and 2005 transit bus MOBILE6 input files, the VMT mix in all scenarios was set to 1 for the HDBT category and 0 for all other categories. These VMT mix fractions are shown in Table 20. In the MOBILE6 school bus input file, the diesel sales fractions for all 25 years for the HDBS category were set to 1. The MOBILE6 default diesel sales fractions were used in the transit bus input file. These defaults are also 1 for the entire HDBT category.

Each of the MOBILE6 bus input files was modeled with 67 scenarios. The first sixty-five scenarios apply to 'Arterial' roadway type with an average speed of 1 through 65 mph. (The arterial and non-ramp emission factors under these conditions are identical at the same speed.) Scenario 66 models freeway ramps and scenario 67 represents local roads. All scenarios use the stabilized operating mode inputs and the same ambient and fuel conditions as included in the network/local MOBILE6 input files. These scenarios are summarized in Table 21.

Once these MOBILE6 bus input files were run through MOBILE6, the school bus and transit bus emission factors were extracted from the corresponding output files. No other emission factors from these output files were used.

**Table 1**  
**MOBILE6 Run Information Common to All COG Counties**

<b>Command</b>	<b>Input</b>	<b>Comment</b>
RUN DATA		Marks end of header section and beginning of Run section of input file
EXPRESS HC AS VOC		Directs MOBILE6 to report HC in terms of volatile organic compounds
EXPAND EVAPORATIVE		Display all evaporative emission types in descriptive output file
EXPAND EXHAUST		Display start, running, and total exhasut emission factors in descriptive output file
NO REFUELING		Exclude refueling emissions from all emission factors
NO CLEAN AIR ACT	(1990 only)	Eliminates effect of Clean Air Act controls (This command is not used in 2005.)
WE DA TRI LEN DI	WeekTLD2.WDT	Reads weekday trip length percentages from specified file (see Table 2)
FUEL PROGRAM	2 S (2005 only)	Specifies that a Southern RFG program is in place (This command is not included in 1990.)
94+ LDG IMP	NLEVNE.D (2005 only)	Specifies that LEV implementation schedule should be read from specified file (see Table 3) (This command is not used in 1990.)
REG DIST	Varies by county	Registration distribution data (see Appendix 1)
ANTI-TAMP PROG	Varies by jurisdiction	
I/M PROGRAM	Varies by jurisdiction	
DIESEL FRACTIONS	Varies by county	See Appendix 2

**Table 2  
Trip Length Distributions**

<b>Length of Trip</b>	<b>MWCOG Regional Percentage of VMT (%)</b>	<b>MOBILE6 Default Percentage of VMT (%)</b>
< 10 Minutes	10.86	6.74
11 - 20 Minutes	24.98	18.51
21 - 30 Minutes	19.71	16.78
31 - 40 Minutes	13.44	13.11
41 - 50 Minutes	9.29	8.33
> 50 Minutes	21.72	36.53

**Table 3  
LEV Implementation Schedule for MWCOG Region**

<b>Model Year</b>	<b>Percentage of New Vehicle Sales</b>			
	<b>Tier 1</b>	<b>Transitional LEV</b>	<b>LEV</b>	<b>Tier 2</b>
1999	30	40	30	0
2000	0	40	60	0
2001	0	0	100	0
2002	0	0	100	0
2003	0	0	100	0
2004+	0	0	0	100

**Table 4  
2005 I/M Program Parameters for DC**

Test Type	IDLE	IM240	OBD I/M	FP & GC	EVAP OBD & GC	IM240	FP & GC
I/M Program Years	1983-2050	1999-2050	2002-2050	1999-2050	2002-2050	1999-2050	1999-2050
Test Frequency	Biennial	Biennial	Biennial	Biennial	Biennial	Biennial	Biennial
Program Type	T/O	T/O	T/O	T/O	T/O	T/O	T/O
Model Years	1968-1983	1984-1995	1996-2050	1972-1995	1996-2050	1996-2050	1996-2050
Stringency Rate (%)	20	20	20	N/A	20	20	N/A
Compliance Rate (%)	96	96	96	96	96	96	96
Waiver Rate (%)	3	3	3	N/A	3	3	N/A
Exemption Age	25	25	25	25	25	25	25
Cutpoint File	N/A	DC_cpnew	N/A	N/A	N/A	DC_cpnew	N/A
Vehicles Tested							
LDGV	Yes	Yes	Yes	Yes	Yes	No	No
LDGT1	Yes	Yes	Yes	Yes	Yes	No	No
LDGT2	Yes	Yes	Yes	Yes	Yes	No	No
LDGT3	Yes	Yes	Yes	Yes	Yes	No	No
LDGT4	Yes	Yes	Yes	Yes	Yes	No	No
HDGV2B	Yes	Yes	No	Yes	No	Yes	Yes
HDGV3	Yes	Yes	No	Yes	No	Yes	Yes
HDGV4	Yes	Yes	No	Yes	No	Yes	Yes
HDGV5	Yes	Yes	No	Yes	No	Yes	Yes
HDGV6	No	No	No	No	No	No	No
HDGV7	No	No	No	No	No	No	No
HDGV8A	No	No	No	No	No	No	No
HDGV8B	No	No	No	No	No	No	No
GAS BUS	No	No	No	No	No	No	No

**Table 5**  
**2005 I/M Program Parameters for Maryland**

Test Type	IDLE	IM240	OBD I/M	GC	EVAP OBD & GC	IDLE	GC
I/M Program Years	1984-2050	1984-2050	1984-2050	2003-2050	2003-2050	1984-2050	2003-2050
Test Frequency	Biennial	Biennial	Biennial	Biennial	Biennial	Biennial	Biennial
Program Type	T/O	T/O	T/O	T/O	T/O	T/O	T/O
Model Years	1977-1983	1984-1995	1996-2050	1977-1995	1996-2050	1977-2050	1977-2050
Stringency Rate (%)	20	20	20	N/A	N/A	20	N/A
Compliance Rate (%)	96	96	96	96	96	96	96
Waiver Rate (%)	3	3	3	3	3	3	3
Grace Period (years)	2	2	2	2	2	2	2
Cutpoint File	N/A	MD_cp05f	N/A	N/A	N/A	N/A	N/A
Vehicle Types							
LDGV	Yes	Yes	Yes	Yes	Yes	No	No
LDGT1	Yes	Yes	Yes	Yes	Yes	No	No
LDGT2	Yes	Yes	Yes	Yes	Yes	No	No
LDGT3	Yes	Yes	Yes	Yes	Yes	No	No
LDGT4	Yes	Yes	Yes	Yes	Yes	No	No
HDGV2B	No	No	No	No	No	Yes	Yes
HDGV3	No	No	No	No	No	Yes	Yes
HDGV4	No	No	No	No	No	Yes	Yes
HDGV5	No	No	No	No	No	Yes	Yes
HDGV6	No	No	No	No	No	Yes	Yes
HDGV7	No	No	No	No	No	No	No
HDGV8A	No	No	No	No	No	No	No
HDGV8B	No	No	No	No	No	No	No
GAS BUS	No	No	No	No	No	No	No

**Table 6  
IM240 Cutpoint File (MD\_cp05f) for Maryland**

I/M CUTPOINTS :									
* Block 1 (LDGV, Light LDGT1 (EPA LD1))									
0.600	0.600	0.600	0.600	0.600	0.600	0.600	0.600	0.600	0.600
0.800	0.800	0.800	0.800	0.800	0.800	0.800	0.800	0.800	0.800
0.800	0.800	0.800	0.800	0.800	0.800	0.800	0.800	0.800	0.800
10.000	10.000	10.000	10.000	10.000	10.000	10.000	10.000	10.000	10.000
15.000	15.000	15.000	15.000	15.000	15.000	15.000	15.000	15.000	15.000
15.000	15.000	15.000	15.000	15.000	15.000	15.000	15.000	15.000	15.000
1.500	1.500	1.500	1.500	1.500	1.500	1.500	1.500	1.500	1.500
2.000	2.000	2.000	2.000	2.000	2.000	2.000	2.000	2.000	2.000
2.000	2.000	2.000	2.000	2.000	2.000	2.000	2.000	2.000	2.000
* Block 2 (Heavy LDGT1, Light LDGT2 (EPA LD2&3))									
0.800	0.800	0.800	0.800	0.800	0.800	0.800	0.800	0.800	0.800
1.600	1.600	1.600	1.600	1.600	1.600	1.600	1.600	1.600	1.600
1.600	1.600	1.600	1.600	1.600	1.600	1.600	1.600	1.600	1.600
13.000	13.000	13.000	13.000	13.000	13.000	13.000	13.000	13.000	13.000
40.000	40.000	40.000	40.000	40.000	40.000	40.000	40.000	40.000	40.000
40.000	40.000	40.000	40.000	40.000	40.000	40.000	40.000	40.000	40.000
1.800	1.800	1.800	1.800	1.800	1.800	1.800	1.800	1.800	1.800
2.500	2.500	2.500	2.500	2.500	2.500	2.500	2.500	2.500	2.500
2.500	2.500	2.500	2.500	2.500	2.500	2.500	2.500	2.500	2.500
* Block 3 (Heavy LDGT2 (EPA LD4))									
0.800	0.800	0.800	0.800	0.800	0.800	0.800	0.800	0.800	0.800
1.600	1.600	1.600	1.600	1.600	1.600	1.600	1.600	1.600	1.600
1.600	1.600	1.600	1.600	1.600	1.600	1.600	1.600	1.600	1.600
15.000	15.000	15.000	15.000	15.000	15.000	15.000	15.000	15.000	15.000
40.000	40.000	40.000	40.000	40.000	40.000	40.000	40.000	40.000	40.000
40.000	40.000	40.000	40.000	40.000	40.000	40.000	40.000	40.000	40.000
2.000	2.000	2.000	2.000	2.000	2.000	2.000	2.000	2.000	2.000
3.500	3.500	3.500	3.500	3.500	3.500	3.500	3.500	4.500	4.500
4.500	4.500	4.500	4.500	4.500	4.500	4.500	4.500	4.500	4.500
* Block 4 (HDGV)									
2.000	2.000	2.000	2.000	2.000	2.000	2.000	2.000	2.000	2.000
2.000	2.000	2.000	2.000	2.000	2.000	2.000	2.000	2.000	3.000
3.000	5.000	5.000	5.000	5.000	5.000	5.000	5.000	5.000	5.000
30.000	30.000	30.000	30.000	30.000	30.000	30.000	30.000	40.000	40.000
40.000	40.000	40.000	40.000	40.000	40.000	40.000	40.000	40.000	50.000
50.000	75.000	75.000	75.000	75.000	75.000	75.000	75.000	75.000	75.000
4.000	4.000	4.000	4.000	4.000	4.000	4.000	4.000	5.000	5.000
5.000	5.000	5.000	5.000	5.000	5.000	6.000	6.000	6.000	6.000
6.000	6.000	6.000	6.000	6.000	6.000	6.000	6.000	6.000	6.000

Note: The 1996 and later cutpoints for LDGVs and LDGT1s are below the minimum allowable cutpoints in MOBILE6. Therefore, MOBILE6 overrides the 1996 and later cutpoints for LDGVs and LDGT1s with 0.80 grams/mile for HC, with 15.0 grams per mile for CO, and with 2.0 grams per mile for NOx.

**Table 7  
2005 I/M Program Parameters for Virginia**

Test Type	2500/IDLE	ASM 2525/5015 FINAL	OBD I/M	EVAP OBD & GC	GC	2500/ILDE	GC
I/M Program Years	1983-2050	1998-2050	2002-2050	2002-2050	1998-2050	1983-2050	1998-2050
Test Frequency	Biennial	Biennial	Biennial	Biennial	Biennial	Biennial	Biennial
Program Type	TRC	TRC	TRC	TRC	TRC	TRC	TRC
Model Years	1968-1980	1981-1995	1996-2050	1996-2050	1973-1995	1981-2050	1973-2050
Stringency Rate (%)	35	35	35	N/A	N/A	35	N/A
Compliance Rate (%)	98	98	98	98	98	98	98
Waiver Rate (%)	3	3	3	3	3	3	3
Exemption Age	24	24	24	24	24	24	24
I/M Effectiveness (%)	94	94	94	N/A	N/A	94	N/A
Vehicle Types							
LDGV	Yes	Yes	Yes	Yes	Yes	No	No
LDGT1	Yes	Yes	Yes	Yes	Yes	No	No
LDGT2	Yes	Yes	Yes	Yes	Yes	No	No
LDGT3	Yes	Yes	Yes	Yes	Yes	No	No
LDGT4	Yes	Yes	Yes	Yes	Yes	No	No
HDGV2B	Yes	No	No	No	No	Yes	Yes
HDGV3	No	No	No	No	No	No	No
HDGV4	No	No	No	No	No	No	No
HDGV5	No	No	No	No	No	No	No
HDGV6	No	No	No	No	No	No	No
HDGV7	No	No	No	No	No	No	No
HDGV8A	No	No	No	No	No	No	No
HDGV8B	No	No	No	No	No	No	No
GAS BUS	No	No	No	No	No	No	No

**Table 8**  
**Anti-tampering Program Parameters for 2005**

<b>Program Element</b>	<b>DC</b>	<b>MD</b>	<b>VA</b>
Program Start Year	1982	1989	1983
First Model Year	1984	1977	1973
Last Model Year	2050	2050	2050
Program Type	Test Only	Test Only	Test Only
Inspection Frequency	Biennial	Biennial	Biennial
Compliance Rate (%)	96	98	98
Vehicle Types			
LDGV	Yes	Yes	Yes
LDGT1	Yes	Yes	Yes
LDGT2	Yes	Yes	Yes
LDGT3	Yes	Yes	Yes
LDGT4	Yes	Yes	Yes
HDGV2B	Yes	Yes	Yes
HDGV3	Yes	Yes	No
HDGV4	Yes	Yes	No
HDGV5	Yes	Yes	No
HDGV6	Yes	Yes	No
HDGV7	Yes	Yes	No
HDGV8A	Yes	Yes	No
HDGV8B	Yes	Yes	No
GAS BUS	Yes	Yes	No
<b>Inspections Performed</b>			
Air pump system disablement	No	No	Yes
Catalyst removal	Yes	Yes	Yes
Fuel inlet restrictor disablement	Yes	Yes	No
Tailpipe lead deposit test	No	No	No
EGR disablement	No	No	Yes
Evaporative system disablement	No	No	Yes
PCV system disablement	No	No	Yes
Missing gas cap	Yes	Yes	Yes



**Table 9  
1990 I/M Program Parameters**

<b>Program Parameters</b>	<b>DC</b>	<b>MD</b>	<b>VA</b>
Test Type	IDLE	IDLE	2500/IDLE
I/M Program Years	1983	1984	1983
Test Frequency	Biennial	Biennial	Biennial
Program Type	T/O	T/O	TRC
Model Years	1968 - 2050	1977 - 2050	1968 - 2050
Stringency Rate (%)	20	23	35
Compliance Rate (%)	96	98	98
Waiver Rate (%)	3	16 and 17	3
I/M Exemption Age			24
<b>Vehicles Tested</b>			
LDGV	Yes	Yes	Yes
LDGT1	Yes	Yes	Yes
LDGT2	Yes	Yes	Yes
LDGT3	Yes	Yes	Yes
LDGT4	Yes	Yes	Yes
HDGV2B	Yes	Yes	Yes
HDGV3	Yes	Yes	No
HDGV4	Yes	Yes	No
HDGV5	Yes	Yes	No
HDGV6	Yes	Yes	No
HDGV7	Yes	Yes	No
HDGV8A	Yes	Yes	No
HDGV8B	Yes	Yes	No
GAS BUS	Yes	Yes	No

**Table 10**  
**1990 Anti-tampering Program Parameters**

<b>Program Parameters</b>	<b>DC</b>	<b>MD</b>	<b>VA</b>
Program Start Year	1982	1989	1989
First Model Year	1984	1977	1979
Last Model Year	2050	2050	2050
Program Type	Test Only	Test Only	Test Only
Inspection Frequency	Biennial	Biennial	Biennial
Compliance Rate (%)	96	98	98
<b>Vehicle Types</b>			
LDGV	Yes	Yes	Yes
LDGT1	Yes	Yes	Yes
LDGT2	Yes	Yes	Yes
LDGT3	Yes	Yes	Yes
LDGT4	Yes	Yes	Yes
HDGV2B	Yes	Yes	Yes
HDGV3	Yes	Yes	Yes
HDGV4	Yes	Yes	Yes
HDGV5	Yes	Yes	Yes
HDGV6	Yes	Yes	Yes
HDGV7	Yes	Yes	Yes
HDGV8A	Yes	Yes	Yes
HDGV8B	Yes	Yes	Yes
GAS BUS	Yes	Yes	Yes
<b>Inspections Performed</b>			
Air pump system disablement	No	No	Yes
Catalyst removal	Yes	Yes	Yes
Fuel inlet restrictor disablement	Yes	Yes	No
Tailpipe lead deposit test	No	No	No
EGR disablement	No	No	Yes
Evaporative system disablement	No	No	Yes
PCV system disablement	No	No	Yes
Missing gas cap	Yes	Yes	Yes

**Table 11**  
**MOBILE6 Scenario Data Inputs**

<b>Command</b>	<b>Input</b>	<b>Comment</b>
CALENDAR YEAR	varies	1990 or 2005
EVALUATION MONTH	7	July registration distributions
MIN/MAX TEMPERATURE	68.5 95.0	Daily ozone season temperature range (°F)
ALTITUDE	1	Low altitude area
FUEL RVP	varies	8.2 in 1990, 7.8 in 2005 but overwritten by default RFG parameters
AVERAGE SPEED	varies	See memo text; not used for scenarios 131-134
VMT BY FACILITY	varies	See memo text; not used for scenarios 1-130
SOAK DISTRIBUTION	varies	See memo text
VMT FRACTIONS	varies	See memo text

**Table 12**  
**Summary of Scenarios Modeled in Each MOBILE6 Input File**  
**For Network or Auto Access to Transit Analysis**

<b>Scenario Number</b>	<b>Operating Mode</b>	<b>Facility Type</b>	<b>Speed</b>
1-65	Stabilized	Arterial/Collectors	1-65 mph
66-130	Stabilized	Freeways excluding Ramps	1-65 mph
131	Stabilized	Freeway Ramps	34.6 mph
132	Cold Start	Local Roadways	12.9 mph
133	Hot Start	Local Roadways	12.9 mph
134	Stabilized	Local Roadways	12.9 mph



**Table 14  
1990 Summer VMT Mix Fractions  
For Network Analysis**

Vehicle Type	1990 Summer VMT Mix Fractions											
	DC	Maryland Counties					Virginia Counties					
		Calvert	Charles	Frederick	Montgomery	Prince George's	Alexandria	Arlington	Fairfax	Loudoun	Prince William	Stafford
LDV	0.6483	0.6223	0.6239	0.6260	0.6225	0.6242	0.6377	0.6477	0.6357	0.6399	0.6344	0.6432
LDT1	0.0425	0.0484	0.0478	0.0474	0.0480	0.0479	0.0453	0.0443	0.0457	0.0454	0.0466	0.0452
LDT2	0.1416	0.1612	0.1592	0.1579	0.1600	0.1594	0.1508	0.1477	0.1520	0.1510	0.1552	0.1505
LDT3	0.0593	0.0622	0.0619	0.0617	0.0622	0.0614	0.0598	0.0558	0.0601	0.0581	0.0582	0.0562
LDT4	0.0273	0.0286	0.0284	0.0284	0.0286	0.0282	0.0275	0.0257	0.0277	0.0267	0.0268	0.0258
HDV2B	0.0244	0.0243	0.0243	0.0243	0.0243	0.0243	0.0243	0.0243	0.0243	0.0243	0.0243	0.0243
HDV3	0.0024	0.0025	0.0025	0.0025	0.0025	0.0025	0.0025	0.0025	0.0025	0.0025	0.0025	0.0025
HDV4	0.0016	0.0016	0.0016	0.0016	0.0016	0.0016	0.0016	0.0016	0.0016	0.0016	0.0016	0.0016
HDV5	0.0013	0.0013	0.0013	0.0013	0.0013	0.0013	0.0013	0.0013	0.0013	0.0013	0.0013	0.0013
HDV6	0.0050	0.0050	0.0050	0.0050	0.0050	0.0050	0.0050	0.0050	0.0050	0.0050	0.0050	0.0050
HDV7	0.0060	0.0060	0.0060	0.0060	0.0060	0.0060	0.0060	0.0060	0.0060	0.0060	0.0060	0.0060
HDV8A	0.0071	0.0071	0.0071	0.0071	0.0071	0.0071	0.0071	0.0071	0.0071	0.0071	0.0071	0.0071
HDV8B	0.0258	0.0258	0.0258	0.0258	0.0258	0.0258	0.0258	0.0258	0.0258	0.0258	0.0258	0.0258
HDBS	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
HDBT	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
MC	0.0074	0.0037	0.0052	0.0050	0.0051	0.0053	0.0053	0.0052	0.0052	0.0053	0.0052	0.0055

**Table 15  
1990 Summer VMT Mix Fractions  
For Local Analysis**

Vehicle Type	1990 Summer VMT Mix Fractions											
	DC	Maryland Counties					Virginia Counties					
		Calvert	Charles	Frederick	Montgomery	Prince George's	Alexandria	Arlington	Fairfax	Loudoun	Prince William	Stafford
LDV	0.6886	0.6609	0.6626	0.6650	0.6612	0.6630	0.6774	0.6879	0.6752	0.6797	0.6739	0.6832
LDT1	0.0452	0.0515	0.0508	0.0504	0.0510	0.0509	0.0481	0.0471	0.0485	0.0482	0.0495	0.0480
LDT2	0.1504	0.1713	0.1691	0.1677	0.1700	0.1693	0.1601	0.1568	0.1615	0.1604	0.1649	0.1598
LDT3	0.0630	0.0660	0.0657	0.0655	0.0660	0.0652	0.0635	0.0593	0.0639	0.0617	0.0618	0.0597
LDT4	0.0290	0.0304	0.0302	0.0301	0.0304	0.0300	0.0292	0.0273	0.0294	0.0284	0.0284	0.0275
HDV2B	0.0054	0.0053	0.0053	0.0053	0.0053	0.0053	0.0053	0.0053	0.0053	0.0053	0.0053	0.0053
HDV3	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005
HDV4	0.0003	0.0003	0.0004	0.0004	0.0004	0.0004	0.0004	0.0004	0.0004	0.0004	0.0004	0.0004
HDV5	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003
HDV6	0.0011	0.0011	0.0011	0.0011	0.0011	0.0011	0.0011	0.0011	0.0011	0.0011	0.0011	0.0011
HDV7	0.0013	0.0013	0.0013	0.0013	0.0013	0.0013	0.0013	0.0013	0.0013	0.0013	0.0013	0.0013
HDV8A	0.0015	0.0016	0.0015	0.0015	0.0015	0.0015	0.0015	0.0015	0.0015	0.0015	0.0015	0.0015
HDV8B	0.0056	0.0056	0.0056	0.0056	0.0056	0.0056	0.0056	0.0056	0.0056	0.0056	0.0056	0.0056
HDBS	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
HDBT	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
MC	0.0078	0.0039	0.0056	0.0053	0.0054	0.0056	0.0057	0.0056	0.0055	0.0056	0.0055	0.0058

**Table 16  
2005 Summer VMT Mix Fractions  
For Network Analysis**

Vehicle Type	2005 Summer VMT Mix Fractions											
	DC	Maryland Counties					Virginia Counties					
		Calvert	Charles	Frederick	Montgomery	Prince George's	Alexandria	Arlington	Fairfax	Loudoun	Prince William	Stafford
LDV	0.4210	0.4112	0.4134	0.4144	0.4100	0.4152	0.4095	0.4156	0.4123	0.4164	0.4187	0.4255
LDT1	0.0846	0.0868	0.0868	0.0868	0.0874	0.0869	0.0839	0.0832	0.0837	0.0833	0.0831	0.0824
LDT2	0.2815	0.2890	0.2889	0.2890	0.2907	0.2894	0.2793	0.2771	0.2785	0.2775	0.2767	0.2745
LDT3	0.0873	0.0875	0.0860	0.0855	0.0870	0.0843	0.0973	0.0953	0.0961	0.0942	0.0931	0.0905
LDT4	0.0401	0.0402	0.0395	0.0393	0.0400	0.0388	0.0447	0.0438	0.0442	0.0433	0.0428	0.0416
HDV2B	0.0245	0.0253	0.0253	0.0248	0.0245	0.0250	0.0241	0.0243	0.0243	0.0243	0.0243	0.0245
HDV3	0.0024	0.0024	0.0024	0.0025	0.0024	0.0024	0.0025	0.0025	0.0025	0.0025	0.0025	0.0024
HDV4	0.0022	0.0022	0.0022	0.0022	0.0022	0.0022	0.0022	0.0022	0.0022	0.0022	0.0022	0.0022
HDV5	0.0016	0.0017	0.0017	0.0016	0.0016	0.0016	0.0016	0.0016	0.0016	0.0016	0.0016	0.0016
HDV6	0.0062	0.0061	0.0061	0.0061	0.0062	0.0061	0.0062	0.0062	0.0062	0.0062	0.0062	0.0062
HDV7	0.0073	0.0072	0.0072	0.0072	0.0073	0.0072	0.0073	0.0073	0.0073	0.0073	0.0073	0.0073
HDV8A	0.0081	0.0078	0.0078	0.0080	0.0081	0.0080	0.0082	0.0081	0.0081	0.0081	0.0081	0.0081
HDV8B	0.0282	0.0278	0.0278	0.0281	0.0282	0.0280	0.0284	0.0283	0.0283	0.0283	0.0283	0.0282
HDBS	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
HDBT	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
MC	0.0050	0.0048	0.0049	0.0045	0.0044	0.0049	0.0048	0.0045	0.0047	0.0048	0.0051	0.0050

**Table 17  
2005 Summer VMT Mix Fractions  
For Local Analysis**

Vehicle Type	2005 Summer VMT Mix Fractions											
	DC	Maryland Counties					Virginia Counties					
		Calvert	Charles	Frederick	Montgomery	Prince George's	Alexandria	Arlington	Fairfax	Loudoun	Prince William	Stafford
LDV	0.4498	0.4394	0.4417	0.4428	0.4380	0.4436	0.4375	0.4441	0.4406	0.4448	0.4475	0.4546
LDT1	0.0903	0.0927	0.0927	0.0927	0.0933	0.0929	0.0896	0.0889	0.0894	0.0891	0.0888	0.0881
LDT2	0.3008	0.3087	0.3087	0.3088	0.3106	0.3092	0.2984	0.2960	0.2975	0.2965	0.2956	0.2932
LDT3	0.0932	0.0935	0.0919	0.0913	0.0930	0.0900	0.1040	0.1018	0.1027	0.1006	0.0994	0.0967
LDT4	0.0429	0.0430	0.0422	0.0420	0.0428	0.0414	0.0478	0.0468	0.0472	0.0463	0.0457	0.0444
HDV2B	0.0053	0.0055	0.0055	0.0055	0.0054	0.0055	0.0053	0.0053	0.0053	0.0053	0.0053	0.0053
HDV3	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005
HDV4	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005
HDV5	0.0004	0.0004	0.0004	0.0004	0.0003	0.0004	0.0004	0.0004	0.0004	0.0004	0.0004	0.0004
HDV6	0.0013	0.0013	0.0013	0.0013	0.0013	0.0013	0.0013	0.0013	0.0013	0.0013	0.0013	0.0013
HDV7	0.0016	0.0016	0.0016	0.0016	0.0016	0.0016	0.0016	0.0016	0.0016	0.0016	0.0016	0.0016
HDV8A	0.0018	0.0017	0.0017	0.0017	0.0018	0.0017	0.0018	0.0018	0.0018	0.0018	0.0018	0.0018
HDV8B	0.0062	0.0061	0.0061	0.0061	0.0062	0.0061	0.0062	0.0062	0.0062	0.0062	0.0062	0.0062
HDBS	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
HDBT	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
MC	0.0054	0.0051	0.0052	0.0048	0.0047	0.0053	0.0051	0.0048	0.0050	0.0051	0.0054	0.0054



**Table 18**  
**1990 Summer VMT Mix Fractions**  
**For Auto Access to Transit Analysis**

Vehicle Type	1990 Summer VMT Mix Fractions											
	DC	Maryland Counties					Virginia Counties					
		Calvert	Charles	Frederick	Montgomery	Prince George's	Alexandria	Arlington	Fairfax	Loudoun	Prince William	Stafford
LDV	0.6998	0.6717	0.6734	0.6757	0.6719	0.6737	0.6883	0.6991	0.6862	0.6907	0.6848	0.6943
LDT1	0.0459	0.0523	0.0516	0.0512	0.0519	0.0517	0.0489	0.0479	0.0493	0.0490	0.0503	0.0488
LDT2	0.1529	0.1741	0.1718	0.1704	0.1727	0.1721	0.1627	0.1594	0.1641	0.1630	0.1676	0.1624
LDT3	0.0640	0.0671	0.0668	0.0666	0.0671	0.0663	0.0646	0.0603	0.0649	0.0627	0.0628	0.0607
LDT4	0.0294	0.0308	0.0307	0.0306	0.0309	0.0305	0.0297	0.0277	0.0299	0.0288	0.0289	0.0279
HDV2B	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
HDV3	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
HDV4	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
HDV5	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
HDV6	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
HDV7	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
HDV8A	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
HDV8B	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
HDBS	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
HDBT	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
MC	0.0080	0.0040	0.0057	0.0055	0.0055	0.0057	0.0058	0.0056	0.0056	0.0058	0.0056	0.0059

**Table 19  
2005 Summer VMT Mix Fractions  
For Auto Access to Transit Analysis**

Vehicle Type	2005 Summer VMT Mix Fractions											
	DC	Maryland Counties					Virginia Counties					
		Calvert	Charles	Frederick	Montgomery	Prince George's	Alexandria	Arlington	Fairfax	Loudoun	Prince William	Stafford
LDV	0.4579	0.4472	0.4496	0.4507	0.4459	0.4515	0.4453	0.4520	0.4484	0.4528	0.4554	0.4627
LDT1	0.0920	0.0944	0.0944	0.0944	0.0950	0.0945	0.0912	0.0905	0.0910	0.0907	0.0904	0.0897
LDT2	0.3061	0.3142	0.3142	0.3143	0.3162	0.3147	0.3038	0.3013	0.3029	0.3018	0.3010	0.2985
LDT3	0.0949	0.0952	0.0935	0.0930	0.0946	0.0917	0.1058	0.1036	0.1045	0.1024	0.1012	0.0984
LDT4	0.0436	0.0438	0.0430	0.0427	0.0435	0.0422	0.0487	0.0477	0.0481	0.0471	0.0465	0.0452
HDV2B	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
HDV3	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
HDV4	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
HDV5	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
HDV6	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
HDV7	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
HDV8A	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
HDV8B	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
HDBS	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
HDBT	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
MC	0.0055	0.0052	0.0053	0.0049	0.0048	0.0054	0.0052	0.0049	0.0051	0.0052	0.0055	0.0055



**Table 20**  
**2005 VMT Mix Fractions**  
**For School Bus and Transit Bus Analysis**

Vehicle Type	VMT Mix Fractions	
	School Bus	Transit Bus
LDV	0.0000	0.0000
LDT1	0.0000	0.0000
LDT2	0.0000	0.0000
LDT3	0.0000	0.0000
LDT4	0.0000	0.0000
HDV2B	0.0000	0.0000
HDV3	0.0000	0.0000
HDV4	0.0000	0.0000
HDV5	0.0000	0.0000
HDV6	0.0000	0.0000
HDV7	0.0000	0.0000
HDV8A	0.0000	0.0000
HDV8B	0.0000	0.0000
HDBS	1.0000	0.0000
HDBT	0.0000	1.0000
MC	0.0000	0.0000

**Table 21**  
**Summary of Scenarios Modeled in Each MOBILE6 Input File**  
**For School Bus or Transit Bus Analysis**

<b>Scenario Number</b>	<b>Operating Mode</b>	<b>Facility Type</b>	<b>Speed</b>
1-65	Stabilized	Arterial/Collectors	1-65 mph
66	Stabilized	Freeway Ramps	34.6 mph
67	Stabilized	Local Road	12.9 mph

## **Appendix 1**

### **Vehicle Registration Distributions**

Registration distributions (RDT) specify the fraction of vehicles by age in the fleet. The distribution for each vehicle category is presented (in fraction) for the newest model year (2002 for model year 2005) and progressing back for 25 model years. This information is given for each of the 16 required vehicle classes used in MOBILE6, for each jurisdiction. For school and transit buses, the RDT reported were based on 2005 metropolitan Washington's regional distribution.

## District of Columbia—1990 Registration Data

* LDV	M5 LDGV									
	0.0250	0.0669	0.0649	0.0699	0.0759	0.0849	0.0899	0.0819	0.0759	0.0729
	0.0509	0.0400	0.0350	0.0310	0.0330	0.0270	0.0210	0.0140	0.0090	0.0080
	0.0070	0.0060	0.0040	0.0030	0.0030					
* LDT1	M5 LDGT1									
	0.0221	0.0873	0.0873	0.0873	0.0873	0.0722	0.0612	0.0461	0.0371	0.0321
	0.0311	0.0552	0.0491	0.0481	0.0371	0.0291	0.0181	0.0231	0.0181	0.0150
	0.0090	0.0080	0.0080	0.0050	0.0261					
* LDT2	M5 LDGT1									
	0.0221	0.0873	0.0873	0.0873	0.0873	0.0722	0.0612	0.0461	0.0371	0.0321
	0.0311	0.0552	0.0491	0.0481	0.0371	0.0291	0.0181	0.0231	0.0181	0.0150
	0.0090	0.0080	0.0080	0.0050	0.0261					
* LDT3	M5 LDGT2									
	0.0190	0.0739	0.0739	0.0739	0.0739	0.0539	0.0519	0.0350	0.0559	0.0320
	0.0290	0.0829	0.0869	0.0509	0.0400	0.0310	0.0190	0.0240	0.0190	0.0150
	0.0090	0.0080	0.0090	0.0060	0.0270					
* LDT4	M5 LDGT2									
	0.0190	0.0739	0.0739	0.0739	0.0739	0.0539	0.0519	0.0350	0.0559	0.0320
	0.0290	0.0829	0.0869	0.0509	0.0400	0.0310	0.0190	0.0240	0.0190	0.0150
	0.0090	0.0080	0.0090	0.0060	0.0270					
* HDV2B	M5 HDVs (Combined HDGV and HDDV)									
	0.0094	0.0550	0.0550	0.0550	0.0550	0.0516	0.0432	0.0280	0.0316	0.0371
	0.0410	0.0657	0.0554	0.0587	0.0499	0.0320	0.0367	0.0375	0.0322	0.0245
	0.0175	0.0175	0.0168	0.0109	0.0830					
* HDV3	M5 HDVs (Combined HDGV and HDDV)									
	0.0094	0.0550	0.0550	0.0550	0.0550	0.0516	0.0432	0.0280	0.0316	0.0371
	0.0410	0.0657	0.0554	0.0587	0.0499	0.0320	0.0367	0.0375	0.0322	0.0245
	0.0175	0.0175	0.0168	0.0109	0.0830					
* HDV4	M5 HDVs (Combined HDGV and HDDV)									
	0.0094	0.0550	0.0550	0.0550	0.0550	0.0516	0.0432	0.0280	0.0316	0.0371
	0.0410	0.0657	0.0554	0.0587	0.0499	0.0320	0.0367	0.0375	0.0322	0.0245
	0.0175	0.0175	0.0168	0.0109	0.0830					
* HDV5	M5 HDVs (Combined HDGV and HDDV)									
	0.0094	0.0550	0.0550	0.0550	0.0550	0.0516	0.0432	0.0280	0.0316	0.0371
	0.0410	0.0657	0.0554	0.0587	0.0499	0.0320	0.0367	0.0375	0.0322	0.0245
	0.0175	0.0175	0.0168	0.0109	0.0830					
* HDV6	M5 HDVs (Combined HDGV and HDDV)									
	0.0094	0.0550	0.0550	0.0550	0.0550	0.0516	0.0432	0.0280	0.0316	0.0371
	0.0410	0.0657	0.0554	0.0587	0.0499	0.0320	0.0367	0.0375	0.0322	0.0245
	0.0175	0.0175	0.0168	0.0109	0.0830					
* HDV7	M5 HDVs (Combined HDGV and HDDV)									
	0.0094	0.0550	0.0550	0.0550	0.0550	0.0516	0.0432	0.0280	0.0316	0.0371
	0.0410	0.0657	0.0554	0.0587	0.0499	0.0320	0.0367	0.0375	0.0322	0.0245
	0.0175	0.0175	0.0168	0.0109	0.0830					
* HDV8a	M5 HDVs (Combined HDGV and HDDV)									
	0.0094	0.0550	0.0550	0.0550	0.0550	0.0516	0.0432	0.0280	0.0316	0.0371
	0.0410	0.0657	0.0554	0.0587	0.0499	0.0320	0.0367	0.0375	0.0322	0.0245
	0.0175	0.0175	0.0168	0.0109	0.0830					
* HDV8b	M5 HDVs (Combined HDGV and HDDV)									
	0.0094	0.0550	0.0550	0.0550	0.0550	0.0516	0.0432	0.0280	0.0316	0.0371
	0.0410	0.0657	0.0554	0.0587	0.0499	0.0320	0.0367	0.0375	0.0322	0.0245
	0.0175	0.0175	0.0168	0.0109	0.0830					
* HDBS	M5 HDVs (Combined HDGV and HDDV)									
	0.0094	0.0550	0.0550	0.0550	0.0550	0.0516	0.0432	0.0280	0.0316	0.0371
	0.0410	0.0657	0.0554	0.0587	0.0499	0.0320	0.0367	0.0375	0.0322	0.0245
	0.0175	0.0175	0.0168	0.0109	0.0830					
* HDBT	M5 HDDVs									
	0.0120	0.0682	0.0682	0.0682	0.0682	0.0752	0.0622	0.0411	0.0421	0.0522
	0.0542	0.0672	0.0562	0.0582	0.0461	0.0191	0.0231	0.0291	0.0251	0.0160
	0.0110	0.0090	0.0070	0.0050	0.0160					
* Motorcycles	M5 MC									
	0.0531	0.1862	0.1491	0.1211	0.0971	0.0771	0.0621	0.0501	0.0400	0.0320
	0.0250	0.1071	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

0.0000 0.0000 0.0000 0.0000 0.0000



## Calvert County, MD—1990 Registration Data

* LDV	M5 LDGV									
	0.0404	0.0852	0.1002	0.0975	0.1030	0.0993	0.0822	0.0726	0.0486	0.0373
	0.0365	0.0293	0.0323	0.0269	0.0216	0.0146	0.0083	0.0061	0.0080	0.0069
	0.0054	0.0043	0.0042	0.0036	0.0257					
* LDT1	M5 LDGT1									
	0.0661	0.1347	0.1553	0.1423	0.1312	0.0930	0.0730	0.0577	0.0302	0.0145
	0.0103	0.0099	0.0216	0.0174	0.0124	0.0084	0.0055	0.0029	0.0031	0.0044
	0.0027	0.0008	0.0008	0.0006	0.0010					
* LDT2	M5 LDGT1									
	0.0661	0.1347	0.1553	0.1423	0.1312	0.0930	0.0730	0.0577	0.0302	0.0145
	0.0103	0.0099	0.0216	0.0174	0.0124	0.0084	0.0055	0.0029	0.0031	0.0044
	0.0027	0.0008	0.0008	0.0006	0.0010					
* LDT3	M5 LDGT2									
	0.0392	0.0840	0.1040	0.1071	0.0981	0.1108	0.0729	0.0634	0.0428	0.0310
	0.0277	0.0248	0.0377	0.0352	0.0257	0.0174	0.0100	0.0140	0.0082	0.0111
	0.0055	0.0083	0.0066	0.0042	0.0106					
* LDT4	M5 LDGT2									
	0.0392	0.0840	0.1040	0.1071	0.0981	0.1108	0.0729	0.0634	0.0428	0.0310
	0.0277	0.0248	0.0377	0.0352	0.0257	0.0174	0.0100	0.0140	0.0082	0.0111
	0.0055	0.0083	0.0066	0.0042	0.0106					
* HDV2B	M5 HDVs (Combined HDGV and HDDV)									
	0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366
	0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244
	0.0175	0.0174	0.0167	0.0108	0.0816					
* HDV3	M5 HDVs (Combined HDGV and HDDV)									
	0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366
	0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244
	0.0175	0.0174	0.0167	0.0108	0.0816					
* HDV4	M5 HDVs (Combined HDGV and HDDV)									
	0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366
	0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244
	0.0175	0.0174	0.0167	0.0108	0.0816					
* HDV5	M5 HDVs (Combined HDGV and HDDV)									
	0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366
	0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244
	0.0175	0.0174	0.0167	0.0108	0.0816					
* HDV6	M5 HDVs (Combined HDGV and HDDV)									
	0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366
	0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244
	0.0175	0.0174	0.0167	0.0108	0.0816					
* HDV7	M5 HDVs (Combined HDGV and HDDV)									
	0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366
	0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244
	0.0175	0.0174	0.0167	0.0108	0.0816					
* HDV8a	M5 HDVs (Combined HDGV and HDDV)									
	0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366
	0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244
	0.0175	0.0174	0.0167	0.0108	0.0816					
* HDV8b	M5 HDVs (Combined HDGV and HDDV)									
	0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366
	0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244
	0.0175	0.0174	0.0167	0.0108	0.0816					
* HDBS	M5 HDVs (Combined HDGV and HDDV)									
	0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366
	0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244
	0.0175	0.0174	0.0167	0.0108	0.0816					
* HDBT	M5 HDDVs									
	0.0339	0.0669	0.0669	0.0669	0.0669	0.0729	0.0609	0.0399	0.0409	0.0509
	0.0529	0.0659	0.0549	0.0569	0.0449	0.0190	0.0230	0.0279	0.0240	0.0160
	0.0110	0.0090	0.0070	0.0050	0.0160					
* Motorcycles	M5 MC									
	0.0109	0.0193	0.0153	0.0139	0.0203	0.0371	0.0297	0.0223	0.0272	0.0361
	0.0336	0.7343	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

0.0000 0.0000 0.0000 0.0000 0.0000

### Charles County, MD—1990 Registration Data

* LDV	M5 LDGV									
0.0432	0.0850	0.0998	0.0994	0.1006	0.0973	0.0852	0.0752	0.0502	0.0366	
0.0347	0.0298	0.0334	0.0270	0.0224	0.0140	0.0073	0.0069	0.0077	0.0069	
0.0051	0.0042	0.0047	0.0033	0.0200						
* LDT1	M5 LDGT1									
0.0673	0.1276	0.1531	0.1487	0.1205	0.0904	0.0707	0.0567	0.0297	0.0169	
0.0119	0.0103	0.0237	0.0220	0.0157	0.0094	0.0058	0.0052	0.0045	0.0024	
0.0028	0.0016	0.0008	0.0009	0.0014						
* LDT2	M5 LDGT1									
0.0673	0.1276	0.1531	0.1487	0.1205	0.0904	0.0707	0.0567	0.0297	0.0169	
0.0119	0.0103	0.0237	0.0220	0.0157	0.0094	0.0058	0.0052	0.0045	0.0024	
0.0028	0.0016	0.0008	0.0009	0.0014						
* LDT3	M5 LDGT2									
0.0429	0.0813	0.0974	0.1061	0.1009	0.1075	0.0753	0.0631	0.0436	0.0323	
0.0267	0.0253	0.0399	0.0325	0.0250	0.0166	0.0119	0.0140	0.0098	0.0103	
0.0076	0.0066	0.0059	0.0051	0.0123						
* LDT4	M5 LDGT2									
0.0429	0.0813	0.0974	0.1061	0.1009	0.1075	0.0753	0.0631	0.0436	0.0323	
0.0267	0.0253	0.0399	0.0325	0.0250	0.0166	0.0119	0.0140	0.0098	0.0103	
0.0076	0.0066	0.0059	0.0051	0.0123						
* HDV2B	M5 HDVs (Combined HDGV and HDDV)									
0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366	
0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244	
0.0175	0.0174	0.0167	0.0108	0.0816						
* HDV3	M5 HDVs (Combined HDGV and HDDV)									
0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366	
0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244	
0.0175	0.0174	0.0167	0.0108	0.0816						
* HDV4	M5 HDVs (Combined HDGV and HDDV)									
0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366	
0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244	
0.0175	0.0174	0.0167	0.0108	0.0816						
* HDV5	M5 HDVs (Combined HDGV and HDDV)									
0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366	
0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244	
0.0175	0.0174	0.0167	0.0108	0.0816						
* HDV6	M5 HDVs (Combined HDGV and HDDV)									
0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366	
0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244	
0.0175	0.0174	0.0167	0.0108	0.0816						
* HDV7	M5 HDVs (Combined HDGV and HDDV)									
0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366	
0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244	
0.0175	0.0174	0.0167	0.0108	0.0816						
* HDV8a	M5 HDVs (Combined HDGV and HDDV)									
0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366	
0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244	
0.0175	0.0174	0.0167	0.0108	0.0816						
* HDV8b	M5 HDVs (Combined HDGV and HDDV)									
0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366	
0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244	
0.0175	0.0174	0.0167	0.0108	0.0816						
* HDBS	M5 HDVs (Combined HDGV and HDDV)									
0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366	
0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244	
0.0175	0.0174	0.0167	0.0108	0.0816						
* HDBT	M5 HDDVs									
0.0339	0.0669	0.0669	0.0669	0.0669	0.0729	0.0609	0.0399	0.0409	0.0509	
0.0529	0.0659	0.0549	0.0569	0.0449	0.0190	0.0230	0.0279	0.0240	0.0160	
0.0110	0.0090	0.0070	0.0050	0.0160						
* Motorcycles	M5 MC									
0.0286	0.0800	0.0529	0.0521	0.0580	0.1006	0.0705	0.0617	0.0705	0.0808	

0.0698 0.2746 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000  
0.0000 0.0000 0.0000 0.0000 0.0000

## Frederick County, MD—1990 Registration Data

* LDV	M5 LDGV									
	0.0390	0.0904	0.1052	0.0988	0.0980	0.0953	0.0795	0.0734	0.0487	0.0386
	0.0345	0.0318	0.0313	0.0274	0.0196	0.0126	0.0073	0.0073	0.0081	0.0067
	0.0049	0.0051	0.0045	0.0040	0.0279					
* LDT1	M5 LDGT1									
	0.0694	0.1255	0.1402	0.1311	0.1162	0.0994	0.0770	0.0617	0.0273	0.0163
	0.0105	0.0117	0.0325	0.0241	0.0159	0.0105	0.0063	0.0052	0.0043	0.0046
	0.0032	0.0020	0.0013	0.0008	0.0029					
* LDT2	M5 LDGT1									
	0.0694	0.1255	0.1402	0.1311	0.1162	0.0994	0.0770	0.0617	0.0273	0.0163
	0.0105	0.0117	0.0325	0.0241	0.0159	0.0105	0.0063	0.0052	0.0043	0.0046
	0.0032	0.0020	0.0013	0.0008	0.0029					
* LDT3	M5 LDGT2									
	0.0391	0.0787	0.0971	0.1037	0.0966	0.1101	0.0722	0.0638	0.0450	0.0305
	0.0273	0.0277	0.0438	0.0369	0.0262	0.0189	0.0104	0.0122	0.0104	0.0110
	0.0071	0.0062	0.0059	0.0049	0.0141					
* LDT4	M5 LDGT2									
	0.0391	0.0787	0.0971	0.1037	0.0966	0.1101	0.0722	0.0638	0.0450	0.0305
	0.0273	0.0277	0.0438	0.0369	0.0262	0.0189	0.0104	0.0122	0.0104	0.0110
	0.0071	0.0062	0.0059	0.0049	0.0141					
* HDV2B	M5 HDVs (Combined HDGV and HDDV)									
	0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366
	0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244
	0.0175	0.0174	0.0167	0.0108	0.0816					
* HDV3	M5 HDVs (Combined HDGV and HDDV)									
	0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366
	0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244
	0.0175	0.0174	0.0167	0.0108	0.0816					
* HDV4	M5 HDVs (Combined HDGV and HDDV)									
	0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366
	0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244
	0.0175	0.0174	0.0167	0.0108	0.0816					
* HDV5	M5 HDVs (Combined HDGV and HDDV)									
	0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366
	0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244
	0.0175	0.0174	0.0167	0.0108	0.0816					
* HDV6	M5 HDVs (Combined HDGV and HDDV)									
	0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366
	0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244
	0.0175	0.0174	0.0167	0.0108	0.0816					
* HDV7	M5 HDVs (Combined HDGV and HDDV)									
	0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366
	0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244
	0.0175	0.0174	0.0167	0.0108	0.0816					
* HDV8a	M5 HDVs (Combined HDGV and HDDV)									
	0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366
	0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244
	0.0175	0.0174	0.0167	0.0108	0.0816					
* HDV8b	M5 HDVs (Combined HDGV and HDDV)									
	0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366
	0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244
	0.0175	0.0174	0.0167	0.0108	0.0816					
* HDBS	M5 HDVs (Combined HDGV and HDDV)									
	0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366
	0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244
	0.0175	0.0174	0.0167	0.0108	0.0816					
* HDBT	M5 HDDVs									
	0.0339	0.0669	0.0669	0.0669	0.0669	0.0729	0.0609	0.0399	0.0409	0.0509
	0.0529	0.0659	0.0549	0.0569	0.0449	0.0190	0.0230	0.0279	0.0240	0.0160
	0.0110	0.0090	0.0070	0.0050	0.0160					
* Motorcycles	M5 MC									
	0.0308	0.0386	0.0506	0.0506	0.0620	0.0854	0.0691	0.0617	0.0652	0.0880
	0.0828	0.3152	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

0.0000 0.0000 0.0000 0.0000 0.0000

## Montgomery County, MD—1990 Registration Data

* LDV	M5 LDGV									
	0.0462	0.0981	0.0983	0.1057	0.1104	0.1061	0.0877	0.0783	0.0525	0.0399
	0.0339	0.0279	0.0253	0.0201	0.0149	0.0093	0.0054	0.0051	0.0052	0.0049
	0.0036	0.0031	0.0030	0.0024	0.0128					
* LDT1	M5 LDGT1									
	0.0899	0.1530	0.1555	0.1451	0.1222	0.0926	0.0705	0.0513	0.0239	0.0132
	0.0102	0.0080	0.0171	0.0137	0.0096	0.0068	0.0037	0.0030	0.0034	0.0022
	0.0017	0.0008	0.0008	0.0005	0.0014					
* LDT2	M5 LDGT1									
	0.0899	0.1530	0.1555	0.1451	0.1222	0.0926	0.0705	0.0513	0.0239	0.0132
	0.0102	0.0080	0.0171	0.0137	0.0096	0.0068	0.0037	0.0030	0.0034	0.0022
	0.0017	0.0008	0.0008	0.0005	0.0014					
* LDT3	M5 LDGT2									
	0.0358	0.0868	0.1129	0.1152	0.1057	0.1219	0.0802	0.0696	0.0439	0.0299
	0.0236	0.0225	0.0337	0.0267	0.0206	0.0143	0.0084	0.0090	0.0079	0.0081
	0.0048	0.0045	0.0039	0.0025	0.0076					
* LDT4	M5 LDGT2									
	0.0358	0.0868	0.1129	0.1152	0.1057	0.1219	0.0802	0.0696	0.0439	0.0299
	0.0236	0.0225	0.0337	0.0267	0.0206	0.0143	0.0084	0.0090	0.0079	0.0081
	0.0048	0.0045	0.0039	0.0025	0.0076					
* HDV2B	M5 HDVs (Combined HDGV and HDDV)									
	0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366
	0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244
	0.0175	0.0174	0.0167	0.0108	0.0816					
* HDV3	M5 HDVs (Combined HDGV and HDDV)									
	0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366
	0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244
	0.0175	0.0174	0.0167	0.0108	0.0816					
* HDV4	M5 HDVs (Combined HDGV and HDDV)									
	0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366
	0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244
	0.0175	0.0174	0.0167	0.0108	0.0816					
* HDV5	M5 HDVs (Combined HDGV and HDDV)									
	0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366
	0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244
	0.0175	0.0174	0.0167	0.0108	0.0816					
* HDV6	M5 HDVs (Combined HDGV and HDDV)									
	0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366
	0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244
	0.0175	0.0174	0.0167	0.0108	0.0816					
* HDV7	M5 HDVs (Combined HDGV and HDDV)									
	0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366
	0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244
	0.0175	0.0174	0.0167	0.0108	0.0816					
* HDV8a	M5 HDVs (Combined HDGV and HDDV)									
	0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366
	0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244
	0.0175	0.0174	0.0167	0.0108	0.0816					
* HDV8b	M5 HDVs (Combined HDGV and HDDV)									
	0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366
	0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244
	0.0175	0.0174	0.0167	0.0108	0.0816					
* HDBS	M5 HDVs (Combined HDGV and HDDV)									
	0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366
	0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244
	0.0175	0.0174	0.0167	0.0108	0.0816					
* HDBT	M5 HDDVs									
	0.0339	0.0669	0.0669	0.0669	0.0669	0.0729	0.0609	0.0399	0.0409	0.0509
	0.0529	0.0659	0.0549	0.0569	0.0449	0.0190	0.0230	0.0279	0.0240	0.0160
	0.0110	0.0090	0.0070	0.0050	0.0160					
* Motorcycles	M5 MC									
	0.0307	0.0526	0.0627	0.0633	0.0679	0.0990	0.0700	0.0537	0.0679	0.0888
	0.0626	0.2809	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

0.0000 0.0000 0.0000 0.0000 0.0000

## Prince George's County, MD—1990 Registration Data

* LDV	M5 LDGV									
	0.0416	0.0857	0.0946	0.1040	0.1052	0.0946	0.0842	0.0775	0.0514	0.0399
	0.0371	0.0310	0.0329	0.0271	0.0209	0.0143	0.0083	0.0075	0.0076	0.0061
	0.0047	0.0038	0.0034	0.0029	0.0140					
* LDT1	M5 LDGT1									
	0.0721	0.1415	0.1501	0.1429	0.1220	0.0819	0.0703	0.0543	0.0297	0.0173
	0.0123	0.0109	0.0259	0.0183	0.0146	0.0106	0.0058	0.0052	0.0045	0.0037
	0.0022	0.0009	0.0010	0.0004	0.0016					
* LDT2	M5 LDGT1									
	0.0721	0.1415	0.1501	0.1429	0.1220	0.0819	0.0703	0.0543	0.0297	0.0173
	0.0123	0.0109	0.0259	0.0183	0.0146	0.0106	0.0058	0.0052	0.0045	0.0037
	0.0022	0.0009	0.0010	0.0004	0.0016					
* LDT3	M5 LDGT2									
	0.0358	0.0855	0.1004	0.1095	0.0933	0.1062	0.0772	0.0641	0.0426	0.0295
	0.0271	0.0240	0.0379	0.0328	0.0273	0.0209	0.0126	0.0146	0.0111	0.0111
	0.0086	0.0067	0.0063	0.0045	0.0105					
* LDT4	M5 LDGT2									
	0.0358	0.0855	0.1004	0.1095	0.0933	0.1062	0.0772	0.0641	0.0426	0.0295
	0.0271	0.0240	0.0379	0.0328	0.0273	0.0209	0.0126	0.0146	0.0111	0.0111
	0.0086	0.0067	0.0063	0.0045	0.0105					
* HDV2B	M5 HDVs (Combined HDGV and HDDV)									
	0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366
	0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244
	0.0175	0.0174	0.0167	0.0108	0.0816					
* HDV3	M5 HDVs (Combined HDGV and HDDV)									
	0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366
	0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244
	0.0175	0.0174	0.0167	0.0108	0.0816					
* HDV4	M5 HDVs (Combined HDGV and HDDV)									
	0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366
	0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244
	0.0175	0.0174	0.0167	0.0108	0.0816					
* HDV5	M5 HDVs (Combined HDGV and HDDV)									
	0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366
	0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244
	0.0175	0.0174	0.0167	0.0108	0.0816					
* HDV6	M5 HDVs (Combined HDGV and HDDV)									
	0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366
	0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244
	0.0175	0.0174	0.0167	0.0108	0.0816					
* HDV7	M5 HDVs (Combined HDGV and HDDV)									
	0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366
	0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244
	0.0175	0.0174	0.0167	0.0108	0.0816					
* HDV8a	M5 HDVs (Combined HDGV and HDDV)									
	0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366
	0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244
	0.0175	0.0174	0.0167	0.0108	0.0816					
* HDV8b	M5 HDVs (Combined HDGV and HDDV)									
	0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366
	0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244
	0.0175	0.0174	0.0167	0.0108	0.0816					
* HDBS	M5 HDVs (Combined HDGV and HDDV)									
	0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366
	0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244
	0.0175	0.0174	0.0167	0.0108	0.0816					
* HDBT	M5 HDDVs									
	0.0339	0.0669	0.0669	0.0669	0.0669	0.0729	0.0609	0.0399	0.0409	0.0509
	0.0529	0.0659	0.0549	0.0569	0.0449	0.0190	0.0230	0.0279	0.0240	0.0160
	0.0110	0.0090	0.0070	0.0050	0.0160					
* Motorcycles	M5 MC									
	0.0323	0.0533	0.0617	0.0501	0.0668	0.1186	0.0816	0.0633	0.0663	0.0848
	0.0552	0.2661	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000



0.0000 0.0000 0.0000 0.0000 0.0000

## Alexandria, VA—1990 Registration Data

* LDV	M5 LDGV									
	0.0676	0.0820	0.0955	0.0937	0.0893	0.0777	0.0732	0.0539	0.0485	0.0478
	0.0448	0.0433	0.0403	0.0325	0.0255	0.0146	0.0143	0.0131	0.0100	0.0073
	0.0054	0.0043	0.0034	0.0027	0.0092					
* LDT1	M5 LDGT1									
	0.0704	0.1140	0.1112	0.1118	0.1282	0.0734	0.0621	0.0421	0.0366	0.0305
	0.0200	0.0228	0.0251	0.0216	0.0166	0.0117	0.0176	0.0148	0.0148	0.0109
	0.0083	0.0073	0.0065	0.0057	0.0162					
* LDT2	M5 LDGT1									
	0.0704	0.1140	0.1112	0.1118	0.1282	0.0734	0.0621	0.0421	0.0366	0.0305
	0.0200	0.0228	0.0251	0.0216	0.0166	0.0117	0.0176	0.0148	0.0148	0.0109
	0.0083	0.0073	0.0065	0.0057	0.0162					
* LDT3	M5 LDGT2									
	0.0558	0.0735	0.0945	0.0765	0.0812	0.0653	0.0546	0.0399	0.0395	0.0382
	0.0322	0.0679	0.0601	0.0528	0.0417	0.0215	0.0279	0.0133	0.0129	0.0095
	0.0099	0.0095	0.0090	0.0086	0.0043					
* LDT4	M5 LDGT2									
	0.0558	0.0735	0.0945	0.0765	0.0812	0.0653	0.0546	0.0399	0.0395	0.0382
	0.0322	0.0679	0.0601	0.0528	0.0417	0.0215	0.0279	0.0133	0.0129	0.0095
	0.0099	0.0095	0.0090	0.0086	0.0043					
* HDV2B	M5 HDVs (Combined HDGV and HDDV)									
	0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366
	0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244
	0.0175	0.0174	0.0167	0.0108	0.0816					
* HDV3	M5 HDVs (Combined HDGV and HDDV)									
	0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366
	0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244
	0.0175	0.0174	0.0167	0.0108	0.0816					
* HDV4	M5 HDVs (Combined HDGV and HDDV)									
	0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366
	0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244
	0.0175	0.0174	0.0167	0.0108	0.0816					
* HDV5	M5 HDVs (Combined HDGV and HDDV)									
	0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366
	0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244
	0.0175	0.0174	0.0167	0.0108	0.0816					
* HDV6	M5 HDVs (Combined HDGV and HDDV)									
	0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366
	0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244
	0.0175	0.0174	0.0167	0.0108	0.0816					
* HDV7	M5 HDVs (Combined HDGV and HDDV)									
	0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366
	0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244
	0.0175	0.0174	0.0167	0.0108	0.0816					
* HDV8a	M5 HDVs (Combined HDGV and HDDV)									
	0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366
	0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244
	0.0175	0.0174	0.0167	0.0108	0.0816					
* HDV8b	M5 HDVs (Combined HDGV and HDDV)									
	0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366
	0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244
	0.0175	0.0174	0.0167	0.0108	0.0816					
* HDBS	M5 HDVs (Combined HDGV and HDDV)									
	0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366
	0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244
	0.0175	0.0174	0.0167	0.0108	0.0816					
* HDBT	M5 HDDVs									
	0.0339	0.0669	0.0669	0.0669	0.0669	0.0729	0.0609	0.0399	0.0409	0.0509
	0.0529	0.0659	0.0549	0.0569	0.0449	0.0190	0.0230	0.0279	0.0240	0.0160
	0.0110	0.0090	0.0070	0.0050	0.0160					
* Motorcycles	M5 MC									
	0.0306	0.0395	0.0447	0.0582	0.0910	0.0828	0.0589	0.0679	0.1380	0.1007
	0.0500	0.2379	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

0.0000 0.0000 0.0000 0.0000 0.0000

## Arlington County, VA—1990 Registration Data

* LDV	M5 LDGV									
	0.1121	0.0925	0.0835	0.0841	0.0823	0.0735	0.0719	0.0539	0.0486	0.0475
	0.0449	0.0400	0.0365	0.0275	0.0212	0.0119	0.0118	0.0114	0.0097	0.0074
	0.0054	0.0047	0.0041	0.0036	0.0096					
* LDT1	M5 LDGT1									
	0.0561	0.0921	0.1103	0.1085	0.1183	0.0763	0.0740	0.0547	0.0472	0.0413
	0.0257	0.0260	0.0221	0.0220	0.0202	0.0119	0.0174	0.0114	0.0124	0.0076
	0.0070	0.0085	0.0070	0.0059	0.0161					
* LDT2	M5 LDGT1									
	0.0561	0.0921	0.1103	0.1085	0.1183	0.0763	0.0740	0.0547	0.0472	0.0413
	0.0257	0.0260	0.0221	0.0220	0.0202	0.0119	0.0174	0.0114	0.0124	0.0076
	0.0070	0.0085	0.0070	0.0059	0.0161					
* LDT3	M5 LDGT2									
	0.0371	0.0535	0.0742	0.0668	0.0699	0.0707	0.0535	0.0437	0.0348	0.0426
	0.0359	0.0781	0.0773	0.0605	0.0554	0.0246	0.0230	0.0195	0.0152	0.0121
	0.0117	0.0086	0.0062	0.0047	0.0203					
* LDT4	M5 LDGT2									
	0.0371	0.0535	0.0742	0.0668	0.0699	0.0707	0.0535	0.0437	0.0348	0.0426
	0.0359	0.0781	0.0773	0.0605	0.0554	0.0246	0.0230	0.0195	0.0152	0.0121
	0.0117	0.0086	0.0062	0.0047	0.0203					
* HDV2B	M5 HDVs (Combined HDGV and HDDV)									
	0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366
	0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244
	0.0175	0.0174	0.0167	0.0108	0.0816					
* HDV3	M5 HDVs (Combined HDGV and HDDV)									
	0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366
	0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244
	0.0175	0.0174	0.0167	0.0108	0.0816					
* HDV4	M5 HDVs (Combined HDGV and HDDV)									
	0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366
	0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244
	0.0175	0.0174	0.0167	0.0108	0.0816					
* HDV5	M5 HDVs (Combined HDGV and HDDV)									
	0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366
	0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244
	0.0175	0.0174	0.0167	0.0108	0.0816					
* HDV6	M5 HDVs (Combined HDGV and HDDV)									
	0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366
	0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244
	0.0175	0.0174	0.0167	0.0108	0.0816					
* HDV7	M5 HDVs (Combined HDGV and HDDV)									
	0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366
	0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244
	0.0175	0.0174	0.0167	0.0108	0.0816					
* HDV8a	M5 HDVs (Combined HDGV and HDDV)									
	0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366
	0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244
	0.0175	0.0174	0.0167	0.0108	0.0816					
* HDV8b	M5 HDVs (Combined HDGV and HDDV)									
	0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366
	0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244
	0.0175	0.0174	0.0167	0.0108	0.0816					
* HDBS	M5 HDVs (Combined HDGV and HDDV)									
	0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366
	0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244
	0.0175	0.0174	0.0167	0.0108	0.0816					
* HDBT	M5 HDDVs									
	0.0339	0.0669	0.0669	0.0669	0.0669	0.0729	0.0609	0.0399	0.0409	0.0509
	0.0529	0.0659	0.0549	0.0569	0.0449	0.0190	0.0230	0.0279	0.0240	0.0160
	0.0110	0.0090	0.0070	0.0050	0.0160					
* Motorcycles	M5 MC									
	0.0254	0.0412	0.0379	0.0494	0.0872	0.0920	0.0580	0.0810	0.1328	0.0796
	0.0628	0.2526	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

0.0000 0.0000 0.0000 0.0000 0.0000

## Fairfax County, VA—1990 Registration Data

* LDV	M5 LDGV									
	0.0722	0.0922	0.1008	0.1053	0.1019	0.0899	0.0806	0.0553	0.0448	0.0420
	0.0369	0.0355	0.0309	0.0241	0.0171	0.0100	0.0099	0.0098	0.0082	0.0064
	0.0050	0.0045	0.0041	0.0038	0.0088					
* LDT1	M5 LDGT1									
	0.0687	0.1076	0.1223	0.1291	0.1346	0.0849	0.0778	0.0541	0.0362	0.0282
	0.0195	0.0200	0.0148	0.0143	0.0109	0.0069	0.0112	0.0105	0.0098	0.0060
	0.0059	0.0054	0.0049	0.0045	0.0119					
* LDT2	M5 LDGT1									
	0.0687	0.1076	0.1223	0.1291	0.1346	0.0849	0.0778	0.0541	0.0362	0.0282
	0.0195	0.0200	0.0148	0.0143	0.0109	0.0069	0.0112	0.0105	0.0098	0.0060
	0.0059	0.0054	0.0049	0.0045	0.0119					
* LDT3	M5 LDGT2									
	0.0546	0.0795	0.0944	0.0900	0.0921	0.0824	0.0630	0.0461	0.0312	0.0332
	0.0310	0.0618	0.0653	0.0487	0.0340	0.0176	0.0162	0.0129	0.0102	0.0066
	0.0057	0.0052	0.0048	0.0044	0.0091					
* LDT4	M5 LDGT2									
	0.0546	0.0795	0.0944	0.0900	0.0921	0.0824	0.0630	0.0461	0.0312	0.0332
	0.0310	0.0618	0.0653	0.0487	0.0340	0.0176	0.0162	0.0129	0.0102	0.0066
	0.0057	0.0052	0.0048	0.0044	0.0091					
* HDV2B	M5 HDVs (Combined HDGV and HDDV)									
	0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366
	0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244
	0.0175	0.0174	0.0167	0.0108	0.0816					
* HDV3	M5 HDVs (Combined HDGV and HDDV)									
	0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366
	0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244
	0.0175	0.0174	0.0167	0.0108	0.0816					
* HDV4	M5 HDVs (Combined HDGV and HDDV)									
	0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366
	0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244
	0.0175	0.0174	0.0167	0.0108	0.0816					
* HDV5	M5 HDVs (Combined HDGV and HDDV)									
	0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366
	0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244
	0.0175	0.0174	0.0167	0.0108	0.0816					
* HDV6	M5 HDVs (Combined HDGV and HDDV)									
	0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366
	0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244
	0.0175	0.0174	0.0167	0.0108	0.0816					
* HDV7	M5 HDVs (Combined HDGV and HDDV)									
	0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366
	0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244
	0.0175	0.0174	0.0167	0.0108	0.0816					
* HDV8a	M5 HDVs (Combined HDGV and HDDV)									
	0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366
	0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244
	0.0175	0.0174	0.0167	0.0108	0.0816					
* HDV8b	M5 HDVs (Combined HDGV and HDDV)									
	0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366
	0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244
	0.0175	0.0174	0.0167	0.0108	0.0816					
* HDBS	M5 HDVs (Combined HDGV and HDDV)									
	0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366
	0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244
	0.0175	0.0174	0.0167	0.0108	0.0816					
* HDBT	M5 HDDVs									
	0.0339	0.0669	0.0669	0.0669	0.0669	0.0729	0.0609	0.0399	0.0409	0.0509
	0.0529	0.0659	0.0549	0.0569	0.0449	0.0190	0.0230	0.0279	0.0240	0.0160
	0.0110	0.0090	0.0070	0.0050	0.0160					
* Motorcycles	M5 MC									
	0.0373	0.0442	0.0424	0.0575	0.0952	0.0824	0.0577	0.0783	0.1192	0.0815
	0.0609	0.2434	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

0.0000 0.0000 0.0000 0.0000 0.0000

## Loudoun County, VA—1990 Registration Data

* LDV	M5 LDGV									
	0.0660	0.0910	0.1001	0.1009	0.0959	0.0830	0.0775	0.0503	0.0416	0.0400
	0.0363	0.0394	0.0361	0.0291	0.0220	0.0128	0.0131	0.0126	0.0115	0.0084
	0.0065	0.0059	0.0053	0.0048	0.0100					
* LDT1	M5 LDGT1									
	0.0642	0.0917	0.1103	0.1138	0.1260	0.0914	0.0869	0.0555	0.0377	0.0315
	0.0228	0.0236	0.0229	0.0175	0.0154	0.0093	0.0103	0.0126	0.0103	0.0080
	0.0066	0.0066	0.0066	0.0066	0.0119					
* LDT2	M5 LDGT1									
	0.0642	0.0917	0.1103	0.1138	0.1260	0.0914	0.0869	0.0555	0.0377	0.0315
	0.0228	0.0236	0.0229	0.0175	0.0154	0.0093	0.0103	0.0126	0.0103	0.0080
	0.0066	0.0066	0.0066	0.0066	0.0119					
* LDT3	M5 LDGT2									
	0.0521	0.0805	0.0913	0.0687	0.0699	0.0629	0.0557	0.0392	0.0245	0.0307
	0.0343	0.0696	0.0694	0.0624	0.0367	0.0236	0.0261	0.0186	0.0172	0.0133
	0.0105	0.0112	0.0105	0.0097	0.0117					
* LDT4	M5 LDGT2									
	0.0521	0.0805	0.0913	0.0687	0.0699	0.0629	0.0557	0.0392	0.0245	0.0307
	0.0343	0.0696	0.0694	0.0624	0.0367	0.0236	0.0261	0.0186	0.0172	0.0133
	0.0105	0.0112	0.0105	0.0097	0.0117					
* HDV2B	M5 HDVs (Combined HDGV and HDDV)									
	0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366
	0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244
	0.0175	0.0174	0.0167	0.0108	0.0816					
* HDV3	M5 HDVs (Combined HDGV and HDDV)									
	0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366
	0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244
	0.0175	0.0174	0.0167	0.0108	0.0816					
* HDV4	M5 HDVs (Combined HDGV and HDDV)									
	0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366
	0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244
	0.0175	0.0174	0.0167	0.0108	0.0816					
* HDV5	M5 HDVs (Combined HDGV and HDDV)									
	0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366
	0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244
	0.0175	0.0174	0.0167	0.0108	0.0816					
* HDV6	M5 HDVs (Combined HDGV and HDDV)									
	0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366
	0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244
	0.0175	0.0174	0.0167	0.0108	0.0816					
* HDV7	M5 HDVs (Combined HDGV and HDDV)									
	0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366
	0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244
	0.0175	0.0174	0.0167	0.0108	0.0816					
* HDV8a	M5 HDVs (Combined HDGV and HDDV)									
	0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366
	0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244
	0.0175	0.0174	0.0167	0.0108	0.0816					
* HDV8b	M5 HDVs (Combined HDGV and HDDV)									
	0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366
	0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244
	0.0175	0.0174	0.0167	0.0108	0.0816					
* HDBS	M5 HDVs (Combined HDGV and HDDV)									
	0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366
	0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244
	0.0175	0.0174	0.0167	0.0108	0.0816					
* HDBT	M5 HDDVs									
	0.0339	0.0669	0.0669	0.0669	0.0669	0.0729	0.0609	0.0399	0.0409	0.0509
	0.0529	0.0659	0.0549	0.0569	0.0449	0.0190	0.0230	0.0279	0.0240	0.0160
	0.0110	0.0090	0.0070	0.0050	0.0160					
* Motorcycles	M5 MC									
	0.0356	0.0484	0.0497	0.0650	0.0938	0.0681	0.0399	0.0748	0.1214	0.0723
	0.0638	0.2673	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000



0.0000 0.0000 0.0000 0.0000 0.0000

## Prince William, VA—1990 Registration Data

* LDV	M5 LDGV									
	0.0669	0.0919	0.0985	0.0997	0.0937	0.0801	0.0738	0.0502	0.0417	0.0420
	0.0382	0.0403	0.0373	0.0310	0.0224	0.0133	0.0134	0.0133	0.0111	0.0082
	0.0069	0.0060	0.0052	0.0046	0.0104					
* LDT1	M5 LDGT1									
	0.0835	0.1090	0.1214	0.1287	0.1303	0.0829	0.0750	0.0476	0.0361	0.0254
	0.0172	0.0188	0.0159	0.0129	0.0097	0.0062	0.0105	0.0106	0.0119	0.0064
	0.0069	0.0070	0.0069	0.0068	0.0124					
* LDT2	M5 LDGT1									
	0.0835	0.1090	0.1214	0.1287	0.1303	0.0829	0.0750	0.0476	0.0361	0.0254
	0.0172	0.0188	0.0159	0.0129	0.0097	0.0062	0.0105	0.0106	0.0119	0.0064
	0.0069	0.0070	0.0069	0.0068	0.0124					
* LDT3	M5 LDGT2									
	0.0425	0.0731	0.0846	0.0763	0.0819	0.0742	0.0641	0.0478	0.0293	0.0336
	0.0313	0.0679	0.0649	0.0542	0.0358	0.0217	0.0213	0.0183	0.0137	0.0108
	0.0106	0.0112	0.0106	0.0101	0.0101					
* LDT4	M5 LDGT2									
	0.0425	0.0731	0.0846	0.0763	0.0819	0.0742	0.0641	0.0478	0.0293	0.0336
	0.0313	0.0679	0.0649	0.0542	0.0358	0.0217	0.0213	0.0183	0.0137	0.0108
	0.0106	0.0112	0.0106	0.0101	0.0101					
* HDV2B	M5 HDVs (Combined HDGV and HDDV)									
	0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366
	0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244
	0.0175	0.0174	0.0167	0.0108	0.0816					
* HDV3	M5 HDVs (Combined HDGV and HDDV)									
	0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366
	0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244
	0.0175	0.0174	0.0167	0.0108	0.0816					
* HDV4	M5 HDVs (Combined HDGV and HDDV)									
	0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366
	0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244
	0.0175	0.0174	0.0167	0.0108	0.0816					
* HDV5	M5 HDVs (Combined HDGV and HDDV)									
	0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366
	0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244
	0.0175	0.0174	0.0167	0.0108	0.0816					
* HDV6	M5 HDVs (Combined HDGV and HDDV)									
	0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366
	0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244
	0.0175	0.0174	0.0167	0.0108	0.0816					
* HDV7	M5 HDVs (Combined HDGV and HDDV)									
	0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366
	0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244
	0.0175	0.0174	0.0167	0.0108	0.0816					
* HDV8a	M5 HDVs (Combined HDGV and HDDV)									
	0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366
	0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244
	0.0175	0.0174	0.0167	0.0108	0.0816					
* HDV8b	M5 HDVs (Combined HDGV and HDDV)									
	0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366
	0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244
	0.0175	0.0174	0.0167	0.0108	0.0816					
* HDBS	M5 HDVs (Combined HDGV and HDDV)									
	0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366
	0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244
	0.0175	0.0174	0.0167	0.0108	0.0816					
* HDBT	M5 HDDVs									
	0.0339	0.0669	0.0669	0.0669	0.0669	0.0729	0.0609	0.0399	0.0409	0.0509
	0.0529	0.0659	0.0549	0.0569	0.0449	0.0190	0.0230	0.0279	0.0240	0.0160
	0.0110	0.0090	0.0070	0.0050	0.0160					
* Motorcycles	M5 MC									
	0.0290	0.0326	0.0411	0.0549	0.0870	0.0891	0.0611	0.0741	0.1300	0.0867
	0.0632	0.2512	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

0.0000 0.0000 0.0000 0.0000 0.0000

## Stafford County, VA—1990 Registration Data

* LDV	M5 LDGV									
	0.0551	0.0830	0.0891	0.0866	0.0846	0.0724	0.0717	0.0501	0.0442	0.0456
	0.0420	0.0487	0.0436	0.0364	0.0299	0.0178	0.0176	0.0166	0.0151	0.0094
	0.0081	0.0069	0.0060	0.0051	0.0143					
* LDT1	M5 LDGT1									
	0.0589	0.0905	0.1077	0.1152	0.1149	0.0643	0.0715	0.0555	0.0391	0.0300
	0.0253	0.0253	0.0264	0.0213	0.0165	0.0117	0.0167	0.0169	0.0183	0.0103
	0.0121	0.0110	0.0099	0.0090	0.0220					
* LDT2	M5 LDGT1									
	0.0589	0.0905	0.1077	0.1152	0.1149	0.0643	0.0715	0.0555	0.0391	0.0300
	0.0253	0.0253	0.0264	0.0213	0.0165	0.0117	0.0167	0.0169	0.0183	0.0103
	0.0121	0.0110	0.0099	0.0090	0.0220					
* LDT3	M5 LDGT2									
	0.0416	0.0701	0.0701	0.0510	0.0568	0.0568	0.0464	0.0324	0.0276	0.0340
	0.0317	0.0784	0.0837	0.0733	0.0480	0.0297	0.0372	0.0301	0.0209	0.0140
	0.0159	0.0131	0.0108	0.0090	0.0172					
* LDT4	M5 LDGT2									
	0.0416	0.0701	0.0701	0.0510	0.0568	0.0568	0.0464	0.0324	0.0276	0.0340
	0.0317	0.0784	0.0837	0.0733	0.0480	0.0297	0.0372	0.0301	0.0209	0.0140
	0.0159	0.0131	0.0108	0.0090	0.0172					
* HDV2B	M5 HDVs (Combined HDGV and HDDV)									
	0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366
	0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244
	0.0175	0.0174	0.0167	0.0108	0.0816					
* HDV3	M5 HDVs (Combined HDGV and HDDV)									
	0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366
	0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244
	0.0175	0.0174	0.0167	0.0108	0.0816					
* HDV4	M5 HDVs (Combined HDGV and HDDV)									
	0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366
	0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244
	0.0175	0.0174	0.0167	0.0108	0.0816					
* HDV5	M5 HDVs (Combined HDGV and HDDV)									
	0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366
	0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244
	0.0175	0.0174	0.0167	0.0108	0.0816					
* HDV6	M5 HDVs (Combined HDGV and HDDV)									
	0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366
	0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244
	0.0175	0.0174	0.0167	0.0108	0.0816					
* HDV7	M5 HDVs (Combined HDGV and HDDV)									
	0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366
	0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244
	0.0175	0.0174	0.0167	0.0108	0.0816					
* HDV8a	M5 HDVs (Combined HDGV and HDDV)									
	0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366
	0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244
	0.0175	0.0174	0.0167	0.0108	0.0816					
* HDV8b	M5 HDVs (Combined HDGV and HDDV)									
	0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366
	0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244
	0.0175	0.0174	0.0167	0.0108	0.0816					
* HDBS	M5 HDVs (Combined HDGV and HDDV)									
	0.0268	0.0539	0.0539	0.0539	0.0539	0.0502	0.0427	0.0276	0.0312	0.0366
	0.0406	0.0646	0.0543	0.0576	0.0488	0.0313	0.036	0.0364	0.0311	0.0244
	0.0175	0.0174	0.0167	0.0108	0.0816					
* HDBT	M5 HDDVs									
	0.0339	0.0669	0.0669	0.0669	0.0669	0.0729	0.0609	0.0399	0.0409	0.0509
	0.0529	0.0659	0.0549	0.0569	0.0449	0.0190	0.0230	0.0279	0.0240	0.0160
	0.0110	0.0090	0.0070	0.0050	0.0160					
* Motorcycles	M5 MC									
	0.0341	0.0321	0.0472	0.0402	0.0934	0.0904	0.0612	0.0793	0.1285	0.0753
	0.0582	0.2600	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

0.0000 0.0000 0.0000 0.0000 0.0000

## District of Columbia—2002 Registration Data

* LDV	M5 LDGV								
0.0443	0.0624	0.0785	0.0637	0.0650	0.0677	0.0640	0.0740	0.0652	0.0565
0.0529	0.0487	0.0487	0.0436	0.0380	0.0320	0.0251	0.0177	0.0127	0.0071
0.0041	0.0034	0.0026	0.0041	0.0177					
* LDT1	M5 LDGT1								
0.0674	0.0949	0.0853	0.0831	0.0864	0.0766	0.0674	0.0648	0.0563	0.0495
0.0367	0.0348	0.0339	0.0327	0.0294	0.0252	0.0199	0.0128	0.0113	0.0063
0.0035	0.0027	0.0021	0.0032	0.0139					
* LDT2	M5 LDGT1								
0.0674	0.0949	0.0853	0.0831	0.0864	0.0766	0.0674	0.0648	0.0563	0.0495
0.0367	0.0348	0.0339	0.0327	0.0294	0.0252	0.0199	0.0128	0.0113	0.0063
0.0035	0.0027	0.0021	0.0032	0.0139					
* LDT3	M5 LDGT2								
0.0674	0.0949	0.0853	0.0831	0.0864	0.0766	0.0674	0.0648	0.0563	0.0495
0.0367	0.0348	0.0339	0.0327	0.0294	0.0252	0.0199	0.0128	0.0113	0.0063
0.0035	0.0027	0.0021	0.0032	0.0139					
* LDT4	M5 LDGT2								
0.0674	0.0949	0.0853	0.0831	0.0864	0.0766	0.0674	0.0648	0.0563	0.0495
0.0367	0.0348	0.0339	0.0327	0.0294	0.0252	0.0199	0.0128	0.0113	0.0063
0.0035	0.0027	0.0021	0.0032	0.0139					
* HDV2B	M5 HDVs (Combined HDGV and HDDV)								
0.0668	0.1240	0.0720	0.0916	0.0601	0.0514	0.0406	0.0611	0.0745	0.0597
0.0318	0.0353	0.0505	0.0335	0.0376	0.0289	0.0243	0.0144	0.0059	0.0045
0.0041	0.0035	0.0041	0.0038	0.0160					
* HDV3	M5 HDVs (Combined HDGV and HDDV)								
0.0668	0.1240	0.0720	0.0916	0.0601	0.0514	0.0406	0.0611	0.0745	0.0597
0.0318	0.0353	0.0505	0.0335	0.0376	0.0289	0.0243	0.0144	0.0059	0.0045
0.0041	0.0035	0.0041	0.0038	0.0160					
* HDV4	M5 HDVs (Combined HDGV and HDDV)								
0.0668	0.1240	0.0720	0.0916	0.0601	0.0514	0.0406	0.0611	0.0745	0.0597
0.0318	0.0353	0.0505	0.0335	0.0376	0.0289	0.0243	0.0144	0.0059	0.0045
0.0041	0.0035	0.0041	0.0038	0.0160					
* HDV5	M5 HDVs (Combined HDGV and HDDV)								
0.0668	0.1240	0.0720	0.0916	0.0601	0.0514	0.0406	0.0611	0.0745	0.0597
0.0318	0.0353	0.0505	0.0335	0.0376	0.0289	0.0243	0.0144	0.0059	0.0045
0.0041	0.0035	0.0041	0.0038	0.0160					
* HDV6	M5 HDVs (Combined HDGV and HDDV)								
0.0668	0.1240	0.0720	0.0916	0.0601	0.0514	0.0406	0.0611	0.0745	0.0597
0.0318	0.0353	0.0505	0.0335	0.0376	0.0289	0.0243	0.0144	0.0059	0.0045
0.0041	0.0035	0.0041	0.0038	0.0160					
* HDV7	M5 HDVs (Combined HDGV and HDDV)								
0.0668	0.1240	0.0720	0.0916	0.0601	0.0514	0.0406	0.0611	0.0745	0.0597
0.0318	0.0353	0.0505	0.0335	0.0376	0.0289	0.0243	0.0144	0.0059	0.0045
0.0041	0.0035	0.0041	0.0038	0.0160					
* HDV8a	M5 HDVs (Combined HDGV and HDDV)								
0.0668	0.1240	0.0720	0.0916	0.0601	0.0514	0.0406	0.0611	0.0745	0.0597
0.0318	0.0353	0.0505	0.0335	0.0376	0.0289	0.0243	0.0144	0.0059	0.0045
0.0041	0.0035	0.0041	0.0038	0.0160					
* HDV8b	M5 HDVs (Combined HDGV and HDDV)								
0.0668	0.1240	0.0720	0.0916	0.0601	0.0514	0.0406	0.0611	0.0745	0.0597
0.0318	0.0353	0.0505	0.0335	0.0376	0.0289	0.0243	0.0144	0.0059	0.0045
0.0041	0.0035	0.0041	0.0038	0.0160					
* HDBS	M5 HDVs (Combined HDGV and HDDV)								
0.0668	0.1240	0.0720	0.0916	0.0601	0.0514	0.0406	0.0611	0.0745	0.0597
0.0318	0.0353	0.0505	0.0335	0.0376	0.0289	0.0243	0.0144	0.0059	0.0045
0.0041	0.0035	0.0041	0.0038	0.0160					
* HDBT	M5 HDDVs								
0.0816	0.1720	0.1134	0.0740	0.0533	0.0602	0.0366	0.0569	0.0687	0.0407
0.0289	0.0325	0.0533	0.0305	0.0207	0.0195	0.0187	0.0118	0.0057	0.0041
0.0028	0.0020	0.0041	0.0016	0.0065					
* Motorcycles	M5 MC								
0.1138	0.1400	0.0856	0.0891	0.0410	0.0474	0.0545	0.0460	0.0255	0.0290
0.0219	0.3063	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

0.0000 0.0000 0.0000 0.0000 0.0000

### Calvert County, MD—2002 Registration Data

* LDV	M5 LDGV								
0.0452	0.0709	0.0786	0.0710	0.0696	0.0719	0.0602	0.0707	0.0588	0.0537
0.0463	0.0441	0.0405	0.0366	0.0337	0.0272	0.0220	0.0151	0.0103	0.0064
0.0034	0.0029	0.0027	0.0030	0.0051					
* LDT1	M5 LDGT1								
0.0719	0.0899	0.1074	0.1046	0.0951	0.0779	0.0735	0.0708	0.0554	0.0466
0.0370	0.0316	0.0273	0.0266	0.0238	0.0187	0.0130	0.0071	0.0068	0.0035
0.0019	0.0015	0.0005	0.0021	0.0054					
* LDT2	M5 LDGT1								
0.0719	0.0899	0.1074	0.1046	0.0951	0.0779	0.0735	0.0708	0.0554	0.0466
0.0370	0.0316	0.0273	0.0266	0.0238	0.0187	0.0130	0.0071	0.0068	0.0035
0.0019	0.0015	0.0005	0.0021	0.0054					
* LDT3	M5 LDGT2								
0.0580	0.0816	0.0813	0.0717	0.0615	0.0643	0.0563	0.0583	0.0638	0.0469
0.0354	0.0313	0.0379	0.0418	0.0438	0.0356	0.0388	0.0221	0.0152	0.0099
0.0073	0.0050	0.0042	0.0061	0.0219					
* LDT4	M5 LDGT2								
0.0580	0.0816	0.0813	0.0717	0.0615	0.0643	0.0563	0.0583	0.0638	0.0469
0.0354	0.0313	0.0379	0.0418	0.0438	0.0356	0.0388	0.0221	0.0152	0.0099
0.0073	0.0050	0.0042	0.0061	0.0219					
* HDV2B	M5 HDVs (Combined HDGV and HDDV)								
0.0367	0.0683	0.0720	0.0582	0.0413	0.0555	0.0445	0.0683	0.0491	0.0298
0.0339	0.0215	0.0486	0.0459	0.0601	0.0399	0.0348	0.0344	0.0211	0.0133
0.0092	0.0087	0.0124	0.0151	0.0775					
* HDV3	M5 HDVs (Combined HDGV and HDDV)								
0.0367	0.0683	0.0720	0.0582	0.0413	0.0555	0.0445	0.0683	0.0491	0.0298
0.0339	0.0215	0.0486	0.0459	0.0601	0.0399	0.0348	0.0344	0.0211	0.0133
0.0092	0.0087	0.0124	0.0151	0.0775					
* HDV4	M5 HDVs (Combined HDGV and HDDV)								
0.0367	0.0683	0.0720	0.0582	0.0413	0.0555	0.0445	0.0683	0.0491	0.0298
0.0339	0.0215	0.0486	0.0459	0.0601	0.0399	0.0348	0.0344	0.0211	0.0133
0.0092	0.0087	0.0124	0.0151	0.0775					
* HDV5	M5 HDVs (Combined HDGV and HDDV)								
0.0367	0.0683	0.0720	0.0582	0.0413	0.0555	0.0445	0.0683	0.0491	0.0298
0.0339	0.0215	0.0486	0.0459	0.0601	0.0399	0.0348	0.0344	0.0211	0.0133
0.0092	0.0087	0.0124	0.0151	0.0775					
* HDV6	M5 HDVs (Combined HDGV and HDDV)								
0.0367	0.0683	0.0720	0.0582	0.0413	0.0555	0.0445	0.0683	0.0491	0.0298
0.0339	0.0215	0.0486	0.0459	0.0601	0.0399	0.0348	0.0344	0.0211	0.0133
0.0092	0.0087	0.0124	0.0151	0.0775					
* HDV7	M5 HDVs (Combined HDGV and HDDV)								
0.0367	0.0683	0.0720	0.0582	0.0413	0.0555	0.0445	0.0683	0.0491	0.0298
0.0339	0.0215	0.0486	0.0459	0.0601	0.0399	0.0348	0.0344	0.0211	0.0133
0.0092	0.0087	0.0124	0.0151	0.0775					
* HDV8a	M5 HDVs (Combined HDGV and HDDV)								
0.0367	0.0683	0.0720	0.0582	0.0413	0.0555	0.0445	0.0683	0.0491	0.0298
0.0339	0.0215	0.0486	0.0459	0.0601	0.0399	0.0348	0.0344	0.0211	0.0133
0.0092	0.0087	0.0124	0.0151	0.0775					
* HDV8b	M5 HDVs (Combined HDGV and HDDV)								
0.0367	0.0683	0.0720	0.0582	0.0413	0.0555	0.0445	0.0683	0.0491	0.0298
0.0339	0.0215	0.0486	0.0459	0.0601	0.0399	0.0348	0.0344	0.0211	0.0133
0.0092	0.0087	0.0124	0.0151	0.0775					
* HDBS	M5 HDVs (Combined HDGV and HDDV)								
0.0367	0.0683	0.0720	0.0582	0.0413	0.0555	0.0445	0.0683	0.0491	0.0298
0.0339	0.0215	0.0486	0.0459	0.0601	0.0399	0.0348	0.0344	0.0211	0.0133
0.0092	0.0087	0.0124	0.0151	0.0775					
* HDBT	M5 HDDVs								
0.0053	0.0339	0.0446	0.0446	0.0499	0.0838	0.0749	0.0927	0.0553	0.0410
0.0517	0.0250	0.0517	0.0410	0.0677	0.0695	0.0392	0.0321	0.0250	0.0125
0.0071	0.0107	0.0196	0.0053	0.0160					
* Motorcycles	M5 MC								
0.1049	0.1128	0.0976	0.0740	0.0567	0.0467	0.0477	0.0331	0.0231	0.0294

0.0215 0.3526 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000  
 0.0000 0.0000 0.0000 0.0000 0.0000

**Charles County, MD—2002 Registration Data**

\* LDV M5 LDGV  
 0.0495 0.0696 0.0802 0.0724 0.0728 0.0715 0.0623 0.0730 0.0631 0.0559  
 0.0457 0.0435 0.0390 0.0356 0.0315 0.0271 0.0192 0.0160 0.0107 0.0063  
 0.0030 0.0023 0.0025 0.0030 0.0444  
 \* LDT1 M5 LDGT1  
 0.0731 0.1015 0.1050 0.0993 0.0944 0.0849 0.0739 0.0688 0.0549 0.0467  
 0.0327 0.0282 0.0240 0.0274 0.0223 0.0179 0.0121 0.0097 0.0071 0.0039  
 0.0019 0.0013 0.0006 0.0021 0.0063  
 \* LDT2 M5 LDGT1  
 0.0731 0.1015 0.1050 0.0993 0.0944 0.0849 0.0739 0.0688 0.0549 0.0467  
 0.0327 0.0282 0.0240 0.0274 0.0223 0.0179 0.0121 0.0097 0.0071 0.0039  
 0.0019 0.0013 0.0006 0.0021 0.0063  
 \* LDT3 M5 LDGT2  
 0.0579 0.0821 0.0750 0.0673 0.0620 0.0651 0.0509 0.0575 0.0661 0.0452  
 0.0357 0.0355 0.0380 0.0400 0.0429 0.0380 0.0347 0.0247 0.0182 0.0116  
 0.0080 0.0053 0.0043 0.0081 0.0258  
 \* LDT4 M5 LDGT2  
 0.0579 0.0821 0.0750 0.0673 0.0620 0.0651 0.0509 0.0575 0.0661 0.0452  
 0.0357 0.0355 0.0380 0.0400 0.0429 0.0380 0.0347 0.0247 0.0182 0.0116  
 0.0080 0.0053 0.0043 0.0081 0.0258  
 \* HDV2B M5 HDVs (Combined HDGV and HDDV)  
 0.0359 0.0721 0.0678 0.0611 0.0497 0.0546 0.0441 0.0613 0.0399 0.0449  
 0.0302 0.0325 0.0413 0.0492 0.0500 0.0447 0.0404 0.0294 0.0206 0.0122  
 0.0071 0.0096 0.0119 0.0158 0.0738  
 \* HDV3 M5 HDVs (Combined HDGV and HDDV)  
 0.0359 0.0721 0.0678 0.0611 0.0497 0.0546 0.0441 0.0613 0.0399 0.0449  
 0.0302 0.0325 0.0413 0.0492 0.0500 0.0447 0.0404 0.0294 0.0206 0.0122  
 0.0071 0.0096 0.0119 0.0158 0.0738  
 \* HDV4 M5 HDVs (Combined HDGV and HDDV)  
 0.0359 0.0721 0.0678 0.0611 0.0497 0.0546 0.0441 0.0613 0.0399 0.0449  
 0.0302 0.0325 0.0413 0.0492 0.0500 0.0447 0.0404 0.0294 0.0206 0.0122  
 0.0071 0.0096 0.0119 0.0158 0.0738  
 \* HDV5 M5 HDVs (Combined HDGV and HDDV)  
 0.0359 0.0721 0.0678 0.0611 0.0497 0.0546 0.0441 0.0613 0.0399 0.0449  
 0.0302 0.0325 0.0413 0.0492 0.0500 0.0447 0.0404 0.0294 0.0206 0.0122  
 0.0071 0.0096 0.0119 0.0158 0.0738  
 \* HDV6 M5 HDVs (Combined HDGV and HDDV)  
 0.0359 0.0721 0.0678 0.0611 0.0497 0.0546 0.0441 0.0613 0.0399 0.0449  
 0.0302 0.0325 0.0413 0.0492 0.0500 0.0447 0.0404 0.0294 0.0206 0.0122  
 0.0071 0.0096 0.0119 0.0158 0.0738  
 \* HDV7 M5 HDVs (Combined HDGV and HDDV)  
 0.0359 0.0721 0.0678 0.0611 0.0497 0.0546 0.0441 0.0613 0.0399 0.0449  
 0.0302 0.0325 0.0413 0.0492 0.0500 0.0447 0.0404 0.0294 0.0206 0.0122  
 0.0071 0.0096 0.0119 0.0158 0.0738  
 \* HDV8a M5 HDVs (Combined HDGV and HDDV)  
 0.0359 0.0721 0.0678 0.0611 0.0497 0.0546 0.0441 0.0613 0.0399 0.0449  
 0.0302 0.0325 0.0413 0.0492 0.0500 0.0447 0.0404 0.0294 0.0206 0.0122  
 0.0071 0.0096 0.0119 0.0158 0.0738  
 \* HDV8b M5 HDVs (Combined HDGV and HDDV)  
 0.0359 0.0721 0.0678 0.0611 0.0497 0.0546 0.0441 0.0613 0.0399 0.0449  
 0.0302 0.0325 0.0413 0.0492 0.0500 0.0447 0.0404 0.0294 0.0206 0.0122  
 0.0071 0.0096 0.0119 0.0158 0.0738  
 \* HDBS M5 HDVs (Combined HDGV and HDDV)  
 0.0359 0.0721 0.0678 0.0611 0.0497 0.0546 0.0441 0.0613 0.0399 0.0449  
 0.0302 0.0325 0.0413 0.0492 0.0500 0.0447 0.0404 0.0294 0.0206 0.0122  
 0.0071 0.0096 0.0119 0.0158 0.0738  
 \* HDBT M5 HDDVs  
 0.0149 0.0298 0.0437 0.0785 0.0656 0.0716 0.0636 0.0825 0.0557 0.0447  
 0.0318 0.0308 0.0467 0.0656 0.0686 0.0547 0.0427 0.0318 0.0159 0.0089  
 0.0060 0.0139 0.0060 0.0119 0.0139  
 \* Motorcycles M5 MC



0.0944	0.1365	0.0971	0.0800	0.0576	0.0432	0.0512	0.0372	0.0375	0.0296
0.0273	0.3083	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
0.0000	0.0000	0.0000	0.0000	0.0000					

### Frederick County, MD—2002 Registration Data

* LDV	M5 LDGV								
0.0528	0.0761	0.0821	0.0730	0.0712	0.0732	0.0661	0.0745	0.0607	0.0541
0.0449	0.0414	0.0388	0.0338	0.0276	0.0233	0.0178	0.0122	0.0089	0.0045
0.0030	0.0021	0.0022	0.0031	0.0528					
* LDT1	M5 LDGT1								
0.0738	0.0984	0.1056	0.0973	0.0992	0.0825	0.0744	0.0767	0.0622	0.0455
0.0334	0.0281	0.0251	0.0239	0.0198	0.0158	0.0100	0.0083	0.0057	0.0029
0.0019	0.0009	0.0010	0.0024	0.0053					
* LDT2	M5 LDGT1								
0.0738	0.0984	0.1056	0.0973	0.0992	0.0825	0.0744	0.0767	0.0622	0.0455
0.0334	0.0281	0.0251	0.0239	0.0198	0.0158	0.0100	0.0083	0.0057	0.0029
0.0019	0.0009	0.0010	0.0024	0.0053					
* LDT3	M5 LDGT2								
0.0465	0.0741	0.0762	0.0733	0.0678	0.0677	0.0547	0.0645	0.0677	0.0434
0.0373	0.0377	0.0376	0.0430	0.0424	0.0353	0.0345	0.0210	0.0161	0.0105
0.0060	0.0060	0.0043	0.0081	0.0242					
* LDT4	M5 LDGT2								
0.0465	0.0741	0.0762	0.0733	0.0678	0.0677	0.0547	0.0645	0.0677	0.0434
0.0373	0.0377	0.0376	0.0430	0.0424	0.0353	0.0345	0.0210	0.0161	0.0105
0.0060	0.0060	0.0043	0.0081	0.0242					
* HDV2B	M5 HDVs (Combined HDGV and HDDV)								
0.0606	0.0805	0.0921	0.0899	0.0416	0.0700	0.0501	0.0531	0.0363	0.0314
0.0236	0.0237	0.0405	0.0412	0.0436	0.0311	0.0344	0.0268	0.0176	0.0108
0.0085	0.0085	0.0093	0.0146	0.0603					
* HDV3	M5 HDVs (Combined HDGV and HDDV)								
0.0606	0.0805	0.0921	0.0899	0.0416	0.0700	0.0501	0.0531	0.0363	0.0314
0.0236	0.0237	0.0405	0.0412	0.0436	0.0311	0.0344	0.0268	0.0176	0.0108
0.0085	0.0085	0.0093	0.0146	0.0603					
* HDV4	M5 HDVs (Combined HDGV and HDDV)								
0.0606	0.0805	0.0921	0.0899	0.0416	0.0700	0.0501	0.0531	0.0363	0.0314
0.0236	0.0237	0.0405	0.0412	0.0436	0.0311	0.0344	0.0268	0.0176	0.0108
0.0085	0.0085	0.0093	0.0146	0.0603					
* HDV5	M5 HDVs (Combined HDGV and HDDV)								
0.0606	0.0805	0.0921	0.0899	0.0416	0.0700	0.0501	0.0531	0.0363	0.0314
0.0236	0.0237	0.0405	0.0412	0.0436	0.0311	0.0344	0.0268	0.0176	0.0108
0.0085	0.0085	0.0093	0.0146	0.0603					
* HDV6	M5 HDVs (Combined HDGV and HDDV)								
0.0606	0.0805	0.0921	0.0899	0.0416	0.0700	0.0501	0.0531	0.0363	0.0314
0.0236	0.0237	0.0405	0.0412	0.0436	0.0311	0.0344	0.0268	0.0176	0.0108
0.0085	0.0085	0.0093	0.0146	0.0603					
* HDV7	M5 HDVs (Combined HDGV and HDDV)								
0.0606	0.0805	0.0921	0.0899	0.0416	0.0700	0.0501	0.0531	0.0363	0.0314
0.0236	0.0237	0.0405	0.0412	0.0436	0.0311	0.0344	0.0268	0.0176	0.0108
0.0085	0.0085	0.0093	0.0146	0.0603					
* HDV8a	M5 HDVs (Combined HDGV and HDDV)								
0.0606	0.0805	0.0921	0.0899	0.0416	0.0700	0.0501	0.0531	0.0363	0.0314
0.0236	0.0237	0.0405	0.0412	0.0436	0.0311	0.0344	0.0268	0.0176	0.0108
0.0085	0.0085	0.0093	0.0146	0.0603					
* HDV8b	M5 HDVs (Combined HDGV and HDDV)								
0.0606	0.0805	0.0921	0.0899	0.0416	0.0700	0.0501	0.0531	0.0363	0.0314
0.0236	0.0237	0.0405	0.0412	0.0436	0.0311	0.0344	0.0268	0.0176	0.0108
0.0085	0.0085	0.0093	0.0146	0.0603					
* HDBS	M5 HDVs (Combined HDGV and HDDV)								
0.0606	0.0805	0.0921	0.0899	0.0416	0.0700	0.0501	0.0531	0.0363	0.0314
0.0236	0.0237	0.0405	0.0412	0.0436	0.0311	0.0344	0.0268	0.0176	0.0108
0.0085	0.0085	0.0093	0.0146	0.0603					
* HDBT	M5 HDDVs								
0.0353	0.0544	0.0616	0.1062	0.0387	0.1045	0.0624	0.0684	0.0506	0.0429
0.0255	0.0212	0.0344	0.0374	0.0527	0.0463	0.0391	0.0302	0.0221	0.0110
0.0068	0.0093	0.0072	0.0119	0.0200					

\* Motorcycles M5 MC

0.0841	0.1112	0.0905	0.0655	0.0528	0.0409	0.0389	0.0350	0.0285	0.0276
0.0223	0.4029	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
0.0000	0.0000	0.0000	0.0000	0.0000					

**Montgomery County, MD—2002 Registration Data**

\* LDV M5 LDGV

0.0635	0.0864	0.0846	0.0754	0.0730	0.0724	0.0652	0.0748	0.0626	0.0551
0.0480	0.0434	0.0422	0.0335	0.0273	0.0231	0.0164	0.0114	0.0075	0.0045
0.0027	0.0019	0.0016	0.0019	0.0216					

\* LDT1 M5 LDGT1

0.0951	0.1220	0.1208	0.1064	0.0931	0.0848	0.0725	0.0695	0.0543	0.0418
0.0289	0.0250	0.0201	0.0171	0.0141	0.0108	0.0071	0.0047	0.0037	0.0019
0.0011	0.0006	0.0005	0.0011	0.0027					

\* LDT2 M5 LDGT1

0.0951	0.1220	0.1208	0.1064	0.0931	0.0848	0.0725	0.0695	0.0543	0.0418
0.0289	0.0250	0.0201	0.0171	0.0141	0.0108	0.0071	0.0047	0.0037	0.0019
0.0011	0.0006	0.0005	0.0011	0.0027					

\* LDT3 M5 LDGT2

0.0726	0.0976	0.0894	0.0733	0.0622	0.0672	0.0562	0.0661	0.0638	0.0413
0.0335	0.0303	0.0354	0.0395	0.0370	0.0308	0.0296	0.0177	0.0143	0.0075
0.0058	0.0041	0.0031	0.0053	0.0164					

\* LDT4 M5 LDGT2

0.0726	0.0976	0.0894	0.0733	0.0622	0.0672	0.0562	0.0661	0.0638	0.0413
0.0335	0.0303	0.0354	0.0395	0.0370	0.0308	0.0296	0.0177	0.0143	0.0075
0.0058	0.0041	0.0031	0.0053	0.0164					

\* HDV2B M5 HDVs (Combined HDGV and HDDV)

0.0589	0.0987	0.1176	0.0854	0.0497	0.0671	0.0405	0.0623	0.0356	0.0308
0.0199	0.0303	0.0407	0.0389	0.0366	0.0414	0.0277	0.0203	0.0138	0.0083
0.0067	0.0056	0.0111	0.0101	0.0419					

\* HDV3 M5 HDVs (Combined HDGV and HDDV)

0.0589	0.0987	0.1176	0.0854	0.0497	0.0671	0.0405	0.0623	0.0356	0.0308
0.0199	0.0303	0.0407	0.0389	0.0366	0.0414	0.0277	0.0203	0.0138	0.0083
0.0067	0.0056	0.0111	0.0101	0.0419					

\* HDV4 M5 HDVs (Combined HDGV and HDDV)

0.0589	0.0987	0.1176	0.0854	0.0497	0.0671	0.0405	0.0623	0.0356	0.0308
0.0199	0.0303	0.0407	0.0389	0.0366	0.0414	0.0277	0.0203	0.0138	0.0083
0.0067	0.0056	0.0111	0.0101	0.0419					

\* HDV5 M5 HDVs (Combined HDGV and HDDV)

0.0589	0.0987	0.1176	0.0854	0.0497	0.0671	0.0405	0.0623	0.0356	0.0308
0.0199	0.0303	0.0407	0.0389	0.0366	0.0414	0.0277	0.0203	0.0138	0.0083
0.0067	0.0056	0.0111	0.0101	0.0419					

\* HDV6 M5 HDVs (Combined HDGV and HDDV)

0.0589	0.0987	0.1176	0.0854	0.0497	0.0671	0.0405	0.0623	0.0356	0.0308
0.0199	0.0303	0.0407	0.0389	0.0366	0.0414	0.0277	0.0203	0.0138	0.0083
0.0067	0.0056	0.0111	0.0101	0.0419					

\* HDV7 M5 HDVs (Combined HDGV and HDDV)

0.0589	0.0987	0.1176	0.0854	0.0497	0.0671	0.0405	0.0623	0.0356	0.0308
0.0199	0.0303	0.0407	0.0389	0.0366	0.0414	0.0277	0.0203	0.0138	0.0083
0.0067	0.0056	0.0111	0.0101	0.0419					

\* HDV8a M5 HDVs (Combined HDGV and HDDV)

0.0589	0.0987	0.1176	0.0854	0.0497	0.0671	0.0405	0.0623	0.0356	0.0308
0.0199	0.0303	0.0407	0.0389	0.0366	0.0414	0.0277	0.0203	0.0138	0.0083
0.0067	0.0056	0.0111	0.0101	0.0419					

\* HDV8b M5 HDVs (Combined HDGV and HDDV)

0.0589	0.0987	0.1176	0.0854	0.0497	0.0671	0.0405	0.0623	0.0356	0.0308
0.0199	0.0303	0.0407	0.0389	0.0366	0.0414	0.0277	0.0203	0.0138	0.0083
0.0067	0.0056	0.0111	0.0101	0.0419					

\* HDBS M5 HDVs (Combined HDGV and HDDV)

0.0589	0.0987	0.1176	0.0854	0.0497	0.0671	0.0405	0.0623	0.0356	0.0308
0.0199	0.0303	0.0407	0.0389	0.0366	0.0414	0.0277	0.0203	0.0138	0.0083
0.0067	0.0056	0.0111	0.0101	0.0419					

\* HDBT M5 HDDVs

0.0105	0.0309	0.0454	0.0725	0.0491	0.0949	0.0493	0.1019	0.0414	0.0456
0.0256	0.0533	0.0723	0.0594	0.0449	0.0850	0.0410	0.0230	0.0156	0.0072

0.0057	0.0048	0.0070	0.0037	0.0099					
* Motorcycles M5 MC									
0.0853	0.1188	0.0877	0.0634	0.0555	0.0416	0.0442	0.0413	0.0362	0.0325
0.0263	0.3673	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
0.0000	0.0000	0.0000	0.0000	0.0000					

### Prince George's County, MD—2002 Registration Data

* LDV M5 LDGV									
0.0418	0.0637	0.0732	0.0668	0.0691	0.0741	0.0664	0.0757	0.0664	0.0589
0.0523	0.0468	0.0466	0.0409	0.0352	0.0296	0.0222	0.0159	0.0106	0.0060
0.0034	0.0027	0.0022	0.0030	0.0263					
* LDT1 M5 LDGT1									
0.0669	0.0933	0.0973	0.0990	0.0984	0.0881	0.0732	0.0727	0.0588	0.0487
0.0349	0.0308	0.0293	0.0270	0.0235	0.0176	0.0114	0.0089	0.0063	0.0033
0.0019	0.0011	0.0009	0.0021	0.0045					
* LDT2 M5 LDGT1									
0.0669	0.0933	0.0973	0.0990	0.0984	0.0881	0.0732	0.0727	0.0588	0.0487
0.0349	0.0308	0.0293	0.0270	0.0235	0.0176	0.0114	0.0089	0.0063	0.0033
0.0019	0.0011	0.0009	0.0021	0.0045					
* LDT3 M5 LDGT2									
0.0472	0.0723	0.0759	0.0616	0.0580	0.0638	0.0536	0.0578	0.0648	0.0436
0.0361	0.0342	0.0425	0.0464	0.0445	0.0369	0.0397	0.0258	0.0204	0.0132
0.0084	0.0076	0.0049	0.0096	0.0312					
* LDT4 M5 LDGT2									
0.0472	0.0723	0.0759	0.0616	0.0580	0.0638	0.0536	0.0578	0.0648	0.0436
0.0361	0.0342	0.0425	0.0464	0.0445	0.0369	0.0397	0.0258	0.0204	0.0132
0.0084	0.0076	0.0049	0.0096	0.0312					
* HDV2B M5 HDVs (Combined HDGV and HDDV)									
0.0431	0.0847	0.0871	0.0830	0.0509	0.0674	0.0405	0.0714	0.0485	0.0300
0.0215	0.0294	0.0650	0.0501	0.0531	0.0331	0.0271	0.0249	0.0200	0.0070
0.0057	0.0058	0.0050	0.0084	0.0374					
* HDV3 M5 HDVs (Combined HDGV and HDDV)									
0.0431	0.0847	0.0871	0.0830	0.0509	0.0674	0.0405	0.0714	0.0485	0.0300
0.0215	0.0294	0.0650	0.0501	0.0531	0.0331	0.0271	0.0249	0.0200	0.0070
0.0057	0.0058	0.0050	0.0084	0.0374					
* HDV4 M5 HDVs (Combined HDGV and HDDV)									
0.0431	0.0847	0.0871	0.0830	0.0509	0.0674	0.0405	0.0714	0.0485	0.0300
0.0215	0.0294	0.0650	0.0501	0.0531	0.0331	0.0271	0.0249	0.0200	0.0070
0.0057	0.0058	0.0050	0.0084	0.0374					
* HDV5 M5 HDVs (Combined HDGV and HDDV)									
0.0431	0.0847	0.0871	0.0830	0.0509	0.0674	0.0405	0.0714	0.0485	0.0300
0.0215	0.0294	0.0650	0.0501	0.0531	0.0331	0.0271	0.0249	0.0200	0.0070
0.0057	0.0058	0.0050	0.0084	0.0374					
* HDV6 M5 HDVs (Combined HDGV and HDDV)									
0.0431	0.0847	0.0871	0.0830	0.0509	0.0674	0.0405	0.0714	0.0485	0.0300
0.0215	0.0294	0.0650	0.0501	0.0531	0.0331	0.0271	0.0249	0.0200	0.0070
0.0057	0.0058	0.0050	0.0084	0.0374					
* HDV7 M5 HDVs (Combined HDGV and HDDV)									
0.0431	0.0847	0.0871	0.0830	0.0509	0.0674	0.0405	0.0714	0.0485	0.0300
0.0215	0.0294	0.0650	0.0501	0.0531	0.0331	0.0271	0.0249	0.0200	0.0070
0.0057	0.0058	0.0050	0.0084	0.0374					
* HDV8a M5 HDVs (Combined HDGV and HDDV)									
0.0431	0.0847	0.0871	0.0830	0.0509	0.0674	0.0405	0.0714	0.0485	0.0300
0.0215	0.0294	0.0650	0.0501	0.0531	0.0331	0.0271	0.0249	0.0200	0.0070
0.0057	0.0058	0.0050	0.0084	0.0374					
* HDV8b M5 HDVs (Combined HDGV and HDDV)									
0.0431	0.0847	0.0871	0.0830	0.0509	0.0674	0.0405	0.0714	0.0485	0.0300
0.0215	0.0294	0.0650	0.0501	0.0531	0.0331	0.0271	0.0249	0.0200	0.0070
0.0057	0.0058	0.0050	0.0084	0.0374					
* HDBS M5 HDVs (Combined HDGV and HDDV)									
0.0431	0.0847	0.0871	0.0830	0.0509	0.0674	0.0405	0.0714	0.0485	0.0300
0.0215	0.0294	0.0650	0.0501	0.0531	0.0331	0.0271	0.0249	0.0200	0.0070
0.0057	0.0058	0.0050	0.0084	0.0374					
* HDBT M5 HDDVs									
0.0215	0.0421	0.0395	0.0724	0.0477	0.0828	0.0613	0.1030	0.0452	0.0363

0.0285	0.0478	0.1143	0.0746	0.0483	0.0414	0.0277	0.0206	0.0139	0.0053
0.0041	0.0038	0.0034	0.0041	0.0104					
* Motorcycles M5 MC									
0.0856	0.1345	0.1067	0.0854	0.0557	0.0470	0.0492	0.0407	0.0331	0.0341
0.0290	0.2989	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
0.0000	0.0000	0.0000	0.0000	0.0000					

### Alexandria, VA—2002 Registration Data

* LDV M5 LDGV									
0.1006	0.0993	0.0778	0.0690	0.0673	0.0655	0.0588	0.0668	0.0571	0.0521
0.0458	0.0448	0.0417	0.0350	0.0298	0.0255	0.0178	0.0118	0.0071	0.0044
0.0024	0.0017	0.0014	0.0014	0.0149					
* LDT1 M5 LDGT1									
0.1357	0.1517	0.0854	0.0674	0.0720	0.0683	0.0590	0.0595	0.0540	0.0434
0.0342	0.0318	0.0266	0.0246	0.0208	0.0185	0.0146	0.0096	0.0064	0.0035
0.0029	0.0020	0.0012	0.0012	0.0056					
* LDT2 M5 LDGT1									
0.1357	0.1517	0.0854	0.0674	0.0720	0.0683	0.0590	0.0595	0.0540	0.0434
0.0342	0.0318	0.0266	0.0246	0.0208	0.0185	0.0146	0.0096	0.0064	0.0035
0.0029	0.0020	0.0012	0.0012	0.0056					
* LDT3 M5 LDGT2									
0.1475	0.2009	0.0913	0.0922	0.0647	0.0559	0.0407	0.0450	0.0379	0.0240
0.0209	0.0140	0.0205	0.0229	0.0195	0.0162	0.0125	0.0105	0.0074	0.0048
0.0027	0.0020	0.0017	0.0062	0.0380					
* LDT4 M5 LDGT2									
0.1475	0.2009	0.0913	0.0922	0.0647	0.0559	0.0407	0.0450	0.0379	0.0240
0.0209	0.0140	0.0205	0.0229	0.0195	0.0162	0.0125	0.0105	0.0074	0.0048
0.0027	0.0020	0.0017	0.0062	0.0380					
* HDV2B M5 HDVs (Combined HDGV and HDDV)									
0.0721	0.1407	0.1120	0.1002	0.0465	0.0796	0.0519	0.0668	0.0441	0.0296
0.0211	0.0210	0.0301	0.0357	0.0454	0.0221	0.0238	0.0166	0.0107	0.0055
0.0033	0.0047	0.0030	0.0040	0.0097					
* HDV3 M5 HDVs (Combined HDGV and HDDV)									
0.0721	0.1407	0.1120	0.1002	0.0465	0.0796	0.0519	0.0668	0.0441	0.0296
0.0211	0.0210	0.0301	0.0357	0.0454	0.0221	0.0238	0.0166	0.0107	0.0055
0.0033	0.0047	0.0030	0.0040	0.0097					
* HDV4 M5 HDVs (Combined HDGV and HDDV)									
0.0721	0.1407	0.1120	0.1002	0.0465	0.0796	0.0519	0.0668	0.0441	0.0296
0.0211	0.0210	0.0301	0.0357	0.0454	0.0221	0.0238	0.0166	0.0107	0.0055
0.0033	0.0047	0.0030	0.0040	0.0097					
* HDV5 M5 HDVs (Combined HDGV and HDDV)									
0.0721	0.1407	0.1120	0.1002	0.0465	0.0796	0.0519	0.0668	0.0441	0.0296
0.0211	0.0210	0.0301	0.0357	0.0454	0.0221	0.0238	0.0166	0.0107	0.0055
0.0033	0.0047	0.0030	0.0040	0.0097					
* HDV6 M5 HDVs (Combined HDGV and HDDV)									
0.0721	0.1407	0.1120	0.1002	0.0465	0.0796	0.0519	0.0668	0.0441	0.0296
0.0211	0.0210	0.0301	0.0357	0.0454	0.0221	0.0238	0.0166	0.0107	0.0055
0.0033	0.0047	0.0030	0.0040	0.0097					
* HDV7 M5 HDVs (Combined HDGV and HDDV)									
0.0721	0.1407	0.1120	0.1002	0.0465	0.0796	0.0519	0.0668	0.0441	0.0296
0.0211	0.0210	0.0301	0.0357	0.0454	0.0221	0.0238	0.0166	0.0107	0.0055
0.0033	0.0047	0.0030	0.0040	0.0097					
* HDV8a M5 HDVs (Combined HDGV and HDDV)									
0.0721	0.1407	0.1120	0.1002	0.0465	0.0796	0.0519	0.0668	0.0441	0.0296
0.0211	0.0210	0.0301	0.0357	0.0454	0.0221	0.0238	0.0166	0.0107	0.0055
0.0033	0.0047	0.0030	0.0040	0.0097					
* HDV8b M5 HDVs (Combined HDGV and HDDV)									
0.0721	0.1407	0.1120	0.1002	0.0465	0.0796	0.0519	0.0668	0.0441	0.0296
0.0211	0.0210	0.0301	0.0357	0.0454	0.0221	0.0238	0.0166	0.0107	0.0055
0.0033	0.0047	0.0030	0.0040	0.0097					
* HDBS M5 HDVs (Combined HDGV and HDDV)									
0.0721	0.1407	0.1120	0.1002	0.0465	0.0796	0.0519	0.0668	0.0441	0.0296
0.0211	0.0210	0.0301	0.0357	0.0454	0.0221	0.0238	0.0166	0.0107	0.0055
0.0033	0.0047	0.0030	0.0040	0.0097					
* HDBT M5 HDDVs									

0.0632	0.0977	0.1025	0.1188	0.0402	0.0872	0.0546	0.0728	0.0460	0.0326
0.0182	0.0249	0.0326	0.0364	0.0680	0.0239	0.0278	0.0172	0.0105	0.0048
0.0019	0.0048	0.0029	0.0048	0.0057					
* Motorcycles M5 MC									
0.1312	0.1213	0.1082	0.0829	0.0668	0.0407	0.0468	0.0453	0.0353	0.0253
0.0215	0.2748	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
0.0000	0.0000	0.0000	0.0000	0.0000					

### Arlington County, VA—2002 Registration Data

* LDV M5 LDGV									
0.0714	0.0840	0.0803	0.0715	0.0677	0.0687	0.0624	0.0687	0.0595	0.0556
0.0481	0.0483	0.0439	0.0387	0.0314	0.0258	0.0193	0.0126	0.0088	0.0046
0.0032	0.0021	0.0019	0.0019	0.0196					
* LDT1 M5 LDGT1									
0.0900	0.1039	0.0949	0.0764	0.0794	0.0739	0.0670	0.0678	0.0619	0.0492
0.0374	0.0365	0.0282	0.0294	0.0258	0.0219	0.0189	0.0110	0.0074	0.0041
0.0031	0.0020	0.0012	0.0015	0.0071					
* LDT2 M5 LDGT1									
0.0900	0.1039	0.0949	0.0764	0.0794	0.0739	0.0670	0.0678	0.0619	0.0492
0.0374	0.0365	0.0282	0.0294	0.0258	0.0219	0.0189	0.0110	0.0074	0.0041
0.0031	0.0020	0.0012	0.0015	0.0071					
* LDT3 M5 LDGT2									
0.1000	0.1391	0.1040	0.1075	0.0731	0.0622	0.0472	0.0533	0.0445	0.0282
0.0230	0.0168	0.0221	0.0278	0.0247	0.0200	0.0163	0.0121	0.0089	0.0058
0.0029	0.0017	0.0018	0.0075	0.0494					
* LDT4 M5 LDGT2									
0.1000	0.1391	0.1040	0.1075	0.0731	0.0622	0.0472	0.0533	0.0445	0.0282
0.0230	0.0168	0.0221	0.0278	0.0247	0.0200	0.0163	0.0121	0.0089	0.0058
0.0029	0.0017	0.0018	0.0075	0.0494					
* HDV2B M5 HDVs (Combined HDGV and HDDV)									
0.0461	0.1056	0.1376	0.0946	0.0598	0.0710	0.0545	0.0705	0.0464	0.0373
0.0248	0.0245	0.0290	0.0404	0.0354	0.0282	0.0244	0.0195	0.0135	0.0055
0.0052	0.0029	0.0046	0.0035	0.0152					
* HDV3 M5 HDVs (Combined HDGV and HDDV)									
0.0461	0.1056	0.1376	0.0946	0.0598	0.0710	0.0545	0.0705	0.0464	0.0373
0.0248	0.0245	0.0290	0.0404	0.0354	0.0282	0.0244	0.0195	0.0135	0.0055
0.0052	0.0029	0.0046	0.0035	0.0152					
* HDV4 M5 HDVs (Combined HDGV and HDDV)									
0.0461	0.1056	0.1376	0.0946	0.0598	0.0710	0.0545	0.0705	0.0464	0.0373
0.0248	0.0245	0.0290	0.0404	0.0354	0.0282	0.0244	0.0195	0.0135	0.0055
0.0052	0.0029	0.0046	0.0035	0.0152					
* HDV5 M5 HDVs (Combined HDGV and HDDV)									
0.0461	0.1056	0.1376	0.0946	0.0598	0.0710	0.0545	0.0705	0.0464	0.0373
0.0248	0.0245	0.0290	0.0404	0.0354	0.0282	0.0244	0.0195	0.0135	0.0055
0.0052	0.0029	0.0046	0.0035	0.0152					
* HDV6 M5 HDVs (Combined HDGV and HDDV)									
0.0461	0.1056	0.1376	0.0946	0.0598	0.0710	0.0545	0.0705	0.0464	0.0373
0.0248	0.0245	0.0290	0.0404	0.0354	0.0282	0.0244	0.0195	0.0135	0.0055
0.0052	0.0029	0.0046	0.0035	0.0152					
* HDV7 M5 HDVs (Combined HDGV and HDDV)									
0.0461	0.1056	0.1376	0.0946	0.0598	0.0710	0.0545	0.0705	0.0464	0.0373
0.0248	0.0245	0.0290	0.0404	0.0354	0.0282	0.0244	0.0195	0.0135	0.0055
0.0052	0.0029	0.0046	0.0035	0.0152					
* HDV8a M5 HDVs (Combined HDGV and HDDV)									
0.0461	0.1056	0.1376	0.0946	0.0598	0.0710	0.0545	0.0705	0.0464	0.0373
0.0248	0.0245	0.0290	0.0404	0.0354	0.0282	0.0244	0.0195	0.0135	0.0055
0.0052	0.0029	0.0046	0.0035	0.0152					
* HDV8b M5 HDVs (Combined HDGV and HDDV)									
0.0461	0.1056	0.1376	0.0946	0.0598	0.0710	0.0545	0.0705	0.0464	0.0373
0.0248	0.0245	0.0290	0.0404	0.0354	0.0282	0.0244	0.0195	0.0135	0.0055
0.0052	0.0029	0.0046	0.0035	0.0152					
* HDBS M5 HDVs (Combined HDGV and HDDV)									
0.0461	0.1056	0.1376	0.0946	0.0598	0.0710	0.0545	0.0705	0.0464	0.0373
0.0248	0.0245	0.0290	0.0404	0.0354	0.0282	0.0244	0.0195	0.0135	0.0055
0.0052	0.0029	0.0046	0.0035	0.0152					

* HDBT	M5 HDDVs								
0.0352	0.0803	0.1465	0.0972	0.0648	0.0592	0.0535	0.0718	0.0437	0.0493
0.0239	0.0324	0.0296	0.0394	0.0451	0.0352	0.0225	0.0225	0.0155	0.0028
0.0056	0.0014	0.0070	0.0028	0.0127					
* Motorcycles	M5 MC								
0.0793	0.1187	0.1024	0.0619	0.0529	0.0394	0.0523	0.0400	0.0394	0.0298
0.0231	0.3607	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
0.0000	0.0000	0.0000	0.0000	0.0000					

### Fairfax County, VA—2002 Registration Data

* LDV	M5 LDGV								
0.0583	0.0848	0.0923	0.0803	0.0763	0.0738	0.0648	0.0709	0.0608	0.0552
0.0470	0.0429	0.0412	0.0340	0.0276	0.0230	0.0167	0.0113	0.0074	0.0042
0.0025	0.0018	0.0015	0.0017	0.0197					
* LDT1	M5 LDGT1								
0.0846	0.1045	0.1091	0.0880	0.0879	0.0802	0.0702	0.0679	0.0609	0.0457
0.0331	0.0309	0.0254	0.0255	0.0218	0.0186	0.0150	0.0093	0.0065	0.0035
0.0022	0.0017	0.0011	0.0013	0.0053					
* LDT2	M5 LDGT1								
0.0846	0.1045	0.1091	0.0880	0.0879	0.0802	0.0702	0.0679	0.0609	0.0457
0.0331	0.0309	0.0254	0.0255	0.0218	0.0186	0.0150	0.0093	0.0065	0.0035
0.0022	0.0017	0.0011	0.0013	0.0053					
* LDT3	M5 LDGT2								
0.0935	0.1402	0.1191	0.1243	0.0805	0.0673	0.0501	0.0535	0.0437	0.0263
0.0207	0.0143	0.0200	0.0235	0.0210	0.0165	0.0130	0.0103	0.0077	0.0052
0.0021	0.0017	0.0017	0.0069	0.0369					
* LDT4	M5 LDGT2								
0.0935	0.1402	0.1191	0.1243	0.0805	0.0673	0.0501	0.0535	0.0437	0.0263
0.0207	0.0143	0.0200	0.0235	0.0210	0.0165	0.0130	0.0103	0.0077	0.0052
0.0021	0.0017	0.0017	0.0069	0.0369					
* HDV2B	M5 HDVs (Combined HDGV and HDDV)								
0.0504	0.1074	0.1335	0.1051	0.0607	0.0810	0.0573	0.0753	0.0505	0.0322
0.0237	0.0227	0.0309	0.0360	0.0290	0.0254	0.0218	0.0171	0.0112	0.0059
0.0039	0.0033	0.0027	0.0031	0.0097					
* HDV3	M5 HDVs (Combined HDGV and HDDV)								
0.0504	0.1074	0.1335	0.1051	0.0607	0.0810	0.0573	0.0753	0.0505	0.0322
0.0237	0.0227	0.0309	0.0360	0.0290	0.0254	0.0218	0.0171	0.0112	0.0059
0.0039	0.0033	0.0027	0.0031	0.0097					
* HDV4	M5 HDVs (Combined HDGV and HDDV)								
0.0504	0.1074	0.1335	0.1051	0.0607	0.0810	0.0573	0.0753	0.0505	0.0322
0.0237	0.0227	0.0309	0.0360	0.0290	0.0254	0.0218	0.0171	0.0112	0.0059
0.0039	0.0033	0.0027	0.0031	0.0097					
* HDV5	M5 HDVs (Combined HDGV and HDDV)								
0.0504	0.1074	0.1335	0.1051	0.0607	0.0810	0.0573	0.0753	0.0505	0.0322
0.0237	0.0227	0.0309	0.0360	0.0290	0.0254	0.0218	0.0171	0.0112	0.0059
0.0039	0.0033	0.0027	0.0031	0.0097					
* HDV6	M5 HDVs (Combined HDGV and HDDV)								
0.0504	0.1074	0.1335	0.1051	0.0607	0.0810	0.0573	0.0753	0.0505	0.0322
0.0237	0.0227	0.0309	0.0360	0.0290	0.0254	0.0218	0.0171	0.0112	0.0059
0.0039	0.0033	0.0027	0.0031	0.0097					
* HDV7	M5 HDVs (Combined HDGV and HDDV)								
0.0504	0.1074	0.1335	0.1051	0.0607	0.0810	0.0573	0.0753	0.0505	0.0322
0.0237	0.0227	0.0309	0.0360	0.0290	0.0254	0.0218	0.0171	0.0112	0.0059
0.0039	0.0033	0.0027	0.0031	0.0097					
* HDV8a	M5 HDVs (Combined HDGV and HDDV)								
0.0504	0.1074	0.1335	0.1051	0.0607	0.0810	0.0573	0.0753	0.0505	0.0322
0.0237	0.0227	0.0309	0.0360	0.0290	0.0254	0.0218	0.0171	0.0112	0.0059
0.0039	0.0033	0.0027	0.0031	0.0097					
* HDV8b	M5 HDVs (Combined HDGV and HDDV)								
0.0504	0.1074	0.1335	0.1051	0.0607	0.0810	0.0573	0.0753	0.0505	0.0322
0.0237	0.0227	0.0309	0.0360	0.0290	0.0254	0.0218	0.0171	0.0112	0.0059
0.0039	0.0033	0.0027	0.0031	0.0097					
* HDBS	M5 HDVs (Combined HDGV and HDDV)								
0.0504	0.1074	0.1335	0.1051	0.0607	0.0810	0.0573	0.0753	0.0505	0.0322
0.0237	0.0227	0.0309	0.0360	0.0290	0.0254	0.0218	0.0171	0.0112	0.0059

0.0039	0.0033	0.0027	0.0031	0.0097					
* HDBT	M5 HDDVs								
0.0523	0.0934	0.1151	0.1029	0.0590	0.0782	0.0563	0.0813	0.0542	0.0365
0.0250	0.0288	0.0362	0.0376	0.0329	0.0314	0.0236	0.0193	0.0117	0.0053
0.0044	0.0028	0.0024	0.0027	0.0069					
* Motorcycles	M5 MC								
0.0881	0.1186	0.1092	0.0888	0.0641	0.0478	0.0475	0.0426	0.0335	0.0285
0.0268	0.3045	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
0.0000	0.0000	0.0000	0.0000	0.0000					

### Loudoun County, VA—2002 Registration Data

* LDV	M5 LDGV								
0.0747	0.0934	0.0972	0.0835	0.0811	0.0750	0.0671	0.0704	0.0581	0.0522
0.0414	0.0386	0.0347	0.0284	0.0236	0.0186	0.0143	0.0096	0.0066	0.0036
0.0020	0.0015	0.0012	0.0016	0.0216					
* LDT1	M5 LDGT1								
0.0849	0.1114	0.1148	0.0915	0.0884	0.0833	0.0697	0.0628	0.0570	0.0421
0.0298	0.0274	0.0221	0.0242	0.0211	0.0170	0.0153	0.0103	0.0069	0.0041
0.0025	0.0023	0.0015	0.0017	0.0081					
* LDT2	M5 LDGT1								
0.0849	0.1114	0.1148	0.0915	0.0884	0.0833	0.0697	0.0628	0.0570	0.0421
0.0298	0.0274	0.0221	0.0242	0.0211	0.0170	0.0153	0.0103	0.0069	0.0041
0.0025	0.0023	0.0015	0.0017	0.0081					
* LDT3	M5 LDGT2								
0.0918	0.1434	0.1212	0.1250	0.0789	0.0671	0.0480	0.0477	0.0398	0.0233
0.0182	0.0122	0.0169	0.0222	0.0198	0.0152	0.0130	0.0111	0.0079	0.0059
0.0024	0.0021	0.0025	0.0086	0.0557					
* LDT4	M5 LDGT2								
0.0918	0.1434	0.1212	0.1250	0.0789	0.0671	0.0480	0.0477	0.0398	0.0233
0.0182	0.0122	0.0169	0.0222	0.0198	0.0152	0.0130	0.0111	0.0079	0.0059
0.0024	0.0021	0.0025	0.0086	0.0557					
* HDV2B	M5 HDVs (Combined HDGV and HDDV)								
0.0546	0.1133	0.1217	0.1070	0.0560	0.0823	0.0550	0.0697	0.0489	0.0329
0.0218	0.0168	0.0278	0.0346	0.0356	0.0260	0.0255	0.0179	0.0131	0.0072
0.0045	0.0052	0.0033	0.0049	0.0144					
* HDV3	M5 HDVs (Combined HDGV and HDDV)								
0.0546	0.1133	0.1217	0.1070	0.0560	0.0823	0.0550	0.0697	0.0489	0.0329
0.0218	0.0168	0.0278	0.0346	0.0356	0.0260	0.0255	0.0179	0.0131	0.0072
0.0045	0.0052	0.0033	0.0049	0.0144					
* HDV4	M5 HDVs (Combined HDGV and HDDV)								
0.0546	0.1133	0.1217	0.1070	0.0560	0.0823	0.0550	0.0697	0.0489	0.0329
0.0218	0.0168	0.0278	0.0346	0.0356	0.0260	0.0255	0.0179	0.0131	0.0072
0.0045	0.0052	0.0033	0.0049	0.0144					
* HDV5	M5 HDVs (Combined HDGV and HDDV)								
0.0546	0.1133	0.1217	0.1070	0.0560	0.0823	0.0550	0.0697	0.0489	0.0329
0.0218	0.0168	0.0278	0.0346	0.0356	0.0260	0.0255	0.0179	0.0131	0.0072
0.0045	0.0052	0.0033	0.0049	0.0144					
* HDV6	M5 HDVs (Combined HDGV and HDDV)								
0.0546	0.1133	0.1217	0.1070	0.0560	0.0823	0.0550	0.0697	0.0489	0.0329
0.0218	0.0168	0.0278	0.0346	0.0356	0.0260	0.0255	0.0179	0.0131	0.0072
0.0045	0.0052	0.0033	0.0049	0.0144					
* HDV7	M5 HDVs (Combined HDGV and HDDV)								
0.0546	0.1133	0.1217	0.1070	0.0560	0.0823	0.0550	0.0697	0.0489	0.0329
0.0218	0.0168	0.0278	0.0346	0.0356	0.0260	0.0255	0.0179	0.0131	0.0072
0.0045	0.0052	0.0033	0.0049	0.0144					
* HDV8a	M5 HDVs (Combined HDGV and HDDV)								
0.0546	0.1133	0.1217	0.1070	0.0560	0.0823	0.0550	0.0697	0.0489	0.0329
0.0218	0.0168	0.0278	0.0346	0.0356	0.0260	0.0255	0.0179	0.0131	0.0072
0.0045	0.0052	0.0033	0.0049	0.0144					
* HDV8b	M5 HDVs (Combined HDGV and HDDV)								
0.0546	0.1133	0.1217	0.1070	0.0560	0.0823	0.0550	0.0697	0.0489	0.0329
0.0218	0.0168	0.0278	0.0346	0.0356	0.0260	0.0255	0.0179	0.0131	0.0072
0.0045	0.0052	0.0033	0.0049	0.0144					
* HDBS	M5 HDVs (Combined HDGV and HDDV)								
0.0546	0.1133	0.1217	0.1070	0.0560	0.0823	0.0550	0.0697	0.0489	0.0329

0.0218	0.0168	0.0278	0.0346	0.0356	0.0260	0.0255	0.0179	0.0131	0.0072
0.0045	0.0052	0.0033	0.0049	0.0144					
* HDBT	M5 HDDVs								
0.0580	0.1063	0.1018	0.1056	0.0526	0.0808	0.0540	0.0734	0.0521	0.0372
0.0227	0.0180	0.0310	0.0355	0.0422	0.0303	0.0284	0.0187	0.0142	0.0071
0.0047	0.0054	0.0026	0.0052	0.0118					
* Motorcycles	M5 MC								
0.1024	0.1392	0.1204	0.0871	0.0608	0.0500	0.0527	0.0368	0.0355	0.0239
0.0242	0.2669	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
0.0000	0.0000	0.0000	0.0000	0.0000					

### Prince William, VA—2002 Registration Data

* LDV	M5 LDGV								
0.0519	0.0765	0.0874	0.0754	0.0765	0.0769	0.0670	0.0733	0.0630	0.0562
0.0456	0.0431	0.0387	0.0355	0.0305	0.0244	0.0183	0.0123	0.0088	0.0047
0.0026	0.0019	0.0016	0.0020	0.0259					
* LDT1	M5 LDGT1								
0.0720	0.0897	0.0967	0.0810	0.0844	0.0802	0.0692	0.0676	0.0640	0.0492
0.0360	0.0328	0.0300	0.0306	0.0290	0.0231	0.0201	0.0119	0.0088	0.0047
0.0036	0.0025	0.0016	0.0018	0.0095					
* LDT2	M5 LDGT1								
0.0720	0.0897	0.0967	0.0810	0.0844	0.0802	0.0692	0.0676	0.0640	0.0492
0.0360	0.0328	0.0300	0.0306	0.0290	0.0231	0.0201	0.0119	0.0088	0.0047
0.0036	0.0025	0.0016	0.0018	0.0095					
* LDT3	M5 LDGT2								
0.0768	0.1187	0.1039	0.1136	0.0771	0.0670	0.0488	0.0528	0.0460	0.0281
0.0223	0.0149	0.0223	0.0283	0.0270	0.0209	0.0174	0.0133	0.0106	0.0071
0.0035	0.0025	0.0024	0.0094	0.0653					
* LDT4	M5 LDGT2								
0.0768	0.1187	0.1039	0.1136	0.0771	0.0670	0.0488	0.0528	0.0460	0.0281
0.0223	0.0149	0.0223	0.0283	0.0270	0.0209	0.0174	0.0133	0.0106	0.0071
0.0035	0.0025	0.0024	0.0094	0.0653					
* HDV2B	M5 HDVs (Combined HDGV and HDDV)								
0.0532	0.0985	0.1249	0.1119	0.0544	0.0761	0.0548	0.0682	0.0511	0.0359
0.0220	0.0178	0.0280	0.0385	0.0346	0.0290	0.0251	0.0215	0.0130	0.0073
0.0053	0.0045	0.0041	0.0042	0.0160					
* HDV3	M5 HDVs (Combined HDGV and HDDV)								
0.0532	0.0985	0.1249	0.1119	0.0544	0.0761	0.0548	0.0682	0.0511	0.0359
0.0220	0.0178	0.0280	0.0385	0.0346	0.0290	0.0251	0.0215	0.0130	0.0073
0.0053	0.0045	0.0041	0.0042	0.0160					
* HDV4	M5 HDVs (Combined HDGV and HDDV)								
0.0532	0.0985	0.1249	0.1119	0.0544	0.0761	0.0548	0.0682	0.0511	0.0359
0.0220	0.0178	0.0280	0.0385	0.0346	0.0290	0.0251	0.0215	0.0130	0.0073
0.0053	0.0045	0.0041	0.0042	0.0160					
* HDV5	M5 HDVs (Combined HDGV and HDDV)								
0.0532	0.0985	0.1249	0.1119	0.0544	0.0761	0.0548	0.0682	0.0511	0.0359
0.0220	0.0178	0.0280	0.0385	0.0346	0.0290	0.0251	0.0215	0.0130	0.0073
0.0053	0.0045	0.0041	0.0042	0.0160					
* HDV6	M5 HDVs (Combined HDGV and HDDV)								
0.0532	0.0985	0.1249	0.1119	0.0544	0.0761	0.0548	0.0682	0.0511	0.0359
0.0220	0.0178	0.0280	0.0385	0.0346	0.0290	0.0251	0.0215	0.0130	0.0073
0.0053	0.0045	0.0041	0.0042	0.0160					
* HDV7	M5 HDVs (Combined HDGV and HDDV)								
0.0532	0.0985	0.1249	0.1119	0.0544	0.0761	0.0548	0.0682	0.0511	0.0359
0.0220	0.0178	0.0280	0.0385	0.0346	0.0290	0.0251	0.0215	0.0130	0.0073
0.0053	0.0045	0.0041	0.0042	0.0160					
* HDV8a	M5 HDVs (Combined HDGV and HDDV)								
0.0532	0.0985	0.1249	0.1119	0.0544	0.0761	0.0548	0.0682	0.0511	0.0359
0.0220	0.0178	0.0280	0.0385	0.0346	0.0290	0.0251	0.0215	0.0130	0.0073
0.0053	0.0045	0.0041	0.0042	0.0160					
* HDV8b	M5 HDVs (Combined HDGV and HDDV)								
0.0532	0.0985	0.1249	0.1119	0.0544	0.0761	0.0548	0.0682	0.0511	0.0359
0.0220	0.0178	0.0280	0.0385	0.0346	0.0290	0.0251	0.0215	0.0130	0.0073
0.0053	0.0045	0.0041	0.0042	0.0160					
* HDBS	M5 HDVs (Combined HDGV and HDDV)								



0.0532	0.0985	0.1249	0.1119	0.0544	0.0761	0.0548	0.0682	0.0511	0.0359
0.0220	0.0178	0.0280	0.0385	0.0346	0.0290	0.0251	0.0215	0.0130	0.0073
0.0053	0.0045	0.0041	0.0042	0.0160					
* HDBT	M5 HDDVs								
0.0625	0.0961	0.1203	0.1218	0.0508	0.0711	0.0535	0.0680	0.0523	0.0400
0.0204	0.0179	0.0274	0.0365	0.0361	0.0317	0.0239	0.0230	0.0118	0.0065
0.0049	0.0037	0.0039	0.0037	0.0119					
* Motorcycles	M5 MC								
0.1235	0.1399	0.1087	0.0864	0.0563	0.0494	0.0532	0.0419	0.0313	0.0235
0.0199	0.2661	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
0.0000	0.0000	0.0000	0.0000	0.0000					

### Stafford County, VA—2002 Registration Data

* LDV	M5 LDGV								
0.0493	0.0783	0.0861	0.0775	0.0751	0.0731	0.0651	0.0730	0.0611	0.0569
0.0457	0.0411	0.0373	0.0371	0.0311	0.0244	0.0193	0.0125	0.0092	0.0045
0.0032	0.0017	0.0020	0.0022	0.0332					
* LDT1	M5 LDGT1								
0.0640	0.0857	0.0926	0.0780	0.0802	0.0746	0.0662	0.0648	0.0660	0.0493
0.0381	0.0331	0.0312	0.0337	0.0318	0.0255	0.0247	0.0145	0.0106	0.0070
0.0045	0.0038	0.0026	0.0033	0.0141					
* LDT2	M5 LDGT1								
0.0640	0.0857	0.0926	0.0780	0.0802	0.0746	0.0662	0.0648	0.0660	0.0493
0.0381	0.0331	0.0312	0.0337	0.0318	0.0255	0.0247	0.0145	0.0106	0.0070
0.0045	0.0038	0.0026	0.0033	0.0141					
* LDT3	M5 LDGT2								
0.0677	0.1103	0.0964	0.1048	0.0712	0.0598	0.0447	0.0486	0.0458	0.0272
0.0228	0.0149	0.0237	0.0307	0.0296	0.0224	0.0207	0.0157	0.0121	0.0099
0.0039	0.0035	0.0036	0.0156	0.0943					
* LDT4	M5 LDGT2								
0.0677	0.1103	0.0964	0.1048	0.0712	0.0598	0.0447	0.0486	0.0458	0.0272
0.0228	0.0149	0.0237	0.0307	0.0296	0.0224	0.0207	0.0157	0.0121	0.0099
0.0039	0.0035	0.0036	0.0156	0.0943					
* HDV2B	M5 HDVs (Combined HDGV and HDDV)								
0.0530	0.0945	0.1181	0.0910	0.0501	0.0738	0.0537	0.0695	0.0538	0.0319
0.0235	0.0201	0.0296	0.0458	0.0397	0.0332	0.0302	0.0235	0.0140	0.0101
0.0050	0.0043	0.0057	0.0057	0.0202					
* HDV3	M5 HDVs (Combined HDGV and HDDV)								
0.0530	0.0945	0.1181	0.0910	0.0501	0.0738	0.0537	0.0695	0.0538	0.0319
0.0235	0.0201	0.0296	0.0458	0.0397	0.0332	0.0302	0.0235	0.0140	0.0101
0.0050	0.0043	0.0057	0.0057	0.0202					
* HDV4	M5 HDVs (Combined HDGV and HDDV)								
0.0530	0.0945	0.1181	0.0910	0.0501	0.0738	0.0537	0.0695	0.0538	0.0319
0.0235	0.0201	0.0296	0.0458	0.0397	0.0332	0.0302	0.0235	0.0140	0.0101
0.0050	0.0043	0.0057	0.0057	0.0202					
* HDV5	M5 HDVs (Combined HDGV and HDDV)								
0.0530	0.0945	0.1181	0.0910	0.0501	0.0738	0.0537	0.0695	0.0538	0.0319
0.0235	0.0201	0.0296	0.0458	0.0397	0.0332	0.0302	0.0235	0.0140	0.0101
0.0050	0.0043	0.0057	0.0057	0.0202					
* HDV6	M5 HDVs (Combined HDGV and HDDV)								
0.0530	0.0945	0.1181	0.0910	0.0501	0.0738	0.0537	0.0695	0.0538	0.0319
0.0235	0.0201	0.0296	0.0458	0.0397	0.0332	0.0302	0.0235	0.0140	0.0101
0.0050	0.0043	0.0057	0.0057	0.0202					
* HDV7	M5 HDVs (Combined HDGV and HDDV)								
0.0530	0.0945	0.1181	0.0910	0.0501	0.0738	0.0537	0.0695	0.0538	0.0319
0.0235	0.0201	0.0296	0.0458	0.0397	0.0332	0.0302	0.0235	0.0140	0.0101
0.0050	0.0043	0.0057	0.0057	0.0202					
* HDV8a	M5 HDVs (Combined HDGV and HDDV)								
0.0530	0.0945	0.1181	0.0910	0.0501	0.0738	0.0537	0.0695	0.0538	0.0319
0.0235	0.0201	0.0296	0.0458	0.0397	0.0332	0.0302	0.0235	0.0140	0.0101
0.0050	0.0043	0.0057	0.0057	0.0202					
* HDV8b	M5 HDVs (Combined HDGV and HDDV)								
0.0530	0.0945	0.1181	0.0910	0.0501	0.0738	0.0537	0.0695	0.0538	0.0319
0.0235	0.0201	0.0296	0.0458	0.0397	0.0332	0.0302	0.0235	0.0140	0.0101
0.0050	0.0043	0.0057	0.0057	0.0202					

* HDBS	M5 HDVs (Combined HDGV and HDDV)								
0.0530	0.0945	0.1181	0.0910	0.0501	0.0738	0.0537	0.0695	0.0538	0.0319
0.0235	0.0201	0.0296	0.0458	0.0397	0.0332	0.0302	0.0235	0.0140	0.0101
0.0050	0.0043	0.0057	0.0057	0.0202					
* HDBT	M5 HDDVs								
0.0681	0.0933	0.1135	0.0908	0.0454	0.0725	0.0549	0.0744	0.0574	0.0340
0.0221	0.0221	0.0284	0.0460	0.0429	0.0385	0.0284	0.0240	0.0113	0.0082
0.0038	0.0013	0.0050	0.0038	0.0101					
* Motorcycles	M5 MC								
0.1106	0.1186	0.1030	0.0874	0.0646	0.0531	0.0499	0.0392	0.0357	0.0281
0.0227	0.2871	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
0.0000	0.0000	0.0000	0.0000	0.0000					

## 2005 Regional School Bus Registration Data

* HDBS	M5 HDVs (Combined HDGV and HDDV)								
0.0522	0.0975	0.0911	0.0851	0.0795	0.0742	0.0693	0.0648	0.0606	0.0566
0.0528	0.0494	0.0461	0.0430	0.0402	0.0376	0.0000	0.0000	0.0000	0.0000
0.0000	0.0000	0.0000	0.0000	0.0000					

## 2005 Regional Transit Bus Registration Data

* HDBT	M5 HDDVs								
0.0324	0.0660	0.1071	0.0602	0.0478	0.1120	0.0333	0.0756	0.0336	0.0318
0.0457	0.0136	0.0867	0.0475	0.0592	0.0691	0.0654	0.0068	0.0000	0.0062
0.0000	0.0000	0.0000	0.0000	0.0000					

## Appendix 2 Diesel Sales Fractions

The diesel sales fractions are presented by vehicle, year-specific model year, and going back 25 model years. Maryland and Virginia use the defaults present for the District for all categories other than LDVs and LDT12 for network and off-network analyses. The diesel sales fractions for the school bus analysis is also provided in this section.

### District of Columbia—MOBILE6 1990 Default Diesel Sales Fractions

* LDV										
	0.0004	0.0004	0.0001	0.0027	0.0032	0.0097	0.0162	0.0241	0.0510	0.0706
	0.0390	0.0269	0.0114	0.0093	0.0137	0.0155	0.0067	0.0067	0.0067	0.0067
	0.0067	0.0067	0.0067	0.0067	0.0067					
* LDT12										
	0.0000	0.0000	0.0000	0.0007	0.0033	0.0048	0.0120	0.0223	0.0656	0.0616
	0.0439	0.0316	0.0259	0.0000	0.0187	0.1038	0.1170	0.1170	0.1170	0.1170
	0.1170	0.1170	0.1170	0.1170	0.1170					
* LDT34										
	0.0096	0.0083	0.0072	0.0082	0.0124	0.0135	0.0169	0.0209	0.0256	0.0013
	0.0006	0.0011	0.0001	0.0000	0.0000	0.0000	0.0001	0.0001	0.0001	0.0001
	0.0001	0.0001	0.0001	0.0001	0.0001					
* HDV2B										
	0.2384	0.2058	0.1756	0.1958	0.2726	0.2743	0.3004	0.2918	0.2859	0.0138
	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
	0.0000	0.0000	0.0000	0.0000	0.0000					
* HDV3										
	0.8477	0.7940	0.7488	0.7789	0.7842	0.6145	0.5139	0.5032	0.4277	0.0079
	0.0000	0.0000	0.0001	0.0003	0.0010	0.0028	0.0248	0.0000	0.0000	0.0000
	0.0000	0.0000	0.0000	0.0000	0.0000					
* HDV4										
	0.7275	0.7158	0.5647	0.3178	0.2207	0.1968	0.1570	0.0738	0.0341	0.0414
	0.0003	0.0000	0.0000	0.0000	0.0259	0.0078	0.0004	0.0090	0.0112	0.0112
	0.0112	0.0112	0.0112	0.0112	0.0112					
* HDV5										
	0.2730	0.2616	0.1543	0.0615	0.0383	0.0333	0.0255	0.0111	0.0049	0.0060
	0.0000	0.0000	0.0000	0.0000	0.0037	0.0011	0.0001	0.0013	0.0016	0.0016
	0.0016	0.0016	0.0016	0.0016	0.0016					
* HDV6										
	0.5617	0.4537	0.4216	0.4734	0.4705	0.4525	0.4310	0.3569	0.3690	0.4413
	0.3094	0.1679	0.1390	0.0808	0.0476	0.0365	0.0288	0.0274	0.0297	0.0297
	0.0297	0.0297	0.0297	0.0297	0.0297					
* HDV7										
	0.8177	0.7440	0.7184	0.7588	0.7567	0.7431	0.7261	0.6602	0.6717	0.7344
	0.6107	0.4140	0.3610	0.2353	0.1489	0.1170	0.0940	0.0897	0.0966	0.0966
	0.0966	0.0966	0.0966	0.0966	0.0966					
* HDV8A										
	0.9982	0.9979	0.9969	0.9978	0.9980	0.9979	0.9976	0.9969	0.9978	0.9982
	0.9974	0.9965	0.9964	0.9949	0.9920	0.9936	0.9819	0.9812	0.9720	0.9720
	0.9720	0.9720	0.9720	0.9720	0.9720					
* HDV8B										
	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
	1.0000	1.0000	1.0000	1.0000	1.0000					
* HDBS										
	0.8760	0.7710	0.7502	0.7345	0.6733	0.5155	0.3845	0.3238	0.3260	0.2639
	0.0594	0.0460	0.0291	0.0240	0.0086	0.0087	0.0000	0.0000	0.0000	0.0000
	0.0000	0.0000	0.0000	0.0000	0.0000					

### Calvert County, MD—1990 Diesel Sales Fractions

\* LDV

0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0010
0.0000	0.0000	0.0020	0.0030	0.0190	0.0200	0.0270	0.0250	0.0410	0.0310
0.0150	0.0090	0.0040	0.0050	0.0050					

\* LDT1, LDT2

0.0100	0.0100	0.0100	0.0100	0.0100	0.0100	0.0100	0.0100	0.0100	0.0020
0.0050	0.0040	0.0030	0.0160	0.0320	0.0510	0.0420	0.1450	0.1220	0.1060
0.0190	0.0000	0.0000	0.0000	0.0380					

### Charles County, MD—1990 Diesel Sales Fractions

\* LDV

0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
0.0000	0.0000	0.0030	0.0020	0.0070	0.0080	0.0060	0.0170	0.0200	0.0130
0.0060	0.0040	0.0000	0.0000	0.0060					

\* LDT1, LDT2

0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0030
0.0030	0.0050	0.0100	0.0090	0.0070	0.0300	0.0310	0.0850	0.0550	0.0510
0.0110	0.0000	0.0000	0.0000	0.0000					

### Frederick County, MD—1990 Diesel Sales Fractions

\* LDV

0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0000
0.0010	0.0000	0.0010	0.0040	0.0080	0.0090	0.0050	0.0140	0.0220	0.0210
0.0070	0.0050	0.0030	0.0050	0.0030					

\* LDT1, LDT2

0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0050
0.0030	0.0020	0.0060	0.0110	0.0200	0.0320	0.0460	0.0820	0.1420	0.0570
0.0160	0.0090	0.0000	0.0000	0.0000					

### Montgomery County, MD—1990 Diesel Sales Fractions

\* LDV

0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010
0.0010	0.0000	0.0060	0.0060	0.0190	0.0260	0.0330	0.0520	0.0650	0.0560
0.0440	0.0210	0.0180	0.0230	0.0220					

\* LDT1, LDT2

0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0040
0.0090	0.0080	0.0090	0.0260	0.0270	0.0530	0.0590	0.2070	0.1740	0.1300
0.0220	0.0190	0.0060	0.0060	0.0060					

### Prince Georges County, MD—1990 Diesel Sales Fractions

\* LDV

0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010
0.0010	0.0000	0.0050	0.0050	0.0130	0.0180	0.0220	0.0380	0.0500	0.0390
0.0190	0.0120	0.0060	0.0050	0.0100					

\* LDT1, LDT2

0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0100
0.0190	0.0130	0.0190	0.0330	0.0440	0.0640	0.0760	0.1950	0.1460	0.1080

0.0250 0.0210 0.0050 0.0180 0.0080

### Alexandria, VA—1990 Diesel Sales Fractions

\* LDV

0.0010 0.0010 0.0010 0.0010 0.0010 0.0010 0.0010 0.0010 0.0010 0.0010  
0.0010 0.0000 0.0030 0.0050 0.0140 0.0190 0.0220 0.0410 0.0460 0.0380  
0.0190 0.0110 0.0070 0.0090 0.0090

\* LDT1, LDT2

0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000  
0.0000 0.0000 0.0020 0.0050 0.0170 0.0290 0.0670 0.1930 0.1720 0.0100  
0.0090 0.0000 0.0000 0.0240 0.0170

### Arlington County, VA—1990 Diesel Sales Fractions

\* LDV

0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000  
0.0010 0.0000 0.0020 0.0040 0.0130 0.0210 0.0200 0.0380 0.0490 0.0320  
0.0230 0.0150 0.0090 0.0100 0.0100

\* LDT1, LDT2

0.0060 0.0060 0.0060 0.0060 0.0060 0.0060 0.0060 0.0060 0.0060 0.0060  
0.0020 0.0010 0.0070 0.0140 0.0170 0.0570 0.0680 0.2210 0.2480 0.0700  
0.0130 0.0070 0.0000 0.0000 0.0000

### Fairfax County, VA—1990 Diesel Sales Fractions

\* LDV

0.0010 0.0010 0.0010 0.0010 0.0010 0.0010 0.0010 0.0010 0.0010 0.0010  
0.0010 0.0000 0.0030 0.0050 0.0150 0.0220 0.0280 0.0480 0.0620 0.0540  
0.0300 0.0150 0.0090 0.0130 0.0170

\* LDT1, LDT2

0.0020 0.0020 0.0020 0.0020 0.0020 0.0020 0.0020 0.0020 0.0020 0.0020  
0.0050 0.0020 0.0060 0.0130 0.0140 0.0320 0.0410 0.1240 0.1540 0.0350  
0.0110 0.0050 0.0020 0.0060 0.0000

### Loudoun County, VA—1990 Diesel Sales Fractions

\* LDV

0.0020 0.0020 0.0020 0.0020 0.0020 0.0020 0.0020 0.0020 0.0020 0.0020  
0.0020 0.0010 0.0040 0.0070 0.0130 0.0230 0.0290 0.0490 0.0660 0.0430  
0.0270 0.0120 0.0060 0.0080 0.0100

\* LDT1, LDT2

0.0030 0.0030 0.0030 0.0030 0.0030 0.0030 0.0030 0.0030 0.0030 0.0030  
0.0010 0.0010 0.0060 0.0100 0.0240 0.0290 0.0330 0.1010 0.1340 0.0330  
0.0090 0.0090 0.0060 0.0070 0.0700

### Prince William County, VA—1990 Diesel Sales Fractions

\* LDV

0.0010 0.0010 0.0010 0.0010 0.0010 0.0010 0.0010 0.0010 0.0010 0.0010  
0.0010 0.0000 0.0010 0.0050 0.0110 0.0190 0.0220 0.0460 0.0620 0.0430  
0.0200 0.0100 0.0040 0.0040 0.0100

\* LDT1, LDT2

0.0030 0.0030 0.0030 0.0030 0.0030 0.0030 0.0030 0.0030 0.0030 0.0030  
0.0030 0.0030 0.0050 0.0110 0.0140 0.0290 0.0480 0.1140 0.1540 0.0210

0.0200 0.0030 0.0040 0.0000 0.0000

### Stafford County, VA—1990 Diesel Sales Fractions

\* LDV

0.0030 0.0030 0.0030 0.0030 0.0030 0.0030 0.0030 0.0030 0.0030 0.0030  
0.0020 0.0000 0.0020 0.0070 0.0160 0.0220 0.0300 0.0600 0.0630 0.0450  
0.0170 0.0050 0.0050 0.0040 0.0050

\* LDT1, LDT2

0.0020 0.0020 0.0020 0.0020 0.0020 0.0020 0.0020 0.0020 0.0020 0.0020  
0.0030 0.0000 0.0030 0.0080 0.0070 0.0320 0.0450 0.1550 0.0800 0.0180  
0.0050 0.0040 0.0050 0.0000 0.0000

### District of Columbia—MOBILE6 2005 Default Diesel Sales Fractions

\* LDV

0.0009 0.0009 0.0009 0.0009 0.0009 0.0009 0.0009 0.0009 0.0009 0.0009  
0.0006 0.0001 0.0003 0.0006 0.0013 0.0004 0.0004 0.0001 0.0027 0.0032  
0.0097 0.0162 0.0241 0.0510 0.0706

\* LDT12

0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000  
0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0007 0.0033  
0.0048 0.0120 0.0223 0.0656 0.0616

\* LDT34

0.0126 0.0126 0.0126 0.0126 0.0126 0.0126 0.0126 0.0126 0.0126 0.0126  
0.0115 0.0111 0.0145 0.0115 0.0129 0.0096 0.0083 0.0072 0.0082 0.0124  
0.0135 0.0169 0.0209 0.0256 0.0013

\* HDV2B

0.1998 0.1998 0.1998 0.1998 0.1998 0.1998 0.1998 0.1998 0.1998 0.1998  
0.2578 0.2515 0.3263 0.2784 0.2963 0.2384 0.2058 0.1756 0.1958 0.2726  
0.2743 0.3004 0.2918 0.2859 0.0138

\* HDV3

0.6774 0.6774 0.6774 0.6774 0.6774 0.6774 0.6774 0.6774 0.6774 0.6774  
0.7715 0.7910 0.8105 0.8068 0.8280 0.8477 0.7940 0.7488 0.7789 0.7842  
0.6145 0.5139 0.5032 0.4277 0.0079

\* HDV4

0.8606 0.8606 0.8606 0.8606 0.8606 0.8606 0.8606 0.8606 0.8606 0.8606  
0.8473 0.8048 0.8331 0.7901 0.7316 0.7275 0.7158 0.5647 0.3178 0.2207  
0.1968 0.1570 0.0738 0.0341 0.0414

\* HDV5

0.4647 0.4647 0.4647 0.4647 0.4647 0.4647 0.4647 0.4647 0.4647 0.4647  
0.4384 0.3670 0.4125 0.3462 0.2771 0.2730 0.2616 0.1543 0.0615 0.0383  
0.0333 0.0255 0.0111 0.0049 0.0060

\* HDV6

0.6300 0.6300 0.6300 0.6300 0.6300 0.6300 0.6300 0.6300 0.6300 0.6300  
0.6078 0.5246 0.5767 0.5289 0.5788 0.5617 0.4537 0.4216 0.4734 0.4705  
0.4525 0.4310 0.3569 0.3690 0.4413

\* HDV7

0.8563 0.8563 0.8563 0.8563 0.8563 0.8563 0.8563 0.8563 0.8563 0.8563  
0.8443 0.7943 0.8266 0.7972 0.8279 0.8177 0.7440 0.7184 0.7588 0.7567  
0.7431 0.7261 0.6602 0.6717 0.7344

\* HDV8A

0.9992 0.9992 0.9992 0.9992 0.9992 0.9992 0.9992 0.9992 0.9992 0.9992  
0.9989 0.9987 0.9989 0.9977 0.9984 0.9982 0.9979 0.9969 0.9978 0.9980  
0.9979 0.9976 0.9969 0.9978 0.9982

\* HDV8B

1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000  
1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000  
1.0000 1.0000 1.0000 1.0000 1.0000

\* HDBS

0.9585 0.9585 0.9585 0.9585 0.9585 0.9585 0.9585 0.9585 0.9585 0.9585  
0.8857 0.8525 0.8795 0.9900 0.9105 0.8760 0.7710 0.7502 0.7345 0.6733  
0.5155 0.3845 0.3238 0.3260 0.2639

### Calvert County, MD—2005 Diesel Sales Fractions

\* LDV

0.0006 0.0006 0.0006 0.0006 0.0000 0.0004 0.0017 0.0029 0.0020 0.0015  
0.0025 0.0010 0.0016 0.0013 0.0033 0.0022 0.0008 0.0000 0.0086 0.0027  
0.0389 0.0284 0.1091 0.0855 0.1200

\* LDT1, LDT2

0.0009 0.0009 0.0009 0.0009 0.0014 0.0048 0.0185 0.0068 0.0265 0.0185  
0.0246 0.0082 0.0097 0.0070 0.0061 0.0095 0.0146 0.0407 0.0104 0.0249  
0.0818 0.0660 0.0926 0.2000 0.1304

### Charles County, MD—2005 Diesel Sales Fractions

\* LDV

0.0000 0.0000 0.0000 0.0000 0.0000 0.0004 0.0029 0.0007 0.0010 0.0003  
0.0002 0.0006 0.0000 0.0008 0.0020 0.0005 0.0005 0.0000 0.0046 0.0073  
0.0165 0.0181 0.0279 0.0698 0.0451

\* LDT1, LDT2

0.0025 0.0025 0.0025 0.0025 0.0018 0.0038 0.0212 0.0057 0.0259 0.0176  
0.0215 0.0082 0.0106 0.0055 0.0159 0.0112 0.0147 0.0161 0.0376 0.0669  
0.0369 0.0633 0.0682 0.1628 0.0357

### Frederick County, MD—2005 Diesel Sales Fractions

\* LDV

0.0002 0.0002 0.0002 0.0002 0.0003 0.0009 0.0033 0.0026 0.0007 0.0019  
0.0010 0.0002 0.0002 0.0007 0.0013 0.0013 0.0012 0.0000 0.0049 0.0093  
0.0367 0.0292 0.0389 0.0596 0.1330

\* LDT1, LDT2

0.0013 0.0013 0.0013 0.0013 0.0019 0.0036 0.0203 0.0060 0.0272 0.0227  
0.0317 0.0157 0.0115 0.0107 0.0127 0.0181 0.0229 0.0193 0.0363 0.0619  
0.0802 0.0630 0.0976 0.1282 0.1892

### Montgomery County, MD—2005 Diesel Sales Fractions

\* LDV

0.0001 0.0001 0.0001 0.0001 0.0001 0.0004 0.0021 0.0015 0.0015 0.0012  
0.0012 0.0008 0.0011 0.0014 0.0040 0.0006 0.0005 0.0008 0.0154 0.0102  
0.0617 0.0864 0.1308 0.1700 0.1661

\* LDT1, LDT2

0.0005 0.0005 0.0005 0.0005 0.0007 0.0017 0.0058 0.0033 0.0082 0.0083  
0.0089 0.0068 0.0071 0.0093 0.0086 0.0110 0.0169 0.0158 0.0150 0.0501  
0.0384 0.0862 0.0909 0.2108 0.1458

### Prince Georges County, MD—1990 Diesel Sales Fractions

\* LDV

0.0010 0.0010 0.0010 0.0010 0.0010 0.0010 0.0010 0.0010 0.0010 0.0010  
0.0010 0.0000 0.0050 0.0050 0.0130 0.0180 0.0220 0.0380 0.0500 0.0390  
0.0190 0.0120 0.0060 0.0050 0.0100

\* LDT1, LDT2

0.0010 0.0010 0.0010 0.0010 0.0010 0.0010 0.0010 0.0010 0.0010 0.0100  
0.0190 0.0130 0.0190 0.0330 0.0440 0.0640 0.0760 0.1950 0.1460 0.1080  
0.0250 0.0210 0.0050 0.0180 0.0080



### Alexandria, VA—2005 Diesel Sales Fractions

\* LDV

0.0014 0.0014 0.0014 0.0014 0.0016 0.0020 0.0027 0.0023 0.0008 0.0009  
0.0011 0.0002 0.0010 0.0011 0.0023 0.0000 0.0006 0.0000 0.0127 0.0058  
0.0353 0.0626 0.1318 0.1164 0.1553

\* LDT1, LDT2

0.0036 0.0036 0.0036 0.0036 0.0077 0.0168 0.0273 0.0119 0.0164 0.0167  
0.0264 0.0141 0.0248 0.0079 0.0353 0.0101 0.0073 0.0194 0.0291 0.0185  
0.0327 0.0629 0.1037 0.1222 0.0883

### Arlington County, VA—2005 Diesel Sales Fractions

\* LDV

0.0012 0.0012 0.0012 0.0012 0.0023 0.0026 0.0027 0.0029 0.0015 0.0008  
0.0011 0.0001 0.0006 0.0013 0.0015 0.0006 0.0014 0.0006 0.0099 0.0087  
0.0446 0.0685 0.0857 0.1922 0.1481

\* LDT1, LDT2

0.0056 0.0056 0.0056 0.0056 0.0221 0.0167 0.0235 0.0126 0.0119 0.0206  
0.0136 0.0155 0.0127 0.0246 0.0206 0.0222 0.0184 0.0227 0.0115 0.0310  
0.0568 0.0508 0.1211 0.1077 0.2126

### Fairfax County, VA—2005 Diesel Sales Fractions

\* LDV

0.0018 0.0018 0.0018 0.0018 0.0018 0.0022 0.0028 0.0022 0.0013 0.0016  
0.0015 0.0005 0.0012 0.0013 0.0029 0.0015 0.0011 0.0007 0.0114 0.0089  
0.0573 0.0842 0.1384 0.1989 0.1766

\* LDT1, LDT2

0.0128 0.0128 0.0128 0.0128 0.0206 0.0218 0.0213 0.0197 0.0172 0.0099  
0.0126 0.0184 0.0093 0.0110 0.0112 0.0165 0.0424 0.0141 0.0460 0.0312  
0.0441 0.0609 0.0619 0.1032 0.0866

### Loudoun County, VA—2005 Diesel Sales Fractions

\* LDV

0.0024 0.0024 0.0024 0.0024 0.0033 0.0027 0.0047 0.0036 0.0016 0.0016  
0.0020 0.0008 0.0013 0.0018 0.0027 0.0030 0.0010 0.0008 0.0117 0.0126  
0.0720 0.0560 0.1283 0.2330 0.2138

\* LDT1, LDT2

0.0162 0.0162 0.0162 0.0162 0.0430 0.0358 0.0352 0.0264 0.0395 0.0255  
0.0297 0.0279 0.0287 0.0157 0.0318 0.0249 0.0289 0.0231 0.0162 0.0318  
0.0515 0.0742 0.0830 0.0777 0.1313

### Prince William County, VA—2005 Diesel Sales Fractions

\* LDV

0.0026 0.0026 0.0026 0.0026 0.0041 0.0040 0.0025 0.0019 0.0013 0.0011  
0.0009 0.0007 0.0010 0.0009 0.0026 0.0005 0.0008 0.0006 0.0075 0.0100  
0.0263 0.0525 0.1135 0.1290 0.1344

\* LDT1, LDT2

0.0431 0.0431 0.0431 0.0431 0.0305 0.0334 0.0250 0.0189 0.0182 0.0171  
0.0189 0.0131 0.0163 0.0164 0.0268 0.0679 0.0394 0.0460 0.0174 0.0318  
0.0349 0.0458 0.0589 0.0796 0.0988

# Memorandum

**Date:** March 10, 2003

**To:** Michael Clifford, COG/TPB  
Joan Rohlf, COG/DEP

**From:** Maureen Mullen, Angelica Codd, E.H. Pechan & Associates, Inc.

**Subject:** Adjusted Base Years MOBILE6 Input Documentation for 1996, 1999, 2002, and 2005

**cc:** MOBILE6 Task Force Members

---

The purpose of this memorandum is to document the MOBILE6 inputs for the Metropolitan Washington Council of Governments for calculating the onroad adjusted base year emission inventories relative to calendar years 1996, 1999, 2002, and 2005. Separate sets of input files were created to model emission factors corresponding to travel in the COG region for each of these calendar years 1) on network and local roadways, 2) during auto access to transit, and 3) by diesel transit and school buses. These MOBILE6 input files are similar to the 1990 MOBILE6 input files documented in the following two memos: “1990 and 2005 MOBILE6 Input Documentation” dated January 27, 2003 and “Technical Corrections to the 1990 and 2005 MOBILE6 Input Parameters” dated March 5, 2003.

Differences between the MOBILE6 inputs documented in these memos are discussed below, along with documentation of the source of individual MOBILE6 input parameters.

- **MOBILE6 Run Commands**—The following run commands are used in all of the adjusted base year MOBILE6 input files: “NO CLEAN AIR ACT”, “NO TIER2”, and “NO 2007 HDDV RULE”. The MOBILE6 run commands “FUEL PROGRAM” and “94+ LDG IMP” are NOT used in any of the adjusted base year MOBILE 6 input files. These latter two commands model reformulated gasoline and the LEV program, neither of which are included in the adjusted base year modeling. All other MOBILE6 run commands shown in Table 1 of the January 27 memo are included in the adjusted base year runs.
- **Registration Distributions**—The registration distributions are the same as those documented for 1990 in the January 27 memo for network/local/auto access to transit and for diesel transit and school buses.
- **Diesel Sales Fractions**— Maryland and Virginia diesel sales fractions are the same as documented for 1990 in January 27 memo, with the technical corrections for DC as documented in the March 5 memo.
- **Inspection and Maintenance (I/M) and Anti-Tampering Program (ATP) Inputs**—The 1990 I/M and ATP programs as documented in March 5 memo, labeled as “Technical Correction Update” are used in all of the adjusted base case MOBILE6 input files.
- **VMT Mix Fractions**—The Maryland and Virginia VMT mix fractions are the same as documented for 1990 in the January 27 memo for network, local roads, auto access to transit, and diesel buses with the DC VMT mix fractions updated per the March 5 memo to account for technical corrections.
- **Trip Length Distribution, Speeds, VMT by Facility, and Soak Distributions**—All of these parameters are the same as those documented for 1990 in January 27 memo.
- **Temperatures and Evaluation Month**—These are the same as documented in January 27

memo (minimum temperature is 68.5°F, maximum temperature is 95.0°F, evaluation month of 7 for ozone season).

- RVP—The RVP modeled for all of the adjusted base year runs is 7.8 psi. This differs from the 1990 RVP of 8.2 psi to account for Phase II of the Federal RVP program which started in 1992. The RVP control program was enacted prior to the 1990 Clean Air Act Amendments, and therefore, needs to be accounted for in the adjusted base year MOBILE6 runs.
- Calendar Year—The calendar year is set to 1996, 1999, 2002, or 2005, depending on the year to be run.

## Stafford County, VA—2005 Diesel Sales Fractions

\* LDV

0.0107	0.0107	0.0107	0.0107	0.0065	0.0074	0.0068	0.0053	0.0021	0.0030
0.0018	0.0004	0.0000	0.0024	0.0043	0.0012	0.0030	0.0014	0.0109	0.0114
0.0440	0.0627	0.0488	0.1189	0.1772					

\* LDT1, LDT2

0.0223	0.0223	0.0223	0.0223	0.0288	0.0362	0.0375	0.0178	0.0289	0.0314
0.0291	0.0192	0.0187	0.0202	0.0116	0.0173	0.0240	0.0182	0.0196	0.0312
0.0424	0.0689	0.0878	0.1625	0.1320					

## School Bus—2005 Regional Diesel Sales Fractions

\* All Other Vehicle Categories

0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
0.0000	0.0000	0.0000	0.0000	0.0000					

\* HDBS


1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
1.0000	1.0000	1.0000	1.0000	1.0000					

# **Attachment B**

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
REGION III  
1650 Arch Street  
Philadelphia, Pennsylvania 19103-2029

DATE: March 04, 2003

SUBJECT: EPA Region III comments on MWCOG's MOBILE6  
VMT Mix Methodology

FROM: Makeba A. Morris, Acting Branch Chief,   
Air Quality Planning and Information Services Branch

TO: Joan Rohlfs, COG/DEP

The purpose of this memorandum is in response to the Metropolitan Washington Council of Governments (MWCOG) request for written comments from the Environmental Protection Agency (EPA) Region III office on the methodology used to obtain Vehicle Miles Traveled (VMT) inputs for MOBILE6 (M6) modeling used in preparing the highway vehicle emissions inventories for the Metropolitan Washington, D.C. ozone non-attainment area (Washington area). Staff from EPA Region III's Air Quality Planning and Information Services Branch have been working with the MOBILE6 Task Force Members of the MWCOG on the MOBILE6 inputs being used.

During a M6 Task Force meeting, EPA received a copy of a memo dated January 27, 2003 from Maureen Mullen of E.H. Pechan & Associates, Inc. to Michael Clifford, COG/TPB and Joan Rohlfs, COG/DEP entitled 1990 and 2005 MOBILE6 Input Documentation. The January 27, 2003 memo describes a methodology being used to develop new VMT mix fractions by vehicle type for each jurisdiction in 1990 and 2005. After review of this documentation, it is the EPA's opinion that the methodology described is an acceptable methodology in determining VMT mix fractions for MOBILE6.

The Metropolitan Washington area will soon be categorized as a Severe Area for Ozone Non-Attainment effective March 25, 2003, and will be required to develop and submit Rate of Progress Plans (ROP) through 2005. For this reason, the 1990 base year emission inventory for the Washington area will need to be amended to include On-road mobile source inventories using M6. It appears that this new methodology is not the same methodology that was used to determine the VMT mix fractions for the 1990 base year in earlier State Implementation Plan (SIP) submittals. This is a significant technical change and for this reason, EPA is requesting that an explanation of the reason for the change in methodology be submitted with the final SIP submittal.



# **Attachment C**

**METROPOLITAN WASHINGTON COUNCIL OF GOVERNMENTS**  
**777 North Capitol Street, N.E.**  
**Suite 300**  
**Washington, D.C. 20002-4239**

**MEMORANDUM**

**TO:** Files  
**FROM:** Ronald Milone  
**DATE:** March 19, 2003 (Updated 5/14/03)  
**SUBJECT:** Description of the Version 2.1/TP+/MOBILE6 Emissions Post-Processor

DRAFT

1.0 Introduction

This memorandum describes the operation of COG/TPB's post-processor for estimating network-related mobile emissions in the Washington, D.C. Region. The post-processor calculates emissions by combining information from the regional travel demand model and from the EPA mandated MOBILE emission rate model. New and enhanced versions of both models have prompted COG to reexamine the post-processor in recent months. COG's latest travel model release, the Version 2.1/TP+ model<sup>1</sup>, includes a number of improvements including greater sensitivity to travel by time of day. Furthermore, EPA has recently released the MOBILE6<sup>2</sup> model which contains many enhancements including the ability to produce emission rates by different facility types and by an increased number of vehicle classifications.

The rationale behind the use of a post-processor is addressed in federal guidance:

Since emissions are extremely sensitive to vehicle speed, EPA and DOT recommend that speeds be estimated in a separate step after traffic assignment (also known as "post-processing"), using refined speed-volume relationships and final assigned traffic volumes. Post-processed speeds estimated in the validation year should be compared with speeds empirically observed during peak- and off-peak periods... Based on these comparisons, speed-volume relationships used for speed post-processing should be adjusted to obtain reasonable agreement with observed speeds. *Regardless of the specific analytical technique, every effort must be made to ensure that speed estimates are credible and based on a reproducible and logical analytical procedure.*<sup>3</sup>

Although restrained highway speeds are by-products of the traffic assignment step, the overriding objective is to produce accurate vehicle routing and link volumes. *Link-level* speed results produced from traffic assignments are generally considered to be unsuitable for direct use in computing emissions, and so a refinement is required. The post-processor serves to improve

<sup>1</sup> MWCOG, December 23, 2002, COG/TPB Travel Forecasting Model Version 2.1/TP+, Release C, Calibration Report.

<sup>2</sup> EPA, January 2002, User's Guide to MOBILE6.

<sup>3</sup> Transportation Conformity Reference Guide, FHWA, Revised 7/31/2001. Page D-6-9.



the representation of speeds throughout the day to facilitate the emissions calculation. Highway speeds are refined by developing hourly volume and capacity estimates and by using revised speed-flow curves. The post-processor ideally represents an attempt to improve the representation of delay caused by queuing and to address behavioral shifts made in response to future congestion (e.g., peak-spreading).

This memorandum does not address the validation of the post-processor. However, other COG/DTP memoranda addressing the development of speed flow curves and the performance of the post-processor results are available as companion documents.<sup>4</sup>

It is important to point out that the post-processor is used to develop estimates of mobile emissions attributable to *modeled* trips and VMT (i.e., as part of the 4-step process), which do not account for the entire universe of mobile source emissions. Off-network components include vehicle-related (diurnal and resting loss) emissions as well as emissions relating to local road, bus, and park-and-ride travel. The off-network emission components are developed using an assortment of off-line procedures which are not addressed in this memorandum.

## 2.0 Post-Processor Overview

The mobile emission post-processor is used to arrive at an estimate of daily air pollution generated by motor vehicles operating on the regional highway network. The emission calculation is based on vehicle-specific rates furnished by the MOBILE6 model. MOBILE6 calculates emission rates using a host of inputs relating to environmental factors, fleet characteristics, travel characteristics of the region, and inspection policy. The MOBILE6 Task Force, a joint group of members from the TPB Technical Committee and the Metropolitan Washington Air Quality Committee (MWAQC), spent approximately one year formulating inputs to the MOBILE6 model. The pollutants accounted for in MOBILE6 are volatile organic compounds (VOC/HC), carbon monoxide (CO), and oxides of nitrogen (NO<sub>x</sub>). Mobile emissions are computed essentially by multiplying a unit of travel by an associated emission rate. Mobile emissions are commonly computed using a single *per VMT* rate which reflects all facets of the vehicle trip cycle (i.e., the starting, hot-stabilized, soaking, and evaporative stages). COG/TPB, however, does not assume the 'single rate' approach. Instead, emissions are computed separately for each stage of the trip cycle. More specifically, *per trip* rates are developed to compute starting and soaking emissions, while *per VMT* rates are developed to compute hot-stabilized (or running) emissions. Evaporative (or diurnal) rates are also computed on a *per vehicle* basis. This detailed computation approach is sometimes referred to as the 'hybrid' emission estimation method.

Emission rates used in COG/TPB's post processor are formulated on a county-by-county basis as several inputs to the MOBILE6 model vary by jurisdiction. These include the vehicle registration distributions, diesel sales fraction distributions, vehicle 'mix' distributions, and parameters relating to the jurisdiction's participation in state and federal air quality programs

---

<sup>4</sup> See February 3, 2003 Memorandum to the file from Daivamani Sivasailam, Subject: V/C Ratios and Speed Look Up Tables and February 21, 2003 Memorandum to the file from Michael Freeman, Subject: Validation of Mobile Emissions Post-Processor per the MOBILE6/Version 2.1/TP+ Model.

(e.g., I/M procedures and the use of reformulated gasoline). Table 1 indicates the 27 counties (and external station groups) for which mobile emission rates are prepared. The table indicates that specific emission rates are explicitly developed for 16 of the 27 jurisdictions. ‘Nearest-neighbor’ emission rates are used for the remaining 11 areas. A map of the emission areas is shown as Exhibit 1. The exhibit also indicates the extent of the modeled study area, which, for the most part, extends beyond the Washington Metropolitan Statistical Area (MSA). The non-attainment area is defined as the Washington MSA.

An overview of the mobile emissions post-processor is shown as Exhibit 2. The exhibit graphically shows how the post-processor relates to the MOBILE6 model and the travel demand model. The MOBILE6 model is executed 16 times as described above. Each MOBILE6 run consists of 134 separate ‘scenarios’ representing the following conditions:

<b>MOBILE6 ‘Scenarios’</b>	<b>Operating Mode</b>	<b>Facility Type</b>	<b>Speed Specifications</b>
1-65	Stabilized	Arterial	1 to 65 mph in 1 mph increments
66-130	Stabilized	Freeway, Non-Ramp	1 to 65 mph in 1 mph increments
131	Stabilized	Freeway Ramp	-
132	Cold	Local	-
133	Hot	Local	-
134	Stabilized	Local	-

Running emission rates and soak rates are developed from the results of scenarios 1-131. As shown, the running rates are developed on a speed and facility type basis. Scenarios 132 and 133 are used to develop the starting emission rates. Starting rates are developed specifically for cold and hot starting conditions. The local rates developed in scenario 134 are used to support off-network emission calculations.

Exhibit 2 also indicates that a processing step named *M6RATES* follows immediately after MOBILE6 processing. The step is necessary for three reasons. First, the M6RATES program is used to convert vehicle-specific rates into composite rates. Composite emission rates are computed by weighting the vehicle-specific rates by the associated VMT proportions used in the MOBILE6 program. Secondly, the M6RATES program specially computes emission rates suitable for trip-end and vehicle-related emission calculations. Because the MOBILE6 model produces all rates on a *per mile* basis, transformations are necessary to produce *per trip* rates to compute start and soak emissions and *per vehicle* rates to compute diurnal emissions. The transformations are made using regional estimates of trip starts and miles driven by specific vehicle classifications. The estimates are extracted from the database output of the MOBILE6 model and are entered into the M6RATES program as user-defined parameters.<sup>5</sup> Finally, the M6RATES program produces the composite rates in a fixed file format which facilitates subsequent computer processing. The program is executed in a ‘batch’ fashion for each jurisdiction. It ultimately produces 64 ASCII files, four rate types (freeway rates, arterial rates, ramp rates, and start-up) for each of the 16 jurisdictions. These ASCII files are accessed directly by the post-processor.

<sup>5</sup> A detailed description of the transformations is given in a December 12, 2002 Memorandum from Ronald Milone to the files, Subject: Development of Composite Emission Rates from MOBILE6 Listings.

**Table 1**  
**Jurisdictional Emission Areas**  
**(Locations for which emission rates are calculated)**


<b>Emission Area System Number</b>	<b>Jurisdiction / External Station Group</b>	<b>TAZ Range</b>	<b>'Nearest Neighbor' Emission Rates Used? (Y/N)</b>	<b>'Nearest Neighbor' Jurisdiction</b>
1	Washington, DC	1 - 319	N	N/A
2	Montgomery	320 - 627	N	N/A
3	Prince George's	640 - 1020	N	N/A
4	Howard	1080 - 1099	Y	Prince George's
5	Anne Arundel	1110 - 1142	Y	Prince George's
6	Carroll	1060 - 1073	Y	Prince George's
7	Baltimore Externals	2172 - 2191	Y	Prince George's
8	Calvert	1150 - 1163	N	N/A
9	Charles	1200 - 1223	N	N/A
10	Frederick	1030 - 1053	N	N/A
11	Frederick Externals	2169 - 2171	Y	Frederick
12	Arlington	1230 - 1311	N	N/A
13	Fairfax	1400 - 1755	N	N/A
14	Loudoun	1780 - 1905	N	N/A
15	Prince William	1920 - 2061	N	N/A
16	Stafford	2080 - 2093	N	N/A
17	Alexandria	1330 - 1389	N	N/A
18	St. Mary's	1170 - 1190	N	N/A
19	Washington Co. Externals	2164 - 2168	N	N/A
20	Clarke	2130 - 2132	N	N/A
21	Fauquier	2115 - 2125	Y	Clarke
22	Jefferson W. Virginia	2135 - 2141	Y	Clarke
23	Western Externals	2154 - 2163	Y	Clarke
24	Spotsylvania	2105 - 2110	N	N/A
25	King George	2070 - 2074	Y	Spotsylvania
26	City of Fredericksburg	2100 - 2101	Y	Spotsylvania
27	Southern Externals	2145 - 2153	Y	Spotsylvania

N/A – Not applicable

 - MSA Indicator

**Exhibit 1  
Mobile Emission Factor Area System (1 -27)**

**DRAFT**



## Exhibit 2 Mobile Emissions Development Process




Exhibit 2 also indicates that the travel demand model elements entered into the post-processor are trip tables and loaded links volumes. The Version 2.1/TP+ model produces trip tables and loaded link traffic volumes on the basis of three discrete time periods: the AM peak period (6:00AM-9:00AM), the PM peak period (4:00PM-7:00PM) and the off-peak period hours (i.e. the remaining 18 hours of the day).

### 3.0 Post-Processor Program Steps

The post-processor consists of a series of five program steps graphically shown as Exhibit 3. The steps are executed with TP+ programs. The five steps are summarized below. (Associated TP+ program names are in parenthesis):

1) Trip Table Formatting (AQTRIPS.S): AM, PM, and off-peak trip tables produced by the travel demand model are read. The program produces zonal trip-ends for each of the three time periods. It also produces a file containing the proportion of daily vehicle trips from/to each of the 27 emission areas. Since the trip proportions are developed with daily trips, the proportion in the *i/j* direction is generally the same as that in the *j/i* direction.

2) Time-of-Day Trip-Ends Program (ZONESPRD.S): The program reads the zonal origins and destinations, described above, and apportions them among discrete hourly periods.


3) Start/Soak Emissions Program (STRT\_SK.S): The program applies emission rates to the trip-ends to compute start-up and soaking emissions on a zone-by-zone and hour-by-hour basis. The program reads 1) hourly trip-ends, 2) the MOBILE6-generated cold/hot starting rates and soak rates, and 3) the county level trip proportions file. HC, CO, and NO<sub>x</sub> starting emissions and HC soak emissions result from the program.

4) Time-of-Day VMT and Speeds Program (PEAKSPRD.S): The program reads the AM, PM, and off-peak network link volumes produced by the travel demand model. It produces hourly volumes, VMT, and restrained speed for each highway link.

5) Running Emissions Program (RUNNING.S): The program computes hot stabilized emissions on a link-by-link and hour-by-hour basis. It reads 1) the hourly link VMT and highway speed files developed above, 2) MOBILE6-based running emission rates which are provided on the basis of speed, and 3) the county level trip proportions file. HC, CO, and NO<sub>x</sub> running emissions result from the program

Details concerning the above steps are presented below.

### Exhibit 3 COG/DTP Mobile Emissions Post-Processor Steps



#### 4.0 Post –Processor Computations

Start-up and soaking emissions are computed by applying per-trip emission rates to trips at the zone level, on an hour-by-hour basis. Starting pollutant rates consist of both *cold* and *hot transient* types and are associated with HC, CO, and NOx emissions. Soaking emission are developed with a single HC rate. An hourly allocation of trip origins (or trip starts) is necessary for the starting emission calculation since the proportion of cold and hot starts vary by the time of day. The assumed hourly distribution of AM, PM, and Off-peak vehicle trips is shown on Table 2. The hourly distribution was derived from the 1994 Household Travel Survey (HTS). The assumed hourly distribution for cold and hot transient starts is shown on Table 3. This table was also derived from the 1994 HTS. The table logically indicates that the share of hot vehicle starts is low in the early morning hours and higher, to varying degrees, in later hours.

It was stated earlier that emission rates are developed on a county-by-county basis. An averaged emission rate is used in the post processor, as opposed to a single county-specific rate, because the vehicle starts in any given jurisdiction are realistically made by residents of that jurisdiction as well as by residents of many other jurisdictions. For example, the emission rate used within the District of Columbia is the average of all emission rates weighted by the proportion of daily vehicle trips from each jurisdiction to the District. The general equation for computing starting emissions for a specific TAZ and hour of the day is as follows:

$$\text{StartEm}_{ih} = \text{Starts}_h * \sum_{j=1}^{27} ((\text{CSR}_j * \text{CPCT}_h + \text{HSR}_j * \text{HPCT}_h) * \text{Tprop}_{ij})$$

Where:

- StartEm<sub>ih</sub> = Zonal starting-up emissions (in grams) at hour h in jurisdiction i
- Starts<sub>h</sub> = Zonal vehicle starts at hour h
- CSR<sub>j</sub> = Cold Start rate (gm/trip) for jurisdiction j
- CPCT<sub>h</sub> = Cold start proportion at hour h
- HSR<sub>j</sub> = Hot Start rate (gm/trip) for jurisdiction j
- HPCT<sub>h</sub> = Hot start proportion at hour h
- Tprop<sub>ij</sub> = Proportion of daily trips between jurisdiction i/j



Table 2


Distribution of AM, PM, and Off-Peak Period Auto Driver Trips  
Among  
Hourly Periods

Hour No.		% AM	% PM	Off-Peak
1	12mid - 12:59AM			0.30%
2	1:00AM - 1:59AM			0.40%
3	2:00AM - 2:59AM			0.30%
4	3:00AM - 3:59AM			0.30%
5	4:00AM - 4:59AM			0.50%
6	5:00AM - 5:59AM			2.20%
7	6:00AM - 6:59AM	20.10%		
8	7:00AM - 7:59AM	39.80%		
9	8:00AM - 8:59AM	40.10%		
10	9:00AM - 9:59AM			9.70%
11	10:00AM - 10:59AM			8.20%
12	11:00AM - 11:59AM			9.20%
13	12noon - 12:59PM			10.10%
14	1:00PM - 1:59PM			8.90%
15	2:00PM - 2:59PM			9.00%
16	3:00PM - 3:59PM			11.60%
17	4:00PM - 4:59PM		31.40%	
18	5:00PM - 5:59PM		37.30%	
19	6:00PM - 6:59PM		31.30%	
20	7:00PM - 7:59PM			10.80%
21	8:00PM - 8:59PM			7.70%
22	9:00PM - 9:59PM			5.80%
23	10:00PM - 10:59PM			3.40%
24	11:00PM - 11:59PM			1.60%
<b>Total</b>		100.00%	100.00%	100.00%

DRAFT

**Table 3**  
**Distribution of Cold / Hot Transient Vehicle Starts by Hour**

Hour No.		% Cold	% Hot	Total
1	12mid - 12:59AM	84.70%	15.30%	100.00%
2	1:00AM - 1:59AM	83.80%	16.20%	100.00%
3	2:00AM - 2:59AM	92.90%	7.10%	100.00%
4	3:00AM - 3:59AM	91.20%	8.80%	100.00%
5	4:00AM - 4:59AM	89.40%	10.60%	100.00%
6	5:00AM - 5:59AM	93.00%	7.00%	100.00%
7	6:00AM - 6:59AM	88.40%	11.60%	100.00%
8	7:00AM - 7:59AM	82.90%	17.10%	100.00%
9	8:00AM - 8:59AM	73.00%	27.00%	100.00%
10	9:00AM - 9:59AM	61.50%	38.50%	100.00%
11	10:00AM - 10:59AM	55.40%	44.60%	100.00%
12	11:00AM - 11:59AM	55.10%	44.90%	100.00%
13	12noon - 12:59PM	50.50%	49.50%	100.00%
14	1:00PM - 1:59PM	51.20%	48.80%	100.00%
15	2:00PM - 2:59PM	56.20%	43.80%	100.00%
16	3:00PM - 3:59PM	58.30%	41.70%	100.00%
17	4:00PM - 4:59PM	60.50%	39.50%	100.00%
18	5:00PM - 5:59PM	59.90%	40.10%	100.00%
19	6:00PM - 6:59PM	55.20%	44.80%	100.00%
20	7:00PM - 7:59PM	57.00%	43.00%	100.00%
21	8:00PM - 8:59PM	61.60%	38.40%	100.00%
22	9:00PM - 9:59PM	66.40%	33.60%	100.00%
23	10:00PM - 10:59PM	71.10%	28.90%	100.00%
24	11:00PM - 11:59PM	73.00%	27.00%	100.00%



Similarly, the equation for computing hot soak emissions is as follows:

$$\text{SoakEm}_{ih} = \text{Stops}_{sh} * \sum_{j=1}^{27} (\text{HSR}_j * \text{Tprop}_{ij})$$

Where:

$\text{SoakEm}_{ih}$  = Zonal hot soak emissions (in grams) at hour h in jurisdiction i  
 $\text{Stops}_{sh}$  = Vehicle stops at hour h  
 $\text{HSR}_j$  = Hot Soak rate (gm/trip) for jurisdiction j  
 $\text{Tprop}_{ij}$  = Proportion of daily trips between jurisdiction i and jurisdiction j

The regional total of starting/soaking emissions is, therefore, based on the result of the above equations accumulated over all TAZ's, over all hours of the day. Regional emissions in grams are converted to tons using a conversion factor of 907,184.74 gm/ton.

## 5.0 Running (Hot Stabilized) Emissions

Running emissions relate to HC, CO, and NOx pollutants. They are computed by applying per mile emission rates to VMT at the network link level, on an hour-by-hour basis. The calculation is applied on an hourly basis because the running emission rates are provided as a function of highway speed, which varies with congestion throughout the day. As with the trip-end emission calculation, the running emission rate for a given link is a weighted average of all jurisdictional rates based on the proportion of daily vehicle trips from each county to the specific county associated with the link.

The allocation of link volumes among hourly periods is done in a two-step manner. First, a default hourly distribution is applied to the daily link volume, based on the facility class and *peaking* classification of the link. Facility classifications are defined as freeway, arterial, or local. COG has established three peaking types, AM-oriented, PM-oriented, and Even, based on the following *peaking percentage*<sup>6</sup>:

$$\text{Peaking Percentage} = ((\text{AM Volume} * \text{PM scale factor}) - \text{PM Volume}) / \text{Daily Link Volume}$$




An AM classification is assumed for peaking percentages greater than 7.5%. A PM classification is assumed for peaking percentages less than -7.5%. Otherwise, the link is considered to be of the even peaking group. The PM scale factor shown is applied to all AM period volumes so that the sum of regional AM link volumes will equal the sum of regional PM volumes. The scaled volume is used *only* for the purpose of computing the peaking index. Default hourly distributions associated with specific facility and peaking classifications are shown on Table 4. The distribution selected for a given link is applied to the *daily* link volume to arrive at initial hourly volume estimates.

---

<sup>6</sup> See August 27, 2002 Memorandum from Michael Freeman to File, Subject: Development and Recommendations of Hourly Distributions of Daily Traffic Volumes.

**Table 4**  
**Hourly Distribution of Daily Traffic by Orientation and Facility Type**

Hour No.		AM			PM			EVEN		
		Freeway	Arterial	Collector	Freeway	Arterial	Collector	Freeway	Arterial	Collector
1	12mid - 12:59AM	0.76	0.49	0.34	1.17	0.78	0.65	1.02	0.64	0.51
2	1:00AM - 1:59AM	0.54	0.30	0.20	0.68	0.42	0.34	0.69	0.38	0.30
3	2:00AM - 2:59AM	0.51	0.25	0.18	0.50	0.29	0.25	0.58	0.29	0.23
4	3:00AM - 3:59AM	0.71	0.37	0.29	0.44	0.24	0.21	0.65	0.32	0.29
5	4:00AM - 4:59AM	1.86	1.09	0.96	0.61	0.39	0.33	1.18	0.69	0.69
6	5:00AM - 5:59AM	6.12	4.05	3.80	1.45	1.10	1.00	3.43	2.18	2.31
7	6:00AM - 6:59AM	9.49	9.02	9.21	3.01	2.60	2.45	5.81	5.07	5.15
8	7:00AM - 7:59AM	10.02	11.83	13.33	4.31	4.45	4.43	6.77	7.72	7.99
9	8:00AM - 8:59AM	8.80	10.13	10.94	4.38	4.97	4.81	6.33	7.64	7.75
10	9:00AM - 9:59AM	6.74	6.37	6.11	4.03	4.49	4.26	5.65	5.85	5.66
11	10:00AM - 10:59AM	5.08	4.70	4.50	4.10	4.30	4.09	4.93	4.93	4.68
12	11:00AM - 11:59AM	4.62	4.53	4.51	4.42	4.79	4.72	4.90	5.17	5.01
13	12noon - 12:59PM	4.60	4.71	4.81	4.84	5.39	5.45	5.09	5.56	5.36
14	1:00PM - 1:59PM	4.53	4.64	4.64	5.08	5.34	5.20	5.19	5.44	5.20
15	2:00PM - 2:59PM	4.61	4.80	4.85	6.25	6.03	5.99	5.81	5.72	5.74
16	3:00PM - 3:59PM	4.65	5.09	5.17	8.27	7.59	7.70	6.48	6.34	6.51
17	4:00PM - 4:59PM	4.64	5.27	5.23	9.49	9.30	9.54	6.70	6.86	7.03
18	5:00PM - 5:59PM	4.85	5.55	5.58	9.66	10.42	11.00	6.75	7.30	7.57
19	6:00PM - 6:59PM	4.40	4.99	4.92	8.16	8.77	9.15	6.03	6.49	6.85
20	7:00PM - 7:59PM	3.61	3.90	3.72	5.90	6.17	6.41	4.76	5.07	5.32
21	8:00PM - 8:59PM	2.91	2.96	2.70	4.46	4.55	4.78	3.70	3.88	3.99
22	9:00PM - 9:59PM	2.61	2.40	2.01	3.87	3.67	3.66	3.28	3.13	2.99
23	10:00PM - 10:59PM	2.03	1.64	1.30	2.94	2.47	2.29	2.57	2.12	1.85
24	11:00PM - 11:59PM	1.33	0.93	0.72	1.99	1.48	1.29	1.72	1.23	1.03
<b>Total</b>		<b>100.00</b>	<b>100.00</b>	<b>100.00</b>	<b>100.00</b>	<b>100.00</b>	<b>100.00</b>	<b>100.00</b>	<b>100.00</b>	<b>100.00</b>



In the second step, the initial hourly volume is compared to the hourly link capacity (Level-of-Service ‘E’) and adjusted if necessary. The adjustment procedure (outlined on Table 5) begins with the comparison of AM peak hour traffic and PM peak hour traffic with the available capacity. If the initial peak hour volume exceeds capacity, then the peak hour volume is adjusted to equal the capacity and the portion of volume exceeding capacity is then apportioned in equal parts to the hour before and the hour after the peak hour. Because this adjustment could potentially cause the ‘shoulder’ hour volumes to exceed capacity, added steps are undertaken to compare the resulting volumes in each successive shoulder hour with the capacity. If a given shoulder hour volume exceeds capacity, then the volume is similarly adjusted to equal capacity and the ‘overflow’ volume is added to the volume of the adjacent hourly period. Traffic assignments on rare occasions produce severely overloaded link volumes to the point where a given link volume could exceed the capacity over *all* hours of the day. Because of this possibility, volume adjustments are *not* made for the first, noon, and last hours (hours 1, 13, and 24), even if a given link volume is determined to exceed capacity in those particular hours. A recent analysis of 2005 hourly volumes developed using the above procedure indicated that regional overflow VMT in hours 1, 13, and 24 amounted to 0.40% of the total VMT simulated (660,197 out of 166,348,942).

It is important to add that the volume spreading procedure affects the final hourly link *volume* but only conditionally affects the hourly *speed*. The final hourly speed is computed using speed delay functions and the *maximum* of the adjusted/unadjusted hourly volumes. In other words the congested speed is based on the highest possible V/C ratio determined at any point in the volume spreading process. The speed delay functions used in the post-processor are detailed on Table 6. The functions are based on Highway Capacity Manual relationships and observed speed and density data collected in the Washington region. The table indicates that freeways and expressways degrade at speeds beyond a V/C of 1.0, reflecting unstable flow conditions, while arterial and local speeds do not degrade beyond capacity. This is because congested arterial speeds are ultimately subject to constraints imposed by the signal system, rather than by extreme traffic densities.

Subsequent to the development of restrained speeds, the general equation for computing running emissions is:

$$\text{RunningEm}_{ih} = \text{VMT}_h * \sum_{j=1}^{27} (\text{RRate}_j * \text{Tprop}_{ij})$$

Where:



- RunningEm<sub>ih</sub> = Running link emissions at hour h in jurisdiction i
- VMT<sub>h</sub> = Vehicle Miles Travel (after peak-spreading) at hour h
- RRate<sub>j</sub> = Running rate (gm/mi) as a function of highway speed for jurisdiction j
- Tprop<sub>ij</sub> = Proportion of daily trips between jurisdiction i/j

The regional running emissions are the accumulation of calculated hourly emissions over all network links in the study area. Emissions in grams are converted to tons using a conversion factor of 907,184.74 gm/ton.

<b>Table 5</b>	
<b>Peak Spreading Procedure</b>	
<i>Adjustment Process for Spreading Hourly Volumes When Initial Volumes Exceed Capacity</i>	
<b>Step 1:</b>	The AM peak hour (hour 8) initial volume is compared to the link capacity. If the initial hour 8 volume exceeds capacity, then the hour 8 volume is set to capacity and the excess volume portion is added to the volume in periods occurring before <i>and</i> after the AM peak hour (hours 7 and 9) on a 50/50 basis.
<b>Step 2:</b>	The PM peak hour (hour 18) initial volume is compared to the link capacity. If the initial volume exceeds capacity, then the hour 18 volume is set to capacity and the excess volume portion is added to the volume in periods occurring before <i>and</i> after the PM peak hour (hours 17 and 19) on a 50/50 basis.
<b>Step 3:</b>	The volume occurring during pre-AM peak hours (hours 1 to 7) are sequentially checked against the link capacity and adjusted (if necessary) in a backward-moving fashion. If the volume occurring in hour 7 exceeds capacity then the hour 7 volume is set to capacity and the excess volume portion is added to the volume of hour 6 volume, and so on. There is no volume spreading at hour 1, even for rare cases where the resulting hour 1 volume exceeds capacity.
<b>Step 4:</b>	The volume occurring during post-AM peak hours (hours 9 to 13) are sequentially checked against the link capacity and adjusted (if necessary) in a forward-moving fashion. If the volume occurring in hour 9 exceeds capacity then the hour 9 volume is set to capacity and the excess volume portion is added to the volume of hour 10 volume, and so on. There is no volume spreading at hour 13 (the midday hour), even for rare cases where the resulting hour 13 volume exceeds capacity.
<b>Step 5:</b>	The volume occurring during pre-PM peak hours (hours 13 to 17) are sequentially checked against the link capacity and adjusted (if necessary) in a backward-moving fashion. If the volume occurring in hour 17 exceeds capacity then the hour 17 volume is set to capacity and the excess volume portion is added to the volume of hour 16 volume, and so on. There is no volume spreading at hour 13 (the midday hour), even for rare cases where the resulting hour 13 volume exceeds capacity.
<b>Step 6:</b>	The volume occurring during post-PM peak hours (hours 19 to 24) are sequentially checked against the link capacity and adjusted (if necessary) in a forward-moving fashion. If the volume occurring in hour 19 exceeds capacity then the hour 19 volume is set to capacity and the excess volume portion is added to the volume of hour 20 volume, and so on. There is no volume spreading at hour 24, even for rare cases where the resulting hour 24 volume exceeds capacity.

**Table 6**  
**Speed Delay Functions Used in the MWCOG Mobile Emissions Post Processor**  
**By**  
**Facility Type and Area Type (1-7)**

V/C	Freeway			Expwy	Major Arterial			Minor	Collect.
	1,2	3,4	5-7	1-7	1	2-4	5-7	1-7	1-7
0.00	55.00	60.00	67.00	45.00	23.00	32.00	40.00	27.50	16.50
0.20	54.89	59.89	66.88	44.89	22.00	30.30	38.40	26.50	15.50
0.30	54.81	59.80	66.79	44.82	21.50	29.65	37.80	26.00	15.10
0.40	54.71	59.69	66.67	44.73	21.00	29.00	36.80	25.50	14.70
0.50	54.57	59.54	66.49	44.62	20.50	28.25	36.00	25.00	14.20
0.60	54.37	59.30	66.18	44.47	20.00	27.50	35.00	24.50	13.70
0.70	54.06	58.91	65.60	44.26	19.50	26.25	34.10	23.50	13.10
0.80	53.54	58.17	64.26	43.97	19.00	25.00	31.40	22.50	12.50
0.90	52.56	56.56	60.84	43.53	17.00	22.00	28.70	20.25	11.50
1.00	50.58	53.22	55.28	42.82	15.00	19.00	26.00	18.00	10.50
1.20	43.14	43.88	44.47	39.68	15.00	19.00	26.00	18.00	10.50
1.40	35.53	35.86	36.16	34.17	15.00	19.00	26.00	18.00	10.50
1.60	29.41	29.62	29.82	28.67	15.00	19.00	26.00	18.00	10.50
1.80	24.55	24.70	24.85	24.05	15.00	19.00	26.00	18.00	10.50
2.00	20.61	20.73	20.86	20.23	15.00	19.00	26.00	18.00	10.50
2.25	16.65	16.75	16.85	16.35	15.00	19.00	26.00	18.00	10.50
2.50	13.47	13.55	13.64	13.22	15.00	19.00	26.00	18.00	10.50
2.75	10.86	10.93	11.02	10.64	15.00	19.00	26.00	18.00	10.50
3.00	8.68	8.75	8.82	8.48	15.00	19.00	26.00	18.00	10.50
3.25	6.83	6.89	6.97	6.65	15.00	19.00	26.00	18.00	10.50
3.50	5.24	5.31	5.37	5.08	15.00	19.00	26.00	18.00	10.50



## 6.0 Conclusion

This memorandum has outlined the method by which mobile emissions are calculated in the Washington, D.C. Region. The methodology uses outputs of COG's Version 2.1/TP+ travel model and the EPA mandated MOBILE6 model. The method also includes a rigorous development of highway volume and speeds by hour of the day. It will continue to be reviewed and updated periodically as newly collected data and improved methods become available.

DRAFT



# **Attachment D**

# Memo

**To:** Air Quality Files  
**From:** Eulalie G. Lucas  
**Date:** 5/28/2003  
**Re:** Severe Area SIP- Vehicle Related Emissions: Diurnal and Resting Loss

This memo illustrates the calculation of Diurnal and Resting Loss emissions and also documents recent updates to the travel portion of the analysis. A detailed description of work regarding emissions factor updates using Mobile6 is contained in a report by Maureen Mullen of E.H. Pechan & Associates, dated January 27, 2003.

There were two updates to the vehicle forecast component of the Mobile source emissions inventory. (1). Base year 1999 was changed to 2002 in Maryland and Virginia with those data becoming available in the summer of 2002; the District of Columbia's 1990 vehicle registration data was replaced with year 2002 data. (2) Staff prepared updated vehicle forecasts based upon the 2002 control totals, and growth factors previously developed by DTP staff and documented in the July 2002 Air Quality Conformity report.

Vehicle ownership forecasts reflect trends through time for each jurisdiction; given the 2002 data, the slope of the forecast trend line in each jurisdiction was maintained but revised to 'intercept' 2002 conditions. This approach is illustrated on the attached graph for Prince George's County; also attached is a summary of vehicle registration forecasts. As a part of this update, trend lines were also extended out to year 2030 to be consistent with the new horizon year associated with forthcoming Round 6.3 Cooperative Forecasts. Also included is a copy of a spreadsheet displaying the calculation of diurnals and resting loss emissions, for year 2005.

The calculation of these emissions is an off-line process utilizing a spreadsheet format with a very basic calculation:

**Number of vehicles by jurisdiction X jurisdiction emissions factor = Emissions**


Attachments (3)

**Attachment 1**  
**VEHICLE REGISTRATION FORECASTS BY JURISDICTION**  
**REGISTRATION ADJUSTED TO BASE YEAR 2002**

<b>Jurisdiction</b>	<b>1990</b>	<b>1996</b>	<b>1999</b>	<b>2002</b>	<b>2005</b>	<b>2010</b>	<b>2015</b>	<b>2020</b>	<b>2025</b>	<b>2030</b>
District of Columbia	236396	238954	244429	247230	250529	256028	261526	267025	272524	278022
Calvert	46460	49490	61156	68364	76422	89851	103281	116710	130140	143569
Charles	79335	83628	97210	105103	113637	127861	142085	156309	170533	184757
Frederick	139276	146689	169853	183264	197734	221851	245967	270084	294201	318318
Montgomery	535649	560301	630943	670718	713000	783470	853940	924410	994880	1065350
Prince George's	473278	491058	537853	563481	590330	635078	679825	724573	769321	814069
Alexandria	121137	122647	125913	127590	129289	132121	134953	137785	140617	143449
Arlington	140154	141896	145665	147599	149559	152826	156093	159360	162626	165893
Fairfax	671677	698891	772561	813278	856141	927580	999019	1070458	1141896	1213335
Loudoun	128800	136160	160485	174821	190437	216464	242491	268517	294544	320571
Prince William	221384	232621	266649	286152	307081	341964	376846	411728	446610	481492
Stafford	59333	62943	75635	83261	91656	105647	119638	133629	147620	161611
<b>TOTAL</b>	<b>2852879</b>	<b>2965277</b>	<b>3288353</b>	<b>3470861</b>	<b>3665816</b>	<b>3990740</b>	<b>4315664</b>	<b>4640588</b>	<b>4965512</b>	<b>5290436</b>

The above forecasts are based on 2002 vehicle registration data from the Virginia DMV, Maryland MVA and the District of Columbia DMV. Growth factors using data from Hari Gouru's 1998 forecasts were used to develop data for out years.

## Vehicle Registration for Prince George's County by Year



### Attachment 3

#### DIURNAL AND RESTING LOSS EMISSIONS VOC

Jurisdiction	TOTAL VEHICLES	FACTORS		EMISSIONS	
		DIURNAL (gm/day/veh)	RESTGL (gm/hr/veh)	DIURNAL (Tons/day)	RESTGL (Tons/day)
District of Columbia	250,529	0.804	3.231	0.22	0.87
Montgomery	713,000	0.643	2.347	0.50	1.81
Prince Georges	590,330	0.768	2.97	0.49	1.89
Frederick	197,734	0.777	2.895	0.17	0.62
Charles	113,637	0.81	3.057	0.10	0.38
Calvert	76,422	0.823	3.118	0.07	0.26
Arlington	129,289	0.714	2.684	0.10	0.37
Alexandria	149,559	0.648	2.392	0.10	0.39
Fairfax	856,141	0.665	2.407	0.62	2.23
Loudoun	190,437	0.664	2.37	0.14	0.49
Prince William	307,081	0.743	2.815	0.25	0.93
Stafford	91,656	0.834	3.169	0.08	0.31
MSA - SUBTOTAL MODELED AREA	3,665,815			2.82	10.55
TOTAL	3665815.312			2.82106196	10.54985321

Note: 98% of vehicles, which are gas operated, are used to compute Diurnal and Resting Loss emission  
Based on 2002 vehicle registration

# **Attachment E**

# Memo

**To:** Air Quality Files  
**From:** Eulalie G. Lucas  
**CC:** Mike Clifford  
**Date:** 5/28/2003  
**Re:** Severe Area SIP- Preparation of Local Street Emissions

This memo documents preparation of the local street component of the mobile emissions inventory, including development of local VMT mix percentages as well as the introduction of new base year data. While there was extensive work associated with the procedures used in the development of local street VMT mix, this memo will only highlight this effort. A technical report dated January 27, 2003 from Maureen Mullen, E.H. Pechan & Associates includes full details on this input as well as other inputs and methodologies used in the preparation of Mobile6 emissions rates to meet SIP requirements.

## **Background**

The approach used in the calculation of emissions associated with travel on local streets involves the use of state traffic count summary reports, as developed for the Highway Performance Monitoring System (HPMS), in conjunction with emissions factors, by county. The calculation involved, simply, the product of VMT and VOC and NO<sub>x</sub> emissions factors, by county.

## **UPDATES**

There were two major updates related to Local street emissions estimates. (1) Mobile6 calculates an emissions rate specific to local street VMT; VMT mix procedures specific to local street and utilizing outputs through time from COG/TPB's truck model have also been developed (reference M. Mullen's January 27, 2003 memo and the attached truck model adjustment percentages, seen in Table 1. (2) The 1990 HPMS based year data were updated to 2000 conditions, Table 2.

## **Results**

Tables 3 and 4 show local street emissions estimates for year 2005 for VOC and NO<sub>x</sub>. These estimates are based upon use of all the revised inputs i.e. Mobile6 emissions rates as well as revised travel demand assumptions. Results for other analysis years are available and are contained in the Mobile6 local street emissions files.

Attachments (4)

**TABLE 1**  
**Mobile 6 Inputs**

	<b>Truck VMT %</b>	<b>Local Road HD VMT %</b>
<b>1990</b>	7.36	1.60
<b>1994</b>	7.56	1.65
<b>1996</b>	7.66	1.67
<b>1999</b>	7.76	1.69
<b>2000</b>	7.86	1.71
<b>2002</b>	7.94	1.73
<b>2005</b>	8.05	1.75
<b>2015</b>	8.63	1.88
<b>2025</b>	9.21	2.01
<b>2030</b>	9.50	2.07

NOTE: This summary table includes years relevant to conformity, as well as those needed for SIP and ROP work.



**Table 2**  
**Local Street VMT**  
**Summary of Year 2000 Highway Performance Monitoring System(HPMS) Data**  
**from Maryland, Virginia and the District of Columbia**

Jurisdiction	2000 Average Weekday Travel VMT (Local Roadways 000's)
District of Columbia	1,510
Montgomery	1,404
Prince George's	1,299
Frederick	609
Charles	259
Calvert	208
Arlington	243
City of Alexandria	453
Fairfax	2,127
Loudoun	674
Prince William	877
Stafford	256
<b>TOTAL</b>	<b>9,919</b>

**TABLE 3**

**LOCAL EMISSIONS CALCULATION WORKSHEET  
VOC  
2005 case 7**

JUR	2000 TOTAL VMT(000S)	2005 Forecast VMT (000S)	Growth Rate	2000 HPMS LOCAL	2005 Forecast VM Loc. VMT	2005 c7 EMISS RATE	RUNNING EMISS. (GMs)	RUNNING EMISS. (TONS)
DC	9,392	10,027	1.07	1,510,000	1,612,184	0.700	1128529.01	1.24
MTG	21,666	23,201	1.07	1,404,000	1,503,477	0.564	847960.82	0.93
PG	22,799	24,070	1.06	1,299,000	1,371,418	0.678	929821.26	1.02
FRED	7,962	8,773	1.10	609,000	671,075	0.640	429487.88	0.47
CHS	2,467	2,684	1.09	259,000	281,707	0.659	185644.79	0.20
CALVRT	1,395	1,522	1.09	208,000	226,904	0.671	152252.30	0.17
	65,681	70,278		5,289,000	5,666,764		3673696.05	4.05

JUR	2,000 TOTAL VMT(000S)	Growth Rate	(A) PRORATED VA LOCL VMT	(B) 2005 c7 RUN. EMISS RATE	(A)*(B) VOC EMISS. VA LOCL GMs	VOC EMISS. VA LOCAL TONS		
ARL	4,591	4.991	1.09	243,000	264,162	0.609	160874.67	0.18
ALX	2,308	2,345	1.02	453,000	460,260	0.540	248540.16	0.27
FFX	28,260	30,091	1.06	2,127,000	2,264,805	0.566	1281879.41	1.41
LDN	5,171	6,525	1.26	674,000	850,475	0.539	458406.09	0.51
PW	7,442	8,319	1.12	877,000	980,263	0.625	612664.29	0.68
STAFF	3,647	3,948	1.08	256,000	277,125	0.666	184565.05	0.20
	51,419	56,218		4,630,000	5,097,089		2946929.67	
TOTAL	117100.4	126495.7		9919000	10763.85		6620625.72	7.30
					Total MSA		6620625.72	7.30

**TABLE 4  
LOCAL EMISSIONS CALCULATION WORKSHEET  
NOx  
2005 Case 7 CONFORMITY ANALYSIS**

JUR	2000	2005		HPMS LOCAL VM	Forecast Loc. VMT	2005 C 7 RUNNING EMISS RATE	RUNNING EMISS. (GMs)	RUNNING EMISS. (TONS)
	TOTAL VMT(000S)	Forecast VMT (000S)	Growth Rate					
DC	9,392	10,027	1.068	1,510,000	1,612,184	0.872	1405824.71	1.55
MTG	21,666	23,201	1.071	1,404,000	1,503,477	0.805	1210298.68	1.33
PG	22,799	24,070	1.056	1,299,000	1,371,418	0.876	1201361.98	1.32
FRED	7,962	8,773	1.102	609,000	671,075	1.414	948899.78	1.05
CHS	2,467	2,684	1.088	259,000	281,707	0.868	244521.51	0.27
CALVRT	1,395	1,522	1.091	208,000	226,904	0.879	199448.24	0.22
	51,419	56,218		5,289,000	5,666,764			5.74
	117,100					(BELOW)		

JUR	TOTAL VMT(000S)	(A) PRORATED VA LOCL VMT	(B) 2005 c7 RUNNING EMISS RATE	----- (A)*(B) NOx EMISS.				
				VA LOCL GMs	^ VA LOCL TONS			
ARL	4,591	4,991	1.087	243,000	264,162	0.816	215556.20	0.24
ALX	2,308	2,345	1.016	453,000	460,260	0.744	342433.11	0.38
FFX	28,260	30,091	1.065	2,127,000	2,264,805	0.806	1825432.52	2.01
LDN	5,171	6,525	1.262	674,000	850,475	0.786	668473.45	0.74
PW	7,442	8,319	1.118	877,000	980,263	0.838	821460.28	0.91
STAFF.	3,647	3,948	1.083	256,000	277,125	0.854	236664.49	0.26
VA	51,419	56,218		4,630,000	5,097,089			4.53
				9,919,000	10,764			10.27

# **Attachment F**

# MEMORANDUM

March 2, 2003

**To:** Files

**From:** Jane Posey, MWCOG/DTP

**Subject:** Transit and School Bus Emissions

---

## **Background**

For the development of the HDV percentage in the VMT mix for Mobile6, staff divided the vehicle class into trucks and buses, with the further breakdown of buses into transit bus and school bus categories. This memo discusses the collection of information from regional transit providers and the development of VOC and NOx emissions estimates for transit and school buses for various analysis years.

## **Approach**

### Data Collection

In order to obtain current regional transit data, staff developed a questionnaire for transit providers and school bus operators in the region. The technique of emailing and then conducting follow-up phone calls produced a high response rate. Staff used response data to complete tables showing total fleet distribution by age (Attachment 1a), and daily VMT with average operating speed, by provider (Attachment 1b).

### Fleet Age Distribution

Staff compared the regional transit bus and school bus fleet distribution survey data to the Mobile6 default data. The resulting graphs are shown in Attachment 2a and 2b. The transit bus distribution shows a fairly regular three to four year cycle of bus purchases in the region. The school bus survey data shows variability over time, with a large purchase in several jurisdictions between 1998 and 2000. Because of the variability in the school bus data, with no clear purchasing cycle as is seen in the transit data, staff used the default data curve for school buses, with one exception. That is, staff adjusted the end of the default school bus distribution curve to reflect that no school buses in the region are older than 16 years. The resulting updated default curve is shown as "revised school bus percentage" on Attachment 2b. For simplification purposes, because the number of buses other than diesel is statistically insignificant, the fleet will be input to the Mobile model as 100 percent diesel. Emissions for buses that are not diesel (e.g. CNG buses) are accounted for using TERM analysis.

### VMT Estimates

The annual VMT from the survey was divided by the number of service days for each provider to calculate a daily VMT. To account for bus VMT for providers in the region for which no survey data was received, staff estimated VMT by using data from providers with similar service type. In many cases, where VMT data was not provided, total number of buses was provided, making the estimate process more accurate. In Attachment 1b, estimated VMT values are shown in italics. Daily school bus VMT represents a school day in May.

The resulting daily 2001 VMT from the survey, including estimation values from providers for which no data was received, is 277,000 for transit buses (compared to 180,000 in the FY03-08 TIP), and 489,900 for school buses.

For estimating bus VMT for the future, staff used the HDBS (school bus) and HDBT (transit bus) values in the "National Average Vehicle Miles Traveled Fractions by Vehicle Class" table from EPA's *Technical Guidance on the use of Mobile 6 for Emission Inventory Preparation* to modify current data. This table is shown as Attachment 3. For example, HDBS fractions increase from 0.0019 to 0.0020, or by 5.26%, between 2002 and 2005. Applications of this increase to base year school bus VMT yields an estimate of 515,684 VMT in 2005.

#### Emission Estimates

Using the survey data, staff created transit bus and school bus emission tables. In the tables, the daily VMT was adjusted from the base (survey) year (2001) using the method described above (see table C). A consultant (EH Pechan) used the fleet age distributions as an input to the Mobile6 model to produce emission factors for VOC and NO<sub>x</sub>, by speed. Using the appropriate emission factor, as provided by EH Pechan, based on the average operating speed for each provider, staff calculated the VOC and NO<sub>x</sub> emissions for transit buses and school buses for each analysis year. The emission factor tables for each analysis year are included as Attachment 4. The transit bus and school bus emission tables for each analysis year are included as Attachment 5.

# ATTACHMENT 1





# Attachment 1b 2001 Bus Operating Statistics

Service	Contact	Average Speed	Daily VMT
	Name		
Metrobus	Lora Byala	10	123,299
Fairfax Connector	Andy Szakos	15	18,036
PRTC Omnalink	Tim Roseboom	15	4038
Alexandria DASH	Cindy Modell	13	3,454
City of Fairfax CUE	Alex Verzosa	15	1,483
Arlington Co. ART	Jim Maslanka	16	794
Loudoun Transportation Assc.	Mark McGregor	15	4,532
Mont. Co. Ride-On	Phil McLaughlin	14.5	35,616
PG Co. The Bus	Frank Bell	15-20	9,723
Fredrick Co. TransiT	Sherry Burford	11.78	3,082
Corridor Transit (CTC)	Joe Gann	17.8	1,265
Crystal City Express		15	96
Skyline Crystal Express		15	144
PRTC OmniRide	Tim Roseboom	26.62	5,700
Loudoun Commuter Service	Sharon Affinito	25	1,866
MTA Commuter buses	Larry Dougherty	45	10,453
Lee Coaches	Joe Ann Foweler	45	70
Brooks Transit		45	750
Quicks Commuter Service	Robbie Quick	45	1,320
Eyre buses (under MTA)	Teri Lee Cosker	45	(under MTA)
Dillon buses (under MTA)	Ron Dillon Sr.	45	(under MTA)
Keller buses (under MTA)	Charles D. Keller	45	(under MTA)
National Coach Works	Jeff Bodnar	45	1,650
Greyhound / Trailways (VA)	David Cohen	55	5000
Peter Pan / Trailways	Christ Crean	55	2000
Carolina Trailways		55	500
Capitol Trailways	Ms.Gale Ellsworth	55	500
Martz / Grey Line sightseeing	Robert Lynch	55-68	5000
New World	Arnold Brown	20	299
Washington Flyer Coach Service	Nicholas Marshall	65	1,370
ShuttleUM (U. of MD)	Cynthia Trombly	11.1	1,864

## 2001 Bus Operating Statistics

Service	Contact	Average Speed	Daily VMT
	Name		
Georgetown U. shuttle	Diann Nock Smith	15	100
American U. shuttle	Thomas Leathers	20-25	83
George Washington U shuttle	John Kane	15	100
CIA Shuttle		15	200
EPA Shuttle		15	200
USDOT Shuttle	Franklin Weaver	15	200
Gallaudet Shuttle	Darnese Nicholson	15	100
Tourmobile	Richard Lewis	15	(Gas powered)
Old Town "trolley" buses		20	300
Metro Access - paratransit	Avon Mackel	15	5000
Fairfax Co. Fastran- paratransit	Steve Yaffe	14.53	11,427
Alexandria DOT-paratransit	Lakeshia Lewis	15	924
Arlington STAR-paratransit	Eric Smith	15	3,245
City of Ffx, City Wheels- paratransit.	Alex Verzosa	15	100
City of Falls Ch. Fare Wheels- paratransit	Letha Flippin	15	100
Loudoun Transit (LCTA)- paratransit	Mark McGregor	15	100
P.G. Co. paratransit	Frank Bell	15	3000
<b>All buses excluding school</b>			<b>277,361</b>
School buses - DC	Alfred Winder	14	12696
School buses- Mont. Co.	Qiyu C. Wu	30	100,000
School buses- P.G. Co.	Mark Dreszer	30	129,967
School buses- Fred. Co.	Richard Wandres	30	25,589
School buses- Alexandria	Velma Tsongos	25	2,028
School buses- Arl. Co.	Daniel Roseboro	25	2,600
School buses- Ffx. Co.	Tim Parker	30-35	96,524
School buses- Loud. Co.	J Michael Lunsfurg	30	28,347
School buses- P.W. Co.	Eward Bishop	30	36,114
School buses-Charles Co		30	20,801
School buses-Calvert Co	Brian Stevens	30	25,653
School buses-Stafford Co		30	9,609


**Total for School Buses**

**480,319**

# ATTACHMENT 2


**Attachment 2a**

**Transit Fleet Vehicle Age Distribution**



### Attachment 2b

### School Bus Age Distribution



# ATTACHMENT 3

**Table 4.1.2  
National Average Vehicle Miles Traveled Fractions By Vehicle Class  
Using MOBILE6**

Calendar Year	LDV 1	LDT1 2	LDT2 3	LDT3 4	LDT4 5	HDV2B 6	HDV3 7	HDV4 8	HDV5 9	HDV6 10	HDV7 11	HDV8A 12	HDV8B 13	HDBS 14	HDBT 15	MC 16
1990	0.6284	0.0420	0.1397	0.0566	0.0260	0.0332	0.0034	0.0020	0.0016	0.0064	0.0079	0.0094	0.0337	0.0017	0.0008	0.0073
1991	0.6212	0.0435	0.1448	0.0560	0.0257	0.0336	0.0035	0.0021	0.0017	0.0066	0.0081	0.0095	0.0341	0.0017	0.0008	0.0072
1992	0.6109	0.0456	0.1518	0.0555	0.0255	0.0342	0.0036	0.0022	0.0017	0.0068	0.0083	0.0097	0.0346	0.0017	0.0008	0.0071
1993	0.6009	0.0477	0.1587	0.0551	0.0253	0.0348	0.0036	0.0023	0.0018	0.0070	0.0085	0.0098	0.0350	0.0017	0.0008	0.0070
1994	0.5910	0.0497	0.1655	0.0546	0.0251	0.0354	0.0037	0.0024	0.0018	0.0072	0.0087	0.0100	0.0355	0.0018	0.0008	0.0070
1995	0.5815	0.0517	0.1721	0.0542	0.0249	0.0358	0.0037	0.0025	0.0019	0.0073	0.0089	0.0101	0.0360	0.0018	0.0009	0.0069
1996	0.5721	0.0534	0.1776	0.0547	0.0252	0.0362	0.0037	0.0025	0.0019	0.0075	0.0090	0.0102	0.0364	0.0018	0.0009	0.0068
1997	0.5569	0.0557	0.1853	0.0571	0.0263	0.0367	0.0037	0.0026	0.0020	0.0077	0.0092	0.0104	0.0370	0.0018	0.0009	0.0067
1998	0.5360	0.0590	0.1963	0.0605	0.0278	0.0372	0.0038	0.0027	0.0021	0.0079	0.0095	0.0106	0.0376	0.0019	0.0009	0.0065
1999	0.5153	0.0622	0.2071	0.0638	0.0294	0.0377	0.0038	0.0028	0.0021	0.0081	0.0097	0.0107	0.0382	0.0019	0.0009	0.0064
2000	0.4953	0.0655	0.2179	0.0672	0.0309	0.0380	0.0038	0.0029	0.0022	0.0082	0.0098	0.0108	0.0386	0.0019	0.0009	0.0062
2001	0.4785	0.0683	0.2273	0.0700	0.0322	0.0381	0.0038	0.0029	0.0022	0.0083	0.0099	0.0109	0.0388	0.0019	0.0009	0.0061
2002	0.4646	0.0706	0.2349	0.0724	0.0333	0.0382	0.0038	0.0030	0.0022	0.0084	0.0100	0.0109	0.0390	0.0019	0.0009	0.0060
2003	0.4507	0.0729	0.2425	0.0748	0.0344	0.0384	0.0038	0.0030	0.0023	0.0085	0.0100	0.0110	0.0392	0.0019	0.0009	0.0059
2004	0.4365	0.0752	0.2503	0.0771	0.0355	0.0386	0.0038	0.0030	0.0023	0.0085	0.0101	0.0111	0.0394	0.0019	0.0009	0.0058
2005	0.4231	0.0774	0.2577	0.0794	0.0365	0.0387	0.0038	0.0031	0.0023	0.0086	0.0102	0.0111	0.0395	0.0020	0.0009	0.0057
2006	0.4096	0.0797	0.2654	0.0818	0.0376	0.0387	0.0038	0.0031	0.0023	0.0086	0.0102	0.0111	0.0396	0.0020	0.0009	0.0056
2007	0.3952	0.0822	0.2735	0.0843	0.0388	0.0387	0.0038	0.0031	0.0023	0.0086	0.0102	0.0111	0.0396	0.0020	0.0009	0.0056
2008	0.3807	0.0846	0.2817	0.0868	0.0399	0.0388	0.0038	0.0031	0.0024	0.0087	0.0102	0.0111	0.0397	0.0020	0.0009	0.0055
2009	0.3669	0.0869	0.2894	0.0892	0.0410	0.0389	0.0038	0.0032	0.0024	0.0087	0.0103	0.0112	0.0398	0.0020	0.0010	0.0054
2010	0.3544	0.0891	0.2965	0.0914	0.0420	0.0390	0.0038	0.0032	0.0024	0.0087	0.0103	0.0112	0.0399	0.0020	0.0010	0.0054
2011	0.3428	0.0911	0.3031	0.0934	0.0430	0.0390	0.0038	0.0032	0.0024	0.0087	0.0103	0.0112	0.0398	0.0020	0.0010	0.0053
2012	0.3325	0.0928	0.3090	0.0952	0.0438	0.0390	0.0038	0.0032	0.0024	0.0087	0.0103	0.0112	0.0399	0.0020	0.0010	0.0053
2013	0.3231	0.0944	0.3143	0.0969	0.0445	0.0390	0.0038	0.0032	0.0024	0.0087	0.0103	0.0112	0.0399	0.0020	0.0010	0.0053
2014	0.3145	0.0959	0.3191	0.0983	0.0452	0.0391	0.0038	0.0032	0.0024	0.0088	0.0103	0.0112	0.0400	0.0020	0.0010	0.0052
2015	0.3071	0.0971	0.3233	0.0996	0.0458	0.0391	0.0039	0.0032	0.0024	0.0088	0.0104	0.0112	0.0400	0.0020	0.0010	0.0052
2016	0.3004	0.0982	0.3270	0.1008	0.0463	0.0392	0.0039	0.0033	0.0024	0.0088	0.0104	0.0112	0.0400	0.0020	0.0010	0.0052
2017	0.2944	0.0992	0.3304	0.1018	0.0468	0.0392	0.0039	0.0033	0.0024	0.0088	0.0104	0.0113	0.0401	0.0020	0.0010	0.0051
2018	0.2892	0.1001	0.3332	0.1027	0.0472	0.0393	0.0039	0.0033	0.0024	0.0088	0.0104	0.0113	0.0402	0.0020	0.0010	0.0051
2019	0.2846	0.1008	0.3357	0.1035	0.0476	0.0394	0.0039	0.0033	0.0025	0.0088	0.0104	0.0113	0.0403	0.0020	0.0010	0.0051
2020 - 2050	0.2793	0.1017	0.3384	0.1043	0.0480	0.0396	0.0039	0.0033	0.0025	0.0089	0.0105	0.0114	0.0405	0.0020	0.0010	0.0051

Source: Technical Guidance on the use of Mobile 6 for Emission Inventory Preparation, U.S. EPA. January, 2002.

# ATTACHMENT 4



## MWCOG Regional Diesel Bus Emission Factors in 1990

Road Type	Diesel Bus Emission Factors (grams/mile)				
	Speed (mph)	School Bus		Transit Bus	
		VOC	NOx	VOC	NOx
Arterial/Freeway	1	4.075	24.445	8.813	46.360
Arterial/Freeway	2	4.075	24.445	8.813	46.360
Arterial/Freeway	3	3.911	23.620	8.457	44.796
Arterial/Freeway	4	3.705	22.589	8.012	42.841
Arterial/Freeway	5	3.581	21.971	7.745	41.668
Arterial/Freeway	6	3.325	20.723	7.190	39.302
Arterial/Freeway	7	3.141	19.832	6.793	37.612
Arterial/Freeway	8	3.004	19.164	6.496	36.345
Arterial/Freeway	9	2.897	18.644	6.265	35.359
Arterial/Freeway	10	2.812	18.228	6.080	34.570
Arterial/Freeway	11	2.660	17.531	5.753	33.247
Arterial/Freeway	12	2.534	16.949	5.480	32.144
Arterial/Freeway	13	2.427	16.457	5.249	31.211
Arterial/Freeway	14	2.336	16.035	5.051	30.411
Arterial/Freeway	15	2.256	15.670	4.879	29.718
Arterial/Freeway	16	2.155	15.241	4.660	28.906
Arterial/Freeway	17	2.066	14.864	4.467	28.189
Arterial/Freeway	18	1.986	14.528	4.295	27.552
Arterial/Freeway	19	1.915	14.227	4.141	26.982
Arterial/Freeway	20	1.851	13.957	4.003	26.469
Arterial/Freeway	21	1.780	13.701	3.849	25.983
Arterial/Freeway	22	1.715	13.468	3.709	25.542
Arterial/Freeway	23	1.656	13.255	3.582	25.138
Arterial/Freeway	24	1.602	13.060	3.465	24.768
Arterial/Freeway	25	1.552	12.881	3.357	24.428
Arterial/Freeway	26	1.501	12.751	3.246	24.182
Arterial/Freeway	27	1.454	12.630	3.144	23.953
Arterial/Freeway	28	1.410	12.518	3.049	23.741
Arterial/Freeway	29	1.369	12.414	2.960	23.543
Arterial/Freeway	30	1.331	12.317	2.878	23.359
Arterial/Freeway	31	1.294	12.291	2.797	23.311
Arterial/Freeway	32	1.259	12.267	2.722	23.265
Arterial/Freeway	33	1.226	12.245	2.651	23.222
Arterial/Freeway	34	1.195	12.224	2.585	23.182
Arterial/Freeway	35	1.166	12.204	2.522	23.144
Arterial/Freeway	36	1.139	12.276	2.464	23.281
Arterial/Freeway	37	1.114	12.344	2.408	23.410
Arterial/Freeway	38	1.089	12.409	2.356	23.533
Arterial/Freeway	39	1.067	12.470	2.306	23.649
Arterial/Freeway	40	1.045	12.528	2.259	23.760
Arterial/Freeway	41	1.025	12.703	2.217	24.092
Arterial/Freeway	42	1.007	12.870	2.178	24.408
Arterial/Freeway	43	0.989	13.029	2.140	24.710

## MWCOG Regional Diesel Bus Emission Factors in 1990

Road Type	Diesel Bus Emission Factors (grams/mile)				
	Speed (mph)	School Bus		Transit Bus	
		VOC	NOx	VOC	NOx
Arterial/Freeway	44	0.973	13.181	2.104	24.998
Arterial/Freeway	45	0.957	13.326	2.069	25.273
Arterial/Freeway	46	0.943	13.622	2.040	25.834
Arterial/Freeway	47	0.931	13.905	2.013	26.372
Arterial/Freeway	48	0.919	14.177	1.986	26.886
Arterial/Freeway	49	0.907	14.437	1.961	27.380
Arterial/Freeway	50	0.896	14.687	1.937	27.854
Arterial/Freeway	51	0.887	15.137	1.919	28.707
Arterial/Freeway	52	0.879	15.569	1.902	29.527
Arterial/Freeway	53	0.872	15.985	1.885	30.316
Arterial/Freeway	54	0.864	16.386	1.869	31.076
Arterial/Freeway	55	0.857	16.772	1.853	31.809
Arterial/Freeway	56	0.853	17.431	1.845	33.058
Arterial/Freeway	57	0.849	18.066	1.836	34.263
Arterial/Freeway	58	0.845	18.680	1.828	35.426
Arterial/Freeway	59	0.842	19.272	1.821	36.550
Arterial/Freeway	60	0.838	19.845	1.813	37.637
Arterial/Freeway	61	0.838	20.801	1.813	39.450
Arterial/Freeway	62	0.838	21.726	1.813	41.204
Arterial/Freeway	63	0.838	22.622	1.813	42.902
Arterial/Freeway	64	0.838	23.489	1.813	44.548
Arterial/Freeway	65	0.838	24.330	1.813	46.143
Ramp	34.6	1.178	12.197	2.547	23.131
Local	12.9	2.468	16.625	5.337	31.530

## MWCOG Regional Diesel Bus Emission Factors in Adjusted BY1996

Road Type	Diesel Bus Emission Factors (grams/mile)				
	Speed (mph)	School Bus		Transit Bus	
		VOC	NOx	VOC	NOx
Arterial/Freeway	1	3.131	23.410	5.168	36.483
Arterial/Freeway	2	3.131	23.410	5.168	36.483
Arterial/Freeway	3	3.004	22.620	4.959	35.252
Arterial/Freeway	4	2.846	21.633	4.698	33.714
Arterial/Freeway	5	2.751	21.041	4.541	32.791
Arterial/Freeway	6	2.554	19.846	4.216	30.929
Arterial/Freeway	7	2.413	18.993	3.984	29.599
Arterial/Freeway	8	2.308	18.353	3.809	28.601
Arterial/Freeway	9	2.226	17.855	3.674	27.826
Arterial/Freeway	10	2.160	17.456	3.565	27.205
Arterial/Freeway	11	2.044	16.788	3.373	26.163
Arterial/Freeway	12	1.947	16.231	3.213	25.296
Arterial/Freeway	13	1.865	15.760	3.078	24.561
Arterial/Freeway	14	1.794	15.356	2.962	23.932
Arterial/Freeway	15	1.733	15.006	2.861	23.386
Arterial/Freeway	16	1.656	14.596	2.733	22.747
Arterial/Freeway	17	1.587	14.234	2.619	22.183
Arterial/Freeway	18	1.526	13.913	2.519	21.682
Arterial/Freeway	19	1.471	13.625	2.428	21.234
Arterial/Freeway	20	1.422	13.366	2.347	20.830
Arterial/Freeway	21	1.367	13.121	2.257	20.448
Arterial/Freeway	22	1.318	12.897	2.175	20.100
Arterial/Freeway	23	1.272	12.694	2.100	19.783
Arterial/Freeway	24	1.231	12.507	2.032	19.492
Arterial/Freeway	25	1.193	12.335	1.968	19.224
Arterial/Freeway	26	1.153	12.211	1.904	19.030
Arterial/Freeway	27	1.117	12.095	1.844	18.850
Arterial/Freeway	28	1.083	11.988	1.788	18.683
Arterial/Freeway	29	1.052	11.888	1.736	18.528
Arterial/Freeway	30	1.022	11.795	1.688	18.383
Arterial/Freeway	31	0.994	11.771	1.640	18.344
Arterial/Freeway	32	0.967	11.748	1.596	18.308
Arterial/Freeway	33	0.942	11.726	1.555	18.275
Arterial/Freeway	34	0.918	11.706	1.516	18.243
Arterial/Freeway	35	0.896	11.687	1.479	18.213
Arterial/Freeway	36	0.875	11.756	1.445	18.321
Arterial/Freeway	37	0.856	11.821	1.412	18.423
Arterial/Freeway	38	0.837	11.883	1.382	18.519
Arterial/Freeway	39	0.819	11.942	1.352	18.611
Arterial/Freeway	40	0.803	11.998	1.325	18.698
Arterial/Freeway	41	0.788	12.165	1.300	18.959
Arterial/Freeway	42	0.774	12.325	1.277	19.208
Arterial/Freeway	43	0.760	12.477	1.255	19.446
Arterial/Freeway	44	0.747	12.623	1.234	19.672
Arterial/Freeway	45	0.735	12.762	1.213	19.889
Arterial/Freeway	46	0.725	13.045	1.196	20.330

## MWCOG Regional Diesel Bus Emission Factors in Adjusted BY1996

Road Type	Diesel Bus Emission Factors (grams/mile)				
	Speed (mph)	School Bus		Transit Bus	
		VOC	NOx	VOC	NOx
Arterial/Freeway	47	0.715	13.317	1.180	20.753
Arterial/Freeway	48	0.706	13.576	1.165	21.158
Arterial/Freeway	49	0.697	13.826	1.150	21.547
Arterial/Freeway	50	0.688	14.065	1.136	21.920
Arterial/Freeway	51	0.682	14.496	1.125	22.591
Arterial/Freeway	52	0.676	14.910	1.115	23.237
Arterial/Freeway	53	0.670	15.309	1.105	23.858
Arterial/Freeway	54	0.664	15.692	1.096	24.456
Arterial/Freeway	55	0.658	16.062	1.087	25.032
Arterial/Freeway	56	0.655	16.693	1.082	26.015
Arterial/Freeway	57	0.652	17.301	1.077	26.963
Arterial/Freeway	58	0.650	17.889	1.072	27.879
Arterial/Freeway	59	0.647	18.456	1.068	28.763
Arterial/Freeway	60	0.644	19.005	1.063	29.618
Arterial/Freeway	61	0.644	19.920	1.063	31.045
Arterial/Freeway	62	0.644	20.806	1.063	32.425
Arterial/Freeway	63	0.644	21.664	1.063	33.762
Arterial/Freeway	64	0.644	22.495	1.063	35.057
Arterial/Freeway	65	0.644	23.300	1.063	36.312
Ramp	34.6	0.905	11.680	1.493	18.203
Local	12.9	1.896	15.921	3.130	24.813

## MWCOG Regional Diesel Bus Emission Factors in Adjusted BY1999

Road Type	Diesel Bus Emission Factors (grams/mile)				
	Speed (mph)	School Bus		Transit Bus	
		VOC	NOx	VOC	NOx
Arterial/Freeway	1	2.866	23.294	4.404	34.571
Arterial/Freeway	2	2.866	23.294	4.404	34.571
Arterial/Freeway	3	2.750	22.508	4.226	33.405
Arterial/Freeway	4	2.606	21.526	4.003	31.948
Arterial/Freeway	5	2.519	20.937	3.870	31.073
Arterial/Freeway	6	2.338	19.748	3.592	29.309
Arterial/Freeway	7	2.209	18.899	3.394	28.048
Arterial/Freeway	8	2.113	18.262	3.246	27.103
Arterial/Freeway	9	2.038	17.766	3.130	26.368
Arterial/Freeway	10	1.977	17.370	3.038	25.780
Arterial/Freeway	11	1.871	16.705	2.874	24.793
Arterial/Freeway	12	1.782	16.151	2.738	23.970
Arterial/Freeway	13	1.707	15.682	2.623	23.275
Arterial/Freeway	14	1.643	15.280	2.524	22.678
Arterial/Freeway	15	1.587	14.932	2.438	22.161
Arterial/Freeway	16	1.516	14.524	2.328	21.556
Arterial/Freeway	17	1.453	14.164	2.232	21.021
Arterial/Freeway	18	1.397	13.844	2.146	20.546
Arterial/Freeway	19	1.347	13.558	2.069	20.121
Arterial/Freeway	20	1.302	13.300	2.000	19.739
Arterial/Freeway	21	1.252	13.056	1.923	19.377
Arterial/Freeway	22	1.206	12.834	1.853	19.047
Arterial/Freeway	23	1.165	12.631	1.790	18.746
Arterial/Freeway	24	1.127	12.445	1.731	18.470
Arterial/Freeway	25	1.092	12.274	1.677	18.217
Arterial/Freeway	26	1.056	12.150	1.622	18.033
Arterial/Freeway	27	1.022	12.036	1.571	17.862
Arterial/Freeway	28	0.992	11.929	1.523	17.704
Arterial/Freeway	29	0.963	11.830	1.479	17.557
Arterial/Freeway	30	0.936	11.737	1.438	17.420
Arterial/Freeway	31	0.910	11.713	1.398	17.383
Arterial/Freeway	32	0.885	11.690	1.360	17.349
Arterial/Freeway	33	0.862	11.668	1.325	17.317
Arterial/Freeway	34	0.841	11.648	1.291	17.287
Arterial/Freeway	35	0.820	11.629	1.260	17.259
Arterial/Freeway	36	0.801	11.698	1.231	17.361
Arterial/Freeway	37	0.783	11.763	1.203	17.458
Arterial/Freeway	38	0.766	11.824	1.177	17.549
Arterial/Freeway	39	0.750	11.883	1.152	17.636
Arterial/Freeway	40	0.735	11.938	1.129	17.718
Arterial/Freeway	41	0.721	12.105	1.108	17.966
Arterial/Freeway	42	0.708	12.264	1.088	18.202
Arterial/Freeway	43	0.696	12.416	1.069	18.427
Arterial/Freeway	44	0.684	12.561	1.051	18.642
Arterial/Freeway	45	0.673	12.699	1.034	18.847
Arterial/Freeway	46	0.664	12.981	1.019	19.265

## MWCOG Regional Diesel Bus Emission Factors in Adjusted BY1999

Road Type	Diesel Bus Emission Factors (grams/mile)				
	Speed (mph)	School Bus		Transit Bus	
		VOC	NOx	VOC	NOx
Arterial/Freeway	47	0.655	13.251	1.006	19.666
Arterial/Freeway	48	0.646	13.509	0.992	20.050
Arterial/Freeway	49	0.638	13.758	0.980	20.418
Arterial/Freeway	50	0.630	13.996	0.968	20.772
Arterial/Freeway	51	0.624	14.424	0.959	21.408
Arterial/Freeway	52	0.618	14.836	0.950	22.019
Arterial/Freeway	53	0.613	15.233	0.942	22.608
Arterial/Freeway	54	0.608	15.615	0.934	23.174
Arterial/Freeway	55	0.603	15.983	0.926	23.721
Arterial/Freeway	56	0.600	16.610	0.922	24.652
Arterial/Freeway	57	0.597	17.216	0.918	25.551
Arterial/Freeway	58	0.595	17.800	0.914	26.418
Arterial/Freeway	59	0.592	18.365	0.910	27.257
Arterial/Freeway	60	0.590	18.911	0.906	28.067
Arterial/Freeway	61	0.590	19.822	0.906	29.419
Arterial/Freeway	62	0.590	20.703	0.906	30.727
Arterial/Freeway	63	0.590	21.557	0.906	31.993
Arterial/Freeway	64	0.590	22.384	0.906	33.221
Arterial/Freeway	65	0.590	23.185	0.906	34.410
Ramp	34.6	0.828	11.622	1.272	17.249
Local	12.9	1.736	15.843	2.667	23.513

## MWCOG Regional Diesel Bus Emission Factors in Adjusted BY2002

Road Type	Diesel Bus Emission Factors (grams/mile)				
	Speed (mph)	School Bus		Transit Bus	
		VOC	NOx	VOC	NOx
Arterial/Freeway	1	2.669	23.177	3.554	33.102
Arterial/Freeway	2	2.669	23.177	3.554	33.102
Arterial/Freeway	3	2.561	22.394	3.411	31.984
Arterial/Freeway	4	2.426	21.415	3.231	30.587
Arterial/Freeway	5	2.345	20.828	3.123	29.749
Arterial/Freeway	6	2.177	19.644	2.900	28.058
Arterial/Freeway	7	2.057	18.797	2.740	26.850
Arterial/Freeway	8	1.967	18.163	2.620	25.944
Arterial/Freeway	9	1.897	17.669	2.527	25.239
Arterial/Freeway	10	1.841	17.274	2.452	24.675
Arterial/Freeway	11	1.742	16.612	2.320	23.729
Arterial/Freeway	12	1.659	16.060	2.210	22.941
Arterial/Freeway	13	1.589	15.592	2.117	22.274
Arterial/Freeway	14	1.529	15.192	2.037	21.702
Arterial/Freeway	15	1.477	14.845	1.968	21.207
Arterial/Freeway	16	1.411	14.438	1.879	20.626
Arterial/Freeway	17	1.353	14.080	1.801	20.114
Arterial/Freeway	18	1.301	13.761	1.732	19.659
Arterial/Freeway	19	1.254	13.476	1.670	19.251
Arterial/Freeway	20	1.212	13.219	1.614	18.885
Arterial/Freeway	21	1.165	12.975	1.552	18.538
Arterial/Freeway	22	1.123	12.754	1.496	18.222
Arterial/Freeway	23	1.084	12.552	1.444	17.933
Arterial/Freeway	24	1.049	12.367	1.397	17.669
Arterial/Freeway	25	1.016	12.197	1.354	17.426
Arterial/Freeway	26	0.983	12.073	1.309	17.250
Arterial/Freeway	27	0.952	11.959	1.268	17.086
Arterial/Freeway	28	0.923	11.853	1.230	16.935
Arterial/Freeway	29	0.896	11.754	1.194	16.794
Arterial/Freeway	30	0.871	11.662	1.161	16.662
Arterial/Freeway	31	0.847	11.637	1.128	16.627
Arterial/Freeway	32	0.824	11.614	1.098	16.595
Arterial/Freeway	33	0.803	11.593	1.069	16.564
Arterial/Freeway	34	0.783	11.573	1.042	16.535
Arterial/Freeway	35	0.764	11.554	1.017	16.508
Arterial/Freeway	36	0.746	11.622	0.994	16.606
Arterial/Freeway	37	0.729	11.687	0.971	16.698
Arterial/Freeway	38	0.713	11.749	0.950	16.786
Arterial/Freeway	39	0.698	11.807	0.930	16.869
Arterial/Freeway	40	0.684	11.862	0.911	16.948
Arterial/Freeway	41	0.671	12.028	0.894	17.185
Arterial/Freeway	42	0.659	12.187	0.878	17.412
Arterial/Freeway	43	0.648	12.338	0.863	17.627
Arterial/Freeway	44	0.637	12.482	0.848	17.833
Arterial/Freeway	45	0.626	12.620	0.834	18.030
Arterial/Freeway	46	0.618	12.901	0.823	18.431

## MWCOG Regional Diesel Bus Emission Factors in Adjusted BY2002

Road Type	Diesel Bus Emission Factors (grams/mile)				
	Speed (mph)	School Bus		Transit Bus	
		VOC	NOx	VOC	NOx
Arterial/Freeway	47	0.609	13.170	0.812	18.815
Arterial/Freeway	48	0.601	13.428	0.801	19.183
Arterial/Freeway	49	0.594	13.675	0.791	19.536
Arterial/Freeway	50	0.586	13.912	0.781	19.875
Arterial/Freeway	51	0.581	14.339	0.774	20.484
Arterial/Freeway	52	0.576	14.750	0.767	21.071
Arterial/Freeway	53	0.571	15.145	0.760	21.635
Arterial/Freeway	54	0.566	15.525	0.754	22.178
Arterial/Freeway	55	0.561	15.892	0.747	22.701
Arterial/Freeway	56	0.559	16.517	0.744	23.594
Arterial/Freeway	57	0.556	17.121	0.741	24.455
Arterial/Freeway	58	0.554	17.703	0.737	25.287
Arterial/Freeway	59	0.551	18.266	0.734	26.091
Arterial/Freeway	60	0.549	18.810	0.731	26.867
Arterial/Freeway	61	0.549	19.717	0.731	28.163
Arterial/Freeway	62	0.549	20.596	0.731	29.417
Arterial/Freeway	63	0.549	21.446	0.731	30.631
Arterial/Freeway	64	0.549	22.270	0.731	31.807
Arterial/Freeway	65	0.549	23.068	0.731	32.947
Ramp	34.6	0.771	11.581	1.027	16.534
Local	12.9	1.616	15.752	2.153	22.502



## MWCOG Regional Diesel Bus Emission Factors in Adjusted BY2005

Road Type	Diesel Bus Emission Factors (grams/mile)				
	Speed (mph)	School Bus		Transit Bus	
		VOC	NOx	VOC	NOx
Arterial/Freeway	1	2.508	22.295	3.063	30.764
Arterial/Freeway	2	2.508	22.295	3.063	30.764
Arterial/Freeway	3	2.407	21.533	2.939	29.710
Arterial/Freeway	4	2.280	20.581	2.784	28.391
Arterial/Freeway	5	2.204	20.010	2.691	27.600
Arterial/Freeway	6	2.046	18.857	2.499	26.005
Arterial/Freeway	7	1.933	18.034	2.361	24.865
Arterial/Freeway	8	1.849	17.416	2.258	24.010
Arterial/Freeway	9	1.783	16.936	2.177	23.345
Arterial/Freeway	10	1.730	16.552	2.113	22.813
Arterial/Freeway	11	1.637	15.907	1.999	21.921
Arterial/Freeway	12	1.560	15.370	1.904	21.177
Arterial/Freeway	13	1.494	14.916	1.824	20.548
Arterial/Freeway	14	1.437	14.526	1.755	20.008
Arterial/Freeway	15	1.389	14.188	1.696	19.541
Arterial/Freeway	16	1.326	13.793	1.620	18.993
Arterial/Freeway	17	1.271	13.444	1.552	18.510
Arterial/Freeway	18	1.222	13.134	1.493	18.081
Arterial/Freeway	19	1.179	12.856	1.439	17.696
Arterial/Freeway	20	1.139	12.606	1.391	17.350
Arterial/Freeway	21	1.095	12.369	1.338	17.023
Arterial/Freeway	22	1.056	12.154	1.289	16.725
Arterial/Freeway	23	1.019	11.958	1.245	16.453
Arterial/Freeway	24	0.986	11.778	1.204	16.203
Arterial/Freeway	25	0.955	11.612	1.167	15.974
Arterial/Freeway	26	0.924	11.492	1.128	15.807
Arterial/Freeway	27	0.895	11.380	1.093	15.653
Arterial/Freeway	28	0.868	11.277	1.060	15.510
Arterial/Freeway	29	0.843	11.181	1.029	15.377
Arterial/Freeway	30	0.819	11.091	1.000	15.253
Arterial/Freeway	31	0.796	11.067	0.972	15.220
Arterial/Freeway	32	0.775	11.045	0.946	15.189
Arterial/Freeway	33	0.755	11.024	0.921	15.161
Arterial/Freeway	34	0.736	11.005	0.898	15.133
Arterial/Freeway	35	0.718	10.986	0.876	15.108
Arterial/Freeway	36	0.701	11.053	0.856	15.200
Arterial/Freeway	37	0.685	11.116	0.837	15.287
Arterial/Freeway	38	0.671	11.176	0.819	15.370
Arterial/Freeway	39	0.656	11.232	0.802	15.448
Arterial/Freeway	40	0.643	11.286	0.785	15.523
Arterial/Freeway	41	0.631	11.448	0.771	15.747
Arterial/Freeway	42	0.620	11.602	0.757	15.960
Arterial/Freeway	43	0.609	11.749	0.744	16.164
Arterial/Freeway	44	0.599	11.889	0.731	16.358
Arterial/Freeway	45	0.589	12.023	0.719	16.544
Arterial/Freeway	46	0.581	12.297	0.709	16.922

## MWCOG Regional Diesel Bus Emission Factors in Adjusted BY2005

Road Type	Diesel Bus Emission Factors (grams/mile)				
	Speed (mph)	School Bus		Transit Bus	
		VOC	NOx	VOC	NOx
Arterial/Freeway	47	0.573	12.558	0.699	17.284
Arterial/Freeway	48	0.565	12.809	0.690	17.632
Arterial/Freeway	49	0.558	13.050	0.682	17.965
Arterial/Freeway	50	0.551	13.281	0.673	18.284
Arterial/Freeway	51	0.546	13.696	0.667	18.860
Arterial/Freeway	52	0.541	14.096	0.661	19.413
Arterial/Freeway	53	0.536	14.480	0.655	19.945
Arterial/Freeway	54	0.532	14.850	0.649	20.457
Arterial/Freeway	55	0.528	15.207	0.644	20.951
Arterial/Freeway	56	0.525	15.815	0.641	21.793
Arterial/Freeway	57	0.523	16.402	0.638	22.606
Arterial/Freeway	58	0.520	16.969	0.635	23.391
Arterial/Freeway	59	0.518	17.517	0.633	24.149
Arterial/Freeway	60	0.516	18.046	0.630	24.882
Arterial/Freeway	61	0.516	18.929	0.630	26.104
Arterial/Freeway	62	0.516	19.783	0.630	27.287
Arterial/Freeway	63	0.516	20.611	0.630	28.433
Arterial/Freeway	64	0.516	21.412	0.630	29.542
Arterial/Freeway	65	0.516	22.189	0.630	30.618
Ramp	34.6	0.725	11.267	0.885	15.599
Local	12.9	1.519	15.071	1.855	20.763

## MWCOG Regional Diesel Bus Emission Factors in 2005

Road Type	Speed (mph)	Diesel Bus Emission Factors (grams/mile)			
		School Bus		Transit Bus	
		VOC	NOx	VOC	NOx
Arterial/Freeway	1	2.005	19.347	1.680	28.336
Arterial/Freeway	2	2.005	19.347	1.680	28.336
Arterial/Freeway	3	1.924	18.685	1.613	27.363
Arterial/Freeway	4	1.822	17.857	1.528	26.147
Arterial/Freeway	5	1.762	17.360	1.477	25.418
Arterial/Freeway	6	1.635	16.358	1.371	23.946
Arterial/Freeway	7	1.545	15.643	1.295	22.895
Arterial/Freeway	8	1.478	15.106	1.239	22.107
Arterial/Freeway	9	1.425	14.688	1.195	21.493
Arterial/Freeway	10	1.383	14.354	1.159	21.003
Arterial/Freeway	11	1.308	13.794	1.097	20.180
Arterial/Freeway	12	1.246	13.327	1.045	19.494
Arterial/Freeway	13	1.194	12.931	1.001	18.913
Arterial/Freeway	14	1.149	12.593	0.963	18.416
Arterial/Freeway	15	1.110	12.299	0.930	17.984
Arterial/Freeway	16	1.060	11.955	0.889	17.479
Arterial/Freeway	17	1.016	11.652	0.852	17.034
Arterial/Freeway	18	0.977	11.382	0.819	16.637
Arterial/Freeway	19	0.942	11.141	0.790	16.283
Arterial/Freeway	20	0.910	10.923	0.763	15.964
Arterial/Freeway	21	0.876	10.717	0.734	15.662
Arterial/Freeway	22	0.844	10.530	0.707	15.387
Arterial/Freeway	23	0.815	10.360	0.683	15.136
Arterial/Freeway	24	0.788	10.203	0.661	14.906
Arterial/Freeway	25	0.764	10.059	0.640	14.694
Arterial/Freeway	26	0.738	9.954	0.619	14.541
Arterial/Freeway	27	0.715	9.858	0.599	14.399
Arterial/Freeway	28	0.694	9.768	0.581	14.267
Arterial/Freeway	29	0.673	9.684	0.564	14.144
Arterial/Freeway	30	0.655	9.606	0.549	14.029
Arterial/Freeway	31	0.636	9.585	0.533	13.999
Arterial/Freeway	32	0.619	9.566	0.519	13.971
Arterial/Freeway	33	0.603	9.548	0.506	13.944
Arterial/Freeway	34	0.588	9.531	0.493	13.919
Arterial/Freeway	35	0.574	9.515	0.481	13.896
Arterial/Freeway	36	0.560	9.573	0.470	13.981
Arterial/Freeway	37	0.548	9.628	0.459	14.061
Arterial/Freeway	38	0.536	9.680	0.449	14.137
Arterial/Freeway	39	0.525	9.729	0.440	14.210
Arterial/Freeway	40	0.514	9.776	0.431	14.279
Arterial/Freeway	41	0.504	9.916	0.423	14.485
Arterial/Freeway	42	0.495	10.050	0.415	14.682
Arterial/Freeway	43	0.487	10.178	0.408	14.870
Arterial/Freeway	44	0.478	10.300	0.401	15.049
Arterial/Freeway	45	0.471	10.417	0.395	15.220
Arterial/Freeway	46	0.464	10.654	0.389	15.569

Arterial/Freeway	47	0.458	10.882	0.384	15.903
Arterial/Freeway	48	0.452	11.100	0.379	16.223
Arterial/Freeway	49	0.446	11.309	0.374	16.531
Arterial/Freeway	50	0.441	11.510	0.369	16.825
Arterial/Freeway	51	0.436	11.871	0.366	17.356
Arterial/Freeway	52	0.433	12.218	0.363	17.866
Arterial/Freeway	53	0.429	12.553	0.359	18.357
Arterial/Freeway	54	0.425	12.874	0.356	18.830
Arterial/Freeway	55	0.422	13.185	0.353	19.285
Arterial/Freeway	56	0.420	13.714	0.352	20.062
Arterial/Freeway	57	0.418	14.224	0.350	20.812
Arterial/Freeway	58	0.416	14.717	0.349	21.535
Arterial/Freeway	59	0.414	15.193	0.347	22.235
Arterial/Freeway	60	0.412	15.653	0.346	22.910
Arterial/Freeway	61	0.412	16.421	0.346	24.038
Arterial/Freeway	62	0.412	17.164	0.346	25.129
Arterial/Freeway	63	0.412	17.883	0.346	26.186
Arterial/Freeway	64	0.412	18.580	0.346	27.209
Arterial/Freeway	65	0.412	19.255	0.346	28.201
Ramp	34.6	0.579	9.797	0.486	14.388
Local	12.9	1.214	13.067	1.018	19.112

## MWCOG Regional Diesel Bus Emission Factors in 2030

Road Type	Speed (mph)	Diesel Bus Emission Factors (grams/mile)			
		School Bus		Transit Bus	
		VOC	NOx	VOC	NOx
Arterial/Freeway	1	0.8782	0.9424	0.7326	1.2699
Arterial/Freeway	2	0.8782	0.9424	0.7326	1.2699
Arterial/Freeway	3	0.8427	0.9106	0.7030	1.2271
Arterial/Freeway	4	0.7983	0.8708	0.6660	1.1735
Arterial/Freeway	5	0.7717	0.8470	0.6438	1.1414
Arterial/Freeway	6	0.7164	0.7989	0.5976	1.0766
Arterial/Freeway	7	0.6769	0.7646	0.5647	1.0303
Arterial/Freeway	8	0.6473	0.7388	0.5400	0.9956
Arterial/Freeway	9	0.6243	0.7188	0.5208	0.9686
Arterial/Freeway	10	0.6058	0.7027	0.5054	0.9470
Arterial/Freeway	11	0.5732	0.6758	0.4782	0.9107
Arterial/Freeway	12	0.5460	0.6534	0.4555	0.8805
Arterial/Freeway	13	0.5230	0.6344	0.4363	0.8549
Arterial/Freeway	14	0.5033	0.6182	0.4198	0.8330
Arterial/Freeway	15	0.4862	0.6041	0.4056	0.8140
Arterial/Freeway	16	0.4644	0.5876	0.3874	0.7918
Arterial/Freeway	17	0.4451	0.5730	0.3713	0.7722
Arterial/Freeway	18	0.4280	0.5601	0.3570	0.7547
Arterial/Freeway	19	0.4126	0.5485	0.3442	0.7391
Arterial/Freeway	20	0.3989	0.5381	0.3327	0.7251
Arterial/Freeway	21	0.3835	0.5282	0.3199	0.7118
Arterial/Freeway	22	0.3696	0.5192	0.3083	0.6997
Arterial/Freeway	23	0.3569	0.5110	0.2977	0.6886
Arterial/Freeway	24	0.3452	0.5035	0.2880	0.6785
Arterial/Freeway	25	0.3345	0.4966	0.2790	0.6692
Arterial/Freeway	26	0.3235	0.4915	0.2698	0.6624
Arterial/Freeway	27	0.3133	0.4869	0.2613	0.6561
Arterial/Freeway	28	0.3038	0.4826	0.2534	0.6503
Arterial/Freeway	29	0.2950	0.4786	0.2461	0.6449
Arterial/Freeway	30	0.2867	0.4748	0.2392	0.6399
Arterial/Freeway	31	0.2787	0.4738	0.2325	0.6385
Arterial/Freeway	32	0.2712	0.4729	0.2263	0.6373
Arterial/Freeway	33	0.2642	0.4720	0.2204	0.6361
Arterial/Freeway	34	0.2575	0.4712	0.2148	0.6350
Arterial/Freeway	35	0.2513	0.4705	0.2096	0.6340
Arterial/Freeway	36	0.2455	0.4732	0.2048	0.6377
Arterial/Freeway	37	0.2400	0.4759	0.2002	0.6413
Arterial/Freeway	38	0.2348	0.4784	0.1958	0.6446
Arterial/Freeway	39	0.2298	0.4807	0.1917	0.6478
Arterial/Freeway	40	0.2251	0.4830	0.1878	0.6508
Arterial/Freeway	41	0.2209	0.4897	0.1843	0.6599
Arterial/Freeway	42	0.2170	0.4962	0.1810	0.6686
Arterial/Freeway	43	0.2132	0.5023	0.1779	0.6769
Arterial/Freeway	44	0.2096	0.5081	0.1748	0.6848
Arterial/Freeway	45	0.2061	0.5137	0.1720	0.6923
Arterial/Freeway	46	0.2033	0.5251	0.1696	0.7077

Arterial/Freeway	47	0.2005	0.5361	0.1673	0.7224
Arterial/Freeway	48	0.1979	0.5465	0.1651	0.7365
Arterial/Freeway	49	0.1954	0.5566	0.1630	0.7500
Arterial/Freeway	50	0.1930	0.5662	0.1610	0.7630
Arterial/Freeway	51	0.1912	0.5835	0.1595	0.7864
Arterial/Freeway	52	0.1895	0.6002	0.1581	0.8088
Arterial/Freeway	53	0.1878	0.6163	0.1567	0.8305
Arterial/Freeway	54	0.1862	0.6317	0.1553	0.8513
Arterial/Freeway	55	0.1847	0.6466	0.1541	0.8713
Arterial/Freeway	56	0.1838	0.6720	0.1533	0.9055
Arterial/Freeway	57	0.1830	0.6965	0.1526	0.9386
Arterial/Freeway	58	0.1822	0.7201	0.1520	0.9704
Arterial/Freeway	59	0.1814	0.7430	0.1513	1.0012
Arterial/Freeway	60	0.1807	0.7651	0.1507	1.0310
Arterial/Freeway	61	0.1807	0.8019	0.1507	1.0806
Arterial/Freeway	62	0.1807	0.8376	0.1507	1.1287
Arterial/Freeway	63	0.1807	0.8721	0.1507	1.1752
Arterial/Freeway	64	0.1807	0.9055	0.1507	1.2203
Arterial/Freeway	65	0.1807	0.9380	0.1507	1.2640
Ramp	34.6	0.2537	0.4702	0.2117	0.6336
Local	12.9	0.5318	0.6409	0.4436	0.8637

# ATTACHMENT 5

# 1990 TRANSIT BUS CHARACTERISTICS / EMISSIONS

Jurisdiction	Operator	Daily VMT	Average Speed	VOC			NOx		
				factors (g/mile)	emissions (grams)	emissions (tons)	factors (g/mile)	emissions (grams)	emissions (tons)
District of Columbia	Metrobus	44,991	10	6.080	273546.9824	0.3015	34.570	1555348.5496	1.7145
District of Columbia	MTA Commuter buses	2,234	45	2.069	4621.9391	0.0051	25.273	56457.3547	0.0622
District of Columbia	Peter Pan / Trailways	178	55	1.853	329.8340	0.0004	31.809	5662.0020	0.0062
District of Columbia	Carolina Trailways	18	55	1.853	32.9834	0.0000	31.809	566.2002	0.0006
District of Columbia	Capitol Trailways	89	55	1.853	164.9170	0.0002	31.809	2831.0010	0.0031
District of Columbia	Martz / Grey Line sightseeing	445	55	1.853	824.5850	0.0009	31.809	14155.0050	0.0156
District of Columbia	New World Tours	89	20	4.003	356.2670	0.0004	26.469	2355.7410	0.0026
District of Columbia	Georgetown U. shuttle	89	15	4.879	434.2310	0.0005	29.718	2644.9020	0.0029
District of Columbia	American U. shuttle	74	20	4.003	295.7016	0.0003	26.469	1955.2650	0.0022
District of Columbia	George Washington U shuttle	89	15	4.879	434.2310	0.0005	29.718	2644.9020	0.0029
District of Columbia	EPA Shuttle	178	15	4.879	868.4620	0.0010	29.718	5289.8040	0.0058
District of Columbia	USDOT Shuttle	178	15	4.879	868.4620	0.0010	29.718	5289.8040	0.0058
District of Columbia	Gallaudet Shuttle	89	15	4.879	434.2310	0.0005	29.718	2644.9020	0.0029
District of Columbia	Metro Access - paratransit	4,450	15	4.879	21711.5500	0.0239	29.718	132245.1000	0.1458
Maryland	Corridor Transit (CTC)	1,126	18	4.295	4835.5258	0.0053	27.552	31019.4192	0.0342
Maryland	Peter Pan / Trailways	1,602	55	1.853	2968.5060	0.0033	31.809	50958.0180	0.0562
Maryland	Carolina Trailways	200	55	1.853	371.0633	0.0004	31.809	6369.7523	0.0070
Maryland	Capitol Trailways	356	55	1.853	659.6680	0.0007	31.809	11324.0040	0.0125
Maryland	Martz / Grey Line sightseeing	2,003	55	1.853	3710.6325	0.0041	31.809	63697.5225	0.0702
Maryland	New World Tours	89	20	4.003	356.2670	0.0004	26.469	2355.7410	0.0026
Montgomery	Metrobus	15,363	15	4.879	74956.9552	0.0826	29.718	456562.9832	0.5033
Montgomery	MTA Commuter buses	1,940	45	2.069	4014.2738	0.0044	25.273	49034.6746	0.0541
Montgomery	Mont. Co. Ride-On	31,698	15	4.879	154655.7130	0.1705	29.718	942008.2963	1.0384



# 1990 TRANSIT BUS CHARACTERISTICS / EMISSIONS

Jurisdiction	Operator	Daily VMT	Average Speed	VOC			NOx		
				factors (g/mile)	emissions (grams)	emissions (tons)	factors (g/mile)	emissions (grams)	emissions (tons)
Prince George's	Metrobus	21,947	15	4.879	107081.3646	0.1180	29.718	652232.8332	0.7190
Prince George's	MTA Commuter buses	6,088	45	2.069	12595.2444	0.0139	25.273	153851.9148	0.1696
Prince George's	PG Co. The Bus	8,653	15	4.879	42220.2801	0.0465	29.718	257163.8215	0.2835
Prince George's	ShuttleUM (U. of MD)	1,659	11	5.753	9543.9969	0.0105	33.247	55155.4431	0.0608
Prince George's	P.G. Co. paratransit	2,670	15	4.879	13026.9300	0.0144	29.718	79347.0600	0.0875
Frederick	MTA Commuter buses	329	45	2.069	681.3217	0.0008	25.273	8322.3989	0.0092
Frederick	Fredrick Co. TransiT	2,743	12	5.480	15031.5304	0.0166	32.144	88170.3491	0.0972
Charles	MTA Commuter buses	2,038	45	2.069	4216.8289	0.0046	25.273	51508.9013	0.0568
Calvert	MTA Commuter buses	961	45	2.069	1988.7228	0.0022	25.273	24292.4076	0.0268
Virginia	Metrobus	27,434	15	4.879	133851.7058	0.1475	29.718	815291.0415	0.8987
Virginia	Lee Coaches	62	45	2.069	128.8987	0.0001	25.273	1574.5079	0.0017
Virginia	Brooks Transit	668	45	2.069	1381.0575	0.0015	25.273	16869.7275	0.0186
Virginia	Quicks Commuter Service	1,175	45	2.069	2430.6612	0.0027	25.273	29690.7204	0.0327
Virginia	National Coach Works	1,469	45	2.069	3038.3265	0.0033	25.273	37113.4005	0.0409
Virginia	Greyhound / Trailways (VA)	4,450	55	1.853	8245.8500	0.0091	31.809	141550.0500	0.1560
Virginia	Carolina Trailways	200	55	1.853	371.0633	0.0004	31.809	6369.7523	0.0070
Virginia	Martz / Grey Line sightseeing	2,003	55	1.853	3710.6325	0.0041	31.809	63697.5225	0.0702
Virginia	New World Tours	89	20	4.003	356.2670	0.0004	26.469	2355.7410	0.0026
Alexandria	Alexandria DASH	3,074	13	5.249	16135.7409	0.0178	31.211	95944.4867	0.1058
Alexandria	Old Town "trolley" buses	267	20	4.003	1068.8010	0.0012	26.469	7067.2230	0.0078
Alexandria	Alexandria DOT-paratransit	822	15	4.879	4012.2944	0.0044	29.718	24438.8945	0.0269
Arlington	Arlington Co. ART	707	16	4.660	3293.0356	0.0036	28.906	20426.7140	0.0225
Arlington	Crystal City Express	85	15	4.879	416.8618	0.0005	29.718	2539.1059	0.0028
Arlington	Skyline Crystal Express	128	15	4.879	625.2926	0.0007	29.718	3808.6589	0.0042

## 1990 TRANSIT BUS CHARACTERISTICS / EMISSIONS

Jurisdiction	Operator	Daily VMT	Average Speed	VOC			NOx		
				factors (g/mile)	emissions (grams)	emissions (tons)	factors (g/mile)	emissions (grams)	emissions (tons)
Arlington	Arlington STAR-paratransit	2,888	15	4.879	14090.7960	0.0155	29.718	85827.0699	0.0946
Fairfax	Fairfax Connector	16,052	15	4.879	78317.9032	0.0863	29.718	477034.5247	0.5258
Fairfax	Washington Flyer Coach Service	1,219	65	1.813	2210.5909	0.0024	46.143	56262.1599	0.0620
Fairfax	Fairfax Co. Fastran- paratransit	10,170	15	4.879	49619.5764	0.0547	29.718	302232.9515	0.3332
Fairfax	City of Fairfax CUE	1,320	15	4.879	6439.6457	0.0071	29.718	39223.8967	0.0432
Fairfax	City of Ffx, City Wheels- paratransit.	89	15	4.879	434.2310	0.0005	29.718	2644.9020	0.0029
Fairfax	City of Falls Ch. Fare Wheels- paratransit	89	15	4.879	434.2310	0.0005	29.718	2644.9020	0.0029
Prince William	PRTC Omnilink	3,594	15	4.879	17534.2478	0.0193	29.718	106801.1428	0.1177
Prince William	PRTC OmniRide	5,073	27	3.144	15949.5120	0.0176	23.953	121513.5690	0.1339
Loudoun	Loudoun Transportation Assc.	4,033	15	4.879	19679.3489	0.0217	29.718	119866.9586	0.1321
Loudoun	Loudoun Commuter Service	1,661	25	3.357	5575.1042	0.0061	24.428	40568.5567	0.0447
Loudoun	Loudoun Transit (LCTA)- paratransit	89	15	4.879	434.2310	0.0005	29.718	2644.9020	0.0029
<b>TOTAL</b>		243,567			1147625.1076	1.2650		7399469.1554	8.1565

Notes:

- 1) Used WMATA percent VMT by jurisdiction from FY03-08 AQC, Appendix I (page I-3)
- 2) Assumed average freeway speed of 55 mph where higher than 55 speed limit is available, and 45 mph where speed limit is 55

# 1990 SCHOOL BUS CHARACTERISTICS / EMISSIONS

Jurisdiction	Daily VMT	Average Speed	VOC			NOx		
			factors (g/mile)	emissions (grams)	emissions (tons)	factors (g/mile)	emissions (grams)	emissions (tons)
District of Columbia	11,299	14	2.336	26395.4918	0.0291	16.035	181186.5204	0.1997
Montgomery	89,000	30	1.331	118459.0000	0.1306	12.317	1096213.0000	1.2084
Prince George's	115,671	30	1.331	153957.6085	0.1697	12.317	1424715.1497	1.5705
Frederick	22,774	30	1.331	30312.4735	0.0334	12.317	280509.9446	0.3092
Charles	18,513	30	1.331	24640.6566	0.0272	12.317	228023.2661	0.2514
Calvert	22,831	30	1.331	30388.2873	0.0335	12.317	281211.5209	0.3100
Alexandria	1,805	25	1.552	2801.2358	0.0031	12.881	23249.1745	0.0256
Arlington	2,314	25	1.552	3591.3280	0.0040	12.881	29806.6340	0.0329
Fairfax	85,906	30	1.331	114341.3652	0.1260	12.317	1058108.6361	1.1664
Prince William	32,141	30	1.331	42780.2833	0.0472	12.317	395886.3628	0.4364
Loudoun	25,229	30	1.331	33579.5727	0.0370	12.317	310743.4991	0.3425
Stafford	8,553	30	1.331	11383.9099	0.0125	12.317	105346.0693	0.1161
<b>TOTAL</b>	436,037			592631.2126	0.6533		5414999.7776	5.9690

## 1996 TRANSIT BUS CHARACTERISTICS / EMISSIONS (1990 Adjusted)

Jurisdiction	Operator	Daily VMT	Average Speed	VOC			NOx		
				factors (g/mile)	emissions (grams)	emissions (tons)	factors (g/mile)	emissions (grams)	emissions (tons)
District of Columbia	Metrobus	44,991	10	3.565	160393.9132	0.1768	27.205	1223987.7724	1.3492
District of Columbia	MTA Commuter buses	2,234	45	1.213	2709.7207	0.0030	19.889	44430.0371	0.0490
District of Columbia	Peter Pan / Trailways	178	55	1.087	193.4860	0.0002	25.032	4455.6960	0.0049
District of Columbia	Carolina Trailways	18	55	1.087	19.3486	0.0000	25.032	445.5696	0.0005
District of Columbia	Capitol Trailways	89	55	1.087	96.7430	0.0001	25.032	2227.8480	0.0025
District of Columbia	Martz / Grey Line sightseeing	445	55	1.087	483.7150	0.0005	25.032	11139.2400	0.0123
District of Columbia	New World Tours	89	20	2.347	208.8830	0.0002	20.830	1853.8700	0.0020
District of Columbia	Georgetown U. shuttle	89	15	2.861	254.6290	0.0003	23.386	2081.3540	0.0023
District of Columbia	American U. shuttle	74	20	2.347	173.3729	0.0002	20.830	1538.7121	0.0017
District of Columbia	George Washington U shuttle	89	15	2.861	254.6290	0.0003	23.386	2081.3540	0.0023
District of Columbia	EPA Shuttle	178	15	2.861	509.2580	0.0006	23.386	4162.7080	0.0046
District of Columbia	USDOT Shuttle	178	15	2.861	509.2580	0.0006	23.386	4162.7080	0.0046
District of Columbia	Gallaudet Shuttle	89	15	2.861	254.6290	0.0003	23.386	2081.3540	0.0023
District of Columbia	Metro Access - paratransit	4,450	15	2.861	12731.4500	0.0140	23.386	104067.7000	0.1147
Maryland	Corridor Transit (CTC)	1,126	18	2.519	2836.0162	0.0031	21.682	24410.6797	0.0269
Maryland	Peter Pan / Trailways	1,602	55	1.087	1741.3740	0.0019	25.032	40101.2640	0.0442
Maryland	Carolina Trailways	200	55	1.087	217.6718	0.0002	25.032	5012.6580	0.0055
Maryland	Capitol Trailways	356	55	1.087	386.9720	0.0004	25.032	8911.3920	0.0098
Maryland	Martz / Grey Line sightseeing	2,003	55	1.087	2176.7175	0.0024	25.032	50126.5800	0.0553
Maryland	New World Tours	89	20	2.347	208.8830	0.0002	20.830	1853.8700	0.0020
Montgomery	Metrobus	15,363	15	2.861	43954.0580	0.0485	23.386	359283.3275	0.3960
Montgomery	MTA Commuter buses	1,940	45	1.213	2353.4626	0.0026	19.889	38588.6378	0.0425
Montgomery	Mont. Co. Ride-On	31,698	15	2.861	90688.6646	0.1000	23.386	741295.0406	0.8171
Prince George's	Metrobus	21,947	15	2.861	62791.5114	0.0692	23.386	513261.8964	0.5658

## 1996 TRANSIT BUS CHARACTERISTICS / EMISSIONS (1990 Adjusted)

Jurisdiction	Operator	Daily VMT	Average Speed	VOC			NOx		
				factors (g/mile)	emissions (grams)	emissions (tons)	factors (g/mile)	emissions (grams)	emissions (tons)
Prince George's	MTA Commuter buses	6,088	45	1.213	7384.2588	0.0081	19.889	121076.2764	0.1335
Prince George's	PG Co. The Bus	8,653	15	2.861	24757.5777	0.0273	23.386	202370.0494	0.2231
Prince George's	ShuttleUM (U. of MD)	1,659	11	3.373	5595.6721	0.0062	26.163	43403.3705	0.0478
Prince George's	P.G. Co. paratransit	2,670	15	2.861	7638.8700	0.0084	23.386	62440.6200	0.0688
Frederick	MTA Commuter buses	329	45	1.213	399.4409	0.0004	19.889	6549.4477	0.0072
Frederick	Fredrick Co. TransIT	2,743	12	3.213	8813.1947	0.0097	25.296	69386.4221	0.0765
Charles	MTA Commuter buses	2,038	45	1.213	2472.2153	0.0027	19.889	40535.7709	0.0447
Calvert	MTA Commuter buses	961	45	1.213	1165.9356	0.0013	19.889	19117.3068	0.0211
Virginia	Metrobus	27,434	15	2.861	78489.3893	0.0865	23.386	641577.3705	0.7072
Virginia	Lee Coaches	62	45	1.213	75.5699	0.0001	19.889	1239.0847	0.0014
Virginia	Brooks Transit	668	45	1.213	809.6775	0.0009	19.889	13275.9075	0.0146
Virginia	Quicks Commuter Service	1,175	45	1.213	1425.0324	0.0016	19.889	23365.5972	0.0258
Virginia	National Coach Works	1,469	45	1.213	1781.2905	0.0020	19.889	29206.9965	0.0322
Virginia	Greyhound / Trailways (VA)	4,450	55	1.087	4837.1500	0.0053	25.032	111392.4000	0.1228
Virginia	Carolina Trailways	200	55	1.087	217.6718	0.0002	25.032	5012.6580	0.0055
Virginia	Martz / Grey Line sightseeing	2,003	55	1.087	2176.7175	0.0024	25.032	50126.5800	0.0553
Virginia	New World Tours	89	20	2.347	208.8830	0.0002	20.830	1853.8700	0.0020
Alexandria	Alexandria DASH	3,074	13	3.078	9461.9567	0.0104	24.561	75501.9877	0.0832
Alexandria	Old Town "trolley" buses	267	20	2.347	626.6490	0.0007	20.830	5561.6100	0.0061
Alexandria	Alexandria DOT-paratransit	822	15	2.861	2352.7720	0.0026	23.386	19231.7110	0.0212
Arlington	Arlington Co. ART	707	16	2.733	1931.3018	0.0021	22.747	16074.3950	0.0177
Arlington	Crystal City Express	85	15	2.861	244.4438	0.0003	23.386	1998.0998	0.0022
Arlington	Skyline Crystal Express	128	15	2.861	366.6658	0.0004	23.386	2997.1498	0.0033
Arlington	Arlington STAR-paratransit	2,888	15	2.861	8262.7111	0.0091	23.386	67539.9373	0.0745

## 1996 TRANSIT BUS CHARACTERISTICS / EMISSIONS (1990 Adjusted)

Jurisdiction	Operator	Daily VMT	Average Speed	VOC			NOx		
				factors (g/mile)	emissions (grams)	emissions (tons)	factors (g/mile)	emissions (grams)	emissions (tons)
Fairfax	Fairfax Connector	16,052	15	2.861	45924.8864	0.0506	23.386	375393.0074	0.4138
Fairfax	Washington Flyer Coach Service	1,219	65	1.063	1296.1159	0.0014	36.312	44275.2216	0.0488
Fairfax	Fairfax Co. Fastran- paratransit	10,170	15	2.861	29096.4558	0.0321	23.386	237836.3216	0.2622
Fairfax	City of Fairfax CUE	1,320	15	2.861	3776.1481	0.0042	23.386	30866.4798	0.0340
Fairfax	City of Ffx, City Wheels- paratransit.	89	15	2.861	254.6290	0.0003	23.386	2081.3540	0.0023
Fairfax	City of Falls Ch. Fare Wheels- paratransit	89	15	2.861	254.6290	0.0003	23.386	2081.3540	0.0023
Prince William	PRTC Omnalink	3,594	15	2.861	10281.9190	0.0113	23.386	84045.0745	0.0926
Prince William	PRTC OmniRide	5,073	27	1.844	9354.6120	0.0103	18.850	95626.0500	0.1054
Loudoun	Loudoun Transportation Assc.	4,033	15	2.861	11539.7863	0.0127	23.386	94326.9633	0.1040
Loudoun	Loudoun Commuter Service	1,661	25	1.968	3268.3363	0.0036	19.224	31926.0658	0.0352
Loudoun	Loudoun Transit (LCTA)- paratransit	89	15	2.861	254.6290	0.0003	23.386	2081.3540	0.0023
<b>TOTAL</b>		243,567			672945.5602	0.7418		5822935.1339	6.4187

Notes:

- 1) Used WMATA percent VMT by jurisdiction from FY03-08 AQC, Appendix I (page I-3)
- 2) Assumed average freeway speed of 55 mph where higher than 55 speed limit is available, and 45 mph where speed limit is 55

## 1996 SCHOOL BUS CHARACTERISTICS / EMISSIONS (1990 Adjusted)

Jurisdiction	Daily VMT	Average Speed	VOC			NOx		
			factors (g/mile)	emissions (grams)	emissions (tons)	factors (g/mile)	emissions (grams)	emissions (tons)
District of Columbia	11,299	14	1.794	20271.1954	0.0223	15.356	173514.2006	0.1913
Montgomery	89,000	30	1.022	90958.0000	0.1003	11.795	1049755.0000	1.1572
Prince George's	115,671	30	1.022	118215.3839	0.1303	11.795	1364335.0809	1.5039
Frederick	22,774	30	1.022	23275.2426	0.0257	11.795	268621.8070	0.2961
Charles	18,513	30	1.022	18920.1736	0.0209	11.795	218359.5376	0.2407
Calvert	22,831	30	1.022	23333.4557	0.0257	11.795	269293.6502	0.2968
Alexandria	1,805	25	1.193	2153.2696	0.0024	12.335	22263.6882	0.0245
Arlington	2,314	25	1.193	2760.6020	0.0030	12.335	28543.1900	0.0315
Fairfax	85,906	30	1.022	87796.2999	0.0968	11.795	1013265.5162	1.1169
Prince William	32,141	30	1.022	32848.5721	0.0362	11.795	379108.5207	0.4179
Loudoun	25,229	30	1.022	25783.8643	0.0284	11.795	297574.0499	0.3280
Stafford	8,553	30	1.022	8741.0638	0.0096	11.795	100881.4555	0.1112
<b>TOTAL</b>	436,037			455057.1228	0.5016		5185515.6966	5.7161

## 1999 TRANSIT BUS CHARACTERISTICS / EMISSIONS (1990 Adjusted)

Jurisdiction	Operator	Daily VMT	Average Speed	VOC			NOx		
				factors (g/mile)	emissions (grams)	emissions (tons)	factors (g/mile)	emissions (grams)	emissions (tons)
District of Columbia	Metrobus	44,991	10	3.038	136683.5086	0.1507	25.780	1159875.1984	1.2785
District of Columbia	MTA Commuter buses	2,234	45	1.034	2309.8526	0.0025	18.847	42102.3133	0.0464
District of Columbia	Peter Pan / Trailways	178	55	0.926	164.8280	0.0002	23.721	4222.3380	0.0047
District of Columbia	Carolina Trailways	18	55	0.926	16.4828	0.0000	23.721	422.2338	0.0005
District of Columbia	Capitol Trailways	89	55	0.926	82.4140	0.0001	23.721	2111.1690	0.0023
District of Columbia	Martz / Grey Line sightseeing	445	55	0.926	412.0700	0.0005	23.721	10555.8450	0.0116
District of Columbia	New World Tours	89	20	2.000	178.0000	0.0002	19.739	1756.7710	0.0019
District of Columbia	Georgetown U. shuttle	89	15	2.438	216.9820	0.0002	22.161	1972.3290	0.0022
District of Columbia	American U. shuttle	74	20	2.000	147.7400	0.0002	19.739	1458.1199	0.0016
District of Columbia	George Washington U shuttle	89	15	2.438	216.9820	0.0002	22.161	1972.3290	0.0022
District of Columbia	EPA Shuttle	178	15	2.438	433.9640	0.0005	22.161	3944.6580	0.0043
District of Columbia	USDOT Shuttle	178	15	2.438	433.9640	0.0005	22.161	3944.6580	0.0043
District of Columbia	Gallaudet Shuttle	89	15	2.438	216.9820	0.0002	22.161	1972.3290	0.0022
District of Columbia	Metro Access - paratransit	4,450	15	2.438	10849.1000	0.0120	22.161	98616.4500	0.1087
Maryland	Corridor Transit (CTC)	1,126	18	2.146	2416.0741	0.0027	20.546	23131.7141	0.0255
Maryland	Peter Pan / Trailways	1,602	55	0.926	1483.4520	0.0016	23.721	38001.0420	0.0419
Maryland	Carolina Trailways	200	55	0.926	185.4315	0.0002	23.721	4750.1303	0.0052
Maryland	Capitol Trailways	356	55	0.926	329.6560	0.0004	23.721	8444.6760	0.0093
Maryland	Martz / Grey Line sightseeing	2,003	55	0.926	1854.3150	0.0020	23.721	47501.3025	0.0524
Maryland	New World Tours	89	20	2.000	178.0000	0.0002	19.739	1756.7710	0.0019
Montgomery	Metrobus	15,363	15	2.438	37455.4328	0.0413	22.161	340463.4320	0.3753
Montgomery	MTA Commuter buses	1,940	45	1.034	2006.1668	0.0022	18.847	36566.9494	0.0403
Montgomery	Mont. Co. Ride-On	31,698	15	2.438	77280.3091	0.0852	22.161	702464.6966	0.7743
Prince George's	Metrobus	21,947	15	2.438	53507.7612	0.0590	22.161	486376.3314	0.5361



## 1999 TRANSIT BUS CHARACTERISTICS / EMISSIONS (1990 Adjusted)

Jurisdiction	Operator	Daily VMT	Average Speed	VOC			NOx		
				factors (g/mile)	emissions (grams)	emissions (tons)	factors (g/mile)	emissions (grams)	emissions (tons)
Prince George's	MTA Commuter buses	6,088	45	1.034	6294.5784	0.0069	18.847	114732.9972	0.1265
Prince George's	PG Co. The Bus	8,653	15	2.438	21097.1599	0.0233	22.161	191769.5487	0.2114
Prince George's	ShuttleUM (U. of MD)	1,659	11	2.874	4767.8510	0.0053	24.793	41130.5953	0.0453
Prince George's	P.G. Co. paratransit	2,670	15	2.438	6509.4600	0.0072	22.161	59169.8700	0.0652
Frederick	MTA Commuter buses	329	45	1.034	340.4962	0.0004	18.847	6206.3171	0.0068
Frederick	Fredrick Co. TransIT	2,743	12	2.738	7510.2792	0.0083	23.970	65749.2306	0.0725
Charles	MTA Commuter buses	2,038	45	1.034	2107.3954	0.0023	18.847	38412.0707	0.0423
Calvert	MTA Commuter buses	961	45	1.034	993.8808	0.0011	18.847	18115.7364	0.0200
Virginia	Metrobus	27,434	15	2.438	66884.7015	0.0737	22.161	607970.4143	0.6702
Virginia	Lee Coaches	62	45	1.034	64.4182	0.0001	18.847	1174.1681	0.0013
Virginia	Brooks Transit	668	45	1.034	690.1950	0.0008	18.847	12580.3725	0.0139
Virginia	Quicks Commuter Service	1,175	45	1.034	1214.7432	0.0013	18.847	22141.4556	0.0244
Virginia	National Coach Works	1,469	45	1.034	1518.4290	0.0017	18.847	27676.8195	0.0305
Virginia	Greyhound / Trailways (VA)	4,450	55	0.926	4120.7000	0.0045	23.721	105558.4500	0.1164
Virginia	Carolina Trailways	200	55	0.926	185.4315	0.0002	23.721	4750.1303	0.0052
Virginia	Martz / Grey Line sightseeing	2,003	55	0.926	1854.3150	0.0020	23.721	47501.3025	0.0524
Virginia	New World Tours	89	20	2.000	178.0000	0.0002	19.739	1756.7710	0.0019
Alexandria	Alexandria DASH	3,074	13	2.623	8063.2594	0.0089	23.275	71548.7465	0.0789
Alexandria	Old Town "trolley" buses	267	20	2.000	534.0000	0.0006	19.739	5270.3130	0.0058
Alexandria	Alexandria DOT-paratransit	822	15	2.438	2004.9137	0.0022	22.161	18224.3200	0.0201
Arlington	Arlington Co. ART	707	16	2.328	1645.1045	0.0018	21.556	15232.7630	0.0168
Arlington	Crystal City Express	85	15	2.438	208.3027	0.0002	22.161	1893.4358	0.0021
Arlington	Skyline Crystal Express	128	15	2.438	312.4541	0.0003	22.161	2840.1538	0.0031
Arlington	Arlington STAR-paratransit	2,888	15	2.438	7041.0659	0.0078	22.161	64002.0761	0.0706

## 1999 TRANSIT BUS CHARACTERISTICS / EMISSIONS (1990 Adjusted)

Jurisdiction	Operator	Daily VMT	Average Speed	VOC			NOx		
				factors (g/mile)	emissions (grams)	emissions (tons)	factors (g/mile)	emissions (grams)	emissions (tons)
Fairfax	Fairfax Connector	16,052	15	2.438	39134.8735	0.0431	22.161	355729.2584	0.3921
Fairfax	Washington Flyer Coach Service	1,219	65	0.906	1104.6858	0.0012	34.410	41956.1130	0.0462
Fairfax	Fairfax Co. Fastran- paratransit	10,170	15	2.438	24794.5331	0.0273	22.161	225378.0348	0.2484
Fairfax	City of Fairfax CUE	1,320	15	2.438	3217.8431	0.0035	22.161	29249.6391	0.0322
Fairfax	City of Ffx, City Wheels- paratransit.	89	15	2.438	216.9820	0.0002	22.161	1972.3290	0.0022
Fairfax	City of Falls Ch. Fare Wheels- paratransit	89	15	2.438	216.9820	0.0002	22.161	1972.3290	0.0022
Prince William	PRTC Omnalink	3,594	15	2.438	8761.7332	0.0097	22.161	79642.6450	0.0878
Prince William	PRTC OmniRide	5,073	27	1.571	7969.6830	0.0088	17.862	90613.9260	0.0999
Loudoun	Loudoun Transportation Assc.	4,033	15	2.438	9833.6242	0.0108	22.161	89385.9503	0.0985
Loudoun	Loudoun Commuter Service	1,661	25	1.677	2785.0610	0.0031	18.217	30253.7006	0.0333
Loudoun	Loudoun Transit (LCTA)- paratransit	89	15	2.438	216.9820	0.0002	22.161	1972.3290	0.0022
<b>TOTAL</b>		243,567			573453.5861	0.6321		5517918.0986	6.0825

Notes:

- 1) Used WMATA percent VMT by jurisdiction from FY03-08 AQC, Appendix I (page I-3)
- 2) Assumed average freeway speed of 55 mph where higher than 55 speed limit is available, and 45 mph where speed limit is 55

## 1999 SCHOOL BUS CHARACTERISTICS / EMISSIONS (1990 Adjusted)

Jurisdiction	Daily VMT	Average Speed	VOC			NOx		
			factors (g/mile)	emissions (grams)	emissions (tons)	factors (g/mile)	emissions (grams)	emissions (tons)
District of Columbia	11,299	14	1.643	18564.9799	0.0205	15.280	172655.4432	0.1903
Montgomery	89,000	30	0.936	83304.0000	0.0918	11.737	1044593.0000	1.1515
Prince George's	115,671	30	0.936	108267.7097	0.1193	11.737	1357626.1843	1.4965
Frederick	22,774	30	0.936	21316.6606	0.0235	11.737	267300.9028	0.2946
Charles	18,513	30	0.936	17328.0650	0.0191	11.737	217285.7899	0.2395
Calvert	22,831	30	0.936	21369.9751	0.0236	11.737	267969.4423	0.2954
Alexandria	1,805	25	1.092	1970.9726	0.0022	12.274	22153.5881	0.0244
Arlington	2,314	25	1.092	2526.8880	0.0028	12.274	28402.0360	0.0313
Fairfax	85,906	30	0.936	80408.3530	0.0886	11.737	1008282.9473	1.1114
Prince William	32,141	30	0.936	30084.4066	0.0332	11.737	377244.3160	0.4158
Loudoun	25,229	30	0.936	23614.1849	0.0260	11.737	296110.7777	0.3264
Stafford	8,553	30	0.936	8005.5144	0.0088	11.737	100385.3873	0.1107
<b>TOTAL</b>	436,037			416761.7098	0.4594		5160009.8149	5.6879

## 2002 TRANSIT BUS CHARACTERISTICS / EMISSIONS (1990 Adjusted)

Jurisdiction	Operator	Daily VMT	Average Speed	VOC			NOx		
				factors (g/mile)	emissions (grams)	emissions (tons)	factors (g/mile)	emissions (grams)	emissions (tons)
District of Columbia	Metrobus	44,991	10	2.452	110318.6186	0.1216	24.675	1110159.8340	1.2237
District of Columbia	MTA Commuter buses	2,234	45	0.834	1863.0726	0.0021	18.030	40277.2170	0.0444
District of Columbia	Peter Pan / Trailways	178	55	0.747	132.9660	0.0001	22.701	4040.7780	0.0045
District of Columbia	Carolina Trailways	18	55	0.747	13.2966	0.0000	22.701	404.0778	0.0004
District of Columbia	Capitol Trailways	89	55	0.747	66.4830	0.0001	22.701	2020.3890	0.0022
District of Columbia	Martz / Grey Line sightseeing	445	55	0.747	332.4150	0.0004	22.701	10101.9450	0.0111
District of Columbia	New World Tours	89	20	1.614	143.6460	0.0002	18.885	1680.7650	0.0019
District of Columbia	Georgetown U. shuttle	89	15	1.968	175.1520	0.0002	21.207	1887.4230	0.0021
District of Columbia	American U. shuttle	74	20	1.614	119.2262	0.0001	18.885	1395.0350	0.0015
District of Columbia	George Washington U shuttle	89	15	1.968	175.1520	0.0002	21.207	1887.4230	0.0021
District of Columbia	EPA Shuttle	178	15	1.968	350.3040	0.0004	21.207	3774.8460	0.0042
District of Columbia	USDOT Shuttle	178	15	1.968	350.3040	0.0004	21.207	3774.8460	0.0042
District of Columbia	Gallaudet Shuttle	89	15	1.968	175.1520	0.0002	21.207	1887.4230	0.0021
District of Columbia	Metro Access - paratransit	4,450	15	1.968	8757.6000	0.0097	21.207	94371.1500	0.1040
Maryland	Corridor Transit (CTC)	1,126	18	1.732	1949.9722	0.0021	19.659	22133.0852	0.0244
Maryland	Peter Pan / Trailways	1,602	55	0.747	1196.6940	0.0013	22.701	36367.0020	0.0401
Maryland	Carolina Trailways	200	55	0.747	149.5868	0.0002	22.701	4545.8753	0.0050
Maryland	Capitol Trailways	356	55	0.747	265.9320	0.0003	22.701	8081.5560	0.0089
Maryland	Martz / Grey Line sightseeing	2,003	55	0.747	1495.8675	0.0016	22.701	45458.7525	0.0501
Maryland	New World Tours	89	20	1.614	143.6460	0.0002	18.885	1680.7650	0.0019
Montgomery	Metrobus	15,363	15	1.968	30234.7382	0.0333	21.207	325806.9583	0.3591
Montgomery	MTA Commuter buses	1,940	45	0.834	1618.1268	0.0018	18.030	34981.8060	0.0386
Montgomery	Mont. Co. Ride-On	31,698	15	1.968	62382.1363	0.0688	21.207	672224.5757	0.7410
Prince George's	Metrobus	21,947	15	1.968	43192.4832	0.0476	21.207	465438.5118	0.5131

## 2002 TRANSIT BUS CHARACTERISTICS / EMISSIONS (1990 Adjusted)

Jurisdiction	Operator	Daily VMT	Average Speed	VOC			NOx		
				factors (g/mile)	emissions (grams)	emissions (tons)	factors (g/mile)	emissions (grams)	emissions (tons)
Prince George's	MTA Commuter buses	6,088	45	0.834	5077.0584	0.0056	18.030	109759.4280	0.1210
Prince George's	PG Co. The Bus	8,653	15	1.968	17030.0290	0.0188	21.207	183514.1383	0.2023
Prince George's	ShuttleUM (U. of MD)	1,659	11	2.320	3848.7872	0.0042	23.729	39365.4618	0.0434
Prince George's	P.G. Co. paratransit	2,670	15	1.968	5254.5600	0.0058	21.207	56622.6900	0.0624
Frederick	MTA Commuter buses	329	45	0.834	274.6362	0.0003	18.030	5937.2790	0.0065
Frederick	Fredrick Co. TransiT	2,743	12	2.210	6061.9858	0.0067	22.941	62926.7042	0.0694
Charles	MTA Commuter buses	2,038	45	0.834	1699.7754	0.0019	18.030	36746.9430	0.0405
Calvert	MTA Commuter buses	961	45	0.834	801.6408	0.0009	18.030	17330.4360	0.0191
Virginia	Metrobus	27,434	15	1.968	53990.6040	0.0595	21.207	581798.1398	0.6413
Virginia	Lee Coaches	62	45	0.834	51.9582	0.0001	18.030	1123.2690	0.0012
Virginia	Brooks Transit	668	45	0.834	556.6950	0.0006	18.030	12035.0250	0.0133
Virginia	Quicks Commuter Service	1,175	45	0.834	979.7832	0.0011	18.030	21181.6440	0.0233
Virginia	National Coach Works	1,469	45	0.834	1224.7290	0.0014	18.030	26477.0550	0.0292
Virginia	Greyhound / Trailways (VA)	4,450	55	0.747	3324.1500	0.0037	22.701	101019.4500	0.1114
Virginia	Carolina Trailways	200	55	0.747	149.5868	0.0002	22.701	4545.8753	0.0050
Virginia	Martz / Grey Line sightseeing	2,003	55	0.747	1495.8675	0.0016	22.701	45458.7525	0.0501
Virginia	New World Tours	89	20	1.614	143.6460	0.0002	18.885	1680.7650	0.0019
Alexandria	Alexandria DASH	3,074	13	2.117	6507.7850	0.0072	22.274	68471.6124	0.0755
Alexandria	Old Town "trolley" buses	267	20	1.614	430.9380	0.0005	18.885	5042.2950	0.0056
Alexandria	Alexandria DOT-paratransit	822	15	1.968	1618.4045	0.0018	21.207	17439.7885	0.0192
Arlington	Arlington Co. ART	707	16	1.879	1327.8141	0.0015	20.626	14575.5692	0.0161
Arlington	Crystal City Express	85	15	1.968	168.1459	0.0002	21.207	1811.9261	0.0020
Arlington	Skyline Crystal Express	128	15	1.968	252.2189	0.0003	21.207	2717.8891	0.0030
Arlington	Arlington STAR-paratransit	2,888	15	1.968	5683.6824	0.0063	21.207	61246.8764	0.0675

## 2002 TRANSIT BUS CHARACTERISTICS / EMISSIONS (1990 Adjusted)

Jurisdiction	Operator	Daily VMT	Average Speed	VOC			NOx		
				factors (g/mile)	emissions (grams)	emissions (tons)	factors (g/mile)	emissions (grams)	emissions (tons)
Fairfax	Fairfax Connector	16,052	15	1.968	31590.4147	0.0348	21.207	340415.6123	0.3752
Fairfax	Washington Flyer Coach Service	1,219	65	0.731	891.3083	0.0010	32.947	40172.2771	0.0443
Fairfax	Fairfax Co. Fastran- paratransit	10,170	15	1.968	20014.6190	0.0221	21.207	215675.8262	0.2377
Fairfax	City of Fairfax CUE	1,320	15	1.968	2597.5042	0.0029	21.207	27990.4831	0.0309
Fairfax	City of Ffx, City Wheels- paratransit.	89	15	1.968	175.1520	0.0002	21.207	1887.4230	0.0021
Fairfax	City of Falls Ch. Fare Wheels- paratransit	89	15	1.968	175.1520	0.0002	21.207	1887.4230	0.0021
Prince William	PRTC Omnalink	3,594	15	1.968	7072.6378	0.0078	21.207	76214.1407	0.0840
Prince William	PRTC OmniRide	5,073	27	1.268	6432.5640	0.0071	17.086	86677.2780	0.0955
Loudoun	Loudoun Transportation Assc.	4,033	15	1.968	7937.8886	0.0088	21.207	85538.0104	0.0943
Loudoun	Loudoun Commuter Service	1,661	25	1.354	2248.6420	0.0025	17.426	28940.0552	0.0319
Loudoun	Loudoun Transit (LCTA)- paratransit	89	15	1.968	175.1520	0.0002	21.207	1887.4230	0.0021
<b>TOTAL</b>		243,567			462868.0868	0.5102		5280497.0039	5.8207

Notes:

- 1) Used WMATA percent VMT by jurisdiction from FY03-08 AQC, Appendix I (page I-3)
- 2) Assumed average freeway speed of 55 mph where higher than 55 speed limit is available, and 45 mph where speed limit is 55

## 2002 SCHOOL BUS CHARACTERISTICS / EMISSIONS (1990 Adjusted)

Jurisdiction	Daily VMT	Average Speed	VOC			NOx		
			factors (g/mile)	emissions (grams)	emissions (tons)	factors (g/mile)	emissions (grams)	emissions (tons)
District of Columbia	11,299	14	1.529	17276.8438	0.0190	15.192	171661.0925	0.1892
Montgomery	89,000	30	0.871	77519.0000	0.0855	11.662	1037918.0000	1.1441
Prince George's	115,671	30	0.871	100749.1187	0.1111	11.662	1348950.8871	1.4870
Frederick	22,774	30	0.871	19836.3369	0.0219	11.662	265592.8370	0.2928
Charles	18,513	30	0.871	16124.7272	0.0178	11.662	215897.3232	0.2380
Calvert	22,831	30	0.871	19885.9491	0.0219	11.662	266257.1045	0.2935
Alexandria	1,805	25	1.016	1833.7987	0.0020	12.197	22014.6092	0.0243
Arlington	2,314	25	1.016	2351.0240	0.0026	12.197	28223.8580	0.0311
Fairfax	85,906	30	0.871	74824.4396	0.0825	11.662	1001839.9703	1.1043
Prince William	32,141	30	0.871	27995.2117	0.0309	11.662	374833.7065	0.4132
Loudoun	25,229	30	0.871	21974.3109	0.0242	11.662	294218.6155	0.3243
Stafford	8,553	30	0.871	7449.5759	0.0082	11.662	99743.9198	0.1099
<b>TOTAL</b>	436,037			387820.3364	0.4275		5127151.9236	5.6517

## 2005 TRANSIT BUS CHARACTERISTICS / EMISSIONS (1990 Adjusted)

Jurisdiction	Operator	Daily VMT	Average Speed	VOC			NOx		
				factors (g/mile)	emissions (grams)	emissions (tons)	factors (g/mile)	emissions (grams)	emissions (tons)
District of Columbia	Metrobus	44,991	10	2.113	95066.5746	0.1048	22.813	1026386.0706	1.1314
District of Columbia	MTA Commuter buses	2,234	45	0.719	1606.1741	0.0018	16.544	36957.6416	0.0407
District of Columbia	Peter Pan / Trailways	178	55	0.644	114.6320	0.0001	20.951	3729.2780	0.0041
District of Columbia	Carolina Trailways	18	55	0.644	11.4632	0.0000	20.951	372.9278	0.0004
District of Columbia	Capitol Trailways	89	55	0.644	57.3160	0.0001	20.951	1864.6390	0.0021
District of Columbia	Martz / Grey Line sightseeing	445	55	0.644	286.5800	0.0003	20.951	9323.1950	0.0103
District of Columbia	New World Tours	89	20	1.391	123.7990	0.0001	17.350	1544.1500	0.0017
District of Columbia	Georgetown U. shuttle	89	15	1.696	150.9440	0.0002	19.541	1739.1490	0.0019
District of Columbia	American U. shuttle	74	20	1.391	102.7532	0.0001	17.350	1281.6445	0.0014
District of Columbia	George Washington U shuttle	89	15	1.696	150.9440	0.0002	19.541	1739.1490	0.0019
District of Columbia	EPA Shuttle	178	15	1.696	301.8880	0.0003	19.541	3478.2980	0.0038
District of Columbia	USDOT Shuttle	178	15	1.696	301.8880	0.0003	19.541	3478.2980	0.0038
District of Columbia	Gallaudet Shuttle	89	15	1.696	150.9440	0.0002	19.541	1739.1490	0.0019
District of Columbia	Metro Access - paratransit	4,450	15	1.696	7547.2000	0.0083	19.541	86957.4500	0.0959
Maryland	Corridor Transit (CTC)	1,126	18	1.493	1680.8941	0.0019	18.081	20356.4939	0.0224
Maryland	Peter Pan / Trailways	1,602	55	0.644	1031.6880	0.0011	20.951	33563.5020	0.0370
Maryland	Carolina Trailways	200	55	0.644	128.9610	0.0001	20.951	4195.4378	0.0046
Maryland	Capitol Trailways	356	55	0.644	229.2640	0.0003	20.951	7458.5560	0.0082
Maryland	Martz / Grey Line sightseeing	2,003	55	0.644	1289.6100	0.0014	20.951	41954.3775	0.0462
Maryland	New World Tours	89	20	1.391	123.7990	0.0001	17.350	1544.1500	0.0017
Montgomery	Metrobus	15,363	15	1.696	26055.9533	0.0287	19.541	300211.9004	0.3309
Montgomery	MTA Commuter buses	1,940	45	0.719	1395.0038	0.0015	16.544	32098.6688	0.0354
Montgomery	Mont. Co. Ride-On	31,698	15	1.696	53760.2150	0.0593	19.541	619415.3078	0.6828
Prince George's	Metrobus	21,947	15	1.696	37222.7904	0.0410	19.541	428874.1434	0.4728



## 2005 TRANSIT BUS CHARACTERISTICS / EMISSIONS (1990 Adjusted)

Jurisdiction	Operator	Daily VMT	Average Speed	VOC			NOx		
				factors (g/mile)	emissions (grams)	emissions (tons)	factors (g/mile)	emissions (grams)	emissions (tons)
Prince George's	MTA Commuter buses	6,088	45	0.719	4376.9844	0.0048	16.544	100713.2544	0.1110
Prince George's	PG Co. The Bus	8,653	15	1.696	14676.2851	0.0162	19.541	169097.4573	0.1864
Prince George's	ShuttleUM (U. of MD)	1,659	11	1.999	3316.2610	0.0037	21.921	36366.0622	0.0401
Prince George's	P.G. Co. paratransit	2,670	15	1.696	4528.3200	0.0050	19.541	52174.4700	0.0575
Frederick	MTA Commuter buses	329	45	0.719	236.7667	0.0003	16.544	5447.9392	0.0060
Frederick	Fredrick Co. TransIT	2,743	12	1.904	5222.6339	0.0058	21.177	58088.0875	0.0640
Charles	MTA Commuter buses	2,038	45	0.719	1465.3939	0.0016	16.544	33718.3264	0.0372
Calvert	MTA Commuter buses	961	45	0.719	691.1028	0.0008	16.544	15902.0928	0.0175
Virginia	Metrobus	27,434	15	1.696	46528.4880	0.0513	19.541	536092.6793	0.5909
Virginia	Lee Coaches	62	45	0.719	44.7937	0.0000	16.544	1030.6912	0.0011
Virginia	Brooks Transit	668	45	0.719	479.9325	0.0005	16.544	11043.1200	0.0122
Virginia	Quicks Commuter Service	1,175	45	0.719	844.6812	0.0009	16.544	19435.8912	0.0214
Virginia	National Coach Works	1,469	45	0.719	1055.8515	0.0012	16.544	24294.8640	0.0268
Virginia	Greyhound / Trailways (VA)	4,450	55	0.644	2865.8000	0.0032	20.951	93231.9500	0.1028
Virginia	Carolina Trailways	200	55	0.644	128.9610	0.0001	20.951	4195.4378	0.0046
Virginia	Martz / Grey Line sightseeing	2,003	55	0.644	1289.6100	0.0014	20.951	41954.3775	0.0462
Virginia	New World Tours	89	20	1.391	123.7990	0.0001	17.350	1544.1500	0.0017
Alexandria	Alexandria DASH	3,074	13	1.824	5607.0854	0.0062	20.548	63165.7849	0.0696
Alexandria	Old Town "trolley" buses	267	20	1.391	371.3970	0.0004	17.350	4632.4500	0.0051
Alexandria	Alexandria DOT-paratransit	822	15	1.696	1394.7226	0.0015	19.541	16069.7368	0.0177
Arlington	Arlington Co. ART	707	16	1.620	1144.7892	0.0013	18.993	13421.5934	0.0148
Arlington	Crystal City Express	85	15	1.696	144.9062	0.0002	19.541	1669.5830	0.0018
Arlington	Skyline Crystal Express	128	15	1.696	217.3594	0.0002	19.541	2504.3746	0.0028
Arlington	Arlington STAR-paratransit	2,888	15	1.696	4898.1328	0.0054	19.541	56435.3851	0.0622

## 2005 TRANSIT BUS CHARACTERISTICS / EMISSIONS (1990 Adjusted)

Jurisdiction	Operator	Daily VMT	Average Speed	VOC			NOx		
				factors (g/mile)	emissions (grams)	emissions (tons)	factors (g/mile)	emissions (grams)	emissions (tons)
Fairfax	Fairfax Connector	16,052	15	1.696	27224.2598	0.0300	19.541	313672.9136	0.3458
Fairfax	Washington Flyer Coach Service	1,219	65	0.630	768.1590	0.0008	30.618	37332.5274	0.0412
Fairfax	Fairfax Co. Fastran- paratransit	10,170	15	1.696	17248.3709	0.0190	19.541	198732.5562	0.2191
Fairfax	City of Fairfax CUE	1,320	15	1.696	2238.4995	0.0025	19.541	25791.5797	0.0284
Fairfax	City of Ffx, City Wheels- paratransit.	89	15	1.696	150.9440	0.0002	19.541	1739.1490	0.0019
Fairfax	City of Falls Ch. Fare Wheels- paratransit	89	15	1.696	150.9440	0.0002	19.541	1739.1490	0.0019
Prince William	PRTC Omnalink	3,594	15	1.696	6095.1187	0.0067	19.541	70226.8366	0.0774
Prince William	PRTC OmniRide	5,073	27	1.093	5544.7890	0.0061	15.653	79407.6690	0.0875
Loudoun	Loudoun Transportation Assc.	4,033	15	1.696	6840.7821	0.0075	19.541	78818.2327	0.0869
Loudoun	Loudoun Commuter Service	1,661	25	1.167	1938.0836	0.0021	15.974	26528.6608	0.0292
Loudoun	Loudoun Transit (LCTA)- paratransit	89	15	1.696	150.9440	0.0002	19.541	1739.1490	0.0019
<b>TOTAL</b>		243,567			398896.2307	0.4397		4868221.7583	5.3663

Notes:

- 1) Used WMATA percent VMT by jurisdiction from FY03-08 AQC, Appendix I (page I-3)
- 2) Assumed average freeway speed of 55 mph where higher than 55 speed limit is available, and 45 mph where speed limit is 55

## 2005 SCHOOL BUS CHARACTERISTICS / EMISSIONS (1990 Adjusted)

Jurisdiction	Daily VMT	Average Speed	VOC			NOx		
			factors (g/mile)	emissions (grams)	emissions (tons)	factors (g/mile)	emissions (grams)	emissions (tons)
District of Columbia	11,299	14	1.437	16237.2953	0.0179	14.526	164135.6654	0.1809
Montgomery	89,000	30	0.819	72891.0000	0.0803	11.091	987099.0000	1.0881
Prince George's	115,671	30	0.819	94734.2460	0.1044	11.091	1282902.9573	1.4142
Frederick	22,774	30	0.819	18652.0780	0.0206	11.091	252588.7631	0.2784
Charles	18,513	30	0.819	15162.0569	0.0167	11.091	205326.4630	0.2263
Calvert	22,831	30	0.819	18698.7282	0.0206	11.091	253220.5065	0.2791
Alexandria	1,805	25	0.955	1723.6986	0.0019	11.612	20958.7310	0.0231
Arlington	2,314	25	0.955	2209.8700	0.0024	11.612	26870.1680	0.0296
Fairfax	85,906	30	0.819	70357.3088	0.0776	11.091	952787.4388	1.0503
Prince William	32,141	30	0.819	26323.8557	0.0290	11.091	356480.9329	0.3930
Loudoun	25,229	30	0.819	20662.4118	0.0228	11.091	279812.9535	0.3084
Stafford	8,553	30	0.819	7004.8251	0.0077	11.091	94860.2139	0.1046
<b>TOTAL</b>	436,037			364657.3744	0.4020		4877043.7934	5.3760

## 2005 TRANSIT BUS CHARACTERISTICS / EMISSIONS

Jurisdiction	Operator	Daily VMT	Average Speed	VOC			NOx		
				factors (g/mile)	emissions (grams)	emissions (tons)	factors (g/mile)	emissions (grams)	emissions (tons)
District of Columbia	Metrobus	50,552	10	1.1593	58604.9336	0.0646	21.0028	1061733.5456	1.1704
District of Columbia	MTA Commuter buses	2,510	45	0.3945	990.1950	0.0011	15.2198	38201.6980	0.0421
District of Columbia	Peter Pan / Trailways	200	55	0.3534	70.6800	0.0001	19.2851	3857.0200	0.0043
District of Columbia	Carolina Trailways	20	55	0.3534	7.0680	0.0000	19.2851	385.7020	0.0004
District of Columbia	Capitol Trailways	100	55	0.3534	35.3400	0.0000	19.2851	1928.5100	0.0021
District of Columbia	Martz / Grey Line sightseeing	500	55	0.3534	176.7000	0.0002	19.2851	9642.5500	0.0106
District of Columbia	New World Tours	100	20	0.7632	76.3200	0.0001	15.9640	1596.4000	0.0018
District of Columbia	Georgetown U. shuttle	100	15	0.9303	93.0300	0.0001	17.9844	1798.4400	0.0020
District of Columbia	American U. shuttle	83	20	0.7632	63.3456	0.0001	15.9640	1325.0120	0.0015
District of Columbia	George Washington U shuttle	100	15	0.9303	93.0300	0.0001	17.9844	1798.4400	0.0020
District of Columbia	EPA Shuttle	200	15	0.9303	186.0600	0.0002	17.9844	3596.8800	0.0040
District of Columbia	USDOT Shuttle	200	15	0.9303	186.0600	0.0002	17.9844	3596.8800	0.0040
District of Columbia	Gallaudet Shuttle	100	15	0.9303	93.0300	0.0001	17.9844	1798.4400	0.0020
District of Columbia	Metro Access - paratransit	5,000	15	0.9303	4651.5000	0.0051	17.9844	89922.0000	0.0991
Maryland	Corridor Transit (CTC)	1,265	18	0.8189	1035.9085	0.0011	16.6374	21046.3110	0.0232
Maryland	Peter Pan / Trailways	1,800	55	0.3534	636.1200	0.0007	19.2851	34713.1800	0.0383
Maryland	Carolina Trailways	225	55	0.3534	79.5150	0.0001	19.2851	4339.1475	0.0048
Maryland	Capitol Trailways	400	55	0.3534	141.3600	0.0002	19.2851	7714.0400	0.0085
Maryland	Martz / Grey Line sightseeing	2,250	55	0.3534	795.1500	0.0009	19.2851	43391.4750	0.0478
Maryland	New World Tours	100	20	0.7632	76.3200	0.0001	15.9640	1596.4000	0.0018
Montgomery	Metrobus	17,262	15	0.9303	16058.8386	0.0177	17.9844	310446.7128	0.3422
Montgomery	MTA Commuter buses	2,180	45	0.3945	860.0100	0.0009	15.2198	33179.1640	0.0366
Montgomery	Mont. Co. Ride-On	35,616	15	0.9303	33133.5648	0.0365	17.9844	640532.3904	0.7061

## 2005 TRANSIT BUS CHARACTERISTICS / EMISSIONS

Jurisdiction	Operator	Daily VMT	Average Speed	VOC			NOx		
				factors (g/mile)	emissions (grams)	emissions (tons)	factors (g/mile)	emissions (grams)	emissions (tons)
Prince George's	Metrobus	24,660	15	0.9303	22941.1980	0.0253	17.9844	443495.3040	0.4889
Prince George's	MTA Commuter buses	6,840	45	0.3945	2698.3800	0.0030	15.2198	104103.4320	0.1148
Prince George's	PG Co. The Bus	9,723	15	0.9303	9045.3069	0.0100	17.9844	174862.3212	0.1928
Prince George's	ShuttleUM (U. of MD)	1,864	11	1.0968	2044.4352	0.0023	20.1796	37614.7744	0.0415
Prince George's	P.G. Co. paratransit	3,000	15	0.9303	2790.9000	0.0031	17.9844	53953.2000	0.0595
Frederick	MTA Commuter buses	370	45	0.3945	145.9650	0.0002	15.2198	5631.3260	0.0062
Frederick	Fredrick Co. TransiT	3,082	12	1.0448	3220.0736	0.0035	19.4936	60079.2752	0.0662
Charles	MTA Commuter buses	2,290	45	0.3945	903.4050	0.0010	15.2198	34853.3420	0.0384
Calvert	MTA Commuter buses	1,080	45	0.3945	426.0600	0.0005	15.2198	16437.3840	0.0181
Virginia	Metrobus	30,825	15	0.9303	28676.4975	0.0316	17.9844	554369.1300	0.6111
Virginia	Lee Coaches	70	45	0.3945	27.6150	0.0000	15.2198	1065.3860	0.0012
Virginia	Brooks Transit	750	45	0.3945	295.8750	0.0003	15.2198	11414.8500	0.0126
Virginia	Quicks Commuter Service	1,320	45	0.3945	520.7400	0.0006	15.2198	20090.1360	0.0221
Virginia	National Coach Works	1,650	45	0.3945	650.9250	0.0007	15.2198	25112.6700	0.0277
Virginia	Greyhound / Trailways (VA)	5,000	55	0.3534	1767.0000	0.0019	19.2851	96425.5000	0.1063
Virginia	Carolina Trailways	225	55	0.3534	79.5150	0.0001	19.2851	4339.1475	0.0048
Virginia	Martz / Grey Line sightseeing	2,250	55	0.3534	795.1500	0.0009	19.2851	43391.4750	0.0478
Virginia	New World Tours	100	20	0.7632	76.3200	0.0001	15.9640	1596.4000	0.0018
Alexandria	Alexandria DASH	3,454	13	1.0008	3456.7632	0.0038	18.9131	65325.8474	0.0720
Alexandria	Old Town "trolley" buses	300	20	0.7632	228.9600	0.0003	15.9640	4789.2000	0.0053
Alexandria	Alexandria DOT-paratransit	924	15	0.9303	859.5972	0.0009	17.9844	16617.5856	0.0183
Arlington	Arlington Co. ART	794	16	0.8885	705.4690	0.0008	17.4793	13878.5642	0.0153
Arlington	Crystal City Express	96	15	0.9303	89.3088	0.0001	17.9844	1726.5024	0.0019
Arlington	Skyline Crystal Express	144	15	0.9303	133.9632	0.0001	17.9844	2589.7536	0.0029

## 2005 TRANSIT BUS CHARACTERISTICS / EMISSIONS

Jurisdiction	Operator	Daily VMT	Average Speed	VOC			NOx		
				factors (g/mile)	emissions (grams)	emissions (tons)	factors (g/mile)	emissions (grams)	emissions (tons)
Arlington	Arlington STAR-paratransit	3,245	15	0.9303	3018.8235	0.0033	17.9844	58359.3780	0.0643
Fairfax	Fairfax Connector	18,036	15	0.9303	16778.8908	0.0185	17.9844	324366.6384	0.3576
Fairfax	Washington Flyer Coach Service	1,370	65	0.3457	473.6090	0.0005	28.2011	38635.5070	0.0426
Fairfax	Fairfax Co. Fastran- paratransit	11,427	15	0.9303	10630.5381	0.0117	17.9844	205507.7388	0.2265
Fairfax	City of Fairfax CUE	1,483	15	0.9303	1379.6349	0.0015	17.9844	26670.8652	0.0294
Fairfax	City of Ffx, City Wheels- paratransit.	100	15	0.9303	93.0300	0.0001	17.9844	1798.4400	0.0020
Fairfax	City of Falls Ch. Fare Wheels- paratransit	100	15	0.9303	93.0300	0.0001	17.9844	1798.4400	0.0020
Prince William	PRTC Omnilink	4,038	15	0.9303	3756.5514	0.0041	17.9844	72621.0072	0.0801
Prince William	PRTC OmniRide	5,700	27	0.5994	3416.5800	0.0038	14.3988	82073.1600	0.0905
Loudoun	Loudoun Transportation Assc.	4,532	15	0.9303	4216.1196	0.0046	17.9844	81505.3008	0.0898
Loudoun	Loudoun Commuter Service	1,866	25	0.6400	1194.2400	0.0013	14.6943	27419.5638	0.0302
Loudoun	Loudoun Transit (LCTA)- paratransit	100	15	0.9303	93.0300	0.0001	17.9844	1798.4400	0.0020
<b>TOTAL</b>		273,671			245867.5790	0.2710		5034457.3240	5.5495

Notes:

- 1) Used WMATA percent VMT by jurisdiction from FY03-08 AQC, Appendix I (page I-3)
- 2) Assumed average freeway speed of 55 mph where higher than 55 speed limit is available, and 45 mph where speed limit is 55

## 2005 SCHOOL BUS CHARACTERISTICS / EMISSIONS

Jurisdiction	Daily VMT	Average Speed	VOC			NOx		
			factors (g/mile)	emissions (grams)	emissions (tons)	factors (g/mile)	emissions (grams)	emissions (tons)
District of Columbia	13,331	14	1.1488	15314.4230	0.0169	12.5925	167868.0990	0.1850
Montgomery	105,000	30	0.6545	68722.5000	0.0758	9.6060	1008630.0000	1.1118
Prince George's	136,465	30	0.6545	89316.5716	0.0985	9.6060	1310886.1521	1.4450
Frederick	26,868	30	0.6545	17585.4005	0.0194	9.6060	258098.3307	0.2845
Charles	21,841	30	0.6545	14294.9672	0.0158	9.6060	209805.1263	0.2313
Calvert	26,936	30	0.6545	17629.3829	0.0194	9.6060	258743.8539	0.2852
Alexandria	2,129	25	0.7635	1625.7969	0.0018	10.0588	21419.2087	0.0236
Arlington	2,730	25	0.7635	2084.3550	0.0023	10.0588	27460.5240	0.0303
Fairfax	101,350	30	0.6545	66333.7059	0.0731	9.6060	973570.0212	1.0732
Prince William	37,920	30	0.6545	24818.4437	0.0274	9.6060	364256.6382	0.4015
Loudoun	29,764	30	0.6545	19480.7671	0.0215	9.6060	285916.3461	0.3152
Stafford	10,091	30	0.6545	6604.2323	0.0073	9.6060	96929.3430	0.1068
<b>TOTAL</b>	514,425			343810.5461	0.3790		4983583.6432	5.4935

## 2030 TRANSIT BUS CHARACTERISTICS / EMISSIONS

Jurisdiction	Operator	2001 Daily VMT	Daily VMT	Average Speed	VOC			NOx		
					factors (g/mile)	emissions (grams)	emissions (tons)	factors (g/mile)	emissions (grams)	emissions (tons)
District of Columbia	Metrobus	50,552	56,113	10	0.5054	25548.9808	0.0282	0.9470	47872.7440	0.0528
District of Columbia	MTA Commuter buses	2,510	2,786	45	0.1720	431.7200	0.0005	0.6923	1737.6730	0.0019
District of Columbia	Peter Pan / Trailways	200	222	55	0.1541	30.8200	0.0000	0.8713	174.2600	0.0002
District of Columbia	Carolina Trailways	20	22	55	0.1541	3.0820	0.0000	0.8713	17.4260	0.0000
District of Columbia	Capitol Trailways	100	111	55	0.1541	15.4100	0.0000	0.8713	87.1300	0.0001
District of Columbia	Martz / Grey Line sightseeing	500	555	55	0.1541	77.0500	0.0001	0.8713	435.6500	0.0005
District of Columbia	New World Tours	100	111	20	0.3327	33.2700	0.0000	0.7251	72.5100	0.0001
District of Columbia	Georgetown U. shuttle	100	111	15	0.4056	40.5600	0.0000	0.8140	81.4000	0.0001
District of Columbia	American U. shuttle	83	92	20	0.3327	27.6141	0.0000	0.7251	60.1833	0.0001
District of Columbia	George Washington U shuttle	100	111	15	0.4056	40.5600	0.0000	0.8140	81.4000	0.0001
District of Columbia	EPA Shuttle	200	222	15	0.4056	81.1200	0.0001	0.8140	162.8000	0.0002
District of Columbia	USDOT Shuttle	200	222	15	0.4056	81.1200	0.0001	0.8140	162.8000	0.0002
District of Columbia	Gallaudet Shuttle	100	111	15	0.4056	40.5600	0.0000	0.8140	81.4000	0.0001
District of Columbia	Metro Access - paratransit	5,000	5,550	15	0.4056	2028.0000	0.0022	0.8140	4070.0000	0.0045
Maryland	Corridor Transit (CTC)	1,265	1,404	18	0.3570	451.6050	0.0005	0.7547	954.6955	0.0011
Maryland	Peter Pan / Trailways	1,800	1,998	55	0.1541	277.3800	0.0003	0.8713	1568.3400	0.0017
Maryland	Carolina Trailways	225	250	55	0.1541	34.6725	0.0000	0.8713	196.0425	0.0002
Maryland	Capitol Trailways	400	444	55	0.1541	61.6400	0.0001	0.8713	348.5200	0.0004
Maryland	Martz / Grey Line sightseeing	2,250	2,498	55	0.1541	346.7250	0.0004	0.8713	1960.4250	0.0022
Maryland	New World Tours	100	111	20	0.3327	33.2700	0.0000	0.7251	72.5100	0.0001
Montgomery	Metrobus	17,262	19,161	15	0.4056	7001.4672	0.0077	0.8140	14051.2680	0.0155
Montgomery	MTA Commuter buses	2,180	2,420	45	0.1720	374.9600	0.0004	0.6923	1509.2140	0.0017
Montgomery	Mont. Co. Ride-On	35,616	39,534	15	0.4056	14445.8496	0.0159	0.8140	28991.4240	0.0320



## 2030 TRANSIT BUS CHARACTERISTICS / EMISSIONS

Jurisdiction	Operator	2001 Daily VMT	Daily VMT	Average Speed	VOC			NOx		
					factors (g/mile)	emissions (grams)	emissions (tons)	factors (g/mile)	emissions (grams)	emissions (tons)
Prince George's	Metrobus	24,660	27,373	15	0.4056	10002.0960	0.0110	0.8140	20073.2400	0.0221
Prince George's	MTA Commuter buses	6,840	7,592	45	0.1720	1176.4800	0.0013	0.6923	4735.3320	0.0052
Prince George's	PG Co. The Bus	9,723	10,793	15	0.4056	3943.6488	0.0043	0.8140	7914.5220	0.0087
Prince George's	ShuttleUM (U. of MD)	1,864	2,069	11	0.4782	891.3648	0.0010	0.9107	1697.5448	0.0019
Prince George's	P.G. Co. paratransit	3,000	3,330	15	0.4056	1216.8000	0.0013	0.8140	2442.0000	0.0027
Frederick	MTA Commuter buses	370	411	45	0.1720	63.6400	0.0001	0.6923	256.1510	0.0003
Frederick	Fredrick Co. TransiT	3,082	3,421	12	0.4555	1403.8510	0.0015	0.8805	2713.7010	0.0030
Charles	MTA Commuter buses	2,290	2,542	45	0.1720	393.8800	0.0004	0.6923	1585.3670	0.0017
Calvert	MTA Commuter buses	1,080	1,199	45	0.1720	185.7600	0.0002	0.6923	747.6840	0.0008
Virginia	Metrobus	30,825	34,216	15	0.4056	12502.6200	0.0138	0.8140	25091.5500	0.0277
Virginia	Lee Coaches	70	78	45	0.1720	12.0400	0.0000	0.6923	48.4610	0.0001
Virginia	Brooks Transit	750	833	45	0.1720	129.0000	0.0001	0.6923	519.2250	0.0006
Virginia	Quicks Commuter Service	1,320	1,465	45	0.1720	227.0400	0.0003	0.6923	913.8360	0.0010
Virginia	National Coach Works	1,650	1,832	45	0.1720	283.8000	0.0003	0.6923	1142.2950	0.0013
Virginia	Greyhound / Trailways (VA)	5,000	5,550	55	0.1541	770.5000	0.0008	0.8713	4356.5000	0.0048
Virginia	Carolina Trailways	225	250	55	0.1541	34.6725	0.0000	0.8713	196.0425	0.0002
Virginia	Martz / Grey Line sightseeing	2,250	2,498	55	0.1541	346.7250	0.0004	0.8713	1960.4250	0.0022
Virginia	New World Tours	100	111	20	0.3327	33.2700	0.0000	0.7251	72.5100	0.0001
Alexandria	Alexandria DASH	3,454	3,834	13	0.4363	1506.9802	0.0017	0.8549	2952.8246	0.0033
Alexandria	Old Town "trolley" buses	300	333	20	0.3327	99.8100	0.0001	0.7251	217.5300	0.0002
Alexandria	Alexandria DOT-paratransit	924	1,026	15	0.4056	374.7744	0.0004	0.8140	752.1360	0.0008
Arlington	Arlington Co. ART	794	881	16	0.3874	307.5956	0.0003	0.7918	628.6892	0.0007
Arlington	Crystal City Express	96	107	15	0.4056	38.9376	0.0000	0.8140	78.1440	0.0001
Arlington	Skyline Crystal Express	144	160	15	0.4056	58.4064	0.0001	0.8140	117.2160	0.0001

## 2030 TRANSIT BUS CHARACTERISTICS / EMISSIONS

Jurisdiction	Operator	2001 Daily VMT	Daily VMT	Average Speed	VOC			NOx		
					factors (g/mile)	emissions (grams)	emissions (tons)	factors (g/mile)	emissions (grams)	emissions (tons)
Arlington	Arlington STAR-paratransit	3,245	3,602	15	0.4056	1316.1720	0.0015	0.8140	2641.4300	0.0029
Fairfax	Fairfax Connector	18,036	20,020	15	0.4056	7315.4016	0.0081	0.8140	14681.3040	0.0162
Fairfax	Washington Flyer Coach Service	1,370	1,521	65	0.1507	206.4590	0.0002	1.2640	1731.6800	0.0019
Fairfax	Fairfax Co. Fastran- paratransit	11,427	12,684	15	0.4056	4634.7912	0.0051	0.8140	9301.5780	0.0103
Fairfax	City of Fairfax CUE	1,483	1,646	15	0.4056	601.5048	0.0007	0.8140	1207.1620	0.0013
Fairfax	City of Ffx, City Wheels- paratransit.	100	111	15	0.4056	40.5600	0.0000	0.8140	81.4000	0.0001
Fairfax	City of Falls Ch. Fare Wheels- paratransit	100	111	15	0.4056	40.5600	0.0000	0.8140	81.4000	0.0001
Prince William	PRTC Omnalink	4,038	4,482	15	0.4056	1637.8128	0.0018	0.8140	3286.9320	0.0036
Prince William	PRTC OmniRide	5,700	6,327	27	0.2613	1489.4100	0.0016	0.6561	3739.7700	0.0041
Loudoun	Loudoun Transportation Assc.	4,532	5,031	15	0.4056	1838.1792	0.0020	0.8140	3689.0480	0.0041
Loudoun	Loudoun Commuter Service	1,866	2,071	25	0.2790	520.6140	0.0006	0.6692	1248.7272	0.0014
Loudoun	Loudoun Transit (LCTA)- paratransit	100	111	15	0.4056	40.5600	0.0000	0.8140	81.4000	0.0001
<b>TOTAL</b>		273,671	303,775			107193.1531	0.1182		227734.5726	0.2510

Notes:

- 1) Used WMATA percent VMT by jurisdiction from FY03-08 AQC, Appendix I (page I-3)
- 2) Assumed average freeway speed of 55 mph where higher than 55 speed limit is available, and 45 mph where speed limit is 55

## 2030 SCHOOL BUS CHARACTERISTICS / EMISSIONS

Jurisdiction	Daily VMT	Average Speed	VOC			NOx		
			factors (g/mile)	emissions (grams)	emissions (tons)	factors (g/mile)	emissions (grams)	emissions (tons)
District of Columbia	13,331	14	0.5033	6709.3916	0.0074	0.6182	8241.1006	0.0091
Montgomery	105,000	30	0.2867	30103.5000	0.0332	0.4748	49854.0000	0.0550
Prince George's	136,465	30	0.2867	39124.6158	0.0431	0.4748	64793.7482	0.0714
Frederick	26,868	30	0.2867	7703.1846	0.0085	0.4748	12757.1401	0.0141
Charles	21,841	30	0.2867	6261.8290	0.0069	0.4748	10370.1305	0.0114
Calvert	26,936	30	0.2867	7722.4509	0.0085	0.4748	12789.0466	0.0141
Alexandria	2,129	25	0.3345	712.2843	0.0008	0.4966	1057.4600	0.0012
Arlington	2,730	25	0.3345	913.1850	0.0010	0.4966	1355.7180	0.0015
Fairfax	101,350	30	0.2867	29057.1023	0.0320	0.4748	48121.0750	0.0530
Prince William	37,920	30	0.2867	10871.5780	0.0120	0.4748	18004.2736	0.0198
Loudoun	29,764	30	0.2867	8533.4391	0.0094	0.4748	14132.1134	0.0156
Stafford	10,091	30	0.2867	2892.9464	0.0032	0.4748	4790.9694	0.0053
<b>TOTAL</b>	514,425		3.7526	150605.5071	0.1660	5.8846	246266.7753	0.2715

# **Attachment G**

# Memorandum

**To:** Air Quality Files

**From:** Eulalie G. Lucas  
Transportation Engineer

**Date:** 5/28/2003

**Re:** Off- Network Emissions Calculations: Auto Access to transit.

---

## **Introduction:**

This memo documents updates to the development of a component of the 'off-network' emissions analysis: Auto access to transit. This component along with bus, local street, diurnal and resting loss emissions are considered 'off-network' because inputs to these calculations are not generated by COG's/TPB travel demand model. As part of the updates for the Severe SIP (State Implementation Plan) submittal all components of the Mobile source inventories were revised.

One of the updates included heavy-duty truck percents; VMT Mix percent associated with auto access to transit did not include light duty trucks (LDGT2). This weight category includes Ford Navigators, which are used by some commuters to transit and park and ride lots and therefore was included in the current VMT Mix percents. In addition, VMT was allocated by facility type to insure consistency with Mobile6 requirements.

## **Auto Access to transit emissions:**

The procedure used in the calculation of emissions associated with auto access to transit is an off-line process like local street emissions calculations. The approach is very simple; it involves the application of an emissions rate to the various components of travel, i.e. start up, running and hot soak. For trips originating outside the MSA, only those miles within the MSA are used in the calculation.

Separate emissions rates are applied by components of a trip cycle i.e. a start up rate for trip origins, a running rate for the running component and hot soak rate for trip destinations. These three rates represent an average of the twelve composite rates for jurisdictions in the non-attainment area and for seven MOBILE6 vehicle types, HDD fractions were zeroed out of the VMT Mix. This adjustment was made based on the assumption that heavy duty vehicles such as tractor trailers are typically not used by commuters for trips to and from transit locations or to park and ride lots, however as mentioned in the above paragraph Light Duty Trucks are included in the VMT Mix percents.

Results for 2005 are shown in Exhibits 1 and 2.

2005 CASE 7 VOC AIR QUALITY EMISSIONS INVENTORY  
 AUTO ACCESS TO TRANSIT  
 ACTION SCENARIO

LOCATION	2002				2005		AVERAGE TRIP LENGTH	2005 VMT	E M I S S I O N S						HOT SOAK	TOTAL (tons/day)			
	OUTSIDE MSA (%)	INSIDE MSA	OUTSIDE MSA	Total	INSIDE Growth Rate	OUTSIDE Growth Rate			ARTERIAL %	FREEWAY VMT	ARTERIAL VMT	FREEWAY VMT	COLD START Rate (gm/mile)	RUNNING			Total Runoff Rate (gm/mile)		
														Arterial Rate (gm/mile)				Freeway Rate (gm/mile)	0.7096
<b>COMMUTER RAIL LOTS</b>																			
BRUNSWICK 25%	25	305	102	407	336	112	7.5	3,362	57	43	1,916	1,445	0.0014	0.0012	0.0008	0.0020	0.0006	0.0041	
PT OF ROCKS 25%	25	204	68	272	225	75	7.5	2,247	57	43	1,281	966	0.0009	0.0008	0.0005	0.0014	0.0004	0.0027	
DICKERSON	0	15	0	15	17	0	7.5	124	57	43	71	53	0.0001	0.0000	0.0000	0.0001	0.0000	0.0003	
BARNESVILLE	0	46	0	46	51	0	7.5	380	57	43	217	163	0.0002	0.0001	0.0001	0.0002	0.0001	0.0005	
GERMANTOWN	0	386	0	386	425	0	7.5	3,188	57	43	1,817	1,371	0.0015	0.0012	0.0008	0.0019	0.0007	0.0041	
MET GROVE	0	352	0	352	388	0	7.5	2,907	57	43	1,657	1,250	0.0014	0.0011	0.0007	0.0018	0.0006	0.0038	
WAS GROVE	0	15	0	15	17	0	7.5	124	57	43	71	53	0.0001	0.0000	0.0000	0.0001	0.0000	0.0003	
GARRETT PARK	0	22	0	22	24	0	7.5	182	57	43	104	78	0.0001	0.0001	0.0001	0.0001	0.0000	0.0003	
BOWIE 50%	50	188	188	376	206	206	7.5	3,097	57	43	1,765	1,332	0.0011	0.0011	0.0008	0.0019	0.0005	0.0038	
SEABROOK 15%	15	224	40	264	247	44	7.5	2,180	57	43	1,243	938	0.0010	0.0008	0.0005	0.0013	0.0004	0.0027	
KENSINGTON	0	45	0	45	50	0	7.5	372	57	43	212	160	0.0002	0.0001	0.0001	0.0002	0.0001	0.0005	
LAUREL 30%	30	299	90	389	230	99	7.5	2,470	57	43	1,408	1,070	0.0010	0.0009	0.0006	0.0015	0.0004	0.0023	
GATHEBSBURG	0	280	0	280	308	0	7.5	2,313	57	43	1,318	994	0.0011	0.0008	0.0006	0.0014	0.0005	0.0030	
BERWYN HEIGHTS	0	30	0	30	33	0	4.5	149	57	43	85	64	0.0001	0.0001	0.0000	0.0001	0.0001	0.0003	
RIVERDALE	0	65	0	65	72	0	4.5	322	57	43	184	139	0.0003	0.0001	0.0001	0.0002	0.0001	0.0006	
<b>METRO RAIL LOTS</b>																			
ADDISON ROAD 40%	40	791	527	1318	871	581	7.5	10,886	57	43	6,205	4,681	0.0042	0.0040	0.0026	0.0066	0.0018	0.0126	
ARCHIVES	0	12	0	12	13	0	4.5	59	57	43	34	26	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	
ARLING	0	10	0	10	11	0	4.5	50	57	43	28	21	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	
BALLSTON	0	1175	0	1175	1294	0	4.5	5,823	57	43	3,319	2,504	0.0047	0.0021	0.0014	0.0035	0.0020	0.0102	
BENN RD	0	520	0	520	573	0	4.5	2,577	57	43	1,469	1,108	0.0021	0.0009	0.0006	0.0016	0.0009	0.0045	
BETH	0	395	0	395	435	0	4.5	1,957	57	43	1,116	842	0.0016	0.0007	0.0005	0.0012	0.0007	0.0034	
BRAD RD	0	10	0	10	11	0	4.5	50	57	43	28	21	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	
BROCKLAND	0	27	0	27	30	0	4.5	134	57	43	76	58	0.0001	0.0001	0.0001	0.0001	0.0000	0.0003	
CHEVERLY	0	557	0	557	613	0	4.5	2,760	57	43	1,573	1,187	0.0022	0.0010	0.0007	0.0017	0.0010	0.0048	
CLARENDON	0	554	0	554	610	0	4.5	2,745	57	43	1,565	1,181	0.0022	0.0010	0.0007	0.0017	0.0010	0.0048	
CLEVELAND PK	0	366	0	366	403	0	4.5	1,814	57	43	1,034	780	0.0015	0.0007	0.0004	0.0011	0.0006	0.0032	
COURT HOUSE	0	256	0	256	282	0	4.5	1,289	57	43	723	549	0.0010	0.0008	0.0005	0.0013	0.0008	0.0032	
CRYSTAL CITY	0	347	0	347	382	0	4.5	1,720	57	43	980	739	0.0014	0.0006	0.0004	0.0010	0.0006	0.0030	
DEANWOOD	0	194	0	194	214	0	4.5	961	57	43	548	413	0.0008	0.0004	0.0002	0.0006	0.0003	0.0017	
DUN LORING 10%	10	1220	136	1355	1343	149	4.5	6,715	57	43	3,827	2,887	0.0051	0.0024	0.0016	0.0041	0.0022	0.0114	
DUPONT CIRCLE	0	165	0	165	182	0	4.5	818	57	43	466	352	0.0007	0.0003	0.0002	0.0005	0.0003	0.0014	
EASTERN MKT	0	178	0	178	196	0	4.5	882	57	43	503	378	0.0007	0.0003	0.0002	0.0005	0.0003	0.0014	
EAST FALLS CH	0	442	0	442	487	0	4.5	2,190	57	43	1,249	942	0.0018	0.0008	0.0005	0.0013	0.0008	0.0038	
EIS	0	352	0	352	388	0	4.5	1,744	57	43	984	750	0.0014	0.0006	0.0004	0.0011	0.0006	0.0031	
FARRAGUT NORTH	0	102	0	102	112	0	4.5	505	57	43	288	217	0.0004	0.0002	0.0001	0.0003	0.0002	0.0009	
FARRAGUT WEST	0	221	0	221	243	0	4.5	1,058	57	43	624	471	0.0008	0.0004	0.0003	0.0007	0.0004	0.0013	
FEDERAL CENTER	0	75	0	75	83	0	4.5	372	57	43	212	160	0.0003	0.0001	0.0001	0.0002	0.0001	0.0007	
FEDERAL TRI	0	54	0	54	59	0	4.5	268	57	43	153	115	0.0002	0.0001	0.0001	0.0002	0.0001	0.0005	
FOGGY	0	102	0	102	112	0	4.5	505	57	43	288	217	0.0004	0.0002	0.0001	0.0003	0.0002	0.0009	
FORT TROTTER	0	445	0	445	490	0	4.5	2,205	57	43	1,257	948	0.0018	0.0008	0.0005	0.0013	0.0008	0.0039	
FRH HEIGHTS	0	679	0	679	746	0	4.5	3,365	57	43	1,918	1,447	0.0027	0.0012	0.0008	0.0019	0.0013	0.0058	
GALLERY PLACE	0	124	0	124	137	0	4.5	614	57	43	350	264	0.0005	0.0002	0.0001	0.0004	0.0002	0.0011	
GROSVENOR	0	716	0	716	788	0	4.5	3,548	57	43	2,022	1,526	0.0028	0.0013	0.0009	0.0022	0.0012	0.0062	
HUNT NORTH 40%	40	1873	1249	3122	2063	1375	7.5	25,796	57	43	14,698	11,088	0.0099	0.0094	0.0063	0.0157	0.0043	0.0299	
HUD SQUARE	0	110	0	110	121	0	4.5	545	57	43	311	240	0.0004	0.0002	0.0001	0.0003	0.0001	0.0007	
KING ST	0	30	0	30	33	0	4.5	149	57	43	85	64	0.0001	0.0001	0.0000	0.0001	0.0001	0.0003	
<b>LANDOVER 25%</b>																			
LANDOVER 25%	25	1410	470	1880	1553	518	7.5	15,528	57	43	8,851	6,677	0.0065	0.0057	0.0038	0.0094	0.0028	0.0188	
TENANT PLAZA	0	296	0	296	326	0	4.5	1,467	57	43	836	631	0.0012	0.0005	0.0003	0.0012	0.0006	0.0023	
MCPHERSON SQ	0	52	0	52	57	0	4.5	258	57	43	147	111	0.0001	0.0001	0.0000	0.0001	0.0001	0.0005	
MEDICAL CENTER	0	14	0	14	15	0	4.5	69	57	43	40	30	0.0001	0.0000	0.0000	0.0000	0.0000	0.0001	
METRO CENTER	0	177	0	177	195	0	4.5	877	57	43	500	377	0.0007	0.0003	0.0002	0.0005	0.0003	0.0015	
MINNES	0	353	0	353	389	0	4.5	1,749	57	43	997	752	0.0014	0.0006	0.0004	0.0011	0.0006	0.0031	
NAT AIR	0	87	0	87	96	0	4.5	431	57	43	246	185	0.0003	0.0002	0.0001	0.0003	0.0001	0.0008	
NEW CARROL 50%	50	1049	1049	2097	1155	1155	7.5	17,320	57	43	9,872	7,448	0.0062	0.0063	0.0042	0.0105	0.0027	0.0195	
PRNTAGON	0	561	0	561	618	0	4.5	2,780	57	43	1,585	1,195	0.0022	0.0010	0.0007	0.0017	0.0010	0.0049	
PENTAGON CITY	0	381	0	381	420	0	4.5	1,888	57	43	1,076	812	0.0015	0.0007	0.0005	0.0011	0.0007	0.0033	
RYDMAC AVE	0	533	0	533	587	0	4.5	2,611	57	43	1,538	1,156	0.0021	0.0010	0.0007	0.0016	0.0010	0.0044	
ROCKVILLE	0	667	0	667	735	0	4.5	3,305	57	43	1,884	1,421	0.0028	0.0012	0.0008	0.0020	0.0011	0.0058	
ROSSLYN	0	356	0	356	392	0	4.5	1,764	57	43	1,006	759	0.0014	0.0006	0.0004	0.0010	0.0006	0.0031	
SHADY GROVE 10%	10	3903	434	4337	4298	478	7.5	35,821	57	43	20,418	15,403	0.0164	0.0131	0.0087	0.0218	0.0071	0.0452	
SILVER SPRING	0	44	0	44	48	0	4.5	218	57	43	124	94	0.0002	0.0001	0.0001	0.0001	0.0001	0.0004	
SMITH MALL	0	120	0	120	129	0	4.												



NOVEMBER 2002
2005 CASE 7 NOx AIR QUALITY EMISSIONS INVENTORY
AUTO ACCESS TO TRANSIT
ACTION SCENARIO

Table with columns: LOCATION, OUTSIDE MSA (%), INSIDE MSA, OUTSIDE MSA, Total, 2005 INSIDE Growth Rate, 2005 OUTSIDE Growth Rate, AVERAGE TRIP LENGTH, VMT, ARTERIAL, FREEWAY, ARTERIAL, FREEWAY, EMISSIONS (COLD START, Arterial, Freeway, Total Running), TOTAL (tons/day)



Exhibit 2

Line	Description	2002					2005					AVERAGE					ARTERIAL/FREWAY		ARTERIAL/FREWAY		E M I S S I O N S			
		0	628	0	628	692	0	7.5	5,187	57	43	2,957	2,230	0.0015	0.0045	0.0035	0.0080	0.0095	0.0015	0.0045	0.0035	0.0080	0.0095	
132	ROLLING VALLEY	0	628	0	628	692	0	7.5	5,187	57	43	2,957	2,230	0.0015	0.0045	0.0035	0.0080	0.0095	0.0015	0.0045	0.0035	0.0080	0.0095	
133	SPRINGFIELD PLAZA	0	230	0	230	250	0	7.5	1,930	57	43	1,063	813	0.0006	0.0016	0.0013	0.0026	0.0038	0.0006	0.0016	0.0013	0.0026	0.0038	
134	FAIRLANS BOWL	0	35	0	35	39	0	7.5	289	57	43	165	124	0.0002	0.0002	0.0002	0.0004	0.0005	0.0002	0.0002	0.0002	0.0004	0.0005	
135	NOTTOWAY PARK	0	14	0	14	15	0	7.5	116	57	43	66	50	0.0000	0.0001	0.0001	0.0002	0.0002	0.0000	0.0001	0.0001	0.0002	0.0002	
137	BORNIER RD	0	2397	0	2397	2640	0	7.5	19,785	57	43	11,285	8,513	0.0058	0.0171	0.0134	0.0306	0.0363	0.0058	0.0171	0.0134	0.0306	0.0363	
138	LAKE RIDGE	0	555	0	555	611	0	7.5	4,384	57	43	2,513	1,871	0.0013	0.0040	0.0031	0.0071	0.0084	0.0013	0.0040	0.0031	0.0071	0.0084	
139	MINNIEVILLE RD 40%	40	336	224	560	370	247	7.5	4,625	57	43	2,636	1,989	0.0011	0.0040	0.0031	0.0071	0.0084	0.0011	0.0040	0.0031	0.0071	0.0084	
140	GORDON BLVD	0	156	0	156	172	0	7.5	1,288	57	43	734	554	0.0004	0.0011	0.0009	0.0020	0.0024	0.0004	0.0011	0.0009	0.0020	0.0024	
142	BILLENDALE	0	248	0	248	273	0	7.5	2,048	57	43	1,168	881	0.0006	0.0018	0.0014	0.0032	0.0038	0.0006	0.0018	0.0014	0.0032	0.0038	
143	POTOMAC MILLS	0	946	0	946	1042	0	7.5	7,513	57	43	4,454	3,380	0.0023	0.0068	0.0053	0.0121	0.0143	0.0023	0.0068	0.0053	0.0121	0.0143	
List of new lots to be added in Conformity Document list																								
PARK-AND-RIDE LOTS - MARYLAND																								
CALVERT COUNTY																								
Dunkirk	25	32	11	42	35	12	7.5	347	57	43	186	149	0.0001	0.0003	0.0002	0.0005	0.0006	0.0001	0.0003	0.0002	0.0005	0.0006		
Huntingtown	25	26	9	35	29	10	7.5	289	57	43	165	124	0.0001	0.0002	0.0002	0.0004	0.0005	0.0001	0.0002	0.0002	0.0004	0.0005		
Lord Calvert Bowling Alley	25	83	28	110	91	30	7.5	709	57	43	318	241	0.0002	0.0006	0.0006	0.0014	0.0016	0.0002	0.0006	0.0006	0.0014	0.0016		
Lusby	25	23	8	30	25	8	7.5	248	57	43	141	107	0.0001	0.0002	0.0002	0.0004	0.0004	0.0001	0.0002	0.0002	0.0004	0.0004		
North Beach VFD	25	53	18	70	58	19	7.5	578	57	43	330	249	0.0001	0.0005	0.0004	0.0009	0.0010	0.0001	0.0005	0.0004	0.0009	0.0010		
Prince Frederick	25	53	18	70	58	19	7.5	578	57	43	330	249	0.0001	0.0005	0.0004	0.0009	0.0010	0.0001	0.0005	0.0004	0.0009	0.0010		
St Leonard	25	36	13	50	41	14	7.5	413	57	43	235	178	0.0001	0.0004	0.0003	0.0006	0.0007	0.0001	0.0004	0.0003	0.0006	0.0007		
Sunderland	25	80	27	106	88	29	7.5	875	57	43	499	376	0.0002	0.0008	0.0006	0.0014	0.0016	0.0002	0.0008	0.0006	0.0014	0.0016		
PARK-AND-RIDE LOTS - MARYLAND																								
CHARLES COUNTY																								
811 Park & Ride	25	287	96	383	318	105	7.5	3,183	57	43	1,803	1,360	0.0008	0.0027	0.0021	0.0049	0.0057	0.0008	0.0027	0.0021	0.0049	0.0057		
Charles County Government Bld	25	26	9	35	29	10	7.5	289	57	43	165	124	0.0001	0.0002	0.0002	0.0004	0.0005	0.0001	0.0002	0.0002	0.0004	0.0005		
Food Lion Shopping Center	25	38	13	50	41	14	7.5	413	57	43	235	178	0.0001	0.0004	0.0003	0.0006	0.0007	0.0001	0.0004	0.0003	0.0006	0.0007		
La Plata Armory	25	15	5	20	17	6	7.5	165	57	43	94	71	0.0000	0.0001	0.0001	0.0002	0.0002	0.0000	0.0001	0.0001	0.0002	0.0002		
Laura Springs Regional Park	25	38	13	50	41	14	7.5	413	57	43	235	178	0.0001	0.0004	0.0003	0.0006	0.0007	0.0001	0.0004	0.0003	0.0006	0.0007		
Life Wesleyan Church	25	38	13	50	41	14	7.5	413	57	43	235	178	0.0001	0.0004	0.0003	0.0006	0.0007	0.0001	0.0004	0.0003	0.0006	0.0007		
Mattawoman-Beantown Rd	25	435	145	580	479	160	7.5	4,790	57	43	2,731	2,060	0.0012	0.0041	0.0033	0.0074	0.0086	0.0012	0.0041	0.0033	0.0074	0.0086		
Smallwood Village	25	75	25	100	83	28	7.5	626	57	43	371	285	0.0002	0.0006	0.0005	0.0011	0.0013	0.0002	0.0006	0.0005	0.0011	0.0013		
St. Charles Towne	25	253	89	350	289	98	7.5	2,891	57	43	1,648	1,243	0.0007	0.0025	0.0020	0.0045	0.0052	0.0007	0.0025	0.0020	0.0045	0.0052		
PARK-AND-RIDE LOTS - MARYLAND																								
FREDERICK COUNTY																								
Fredrick (north)	25	123	41	164	135	45	7.5	1,353	57	43	772	582	0.0003	0.0012	0.0009	0.0021	0.0024	0.0003	0.0012	0.0009	0.0021	0.0024		
Fredrick (south)	25	173	58	230	190	63	7.5	1,900	57	43	1,083	817	0.0005	0.0016	0.0013	0.0029	0.0034	0.0005	0.0016	0.0013	0.0029	0.0034		
Monocacy Marcat	25	600	200	800	661	220	7.5	6,607	57	43	3,786	2,841	0.0017	0.0057	0.0045	0.0109	0.0119	0.0017	0.0057	0.0045	0.0109	0.0119		
PARK-AND-RIDE LOTS - MARYLAND																								
MONTGOMERY COUNTY																								
Colesville	0	190	0	190	209	0	7.5	1,569	57	43	894	675	0.0005	0.0014	0.0011	0.0024	0.0028	0.0005	0.0014	0.0011	0.0024	0.0028		
Damascus	50	0	0	0	0	0	7.5	0	57	43	0	0	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		
Gaithersburg	50	259	259	517	285	285	7.5	4,270	57	43	2,434	1,838	0.0009	0.0037	0.0029	0.0066	0.0075	0.0009	0.0037	0.0029	0.0066	0.0075		
Gaithersburg	50	175	175	350	193	193	7.5	2,891	57	43	1,648	1,243	0.0006	0.0026	0.0020	0.0045	0.0051	0.0006	0.0026	0.0020	0.0045	0.0051		
Germanstown Town	50	0	0	0	0	0	7.5	0	57	43	0	0	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		
Greencastle	50	75	75	150	83	83	7.5	1,239	57	43	706	533	0.0003	0.0011	0.0008	0.0019	0.0022	0.0003	0.0011	0.0008	0.0019	0.0022		
Wilketts Shopping	50	88	88	175	96	96	7.5	1,445	57	43	824	622	0.0003	0.0012	0.0010	0.0022	0.0025	0.0003	0.0012	0.0010	0.0022	0.0025		
PARK-AND-RIDE LOTS - MARYLAND																								
PRINCE GEORGE'S COUNTY																								
Hampton Mall	0	100	0	100	110	0	4.5	496	57	43	282	213	0.0002	0.0004	0.0003	0.0008	0.0010	0.0002	0.0004	0.0003	0.0008	0.0010		
Luxford (south)	25	513	171	684	565	188	7.5	5,849	57	43	3,220	2,429	0.0014	0.0049	0.0038	0.0087	0.0102	0.0014	0.0049	0.0038	0.0087	0.0102		
PARK-AND-RIDE LOTS - VIRGINIA																								
ARLINGTON COUNTY																								
Ballston Public Parking Garage	25	375	125	500	413	138	7.5	4,130	57	43	2,354	1,776	0.0011	0.0036	0.0028	0.0064	0.0074	0.0011	0.0036	0.0028	0.0064	0.0074		
Washington-Lee	50	178	178	356	196	196	7.5	2,940	57	43	1,676	1,264	0.0006	0.0025	0.0020	0.0045	0.0052	0.0006	0.0025	0.0020	0.0045	0.0052		
PARK-AND-RIDE LOTS - VIRGINIA																								
FAIRFAX COUNTY																								
American Legion	50	50	50	100	55	55	7.5	826	57	43	471	355	0.0002	0.0007	0.0006	0.0013	0.0015	0.0002	0.0007	0.0006	0.0013	0.0015		
Cartersville Woods Pk	50	17	17	34	19	19	7.5	281	57	43	160	121	0.0001	0.0002	0.0002	0.0004	0.0005	0.0001	0.0002	0.0002	0.0004	0.0005		
Centerville	50	185	185	370	204	204	7.5	3,056	57	43	1,742	1,321	0.0007	0.0028	0.0022	0.0047	0.0054	0.0007	0.0028	0.0022	0.0047	0.0054		
Centerville United Methodist Chd	50	74	74	147	81	81	7.5	1,214	57	43	692	522	0.0003	0.0010	0.0008	0.0019	0.0021	0.0003	0.0010	0.0008	0.0019	0.0021		
Fairfax County Government Cent	50	85	85	170	94	94	7.5	1,404	57	43	800	604	0.0003	0.0012	0.0010	0.0022	0.0025	0.0003	0.0012	0.0010	0.0022	0.0025		
Greenbrier Park	50	28	28	55	30	30	7.5	454	57	43	259	195	0.0001	0.0004	0.0003	0.0007	0.0008	0.0001	0.0004	0.0003	0.0007	0.0008		
Hammond/Morris	50	873	873	1,745	961	961	7.5	14,413	57	43	8,215	6,189	0.0031	0.0096	0.0075	0.0168	0.0193							

# **Attachment H**

# Memorandum

**Date:** April 3, 2003

**To:** Michael Clifford, COG/TP  
Joan Rohlf, COG/DEP

**From:** Maureen Mullen, Angelica Codd, E.H. Pechan & Associates, Inc.

**Subject:** Technical Corrections to the 1990 and 2005 MOBILE6 Input Parameters (revised)

**cc:** MOBILE6 Task Force Members

---

The purpose of this memorandum is to document technical corrections that have been made to the MOBILE6 inputs used in preparing the highway vehicle emission inventories for the Metropolitan Washington Council of Governments (MWCOG) region for calendar years 1990 and 2005. These corrected inputs are compared in this memo to those previously used in the MWCOG highway vehicle emissions modeling and documented in a memorandum entitled “1990 and 2005 MOBILE6 Input Documentation” dated January 27, 2003. These technical corrections have been provided by DC, Maryland, and Virginia air agency representatives after review of the January documentation. This memo is divided into two sections. The first section discusses the technical corrections to the 1990 input parameters. These corrections apply to 1990 diesel sales fractions, vehicle miles traveled (VMT) mix fractions, I/M, and ATP input parameters. The second section summarizes the technical corrections to the 2005 I/M and ATP input parameters.

## A. 1990 MOBILE6 Input Updates

### 1. Diesel Sales Fractions

Previously, the LDV and the LDT diesel fractions for the District of Columbia were the MOBILE6 default diesel sales fractions for 1990. In this update, the diesel sales fractions for these vehicle categories were derived from the 1990 MOBILE5 default diesel sales fractions. MOBILE5 LDV diesel sales fractions were applied to the MOBILE6’s LDV diesel sales fractions while the MOBILE5 LDT values were applied to the MOBILE6’s LDT1 and LDT2 diesel sales fractions. As with the original emissions modeling, the MOBILE6 default diesel sales fractions were used for all other vehicle categories. Appendix 1 shows the 1990 MOBILE5 default LDV and LDT values and the MOBILE6 default diesel sales fractions for LDVs and LDT1/2s. There are no changes in the diesel sales fractions values for all other jurisdictions.

### 2. Inspection and Maintenance (I/M) and Anti-Tampering Program (ATP) Parameters

The 1990 I/M and ATP input parameters apply to the following jurisdictions: DC; Montgomery County and Prince George’s County, MD; and Alexandria, Arlington County, Fairfax County, and Prince William County, VA. Table 1 presents the I/M program parameters for the District of Columbia. The I/M program parameters for Maryland are shown in Table 2. Table 3 reports the I/M program parameters for Virginia. Tables 1, 2, and 3 provide a

comparison of the I/M program parameters used in the original emission factor modeling versus the most recent corrections provided by each State agency.

Tables 4, 5, and 6 compare the original 1990 ATP parameters versus the corrected ATP data for the District of Columbia, Maryland, and Virginia, respectively.

Each table consisted of three columns. The first column lists the program parameters. The second column reports the data reported in the original emissions modeling. Lastly, the column called 'Technical Correction Update' shows the most corrections provided by each State agency. The I/M and ATP input parameters that had been changed are highlighted in the last column of each table.

### 3. VMT Mix Fractions

The VMT mix fractions for DC were re-calculated due to the diesel sales fractions updates. As before, the VMT mix fractions by vehicle type for DC were based on the over-all non-bus HDV VMT fractions as output for, COG's travel demand model combined with county-specific registration distributions and diesel sales fractions and MOBILE6 default data on the VMT mix by vehicle type within the heavy and light-duty vehicle categories. For a detailed explanation of the VMT mix fractions methodology, refer to the Memo dated January 27, 2003. There is no difference in the methodology used in re-calculating the DC's VMT mix fractions. The difference is due to the diesel sales fractions applied to each analysis. The original 1990 VMT mix fractions were calculated based on the MOBILE6 default diesel sales fractions for all vehicle categories. Currently, the VMT mix fractions are calculated based on a combined MOBILE5 and MOBILE6 default diesel sales fractions. MOBILE5's default LDV diesel sales fractions were applied to the MOBILE6's LDV diesel sales fractions while the MOBILE5's default LDT values were applied to the MOBILE6's LDT1 and LDT2 diesel sales fractions. The MOBILE6 default diesel sales fractions were used for all other vehicle categories. Table 7 presents the VMT mix fractions for the District of Columbia based on the two different diesel sales fractions applied.

## **B. 2005 MOBILE6 Input Updates**

### 1. Inspection and Maintenance (I/M) and Anti-Tampering Program (ATP) Parameters

Each jurisdiction provided I/M program inputs and ATP inputs in MOBILE6 format for 2005. These inputs apply in all counties modeled by COG, except for St. Mary's County, MD and Clark County and Spotsylvania County, VA which do not participate in the I/M programs.

Tables 8, 9, and 10 provide the updated 2005 I/M input parameters for the District of Columbia, Maryland, and Virginia, respectively. All the changes in the input parameters are highlighted in yellow.

Below is a brief summary of the changes for each of the program parameters:

#### a. District of Columbia

##### 1. Program #1 – IDLE Test

- Added testing of the HDGV6 vehicle category.

2. Programs #2 and #6 – IM240
    - Changed I/M Program Start Year from 1999 to 1983.
    - Added testing of the HDGV6 vehicle category.
  3. Program #3 - OBD I/M
    - Changed I/M Program Start Year from 2002 to 1983.
  4. Programs #4 and #7 – FP and GC
    - Added testing of the HDGV6 vehicle category.
  5. Program #5 – EVAP OBD & GC
    - Changed I/M Program Start Year from 2002 to 1999.
- b. Maryland—No changes.
- c. Virginia
1. Programs #1 through #7
    - Changed Exemption Age from 24.0 to N/A.
  2. Program #2 – ASM 2525/5015 FINAL
    - Changed I/M Program Start Year from 1998 to 1983.
  3. Program #3 – OBD I/M
    - Changed I/M Program Start Year from 2002 to 1983.
  4. Program #4 – EVAP OBD & GC
    - Changed I/M Program Start Year from 2002 to 1998.
  5. Programs #1, #2, #3, #6, and #7
    - Changed I/M Program Start Year to 1998 for Loudoun and Stafford Counties.

Tables 11, 12, and 13 provide a comparison of the original 2005 ATP input parameters versus the most recent available data submitted by each State agency. Table 11 presents the ATP parameters for DC. Maryland's ATP input parameters are shown in Table 12. Virginia's ATP input parameters are provided in Table 13. In both Maryland and DC, the HDGV7, HDGV8A, HDGV8b, and GAS BUS vehicle categories were removed from the ATP testing. In DC, corrections were made to the program start year (from 1982 to 1983) and to the first model year (from 1984 to 1968). In Maryland, the compliance rate was changed from 98 percent to 96 percent. In Virginia, the program start year was changed from 1983 to 1989 and the first model year was changed from 1973 to 1968.

**Table 1**  
**1990 I/M Program Parameters for DC**

<b>Program Parameters</b>	<b>Original I/M Data Reported</b>	<b>Technical Correction Update</b>
Test Type	IDLE	IDLE
I/M Program Start Year	1983	1983
Test Frequency	Biennial	Biennial
Program Type	T/O	T/O
Model Years	1968- 2050	1968-2050
Stringency Rate (%)	20	20
Compliance Rate (%)	96	96
Waiver Rate (%)	3	3
Exemption Age		25
<b>Vehicles Tested</b>		
LDGV	Yes	Yes
LDGT1	Yes	Yes
LDGT2	Yes	Yes
LDGT3	Yes	Yes
LDGT4	Yes	Yes
HDGV2B	Yes	Yes
HDGV3	Yes	Yes
HDGV4	Yes	Yes
HDGV5	Yes	Yes
HDGV6	Yes	Yes
HDGV7	Yes	No
HDGV8A	Yes	No
HDGV8B	Yes	No
GAS BUS	Yes	No

**Table 2  
1990 I/M Program Parameters for Maryland\***

<b>Program Parameters</b>	<b>Original I/M Data Reported</b>	<b>Technical Correction Update</b>
Test Type	IDLE	IDLE
I/M Program Start Year	1984	1984
Test Frequency	Biennial	Biennial
Program Type	T/O	T/O
Model Years	1977-2050	1977-2050
Stringency Rate (%)	23	23
Compliance Rate (%)	98	96
Waiver Rate (%)	16 and 17	21 and 23
Grace Period (years)	N/A	1
<b>Vehicle Tested</b>		
LDGV	Yes	Yes
LDGT1	Yes	Yes
LDGT2	Yes	Yes
LDGT3	Yes	Yes
LDGT4	Yes	Yes
HDGV2B	Yes	Yes
HDGV3	Yes	Yes
HDGV4	Yes	Yes
HDGV5	Yes	Yes
HDGV6	Yes	Yes
HDGV7	Yes	No
HDGV8A	Yes	No
HDGV8B	Yes	No
GAS BUS	Yes	No
* Maryland's 1990 I/M program applies to Montgomery and Prince George's Counties only.		

**Table 3  
1990 I/M Program Parameters for Virginia\***

<b>Program Parameters</b>	<b>Original I/M Data Reported</b>	<b>Technical Correction Update</b>
Test Type	2500/IDLE	<b>IDLE</b>
I/M Program Start Year	1983	1983
Test Frequency	Biennial	Biennial
Program Type	TRC	TRC
Model Years	1968-2050	1968-2050
Stringency Rate (%)	35	35
Compliance Rate (%)	98	98
Waiver Rate (%)	3	3
Exemption Age	24	<b>N/A</b>
<b>Vehicle Tested</b>		
LDGV	Yes	Yes
LDGT1	Yes	Yes
LDGT2	Yes	Yes
LDGT3	Yes	Yes
LDGT4	Yes	Yes
HDGV2B	Yes	<b>No</b>
HDGV3	No	No
HDGV4	No	No
HDGV5	No	No
HDGV6	No	No
HDGV7	No	No
HDGV8A	No	No
HDGV8B	No	No
GAS BUS	No	No
<p><b>* Virginia's 1990 I/M program applies to Alexandria, Arlington County, Fairfax County, and Prince William County. From 1983-1988, these counties had an annual, idle, manual test and repair inspection. In 1989, the region switched to a biennial, 2500/idle, computerized test and repair inspection and also started an ATP. The above inputs represent the most reasonable way to model the actual VA I/M program within MOBILE6.</b></p>		



**Table 4  
1990 Anti-tampering Program Parameters for DC**

<b>Program Parameters</b>	<b>Original ATP Data Reported</b>	<b>Technical Correction Update</b>
Program Start Year	1982	1983
First Model Year	1984	1968
Last Model Year	2050	2050
Program Type	Test Only	Test Only
Inspection Frequency	Biennial	Biennial
Compliance Rate (%)	96	96
<b>Vehicle Types</b>		
LDGV	Yes	Yes
LDGT1	Yes	Yes
LDGT2	Yes	Yes
LDGT3	Yes	Yes
LDGT4	Yes	Yes
HDGV2B	Yes	Yes
HDGV3	Yes	Yes
HDGV4	Yes	Yes
HDGV5	Yes	Yes
HDGV6	Yes	Yes
HDGV7	Yes	No
HDGV8A	Yes	No
HDGV8B	Yes	No
GAS BUS	Yes	No
<b>Inspections Performed</b>		
Air pump system disablement	No	No
Catalyst removal	Yes	Yes
Fuel inlet restrictor disablement	Yes	Yes
Tailpipe lead deposit test	No	No
EGR disablement	No	No
Evaporative system disablement	No	No
PCV system disablement	No	No
Missing gas cap	Yes	Yes

**Table 5  
1990 Anti-tampering Program Parameters for Maryland\***

<b>Program Parameters</b>	<b>Original ATP Data Reported</b>	<b>Technical Correction Update</b>
Program Start Year	1989	1989
First Model Year	1977	1977
Last Model Year	2050	2050
Program Type	Test Only	Test Only
Inspection Frequency	Biennial	Biennial
Compliance Rate (%)	98	96
<b>Vehicle Types</b>		
LDGV	Yes	Yes
LDGT1	Yes	Yes
LDGT2	Yes	Yes
LDGT3	Yes	Yes
LDGT4	Yes	Yes
HDTV2B	Yes	Yes
HDTV3	Yes	Yes
HDTV4	Yes	Yes
HDTV5	Yes	Yes
HDTV6	Yes	Yes
HDTV7	Yes	No
HDTV8A	Yes	No
HDTV8B	Yes	No
GAS BUS	Yes	No
<b>Inspections Performed</b>		
Air pump system disablement	No	No
Catalyst removal	Yes	Yes
Fuel inlet restrictor disablement	Yes	Yes
Tailpipe lead deposit test	No	No
EGR disablement	No	No
Evaporative system disablement	No	No
PCV system disablement	No	No
Missing gas cap	Yes	No
* Maryland's ATP applies to Montgomery and Prince George's Counties only.		

**Table 6  
1990 Anti-tampering Program Parameters for Virginia\***

<b>Program Parameters</b>	<b>Original ATP Data Reported</b>	<b>Technical Correction Update</b>
Program Start Year	1989	1989
First Model Year	1979	1968
Last Model Year	2050	2050
Program Type	Test Only	Test and Repair Computerized*
Inspection Frequency	Biennial	Biennial
Compliance Rate (%)	98	98
<b>Vehicle Types</b>		
LDGV	Yes	Yes
LDGT1	Yes	Yes
LDGT2	Yes	Yes
LDGT3	Yes	Yes
LDGT4	Yes	Yes
HDGV2B	Yes	Yes
HDGV3	Yes	No
HDGV4	Yes	No
HDGV5	Yes	No
HDGV6	Yes	No
HDGV7	Yes	No
HDGV8A	Yes	No
HDGV8B	Yes	No
GAS BUS	Yes	No
<b>Inspections Performed</b>		
Air pump system disablement	Yes	Yes
Catalyst removal	Yes	Yes
Fuel inlet restrictor disablement	No	Yes
Tailpipe lead deposit test	No	No
EGR disablement	Yes	Yes
Evaporative system disablement	Yes	Yes
PCV system disablement	Yes	Yes
Missing gas cap	Yes	Yes
<p>* Virginia's ATP applies to Alexandria, Arlington County, Fairfax County, and Prince William County only. There was no ATP for Clark, Loudoun, Spotsylvania, and Stafford counties in 1990.</p> <p>+ Modeled as Test Only (T/O). Per Mobile6 User's Guide (Section 2.8.9.3), EPA no longer support test and repair benefit discount.</p>		

**Table 7  
1990 Summer VMT Mix Fractions for DC**

Vehicle Types	Network Analysis		Local Analysis		Auto Access to Transit Analysis	
	Original Data Reported*	Recent Update**	Original Data Reported*	Recent Update**	Original Data Reported*	Recent Update**
LDV	0.6483	0.6481	0.6886	0.6884	0.6998	0.6996
LDT1	0.0425	0.0426	0.0452	0.0452	0.0459	0.0460
LDT2	0.1416	0.1418	0.1504	0.1506	0.1529	0.1531
LDT3	0.0593	0.0593	0.0630	0.0630	0.0640	0.0640
LDT4	0.0273	0.0272	0.0290	0.0291	0.0294	0.0293
HDV2B	0.0244	0.0244	0.0054	0.0053	0.0000	0.0000
HDV3	0.0024	0.0024	0.0005	0.0005	0.0000	0.0000
HDV4	0.0016	0.0016	0.0003	0.0003	0.0000	0.0000
HDV5	0.0013	0.0013	0.0003	0.0003	0.0000	0.0000
HDV6	0.0050	0.0050	0.0011	0.0011	0.0000	0.0000
HDV7	0.0060	0.0060	0.0013	0.0013	0.0000	0.0000
HDV8A	0.0071	0.0071	0.0015	0.0015	0.0000	0.0000
HDV8B	0.0258	0.0258	0.0056	0.0056	0.0000	0.0000
HDBS	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
HDBT***	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
MC***	0.0074	0.0074	0.0078	0.0078	0.0080	0.0080

\* Based on 1990 registration distribution and MOBILE6 default diesel sales fractions.

\*\* Based on 1990 registration distribution and combined MOBILE5 and MOBILE6 default diesel sales fractions. MOBILE5 default diesel sales fractions were applied to LDV, LDT1, and LDT2 vehicle categories. MOBILE6 default diesel sales fractions were applied to the remainder of the vehicle categories except HDBT and MC.

\*\*\* The HDBT and MC vehicle types do not require diesel sales fractions. HDBT is assumed to be a 100.0% diesel-fueled while MC is assumed to be 100.0% gasoline-fueled vehicle categories.

**Table 8  
2005 I/M Program Parameters for DC**

Program Parameters	Program Number						
	1	2	3	4	5	6	7
Test Type	IDLE	IM240	OBD I/M	FP & GC	EVAP OBD & GC	IM240	FP & GC
I/M Program Start Year	1983	1983*	1983**	1999	1999**	1983*	1999
Test Frequency	Biennial	Biennial	Biennial	Biennial	Biennial	Biennial	Biennial
Program Type	T/O	T/O	T/O	T/O	T/O	T/O	T/O
Model Years	1968-1983	1984-1995	1996-2050	1972-1995	1996-2050	1996-2050	1996-2050
Stringency Rate (%)	20	20	20	N/A	20	20	N/A
Compliance Rate (%)	96	96	96	96	96	96	96
Waiver Rate (%)	3	3	3	N/A	3	3	N/A
Exemption Age	25	25	25	25	25	25	25
Cutpoint File	N/A	DC_cpnew	N/A	N/A	N/A	DC_cpnew	N/A
<b>Vehicles Tested</b>							
LDGV	Yes	Yes	Yes	Yes	Yes	No	No
LDGT1	Yes	Yes	Yes	Yes	Yes	No	No
LDGT2	Yes	Yes	Yes	Yes	Yes	No	No
LDGT3	Yes	Yes	Yes	Yes	Yes	No	No
LDGT4	Yes	Yes	Yes	Yes	Yes	No	No
HDTV2B	Yes	Yes	No	Yes	No	Yes	Yes
HDTV3	Yes	Yes	No	Yes	No	Yes	Yes
HDTV4	Yes	Yes	No	Yes	No	Yes	Yes
HDTV5	Yes	Yes	No	Yes	No	Yes	Yes
HDTV6	Yes	Yes	No	Yes	No	Yes	Yes
HDTV7	No	No	No	No	No	No	No
HDTV8A	No	No	No	No	No	No	No
HDTV8B	No	No	No	No	No	No	No
GAS BUS	No	No	No	No	No	No	No
<p>* The actual start date of the IM240 program in DC was 1999. The start dates shown above are needed to obtain the appropriate I/M credit in MOBILE6.</p> <p>** The actual start date of OBD testing in DC was 2003. The start dates shown above are needed to obtain the appropriate I/M credit in MOBILE6.</p>							

**Table 9  
2005 I/M Program Parameters for Maryland\***

Program Parameters	Program Number						
	1	2	3	4	5	6	7
Test Type	IDLE	IM240	OBD I/M	GC	EVAP OBD & GC	IDLE	GC
I/M Program Start Year	1984**	1984**	1984**	2003	2003	1984**	2003
Test Frequency	Biennial	Biennial	Biennial	Biennial	Biennial	Biennial	Biennial
Program Type	T/O	T/O	T/O	T/O	T/O	T/O	T/O
Model Years	1977-1983	1984-1995	1996-2050	1977-1995	1996-2050	1977-2050	1977-2050
Stringency Rate (%)	20	20	20	N/A	N/A	20	N/A
Compliance Rate (%)	96	96	96	96	96	96	96
Waiver Rate (%)	3	3	3	3	3	3	3
Grace Period (years)	2	2	2	2	2	2	2
Cutpoint File	N/A	Final.C05	N/A	N/A	N/A	N/A	N/A
<b>Vehicle Tested</b>							
LDGV	Yes	Yes	Yes	Yes	Yes	No	No
LDGT1	Yes	Yes	Yes	Yes	Yes	No	No
LDGT2	Yes	Yes	Yes	Yes	Yes	No	No
LDGT3	Yes	Yes	Yes	Yes	Yes	No	No
LDGT4	Yes	Yes	Yes	Yes	Yes	No	No
HDGV2B	No	No	No	No	No	Yes	Yes
HDGV3	No	No	No	No	No	Yes	Yes
HDGV4	No	No	No	No	No	Yes	Yes
HDGV5	No	No	No	No	No	Yes	Yes
HDGV6	No	No	No	No	No	Yes	Yes
HDGV7	No	No	No	No	No	No	No
HDGV8A	No	No	No	No	No	No	No
HDGV8B	No	No	No	No	No	No	No
GAS BUS	No	No	No	No	No	No	No
* I/M programs apply to all counties except St. Mary's County.							
** The exhaust I/M program start date is 1995 for Calvert, Charles, Frederick, and Washington Counties.							

**Table 10**  
**2005 I/M Program Parameters for Virginia\***

Program Parameters	Program Number						
	1	2	3	4	5	6	7
Test Type	2500/IDLE	ASM 2525/5015 FINAL	OBD I/M**	EVAP OBD & GC**	GC	2500/IDLE	GC
I/M Program Start Year	1983***	1983***	1983***	1998	1998	1983***	1998
Test Frequency	Biennial	Biennial	Biennial	Biennial	Biennial	Biennial	Biennial
Program Type	TRC	TRC	TRC	TRC	TRC	TRC	TRC
Model Years	1968-1980	1981-1995	1996-2050	1996-2050	1973-1995	1981-2050	1973-2050
Stringency Rate (%)	35	35	35	N/A	N/A	35	N/A
Compliance Rate (%)	98	98	98	98	98	98	98
Waiver Rate (%)	3	3	3	3	3	3	3
Exemption Age	N/A	N/A	N/A	N/A	N/A	N/A	N/A
I/M Effectiveness (%)	94%	94%	94%	N/A	N/A	94%	N/A
<b>Vehicle Tested</b>							
LDGV	Yes	Yes	Yes	Yes	Yes	No	No
LDGT1	Yes	Yes	Yes	Yes	Yes	No	No
LDGT2	Yes	Yes	Yes	Yes	Yes	No	No
LDGT3	Yes	Yes	Yes	Yes	Yes	No	No
LDGT4	Yes	Yes	Yes	Yes	Yes	No	No
HDGV2B	Yes	No	No	No	No	Yes	Yes
HDGV3	No	No	No	No	No	No	No
HDGV4	No	No	No	No	No	No	No
HDGV5	No	No	No	No	No	No	No
HDGV6	No	No	No	No	No	No	No
HDGV7	No	No	No	No	No	No	No
HDGV8A	No	No	No	No	No	No	No
HDGV8B	No	No	No	No	No	No	No
GAS BUS	No	No	No	No	No	No	No
<p>* All counties require I/M programs except for Clark and Spotsylvania Counties.</p> <p>** The actual start date of the exhaust and evaporative OBD program is 2002. The dates above are used to obtain the appropriate credits in MOBILE6.</p> <p>*** The exhaust I/M program start year is 1998 for Loudoun and Stafford Counties. The actual start date of the ASM program in the other counties was 1998. The date above is used to obtain the appropriate credits in MOBILE6.</p>							

**Table 11  
2005 Anti-tampering Program Parameters for DC\***

<b>Program Parameters</b>	<b>Original ATP Data Reported</b>	<b>Recent Update</b>
Program Start Year	1982	1983
First Model Year	1984	1968
Last Model Year	2050	2050
Program Type	Test Only	Test Only
Inspection Frequency	Biennial	Biennial
Compliance Rate (%)	96	96
<b>Vehicle Types</b>		
LDGV	Yes	Yes
LDGT1	Yes	Yes
LDGT2	Yes	Yes
LDGT3	Yes	Yes
LDGT4	Yes	Yes
HDGV2B	Yes	Yes
HDGV3	Yes	Yes
HDGV4	Yes	Yes
HDGV5	Yes	Yes
HDGV6	Yes	Yes
HDGV7	Yes	No
HDGV8A	Yes	No
HDGV8B	Yes	No
GAS BUS	Yes	No
<b>Inspections Performed</b>		
Air pump system disablement	No	No
Catalyst removal	Yes	Yes
Fuel inlet restrictor disablement	Yes	Yes
Tailpipe lead deposit test	No	No
EGR disablement	No	No
Evaporative system disablement	No	No
PCV system disablement	No	No
Missing gas cap	Yes	Yes
* DC's ATP parameters are based on 1990 ATP data.		



**Table 12**  
**2005 Anti-tampering Program Parameters for Maryland\***

<b>Program Parameters</b>	<b>Original ATP Data Reported</b>	<b>Recent Update**</b>
Program Start Year	1989	1989
First Model Year	1977	1977
Last Model Year	2050	2050
Program Type	Test Only	Test Only
Inspection Frequency	Biennial	Biennial
Compliance Rate (%)	98	96
<b>Vehicle Types</b>		
LDGV	Yes	Yes
LDGT1	Yes	Yes
LDGT2	Yes	Yes
LDGT3	Yes	Yes
LDGT4	Yes	Yes
HDTV2B	Yes	Yes
HDTV3	Yes	Yes
HDTV4	Yes	Yes
HDTV5	Yes	Yes
HDTV6	Yes	Yes
HDTV7	Yes	No
HDTV8A	Yes	No
HDTV8B	Yes	No
GAS BUS	Yes	No
<b>Inspections Performed</b>		
Air pump system disablement	No	No
Catalyst removal	Yes	Yes
Fuel inlet restrictor disablement	Yes	Yes
Tailpipe lead deposit test	No	No
EGR disablement	No	No
Evaporative system disablement	No	No
PCV system disablement	No	No
Missing gas cap	Yes	Yes
<p>* Maryland's ATP applies to all counties except St. Mary's County.</p> <p>** Based on 1996 ATP parameters.</p>		

**Table 13  
2005 Anti-tampering Program Parameters for Virginia\***

<b>Program Parameters</b>	<b>Original ATP Data Reported</b>	<b>Recent Update</b>
Program Start Year	1983	1989**
First Model Year	1973	1968
Last Model Year	2050	2050
Program Type	Test Only	Test and Repair Computerized***
Inspection Frequency	Biennial	Biennial
Compliance Rate (%)	98	98
<b>Vehicle Types</b>		
LDGV	Yes	Yes
LDGT1	Yes	Yes
LDGT2	Yes	Yes
LDGT3	Yes	Yes
LDGT4	Yes	Yes
HDGV2B	Yes	Yes
HDGV3	No	No
HDGV4	No	No
HDGV5	No	No
HDGV6	No	No
HDGV7	No	No
HDGV8A	No	No
HDGV8B	No	No
GAS BUS	No	No
<b>Inspections Performed</b>		
Air pump system disablement	Yes	Yes
Catalyst removal	Yes	Yes
Fuel inlet restrictor disablement	No	No
Tailpipe lead deposit test	No	No
EGR disablement	Yes	Yes
Evaporative system disablement	Yes	Yes
PCV system disablement	Yes	Yes
Missing gas cap	Yes	Yes
<p><b>* Virginia's ATP applies to all jurisdictions except Clark and Spotsylvania counties.</b></p> <p><b>** ATP start year is 1998 for Loudoun and Stafford Counties.</b></p> <p><b>*** Modeled as Test Only (T/O). Per Mobile6 User's Guide (Section 2.8.9.3), EPA no longer support test and repair benefit discount.</b></p>		

## Appendix 1 Diesel Sales Fractions

The diesel sales fractions are presented by vehicle, year-specific model year, and going back 25 model years. The MOBILE5 default diesel sales fractions are based on 1990 national data and the MOBILE6 default diesel sales fractions are based on 1996 national data.

### District of Columbia – 1990 MOBILE5 Default Diesel Sales Fractions

\* LDV

0.0000	0.0000	0.0000	0.0030	0.0030	0.0090	0.0170	0.0210	0.0470	0.0590
0.0440	0.0210	0.0090	0.0050	0.0030	0.0020	0.0030	0.0020	0.0020	0.0010
0.0000	0.0000	0.0000	0.0000	0.0000					

\* LDT1, LDT2

0.0020	0.0020	0.0020	0.0030	0.0070	0.0110	0.0230	0.0470	0.0930	0.0560
0.0350	0.0180	0.0080	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
0.0000	0.0000	0.0000	0.0000	0.0000					

### District of Columbia – 1990 MOBILE6 Default Diesel Sales Fractions

\* LDV

0.0004	0.0004	0.0001	0.0027	0.0032	0.0097	0.0162	0.0241	0.0510	0.0706
0.0390	0.0269	0.0114	0.0093	0.0137	0.0155	0.0067	0.0067	0.0067	0.0067
0.0067	0.0067	0.0067	0.0067	0.0067					

\* LDT1, LDT2

0.0000	0.0000	0.0000	0.0007	0.0033	0.0048	0.0120	0.0223	0.0656	0.0616
0.0439	0.0316	0.0259	0.0000	0.0187	0.1038	0.1170	0.1170	0.1170	0.1170
0.1170	0.1170	0.1170	0.1170	0.1170					

# **Attachment I**

## **DRAFT**

### MEMORANDUM

April 4, 2003

To: TPB Technical Committee

From: Mike Clifford

Subject: Round 6.3 Cooperative Forecasts: Sensitivity Test Regarding Travel Demand and Mobile Emissions

#### **Introduction**

This memo transmits the travel demand and emissions results of a land use sensitivity test (Round 6.3 versus 6.2 Cooperative Forecasts) performed to assess potential impacts that updated land use inputs may have on mobile source emissions. Round 6.2 Cooperative Forecasts, the currently adopted land use forecasts for the Washington region, are being applied in the development of the region's severe area state implementation plan. However, control totals for draft Round 6.3 forecasts, which contain somewhat higher estimates for households and jobs, have been developed and approved for testing by COG's Metropolitan Development Policy Committee. As a result, COG staff has performed this sensitivity test to indicate the possible impacts that the forthcoming land use figures would have on mobile source emissions.

#### **Methods**

While Round 6.3 control totals have been approved for testing purposes (see Paul Desjardin's March 13, 2003 memo), with the exception of data for the District of Columbia the small area (traffic analysis zone level) forecasts are not yet available for use. Staff therefore factored the existing Round 6.2 distributions of households, population and jobs by '6.3 / 6.2 multipliers' in all other jurisdictions to obtain an order of magnitude estimate of the anticipated land use changes. Staff prepared files for 2002 and 2005 and executed the travel demand (Version 2.1) and emissions modeling (Mobile6) procedures being applied in the severe area SIP development to estimate 'Round 6.3 scenario' emissions levels.

#### **Results**

MSA level summary results of this assessment for year 2002 and 2005 are contained in Exhibit 1. The exhibit shows the aggregate land use inputs, followed by the travel

demand and mobile source emissions outputs. Attachment A also contains the mobile emissions results by component of the inventory. The most significant change with Round 6.3 in each year is the addition of 48,000 and 55,000 households for the two simulation years. Employment also increases by 33,000 and 5,900 for the two years. The emissions results show that in 2002 VOC emissions increase by 1.3 T/D and NOx emissions increase by 2.0 T/D ; in 2005 VOC and NOx emissions increase by an identical 1.4 T/D.

These higher emissions results indicate that the sensitivity test was a useful assessment since it demonstrated that otherwise the region would have been understating mobile source (as well as area and nonroad) emissions for both rate of progress and attainment planning. It was also a useful exercise as a land use / travel demand / emissions planning study. Specifically, VMT usually increases proportionately more than a given percentage increase in households. In this case, however, since roughly two thirds of the increased households are in the District of Columbia with its higher average percent transit (of close to 50% vs. the regional figure which is closer to 14%) and car occupancy levels (of 1.21 in the District vs. 1.12 regionwide), VMT increases less than the household percentage increases. I.E., HHs increase at 2.8% vs. 0.7% for VMT in 2002, and HHs increase at 3.1% vs. 0.6% for VMT in 2005.

Attachment

**Exhibit 1. R6.2/6.3 LAND USE SENSITIVITY (MSA)**

<u>2002</u>	<u>6.2</u>	<u>6.3</u>	<u>Diff</u>	<u>%Diff</u>	<u>DC</u>	
<b>Land Use</b>						
HH's(000)	1,730.0	1,778.0	48.0	2.8%	31.8	66.2%
Empl.	2,892.3	2,925.6	33.3	1.2%	2.7	8.1%
<b>Travel</b>						
VT (m)	14.576	14.862	0.286	2.0%		
VMT	121.057	121.896	0.839	0.7%		
<b>Emissions</b>						
VOC(T/D)	121.5	122.8	1.3	1.1%		
NOx	287.5	289.5	2.0	0.7%		
<u>2005</u>						
<b>Land Use</b>						
HHs(000)	1817.2	1872.7	55.5	3.1%	39.6	71.4%
Empl	3,072.4	3,078.3	5.9	0.2%	-----	0%
<b>Travel</b>						
VT(m)	15.274	15.600	0.326	2.1%		
	126.496	127.241	0.745	0.6%		
<b>Emissions</b>						
VOC(T/D)	95.3	96.7	1.4	1.5%		
NOx	235.5	237.0	1.4	0.6%		

## 2002 Mobile Emissions Inventory

		VOC			NOx		
		Round 6.2	Round 6.3 Control Totals	6.3 - 6.2	Round 6.2	Round 6.3 Control Totals	6.3 - 6.2
Network	Start	22.22	22.67	0.45	12.16	12.41	0.25
	Running	61.23	61.84	0.61	249.76	251.53	1.77
	Soak	11.00	11.23	0.23	----	----	----
Off-Network	Diurnals	3.13	3.13	0.00	----	----	----
	Resting	12.31	12.31	0.00	----	----	----
	Local Roads	9.48	9.48	0.00	11.20	11.21	0.01
	School Bus	0.43	0.43	0.00	6.09	6.09	0.00
	Transit Bus	0.38	0.38	0.00	6.59	6.59	0.00
	Auto Access	1.34	1.34	0.00	1.67	1.67	0.00
<b>TOTAL</b>		121.52	122.81	1.29	287.47	289.50	2.03



## 2005 Mobile Emissions Inventory

		VOC			NOx		
		Round 6.2	Round 6.3 Control Totals	6.3 - 6.2	Round 6.2	Round 6.3 Control Totals	6.3 - 6.2
Network	Start	15.43	15.78	0.35	9.46	9.67	0.21
	Running	46.51	47.21	0.70	203.31	204.37	1.06
	Soak	11.03	11.28	0.25	----	----	----
Off-Network	Diurnals	2.82	2.82	0.00	----	----	----
	Resting	10.55	10.55	0.00	----	----	----
	Local Roads	7.30	7.38	0.08	10.29	10.38	0.09
	School Bus	0.38	0.38	0.00	5.49	5.49	0.00
	Transit Bus	0.27	0.27	0.00	5.55	5.55	0.00
	Auto Access	1.01	1.05	0.04	1.44	1.50	0.06
<b>TOTAL</b>		95.30	96.72	1.42	235.54	236.96	1.42



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
NATIONAL VEHICLE AND FUEL EMISSIONS LABORATORY  
2565 PLYMOUTH ROAD  
ANN ARBOR, MICHIGAN 48105-2498

FEB 12 2003

OFFICE OF  
AIR AND RADIATION

MEMORANDUM

**SUBJECT:** Clarification of Policy Guidance for MOBILE6 SIPs in Mid-course Review Areas

**FROM:**

Tom Helms, OAQPS

Leila Cook, OTAQ

*Tom Helms by JAC*  
*Leila Cook*

**TO:** EPA Regional Air Division Directors

EPA was recently asked to clarify its response to Question 5 of its MOBILE6 policy guidance in ozone nonattainment areas that will be completing mid-course reviews in the future.<sup>1</sup> These areas are revising the motor vehicle emissions inventories in their attainment SIPs with the MOBILE6 emissions factor model. This memorandum is intended to clarify the approach for determining that revised attainment SIPs in these areas continue to demonstrate attainment with revised MOBILE6 inventories.<sup>2</sup> The approach we envision and recommend for the analysis is as follows.

- Review growth and control strategy assumptions for non-motor vehicle sources (i.e., point, area, and non-road mobile sources). Verify that the assumptions continue to be valid and minor updates do not change the overall conclusions of the SIP. If the assumptions are no longer valid, update the non-motor vehicle inventories that have changed.
- SIPs that relied on absolute modeling:
  - ▶ If the non-motor vehicle inventories have not changed, compare the new MOBILE6-based on-road motor vehicle inventory for the attainment year to the old MOBILE5-based inventory for the attainment year.
  - ▶ If the non-motor vehicle inventories are updated to reflect new assumptions, compare the new total SIP inventory for the attainment year (incorporating the new MOBILE6-based motor vehicle inventory) to the old total SIP inventory

---

<sup>1</sup>EPA issued its "Policy Guidance on the Use of MOBILE6 for SIP Development and Transportation Conformity" on January 18, 2002.

<sup>2</sup>See the "Attainment or maintenance demonstration" section of Question 5 on page 9 of the guidance.

(incorporating the old MOBILE5-based motor vehicle inventory).

- ▶ In either case, if the new on-road motor vehicle or total SIP inventory is equal to or lower than the old one, a shortfall is not indicated and the SIP continues to demonstrate attainment. Otherwise, the shortfall is the difference between the attainment year (new on-road motor vehicle or total SIP) inventory based on MOBILE6 and the corresponding old attainment year inventory based on MOBILE5.
- SIPs that relied on relative modeling:
  - ▶ If the non-motor vehicle inventories have not changed, compare the percentage change in on-road motor vehicle emissions between the base year and attainment year using MOBILE5 and MOBILE6. If the percentage change in on-road motor vehicle emissions using MOBILE6 is the same or higher than the percentage change calculated with MOBILE5, a shortfall is not indicated and the SIP continues to demonstrate attainment.
  - ▶ If there appears to be a shortfall in the on-road motor vehicle inventory, or if the non-motor vehicle emissions inventories have changed, compare the percentage change in emissions between the old and new total SIP inventory (i.e., includes motor vehicle, stationary, area, and non-road mobile inventories). If the percentage change in the new inventory using MOBILE6 is the same or higher than the percentage change in the old inventory using MOBILE5, the SIP continues to demonstrate attainment. If the new total SIP inventory shows a smaller percentage change than the old one, a shortfall is indicated.
  - ▶ Calculate the amount of the shortfall in tons per day, by calculating the difference in the percentage change (i.e., percentage change in the old inventory minus the percentage change in new inventory), and multiplying the difference times the new (MOBILE6-based) base year inventory.

As stated in the January 18, 2002, guidance, if a shortfall is indicated, the state must describe the amount of the shortfall by precursor (i.e., VOC and NO<sub>x</sub>), and submit, as part of the MOBILE6 SIP revision, an enforceable commitment to do one of the following in its mid-course review: 1) submit additional measures needed to fill any emission reduction shortfall (if a shortfall is confirmed in the mid-course review); or 2) document that the mid-course review reflects that there is no emission reduction shortfall.

If you have any questions or further clarification is needed please contact either Gary Dolce (734-214-4144) or Ellen Baldrige (919-541-5684).

cc: Air Program Managers