



**Groundwater
& Environmental Services, Inc.**

1350 Blair Drive • Suite A • Odenton, Maryland 21113 • (800) 220-3606 • FAX (410) 721-3733

June 12, 2014

Robert Goldstein
3921 Greenpeak Rd
Jarrettsville, MD 21084

Re: Potable Well Sampling Results
3921 Greenpeak Rd, Jarrettsville, MD 21084

Dear Mr. Goldstein:

Groundwater & Environmental Services, Inc. (GES), on behalf of High's of Baltimore, would like to thank you for your cooperation in allowing us to conduct sampling of your drinking water well on May 15, 2014.

The water sample from your well was tested in accordance to USEPA standards for the presence of several petroleum related compounds including methyl tertiary butyl ether (MTBE). The results from the most recent sampling event demonstrate a detection of MTBE in your well water at a concentration of 19.4 micrograms per liter ($\mu\text{g/L}$). For reference, the Maryland Department of the Environment (MDE) action level for MTBE is 20 $\mu\text{g/L}$. A copy of the laboratory analysis report for the May 15, 2014 sampling event is attached to this correspondence.

The tests conducted on your drinking water well are part of an ongoing groundwater investigation being conducted in cooperation with the MDE and the Harford County Health Department (HCHD). Therefore we would like to continue sampling the water from your drinking water well on a periodic basis while the groundwater investigation is being conducted. We will notify you in advance of the next scheduled sampling event.

If you have any questions concerning this sampling event, please feel free to contact me at 800-220-3606, Ext. 3717. You may also contact Ms. Jeannette DeBartolomeo of the MDE at 410-537-3427.

Sincerely,
GROUNDWATER & ENVIRONMENTAL SERVICES, INC.

A handwritten signature in black ink that reads 'Gregory Reichart'. The signature is written in a cursive, flowing style.

Gregory Reichart
Project Manager

Attachment

c: Jeannette DeBartolomeo, MDE (3 copies & CD)
Peter Smith, HCHD
Herb Meade, CIFC
Todd Passmore, Apex
PSID # 474623



2019 Ninth Avenue
 PO Box 1925
 Altoona, PA 16603
 (814) 946-4306
 NELAP: PA 07-062, VA 460212

89 Kristi Road
 Pennsdale, PA 17756
 (570) 494-6380
 PaDEP: PA 41-04684



www.fairwaylaboratories.com

State Certifications: MD 275, WV 364

GES Maryland
 1350 Blair Drive, Suite A
 Odenton MD, 21113
 Project Manager: Greg Reichart

Project: Carroll Fuel Madonna
 Project Number: 04-02814-06-209
 Collector: JP
 Number of Containers: 10
 Reported: 06/03/14 16:34

Client Sample ID: 3921 GREENPEAK-20140515

Date/Time Sampled: 05/15/14 09:10

Laboratory Sample ID: 4E16100-01 (Water/Grab)

Analyte	Result	MDL	RL	Units	Date / Time Analyzed	Method	* Analyst	Note
---------	--------	-----	----	-------	----------------------	--------	-----------	------


Purgeable Organic Compounds by EPA Method 524.2

Ethyl tert-butyl ether	<0.500	0.500		ug/l	05/21/14 18:28	EPA 524.2/4.1	wlm	U
Tert-amyl methyl ether	<0.500	0.500		ug/l	05/21/14 18:28	EPA 524.2/4.1	wlm	U
tert- amyl alcohol	<2.50	2.50		ug/l	05/21/14 18:28	EPA 524.2/4.1	wlm	U
tert- amyl ethyl ether	<0.500	0.500		ug/l	05/21/14 18:28	EPA 524.2/4.1	wlm	U
Tert-butyl alcohol	<2.50	2.50		ug/l	05/21/14 18:28	EPA 524.2/4.1	wlm	U
Diisopropylether (DIPE)	<0.500	0.500		ug/l	05/21/14 18:28	EPA 524.2/4.1	wlm	U
Benzene	<0.500	0.500		ug/l	05/21/14 18:28	EPA 524.2/4.1	wlm	U
Carbon tetrachloride	<0.500	0.500		ug/l	05/21/14 18:28	EPA 524.2/4.1	wlm	U
Chlorobenzene	<0.500	0.500		ug/l	05/21/14 18:28	EPA 524.2/4.1	wlm	U
Naphthalene	<0.500	0.500		ug/l	05/21/14 18:28	EPA 524.2/4.1	wlm	U
1,2-Dichlorobenzene	<0.500	0.500		ug/l	05/21/14 18:28	EPA 524.2/4.1	wlm	U
1,3-Dichlorobenzene	<0.500	0.500		ug/l	05/21/14 18:28	EPA 524.2/4.1	wlm	U
1,2-Dichloroethane	<0.500	0.500		ug/l	05/21/14 18:28	EPA 524.2/4.1	wlm	U
1,1-Dichloroethene	<0.500	0.500		ug/l	05/21/14 18:28	EPA 524.2/4.1	wlm	U
cis-1,2-Dichloroethene	<0.500	0.500		ug/l	05/21/14 18:28	EPA 524.2/4.1	wlm	U
trans-1,2-Dichloroethene	<0.500	0.500		ug/l	05/21/14 18:28	EPA 524.2/4.1	wlm	U
1,2-Dichloropropane	<0.500	0.500		ug/l	05/21/14 18:28	EPA 524.2/4.1	wlm	U
Ethylbenzene	<0.500	0.500		ug/l	05/21/14 18:28	EPA 524.2/4.1	wlm	U

Fairway Laboratories, Inc.

Fairway Labs in Altoona, PA is a NELAP (National Environmental Laboratory Accreditation Program) accredited lab, and as such, certifies that all applicable test results meet the requirements of NELAP, unless otherwise stated on the analytical report.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



2019 Ninth Avenue
 PO Box 1925
 Altoona, PA 16603
 (814) 946-4306
 NELAP: PA 07-062, VA 460212

89 Kristi Road
 Pennsdale, PA 17756
 (570) 494-6380
 PaDEP: PA 41-04684



www.fairwaylaboratories.com

State Certifications: MD 275, WV 364

GES Maryland
 1350 Blair Drive, Suite A
 Odenton MD, 21113
 Project Manager: Greg Reichart

Project: Carroll Fuel Madonna
 Project Number: 04-02814-06-209
 Collector: JP
 Number of Containers: 10
 Reported: 06/03/14 16:34

Client Sample ID: 3921 GREENPEAK-20140515

Date/Time Sampled: 05/15/14 09:10

Laboratory Sample ID: 4E16100-01 (Water/Grab)

Analyte	Result	MDL	RL	Units	Date / Time Analyzed	Method	* Analyst	Note
---------	--------	-----	----	-------	----------------------	--------	-----------	------


Purgeable Organic Compounds by EPA Method 524.2

Methylene chloride	<0.500		0.500	ug/l	05/21/14 18:28	EPA 524.2/4.1	wlm	U
Methyl tert-butyl ether	19.4		0.500	ug/l	05/21/14 18:28	EPA 524.2/4.1	wlm	
Styrene	<0.500		0.500	ug/l	05/21/14 18:28	EPA 524.2/4.1	wlm	U
Tetrachloroethene	<0.500		0.500	ug/l	05/21/14 18:28	EPA 524.2/4.1	wlm	U
Toluene	<0.500		0.500	ug/l	05/21/14 18:28	EPA 524.2/4.1	wlm	U
1,2,4-Trichlorobenzene	<0.500		0.500	ug/l	05/21/14 18:28	EPA 524.2/4.1	wlm	U
1,1,2-Trichloroethane	<0.500		0.500	ug/l	05/21/14 18:28	EPA 524.2/4.1	wlm	U
1,1,1-Trichloroethane	<0.500		0.500	ug/l	05/21/14 18:28	EPA 524.2/4.1	wlm	U
Trichloroethene	<0.500		0.500	ug/l	05/21/14 18:28	EPA 524.2/4.1	wlm	U
Vinyl chloride	<0.500		0.500	ug/l	05/21/14 18:28	EPA 524.2/4.1	wlm	U
Xylenes (total)	<1.00		1.00	ug/l	05/21/14 18:28	EPA 524.2/4.1	wlm	U
Surrogate: 4-Bromofluorobenzene		100 %			05/21/14 18:28	EPA 524.2/4.1	wlm	
Surrogate: 1,2-Dichlorobenzene-d4		112 %			05/21/14 18:28	EPA 524.2/4.1	wlm	

Fairway Laboratories, Inc.

Fairway Labs in Altoona, PA is a NELAP (National Environmental Laboratory Accreditation Program) accredited lab, and as such, certifies that all applicable test results meet the requirements of NELAP, unless otherwise stated on the analytical report.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



2019 Ninth Avenue
 PO Box 1925
 Altoona, PA 16603
 (814) 946-4306
 NELAP: PA 07-062, VA 460212

89 Kristi Road
 Pennsdale, PA 17756
 (570) 494-6380
 PaDEP: PA 41-04684



www.fairwaylaboratories.com

State Certifications: MD 275, WV 364

GES Maryland
 1350 Blair Drive, Suite A
 Odenton MD, 21113
 Project Manager: Greg Reichart

Project: Carroll Fuel Madonna
 Project Number: 04-02814-06-209
 Collector: JP
 Number of Containers: 10

Reported:
 06/03/14 16:34

Notes

U Analyte included in the analysis, but not detected

Definitions

If surrogate values are not within the indicated range, then the results are considered to be estimated.

Reporting limits are adjusted accordingly when samples are analyzed at a dilution due to the matrix.

The following analyses are to be performed immediately upon sampling: pH, sulfite, chlorine residual, dissolved oxygen, filtration for ortho phosphorus, and ferrous iron. The date and time reported reflect the time the samples were analyzed at the laboratory.

MBAS, calculated as LAS, mol wt 348

If the solid sample weight for VOC analysis does not fall within the 3.5-6.5 gram range, the results are considered estimated values.

Samples collected by Fairway Laboratories' personnel are done so in accordance with Standard Operating Procedures established by Fairway Laboratories.

* P indicates analysis performed by Fairway Laboratories, Inc. at the Pennsdale location. This location is PaDEP Chapter 252 certified.

< Represents "less than" - indicates that the result was less than the reporting limit.

MDL Method Detection Limit - is the lowest or minimum level that provides 99% confidence level that the analyte is detected. Any reported result values that are less than the RL are considered estimated values.

RL Reporting Limit - is the lowest or minimum level at which the analyte can be quantified.

[CALC] Indicates a calculated result. Calculations use results from other analyses performed under accredited methods.



**Groundwater
& Environmental Services, Inc.**

1350 Blair Drive • Suite A • Odenton, Maryland 21113 • (800) 220-3606 • FAX (410) 721-3733

June 12, 2014

Sharon Delgado
3922 Greenpeak Rd
Jarrettsville, MD 21084

Re: Potable Well Sampling Results
3922 Greenpeak Rd, Jarrettsville, MD 21084

Dear Ms. Delgado:

Groundwater & Environmental Services, Inc. (GES), on behalf of High's of Baltimore, would like to thank you for your cooperation in allowing us to conduct sampling of your drinking water well on May 15, 2014.

The water sample from your well was tested in accordance to USEPA standards for the presence of several petroleum related compounds including methyl tertiary butyl ether (MTBE). The results from the most recent sampling event demonstrate a detection of MTBE in your well water at a concentration of 9.24 micrograms per liter ($\mu\text{g/L}$). For reference, the Maryland Department of the Environment (MDE) action level for MTBE is 20 $\mu\text{g/L}$. A copy of the laboratory analysis report for the May 15, 2014 sampling event is attached to this correspondence.

The tests conducted on your drinking water well are part of an ongoing groundwater investigation being conducted in cooperation with the MDE and the Harford County Health Department (HCHD). Therefore we would like to continue sampling the water from your drinking water well on a periodic basis while the groundwater investigation is being conducted. We will notify you in advance of the next scheduled sampling event.

If you have any questions concerning this sampling event, please feel free to contact me at 800-220-3606, Ext. 3717. You may also contact Ms. Jeannette DeBartolomeo of the MDE at 410-537-3427.

Sincerely,
GROUNDWATER & ENVIRONMENTAL SERVICES, INC.

A handwritten signature in black ink that reads 'Gregory Reichart'.

Gregory Reichart
Project Manager

Attachment

c: Jeannette DeBartolomeo, MDE (3 copies & CD)
Peter Smith, HCHD
Herb Meade, CIFC
Todd Passmore, Apex
PSID # 474623



2019 Ninth Avenue
 PO Box 1925
 Altoona, PA 16603
 (814) 946-4306
 NELAP: PA 07-062, VA 460212

89 Kristi Road
 Pennsdale, PA 17756
 (570) 494-6380
 PaDEP: PA 41-04684



www.fairwaylaboratories.com

State Certifications: MD 275, WV 364

GES Maryland
 1350 Blair Drive, Suite A
 Odenton MD, 21113
 Project Manager: Greg Reichart

Project: Carroll Fuel Madonna
 Project Number: 04-02814-06-209
 Collector: JP
 Number of Containers: 10
 Reported: 06/03/14 16:34

Client Sample ID: 3922 GREENPEAK-20140515

Date/Time Sampled: 05/15/14 09:40

Laboratory Sample ID: 4E16100-02 (Water/Grab)

Analyte	Result	MDL	RL	Units	Date / Time Analyzed	Method	* Analyst	Note
---------	--------	-----	----	-------	----------------------	--------	-----------	------

Purgeable Organic Compounds by EPA Method 524.2

Ethyl tert-butyl ether	<0.500		0.500	ug/l	05/21/14 18:55	EPA 524.2/4.1	wlm	U
Tert-amyl methyl ether	<0.500		0.500	ug/l	05/21/14 18:55	EPA 524.2/4.1	wlm	U
tert- amyl alcohol	<2.50		2.50	ug/l	05/21/14 18:55	EPA 524.2/4.1	wlm	U
tert- amyl ethyl ether	<0.500		0.500	ug/l	05/21/14 18:55	EPA 524.2/4.1	wlm	U
Tert-butyl alcohol	<2.50		2.50	ug/l	05/21/14 18:55	EPA 524.2/4.1	wlm	U
Diisopropylether (DIPE)	<0.500		0.500	ug/l	05/21/14 18:55	EPA 524.2/4.1	wlm	U
Benzene	<0.500		0.500	ug/l	05/21/14 18:55	EPA 524.2/4.1	wlm	U
Carbon tetrachloride	<0.500		0.500	ug/l	05/21/14 18:55	EPA 524.2/4.1	wlm	U
Chlorobenzene	<0.500		0.500	ug/l	05/21/14 18:55	EPA 524.2/4.1	wlm	U
Naphthalene	<0.500		0.500	ug/l	05/21/14 18:55	EPA 524.2/4.1	wlm	U
1,2-Dichlorobenzene	<0.500		0.500	ug/l	05/21/14 18:55	EPA 524.2/4.1	wlm	U
1,3-Dichlorobenzene	<0.500		0.500	ug/l	05/21/14 18:55	EPA 524.2/4.1	wlm	U
1,2-Dichloroethane	<0.500		0.500	ug/l	05/21/14 18:55	EPA 524.2/4.1	wlm	U
1,1-Dichloroethene	<0.500		0.500	ug/l	05/21/14 18:55	EPA 524.2/4.1	wlm	U
cis-1,2-Dichloroethene	<0.500		0.500	ug/l	05/21/14 18:55	EPA 524.2/4.1	wlm	U
trans-1,2-Dichloroethene	<0.500		0.500	ug/l	05/21/14 18:55	EPA 524.2/4.1	wlm	U
1,2-Dichloropropane	<0.500		0.500	ug/l	05/21/14 18:55	EPA 524.2/4.1	wlm	U
Ethylbenzene	<0.500		0.500	ug/l	05/21/14 18:55	EPA 524.2/4.1	wlm	U

Fairway Laboratories, Inc.

Fairway Labs in Altoona, PA is a NELAP (National Environmental Laboratory Accreditation Program) accredited lab, and as such, certifies that all applicable test results meet the requirements of NELAP, unless otherwise stated on the analytical report.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



2019 Ninth Avenue
 PO Box 1925
 Altoona, PA 16603
 (814) 946-4306
 NELAP: PA 07-062, VA 460212

89 Kristi Road
 Pennsdale, PA 17756
 (570) 494-6380
 PaDEP: PA 41-04684



www.fairwaylaboratories.com

State Certifications: MD 275, WV 364

GES Maryland
 1350 Blair Drive, Suite A
 Odenton MD, 21113
 Project Manager: Greg Reichart

Project: Carroll Fuel Madonna
 Project Number: 04-02814-06-209
 Collector: JP
 Number of Containers: 10
 Reported: 06/03/14 16:34

Client Sample ID: 3922 GREENPEAK-20140515

Date/Time Sampled: 05/15/14 09:40

Laboratory Sample ID: 4E16100-02 (Water/Grab)

Analyte	Result	MDL	RL	Units	Date / Time Analyzed	Method	* Analyst	Note
---------	--------	-----	----	-------	----------------------	--------	-----------	------

Purgeable Organic Compounds by EPA Method 524.2

Methylene chloride	<0.500		0.500	ug/l	05/21/14 18:55	EPA 524.2/4.1	wlm	U
Methyl tert-butyl ether	9.24		0.500	ug/l	05/21/14 18:55	EPA 524.2/4.1	wlm	
Styrene	<0.500		0.500	ug/l	05/21/14 18:55	EPA 524.2/4.1	wlm	U
Tetrachloroethene	<0.500		0.500	ug/l	05/21/14 18:55	EPA 524.2/4.1	wlm	U
Toluene	<0.500		0.500	ug/l	05/21/14 18:55	EPA 524.2/4.1	wlm	U
1,2,4-Trichlorobenzene	<0.500		0.500	ug/l	05/21/14 18:55	EPA 524.2/4.1	wlm	U
1,1,2-Trichloroethane	<0.500		0.500	ug/l	05/21/14 18:55	EPA 524.2/4.1	wlm	U
1,1,1-Trichloroethane	<0.500		0.500	ug/l	05/21/14 18:55	EPA 524.2/4.1	wlm	U
Trichloroethene	<0.500		0.500	ug/l	05/21/14 18:55	EPA 524.2/4.1	wlm	U
Vinyl chloride	<0.500		0.500	ug/l	05/21/14 18:55	EPA 524.2/4.1	wlm	U
Xylenes (total)	<1.00		1.00	ug/l	05/21/14 18:55	EPA 524.2/4.1	wlm	U
Surrogate: 4-Bromofluorobenzene		101 %	70-130		05/21/14 18:55	EPA 524.2/4.1	wlm	
Surrogate: 1,2-Dichlorobenzene-d4		114 %	70-130		05/21/14 18:55	EPA 524.2/4.1	wlm	

Fairway Laboratories, Inc.

Fairway Labs in Altoona, PA is a NELAP (National Environmental Laboratory Accreditation Program) accredited lab, and as such, certifies that all applicable test results meet the requirements of NELAP, unless otherwise stated on the analytical report.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



2019 Ninth Avenue
 PO Box 1925
 Altoona, PA 16603
 (814) 946-4306
 NELAP: PA 07-062, VA 460212

89 Kristi Road
 Pennsdale, PA 17756
 (570) 494-6380
 PaDEP: PA 41-04684



www.fairwaylaboratories.com

State Certifications: MD 275, WV 364

GES Maryland
 1350 Blair Drive, Suite A
 Odenton MD, 21113
 Project Manager: Greg Reichart

Project: Carroll Fuel Madonna
 Project Number: 04-02814-06-209
 Collector: JP
 Number of Containers: 10

Reported:
 06/03/14 16:34

Notes

U Analyte included in the analysis, but not detected

Definitions

If surrogate values are not within the indicated range, then the results are considered to be estimated.

Reporting limits are adjusted accordingly when samples are analyzed at a dilution due to the matrix.

The following analyses are to be performed immediately upon sampling: pH, sulfite, chlorine residual, dissolved oxygen, filtration for ortho phosphorus, and ferrous iron. The date and time reported reflect the time the samples were analyzed at the laboratory.

MBAS, calculated as LAS, mol wt 348

If the solid sample weight for VOC analysis does not fall within the 3.5-6.5 gram range, the results are considered estimated values.

Samples collected by Fairway Laboratories' personnel are done so in accordance with Standard Operating Procedures established by Fairway Laboratories.

* P indicates analysis performed by Fairway Laboratories, Inc. at the Pennsdale location. This location is PaDEP Chapter 252 certified.

< Represents "less than" - indicates that the result was less than the reporting limit.

MDL Method Detection Limit - is the lowest or minimum level that provides 99% confidence level that the analyte is detected. Any reported result values that are less than the RL are considered estimated values.

RL Reporting Limit - is the lowest or minimum level at which the analyte can be quantified.

[CALC] Indicates a calculated result. Calculations use results from other analyses performed under accredited methods.

Fairway Laboratories, Inc.

Fairway Labs in Altoona, PA is a NELAP (National Environmental Laboratory Accreditation Program) accredited lab, and as such, certifies that all applicable test results meet the requirements of NELAP, unless otherwise stated on the analytical report.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



**Groundwater
& Environmental Services, Inc.**

1350 Blair Drive • Suite A • Odenton, Maryland 21113 • (800) 220-3606 • FAX (410) 721-3733

June 12, 2014

Helene Davis
3914 Madonna Rd
Jarrettsville, MD 21084

Re: Water Filtration System Sampling Information
3914 Madonna Rd, Jarrettsville, MD 21084

Dear Ms. Davis:

Groundwater & Environmental Services, Inc. (GES), on behalf of High's of Baltimore, would like to thank you for your cooperation in allowing us to conduct sampling of your water filtration system on May 15, 2014. The sampling was conducted to evaluate the effectiveness of the granular activated carbon (GAC) filtration system that was installed to treat the water coming into your home.

To help better understand the results, the following information is supplied:

- **Pre-carbon filtration** – water sample of the first, untreated water coming directly into your home; referred to as influent and denoted as “INF” on the laboratory report.
- **Mid-carbon filtration** – water sample collected between the carbon vessels, on the two-train carbon system that was installed; referred to as mid-fluent and denoted as “MID” on the laboratory report.
- **Post-carbon filtration** – water sample of the finished treated water; referred to as effluent and denoted as “EFF” on the laboratory report.

Water samples were collected pre-, mid- and post-carbon filtration and were tested in accordance to USEPA standards for the presence of several petroleum related compounds, including methyl tertiary butyl ether (MTBE). The results from the most recent sampling event demonstrate a detection of MTBE in the influent and mid-fluent water of your GAC system at a concentration of 29.8 micrograms per liter ($\mu\text{g/L}$) and 1.04 $\mu\text{g/L}$, respectively. For reference, the Maryland Department of the Environment (MDE) action level for MTBE is 20 $\mu\text{g/L}$. There were no petroleum-related compounds, including MTBE, detected in the effluent water sample from the May 15, 2014 sampling event; however, a carbon change was performed on May 27, 2014. A copy of the laboratory analysis report is attached to this correspondence.

The tests conducted on your drinking water well are part of an ongoing groundwater investigation being conducted in cooperation with the MDE and the Harford County Health Department (HCHD). Therefore we would like to continue sampling the water from your drinking water well on a periodic basis while the groundwater investigation is being conducted. We will notify you in advance of the next scheduled sampling event.

If you have any questions concerning this sampling event, please feel free to contact me at 800-220-3606, Ext. 3717. You may also contact Ms. Jeannette DeBartolomeo of the MDE at 410-537-3427.

Sincerely,
GROUNDWATER & ENVIRONMENTAL SERVICES, INC.

Gregory Reichart
Project Manager

Attachment



c: Jeannette DeBartolomeo, MDE (3 copies & CD)
Peter Smith, HCHD
Herb Meade, CIFIC
Todd Passmore, Apex
PSID # 474623



2019 Ninth Avenue
 PO Box 1925
 Altoona, PA 16603
 (814) 946-4306
 NELAP: PA 07-062, VA 460212

89 Kristi Road
 Pennsdale, PA 17756
 (570) 494-6380
 PaDEP: PA 41-04684



www.fairwaylaboratories.com

State Certifications: MD 275, WV 364

GES Maryland
 1350 Blair Drive, Suite A
 Odenton MD, 21113
 Project Manager: Greg Reichart

Project: Carroll Fuel Madonna
 Project Number: 04-02814-06-209
 Collector: JP
 Number of Containers: 10
 Reported: 06/03/14 16:34

Client Sample ID: 3914 MADONNA-EFF-20140515

Date/Time Sampled: 05/15/14 09:55

Laboratory Sample ID: 4E16100-03 (Water/Grab)

Analyte	Result	MDL	RL	Units	Date / Time Analyzed	Method	* Analyst	Note
---------	--------	-----	----	-------	----------------------	--------	-----------	------

Purgeable Organic Compounds by EPA Method 524.2

Ethyl tert-butyl ether	<0.500	0.500		ug/l	05/21/14 19:23	EPA 524.2/4.1	wlm	U
Tert-amyl methyl ether	<0.500	0.500		ug/l	05/21/14 19:23	EPA 524.2/4.1	wlm	U
tert- amyl alcohol	<2.50	2.50		ug/l	05/21/14 19:23	EPA 524.2/4.1	wlm	U
tert- amyl ethyl ether	<0.500	0.500		ug/l	05/21/14 19:23	EPA 524.2/4.1	wlm	U
Tert-butyl alcohol	<2.50	2.50		ug/l	05/21/14 19:23	EPA 524.2/4.1	wlm	U
Diisopropylether (DIPE)	<0.500	0.500		ug/l	05/21/14 19:23	EPA 524.2/4.1	wlm	U
Benzene	<0.500	0.500		ug/l	05/21/14 19:23	EPA 524.2/4.1	wlm	U
Carbon tetrachloride	<0.500	0.500		ug/l	05/21/14 19:23	EPA 524.2/4.1	wlm	U
Chlorobenzene	<0.500	0.500		ug/l	05/21/14 19:23	EPA 524.2/4.1	wlm	U
Naphthalene	<0.500	0.500		ug/l	05/21/14 19:23	EPA 524.2/4.1	wlm	U
1,2-Dichlorobenzene	<0.500	0.500		ug/l	05/21/14 19:23	EPA 524.2/4.1	wlm	U
1,3-Dichlorobenzene	<0.500	0.500		ug/l	05/21/14 19:23	EPA 524.2/4.1	wlm	U
1,2-Dichloroethane	<0.500	0.500		ug/l	05/21/14 19:23	EPA 524.2/4.1	wlm	U
1,1-Dichloroethene	<0.500	0.500		ug/l	05/21/14 19:23	EPA 524.2/4.1	wlm	U
cis-1,2-Dichloroethene	<0.500	0.500		ug/l	05/21/14 19:23	EPA 524.2/4.1	wlm	U
trans-1,2-Dichloroethene	<0.500	0.500		ug/l	05/21/14 19:23	EPA 524.2/4.1	wlm	U
1,2-Dichloropropane	<0.500	0.500		ug/l	05/21/14 19:23	EPA 524.2/4.1	wlm	U
Ethylbenzene	<0.500	0.500		ug/l	05/21/14 19:23	EPA 524.2/4.1	wlm	U

Fairway Laboratories, Inc.

Fairway Labs in Altoona, PA is a NELAP (National Environmental Laboratory Accreditation Program) accredited lab, and as such, certifies that all applicable test results meet the requirements of NELAP, unless otherwise stated on the analytical report.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



2019 Ninth Avenue
 PO Box 1925
 Altoona, PA 16603
 (814) 946-4306
 NELAP: PA 07-062, VA 460212

89 Kristi Road
 Pennsdale, PA 17756
 (570) 494-6380
 PaDEP: PA 41-04684



www.fairwaylaboratories.com

State Certifications: MD 275, WV 364

GES Maryland
 1350 Blair Drive, Suite A
 Odenton MD, 21113
 Project Manager: Greg Reichart

Project: Carroll Fuel Madonna
 Project Number: 04-02814-06-209
 Collector: JP
 Number of Containers: 10
 Reported: 06/03/14 16:34

Client Sample ID: 3914 MADONNA-EFF-20140515

Date/Time Sampled: 05/15/14 09:55

Laboratory Sample ID: 4E16100-03 (Water/Grab)

Analyte	Result	MDL	RL	Units	Date / Time Analyzed	Method	* Analyst	Note
---------	--------	-----	----	-------	----------------------	--------	-----------	------

Purgeable Organic Compounds by EPA Method 524.2

Methylene chloride	<0.500		0.500	ug/l	05/21/14 19:23	EPA 524.2/4.1	wlm	U
Methyl tert-butyl ether	<0.500		0.500	ug/l	05/21/14 19:23	EPA 524.2/4.1	wlm	U
Styrene	<0.500		0.500	ug/l	05/21/14 19:23	EPA 524.2/4.1	wlm	U
Tetrachloroethene	<0.500		0.500	ug/l	05/21/14 19:23	EPA 524.2/4.1	wlm	U
Toluene	<0.500		0.500	ug/l	05/21/14 19:23	EPA 524.2/4.1	wlm	U
1,2,4-Trichlorobenzene	<0.500		0.500	ug/l	05/21/14 19:23	EPA 524.2/4.1	wlm	U
1,1,2-Trichloroethane	<0.500		0.500	ug/l	05/21/14 19:23	EPA 524.2/4.1	wlm	U
1,1,1-Trichloroethane	<0.500		0.500	ug/l	05/21/14 19:23	EPA 524.2/4.1	wlm	U
Trichloroethene	<0.500		0.500	ug/l	05/21/14 19:23	EPA 524.2/4.1	wlm	U
Vinyl chloride	<0.500		0.500	ug/l	05/21/14 19:23	EPA 524.2/4.1	wlm	U
Xylenes (total)	<1.00		1.00	ug/l	05/21/14 19:23	EPA 524.2/4.1	wlm	U
Surrogate: 4-Bromofluorobenzene		102 %			05/21/14 19:23	EPA 524.2/4.1	wlm	
Surrogate: 1,2-Dichlorobenzene-d4		117 %			05/21/14 19:23	EPA 524.2/4.1	wlm	

Fairway Laboratories, Inc.

Fairway Labs in Altoona, PA is a NELAP (National Environmental Laboratory Accreditation Program) accredited lab, and as such, certifies that all applicable test results meet the requirements of NELAP, unless otherwise stated on the analytical report.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



2019 Ninth Avenue
 PO Box 1925
 Altoona, PA 16603
 (814) 946-4306
 NELAP: PA 07-062, VA 460212

89 Kristi Road
 Pennsdale, PA 17756
 (570) 494-6380
 PaDEP: PA 41-04684



www.fairwaylaboratories.com

State Certifications: MD 275, WV 364

GES Maryland
 1350 Blair Drive, Suite A
 Odenton MD, 21113
 Project Manager: Greg Reichart

Project: Carrol Fuel Madonna
 Project Number: 04-02814-06-209
 Collector: JP
 Number of Containers: 10
 Reported: 06/03/14 16:34

Client Sample ID: 3914 MADONNA-MID-20140515

Date/Time Sampled: 05/15/14 09:57

Laboratory Sample ID: 4E16100-04 (Water/Grab)

Analyte	Result	MDL	RL	Units	Date / Time Analyzed	Method	* Analyst	Note
---------	--------	-----	----	-------	----------------------	--------	-----------	------

Purgeable Organic Compounds by EPA Method 524.2

Ethyl tert-butyl ether	<0.500	0.500		ug/l	05/21/14 19:51	EPA 524.2/4.1	wlm	U
Tert-amyl methyl ether	<0.500	0.500		ug/l	05/21/14 19:51	EPA 524.2/4.1	wlm	U
tert- amyl alcohol	<2.50	2.50		ug/l	05/21/14 19:51	EPA 524.2/4.1	wlm	U
tert- amyl ethyl ether	<0.500	0.500		ug/l	05/21/14 19:51	EPA 524.2/4.1	wlm	U
Tert-butyl alcohol	<2.50	2.50		ug/l	05/21/14 19:51	EPA 524.2/4.1	wlm	U
Diisopropylether (DIPE)	<0.500	0.500		ug/l	05/21/14 19:51	EPA 524.2/4.1	wlm	U
Benzene	<0.500	0.500		ug/l	05/21/14 19:51	EPA 524.2/4.1	wlm	U
Carbon tetrachloride	<0.500	0.500		ug/l	05/21/14 19:51	EPA 524.2/4.1	wlm	U
Chlorobenzene	<0.500	0.500		ug/l	05/21/14 19:51	EPA 524.2/4.1	wlm	U
Naphthalene	<0.500	0.500		ug/l	05/21/14 19:51	EPA 524.2/4.1	wlm	U
1,2-Dichlorobenzene	<0.500	0.500		ug/l	05/21/14 19:51	EPA 524.2/4.1	wlm	U
1,3-Dichlorobenzene	<0.500	0.500		ug/l	05/21/14 19:51	EPA 524.2/4.1	wlm	U
1,2-Dichloroethane	<0.500	0.500		ug/l	05/21/14 19:51	EPA 524.2/4.1	wlm	U
1,1-Dichloroethene	<0.500	0.500		ug/l	05/21/14 19:51	EPA 524.2/4.1	wlm	U
cis-1,2-Dichloroethene	<0.500	0.500		ug/l	05/21/14 19:51	EPA 524.2/4.1	wlm	U
trans-1,2-Dichloroethene	<0.500	0.500		ug/l	05/21/14 19:51	EPA 524.2/4.1	wlm	U
1,2-Dichloropropane	<0.500	0.500		ug/l	05/21/14 19:51	EPA 524.2/4.1	wlm	U
Ethylbenzene	<0.500	0.500		ug/l	05/21/14 19:51	EPA 524.2/4.1	wlm	U

Fairway Laboratories, Inc.

Fairway Labs in Altoona, PA is a NELAP (National Environmental Laboratory Accreditation Program) accredited lab, and as such, certifies that all applicable test results meet the requirements of NELAP, unless otherwise stated on the analytical report.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



2019 Ninth Avenue
 PO Box 1925
 Altoona, PA 16603
 (814) 946-4306
 NELAP: PA 07-062, VA 460212

89 Kristi Road
 Pennsdale, PA 17756
 (570) 494-6380
 PaDEP: PA 41-04684



www.fairwaylaboratories.com

State Certifications: MD 275, WV 364

GES Maryland
 1350 Blair Drive, Suite A
 Odenton MD, 21113
 Project Manager: Greg Reichart

Project: Carroll Fuel Madonna
 Project Number: 04-02814-06-209
 Collector: JP
 Number of Containers: 10
 Reported: 06/03/14 16:34

Client Sample ID: 3914 MADONNA-MID-20140515

Date/Time Sampled: 05/15/14 09:57

Laboratory Sample ID: 4E16100-04 (Water/Grab)

Analyte	Result	MDL	RL	Units	Date / Time Analyzed	Method	* Analyst	Note
---------	--------	-----	----	-------	----------------------	--------	-----------	------


Purgeable Organic Compounds by EPA Method 524.2

Methylene chloride	<0.500	0.500		ug/l	05/21/14 19:51	EPA 524.2/4.1	wlm	U
Methyl tert-butyl ether	1.04	0.500		ug/l	05/21/14 19:51	EPA 524.2/4.1	wlm	
Styrene	<0.500	0.500		ug/l	05/21/14 19:51	EPA 524.2/4.1	wlm	U
Tetrachloroethene	<0.500	0.500		ug/l	05/21/14 19:51	EPA 524.2/4.1	wlm	U
Toluene	<0.500	0.500		ug/l	05/21/14 19:51	EPA 524.2/4.1	wlm	U
1,2,4-Trichlorobenzene	<0.500	0.500		ug/l	05/21/14 19:51	EPA 524.2/4.1	wlm	U
1,1,2-Trichloroethane	<0.500	0.500		ug/l	05/21/14 19:51	EPA 524.2/4.1	wlm	U
1,1,1-Trichloroethane	<0.500	0.500		ug/l	05/21/14 19:51	EPA 524.2/4.1	wlm	U
Trichloroethene	<0.500	0.500		ug/l	05/21/14 19:51	EPA 524.2/4.1	wlm	U
Vinyl chloride	<0.500	0.500		ug/l	05/21/14 19:51	EPA 524.2/4.1	wlm	U
Xylenes (total)	<1.00	1.00		ug/l	05/21/14 19:51	EPA 524.2/4.1	wlm	U
Surrogate: 4-Bromofluorobenzene	103 %		70-130		05/21/14 19:51	EPA 524.2/4.1	wlm	
Surrogate: 1,2-Dichlorobenzene-d4	115 %		70-130		05/21/14 19:51	EPA 524.2/4.1	wlm	

Fairway Laboratories, Inc.

Fairway Labs in Altoona, PA is a NELAP (National Environmental Laboratory Accreditation Program) accredited lab, and as such, certifies that all applicable test results meet the requirements of NELAP, unless otherwise stated on the analytical report.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



2019 Ninth Avenue
 PO Box 1925
 Altoona, PA 16603
 (814) 946-4306
 NELAP: PA 07-062, VA 460212

89 Kristi Road
 Pennsdale, PA 17756
 (570) 494-6380
 PaDEP: PA 41-04684



www.fairwaylaboratories.com

State Certifications: MD 275, WV 364

GES Maryland
 1350 Blair Drive, Suite A
 Odenton MD, 21113
 Project Manager: Greg Reichart

Project: Carroll Fuel Madonna
 Project Number: 04-02814-06-209
 Collector: JP
 Number of Containers: 10
 Reported: 06/03/14 16:34

Client Sample ID: 3914 MADONNA-INF-20140515

Date/Time Sampled: 05/15/14 10:00

Laboratory Sample ID: 4E16100-05 (Water/Grab)

Analyte	Result	MDL	RL	Units	Date / Time Analyzed	Method	* Analyst	Note
---------	--------	-----	----	-------	----------------------	--------	-----------	------


Purgeable Organic Compounds by EPA Method 524.2

Ethyl tert-butyl ether	<0.500	0.500		ug/l	05/21/14 20:47	EPA 524.2/4.1	wlm	U
Tert-amyl methyl ether	<0.500	0.500		ug/l	05/21/14 20:47	EPA 524.2/4.1	wlm	U
tert- amyl alcohol	<2.50	2.50		ug/l	05/21/14 20:47	EPA 524.2/4.1	wlm	U
tert- amyl ethyl ether	<0.500	0.500		ug/l	05/21/14 20:47	EPA 524.2/4.1	wlm	U
Tert-butyl alcohol	<2.50	2.50		ug/l	05/21/14 20:47	EPA 524.2/4.1	wlm	U
Diisopropylether (DIPE)	<0.500	0.500		ug/l	05/21/14 20:47	EPA 524.2/4.1	wlm	U
Benzene	<0.500	0.500		ug/l	05/21/14 20:47	EPA 524.2/4.1	wlm	U
Carbon tetrachloride	<0.500	0.500		ug/l	05/21/14 20:47	EPA 524.2/4.1	wlm	U
Chlorobenzene	<0.500	0.500		ug/l	05/21/14 20:47	EPA 524.2/4.1	wlm	U
Naphthalene	<0.500	0.500		ug/l	05/21/14 20:47	EPA 524.2/4.1	wlm	U
1,2-Dichlorobenzene	<0.500	0.500		ug/l	05/21/14 20:47	EPA 524.2/4.1	wlm	U
1,3-Dichlorobenzene	<0.500	0.500		ug/l	05/21/14 20:47	EPA 524.2/4.1	wlm	U
1,2-Dichloroethane	<0.500	0.500		ug/l	05/21/14 20:47	EPA 524.2/4.1	wlm	U
1,1-Dichloroethene	<0.500	0.500		ug/l	05/21/14 20:47	EPA 524.2/4.1	wlm	U
cis-1,2-Dichloroethene	<0.500	0.500		ug/l	05/21/14 20:47	EPA 524.2/4.1	wlm	U
trans-1,2-Dichloroethene	<0.500	0.500		ug/l	05/21/14 20:47	EPA 524.2/4.1	wlm	U
1,2-Dichloropropane	<0.500	0.500		ug/l	05/21/14 20:47	EPA 524.2/4.1	wlm	U
Ethylbenzene	<0.500	0.500		ug/l	05/21/14 20:47	EPA 524.2/4.1	wlm	U

Fairway Laboratories, Inc.

Fairway Labs in Altoona, PA is a NELAP (National Environmental Laboratory Accreditation Program) accredited lab, and as such, certifies that all applicable test results meet the requirements of NELAP, unless otherwise stated on the analytical report.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



2019 Ninth Avenue
 PO Box 1925
 Altoona, PA 16603
 (814) 946-4306
 NELAP: PA 07-062, VA 460212

89 Kristi Road
 Pennsdale, PA 17756
 (570) 494-6380
 PaDEP: PA 41-04684



www.fairwaylaboratories.com

State Certifications: MD 275, WV 364

GES Maryland
 1350 Blair Drive, Suite A
 Odenton MD, 21113
 Project Manager: Greg Reichart

Project: Carroll Fuel Madonna
 Project Number: 04-02814-06-209
 Collector: JP
 Number of Containers: 10
 Reported: 06/03/14 16:34

Client Sample ID: 3914 MADONNA-INF-20140515

Date/Time Sampled: 05/15/14 10:00

Laboratory Sample ID: 4E16100-05 (Water/Grab)

Analyte	Result	MDL	RL	Units	Date / Time Analyzed	Method	* Analyst	Note
---------	--------	-----	----	-------	----------------------	--------	-----------	------

Purgeable Organic Compounds by EPA Method 524.2

Methylene chloride	<0.500		0.500	ug/l	05/21/14 20:47	EPA 524.2/4.1	wlm	U
Methyl tert-butyl ether	29.8		0.500	ug/l	05/21/14 20:47	EPA 524.2/4.1	wlm	
Styrene	<0.500		0.500	ug/l	05/21/14 20:47	EPA 524.2/4.1	wlm	U
Tetrachloroethene	<0.500		0.500	ug/l	05/21/14 20:47	EPA 524.2/4.1	wlm	U
Toluene	<0.500		0.500	ug/l	05/21/14 20:47	EPA 524.2/4.1	wlm	U
1,2,4-Trichlorobenzene	<0.500		0.500	ug/l	05/21/14 20:47	EPA 524.2/4.1	wlm	U
1,1,2-Trichloroethane	<0.500		0.500	ug/l	05/21/14 20:47	EPA 524.2/4.1	wlm	U
1,1,1-Trichloroethane	<0.500		0.500	ug/l	05/21/14 20:47	EPA 524.2/4.1	wlm	U
Trichloroethene	<0.500		0.500	ug/l	05/21/14 20:47	EPA 524.2/4.1	wlm	U
Vinyl chloride	<0.500		0.500	ug/l	05/21/14 20:47	EPA 524.2/4.1	wlm	U
Xylenes (total)	<1.00		1.00	ug/l	05/21/14 20:47	EPA 524.2/4.1	wlm	U
Surrogate: 4-Bromofluorobenzene		101 %	70-130		05/21/14 20:47	EPA 524.2/4.1	wlm	
Surrogate: 1,2-Dichlorobenzene-d4		115 %	70-130		05/21/14 20:47	EPA 524.2/4.1	wlm	

Fairway Laboratories, Inc.

Fairway Labs in Altoona, PA is a NELAP (National Environmental Laboratory Accreditation Program) accredited lab, and as such, certifies that all applicable test results meet the requirements of NELAP, unless otherwise stated on the analytical report.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



2019 Ninth Avenue
 PO Box 1925
 Altoona, PA 16603
 (814) 946-4306
 NELAP: PA 07-062, VA 460212

89 Kristi Road
 Pennsdale, PA 17756
 (570) 494-6380
 PaDEP: PA 41-04684



www.fairwaylaboratories.com

State Certifications: MD 275, WV 364

GES Maryland
 1350 Blair Drive, Suite A
 Odenton MD, 21113
 Project Manager: Greg Reichart

Project: CarroII Fuel Madonna
 Project Number: 04-02814-06-209
 Collector: JP
 Number of Containers: 10

Reported:
 06/03/14 16:34

Notes

U Analyte included in the analysis, but not detected

Definitions

If surrogate values are not within the indicated range, then the results are considered to be estimated.

Reporting limits are adjusted accordingly when samples are analyzed at a dilution due to the matrix.

The following analyses are to be performed immediately upon sampling: pH, sulfite, chlorine residual, dissolved oxygen, filtration for ortho phosphorus, and ferrous iron. The date and time reported reflect the time the samples were analyzed at the laboratory.

MBAS, calculated as LAS, mol wt 348

If the solid sample weight for VOC analysis does not fall within the 3.5-6.5 gram range, the results are considered estimated values.

Samples collected by Fairway Laboratories' personnel are done so in accordance with Standard Operating Procedures established by Fairway Laboratories.

* P indicates analysis performed by Fairway Laboratories, Inc. at the Pennsdale location. This location is PaDEP Chapter 252 certified.

< Represents "less than" - indicates that the result was less than the reporting limit.

MDL Method Detection Limit - is the lowest or minimum level that provides 99% confidence level that the analyte is detected. Any reported result values that are less than the RL are considered estimated values.

RL Reporting Limit - is the lowest or minimum level at which the analyte can be quantified.

[CALC] Indicates a calculated result. Calculations use results from other analyses performed under accredited methods.

Fairway Laboratories, Inc.

Fairway Labs in Altoona, PA is a NELAP (National Environmental Laboratory Accreditation Program) accredited lab, and as such, certifies that all applicable test results meet the requirements of NELAP, unless otherwise stated on the analytical report.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.