

Applications Received 06/16/2011 thru 07/15/2011

Allegany

C. WILLIAM HETZER, INC. @ST. PETER & PAUL CATHOLIC CHURCH - 125 Fayette St, Cumberland, MD 21502. Application received for Installation of one (1) Temporary crushing operation

Anne Arundel

KHI – DEEPCREEK VILLAS, INC. – 2661 Riva Road, Suite 220, Annapolis, MD 21401. (11-1083) Sewerage permit to construct force main and wastewater pumping station at intersection of Greenway Drive and Poplar Hill Drive

Baltimore City

BALTIMORE CONVENTION CENTER - 1 W Pratt St, Baltimore, MD 21201. Application received for Installation of one (1) Emergency generator rated @ 1000 KW

BALTIMORE, CITY OF; ABEL WOLMAN BUILDING - 200 N Holiday St, Baltimore, MD 21202. Application received for Installation of one (1) Emergency generator rated @ 750 kW

BC DPW/JONES FALLS PUMPING STATION/REHAB - CLIPPER MILL RD & ASH ST, Baltimore, MD. Application received for Installation of one (1) Emergency generator rated @ 2000 kW

BRIO TUSCON GRILLE - 100 E Pratt St, Baltimore, MD 21202. Application received for Installation of two (2) Jade Range, models (JSHBI-36H) and (JB-36), charbroilers

DELTA CHEMICAL CORPORATION - 2601 Cannery Ave, Curtis Bay, MD 21226. Application received for Modification of the existing solid alum production process by the installation of one (1) heated fluidized bed controlled by one (1) cartridge dust collector(BH19) and one (1) bulk bag filling station controlled by one (1) cartridge dust collector (BH20)

DUNDALK PUMPING STATION - 2203 Broening Hwy, Baltimore, MD 21224. Application received for Installation of one (1) Emergency generator rated @ 1000 kW

FORMER CHEVRON FACILITY NO. 206876 - 1801 S Clinton St, Baltimore, MD 21224. Application received for Installation of six (6) Soil vapor extraction and gw air strippers ((5) Carbonair/STAT 180 and (1) NEEP/41241)

KEMIRA WATER SOLUTIONS, INC. - 3925 Fort Armistead Rd, Curtis Bay, MD 21226. Application received for Installation of one (1) polyaluminum chloride manufacturing process, one (1) aluminum chlorohydrate manufacturing process, one (1)

polyaluminum sulfate manufacturing process, and two (2) natural gas-fired boilers rated at 6.3 and 10 million BTU per hour.

LEAKIN PARK WATER TREATMENT PLANT - 3403 Winterbourne Rd, Baltimore, MD 21216. Application received for Installation of two (2) Emergency generators, each rated @ 1500 kW

PATAPSCO WWTP - 3501 Asiatic Ave, Curtis Bay, MD 21226. Application received for Installation of two (2) Emergency generators, each rated @ 500 kW

Baltimore County

BALTIMORE COUNTY DEPARTMENT OF PUBLIC WORKS – 111 W. Chesapeake Avenue, Towson, MD 21204. (11-1082) Sewerage permit to construct wastewater pumping station upgrades at 13054 Harewood Road, Middle River

BALTIMORE COUNTY DEPARTMENT OF PUBLIC WORKS – 111 W. Chesapeake Avenue, Towson, MD 21204. (11-1079) Sewerage permit to construct sewage pumping station improvements behind apartments at 33 Enchanted Hills Road

BALTIMORE COUNTY DEPARTMENT OF PUBLIC WORKS – 111 W. Chesapeake Avenue, Towson, MD 21204. (11-1089) Sewerage permit to construct wastewater pumping station upgrades at 2110 Cockspur Road, Middle River

B G E - WINDSOR BLVD - 7210 Windsor Blvd, Windsor Mill, MD 21244. Application received for Installation of two Lohnivar Power-Fin boilers each rated at 2.0 MMBtu

DIAGEO NORTH AMERICA - 5001 Washington Blvd, Halethorpe, MD 21227. Application received for Modifications to existing unloading, processing, storage, bottling, and loading operations at a distilled spirits facility.

This permit is issued in conjunction with all other valid permits to construct issued to premises number 005-0146.

ROYAL FARMS STORE - 7950 PULASKI HGWY - 7950 Pulaski Hwy, Rosedale, MD 21237. Application received for Installation of one (1) Catalytic Combustion Corp (300E)

SOCIAL SECURITY ADMINISTRATION - 6201 Security Blvd, Woodlawn, MD 21235. Application received for Installation of one (1) Temporary boiler rated @ 8.4 MMBtu

Calvert

DOMINION COVE POINT LNG, LP - 2100 Cove Point Rd, Lusby, MD 20657. Application received for Reissue PTC issued 12/08/94 to restart the liquefaction unit

TOWN OF CHESAPEAKE BEACH – 8200 Bayside Road, Chesapeake Beach, MD 20732. (11-1090) Sewerage permit to construct WWTP ENR at 8450 Bayside Road, Chesapeake Beach

Carroll

FRP DEVELOPMENT CORP. – 34 Loveton Circle, Suite 100, Sparks, MD 21152. (11-1086) Sewerage permit to construct force main and wastewater pumping station at intersection of MD Rt. 30 and Houcksville Road

JOHN OWINGS LANDFILL - 200 John Owings Rd, Westminster, MD 21158.
Application received for Installation of one (1) Flare

Cecil

ASHLAND, INC. - 329 W Main St, Elkton, MD 21921. Application received for Installation of one (1) 5000-gallon fiberglass wastewater storage/feed tank to replace the existing FB112C tank.

ASHLAND, INC. - 329 W Main St, Elkton, MD 21921. Application received for Installation of one (1) new blender (7,000-gallon agitated vessel) to replace the existing same size blender (FA245)

Dorchester

AMICK FARMS LLC - HURLOCK HATCHERY - 39 Delaware Ave, Hurlock, MD 21643. Application received for Installation of one HydroTherm (MR1200B) boiler rated at 1.2MMBtu

Frederick

FREDERICK COUNTY DIVISION OF UTILITIES AND SOLID WASTE MANAGEMENT – 4520 Metropolitan Court, Frederick, MD 21704. (11-1084) Water permit to construct water mains at approx. 600' north of the intersection of. Rt. 351 and Elmer Derr Road

FREDERICK COUNTY DIVISION OF UTILITIES AND SOLID WASTE MANAGEMENT – 4520 Metropolitan Court, Frederick, MD 21704. (11-1091) Sewerage permit to construct wastewater treatment plant improvements at 850 New Design Road, Tuscarora

MONROVIA BP - 11791a Fingerboard Rd, Monrovia, MD 21770. Application received for Installation of one air stripper and soil vapor extraction equipment

SAM'S CLUB STORE 6652 - 5604 Buckeystown Pike, Frederick, MD 21704.
Application received for Installation of two (2) 20,000 gallon, one (1) 12,000 gallon and one (1) 8,000 gallon gasoline underground tanks

TAMKO BUILDING PRODUCTS INC. - 4500 Tamko Drive, Frederick, MD 21703.
Application received for Amended synthetic minor SPTO for Asphalt roofing shingle manufacturing facility

Garrett

BFS-BRUCETON FARM SERVICES TRUCK STOP WWTP - 4168 National Pike, Grantsville, MD 21536. Application received for Installation of one (1) Bulk gasoline plant with a 10,000-gallon gasoline tank and loading rack.

Harford

APG-ABERDEEN AREA - Aberdeen Area - Aberdeen Pro, Aberdeen Proving Ground, MD 21005. Application received for Installation of one (1) Detroit diesel emergency generator rated @ 600 kW

HARFORD COUNTY DEPARTMENT OF PUBLIC WORKS, DIV. OF WATER AND SEWER – 212 South Bond Street, Bel Air, MD 21014. (11-1093) Sewerage permit to construct WWTP ENR upgrade at Joppa Farm Road and Shore Drive

HARFORD COUNTY DPW, DIVISION OF WATER AND SEWER – 145 North Hickory Avenue, Bel Air, MD 21014. (11-1080) Sewerage permit to construct gravity sewers at Stepney Road and MD Rt. 7

HARFORD WASTE DISPOSAL CENTER - 3241 Scarboro Rd, Street, MD 21154.
Application received for Installation of two (2) Grinders

PICERNE MILITARY HOUSING – 2727 Chesapeake Blvd., APG, MD 21005. (11-1088) Sewerage permit to construct wastewater pumping station at Chesapeake Blvd., APG

Howard

ALPHA RIDGE MUNICIPAL LANDFILL - 2350 Marriottsville Rd, Marriottsville, MD 21104. Application received for Installation of one (1) Gas-to-Energy facility

AUTUMN DEVELOPMENT CORPORATION – 5300 Dorsey Hall Drive, Suite 102, Ellicott City, MD 21042. (11-1081) Sewerage permit to construct wastewater pumping station at 1000' +/- North of the intersection of College Avenue and Village Crest Drive

Montgomery

EL POLLO REAL - 5058C Nicholson Lane, Rockville, MD 20852. Application received for Installation of one (1) Syrco Industries (HOR-111) charbroiler

HARRIS TEETER STORE #325 - 14101 Darnestown Rd, Germantown, MD 20874. Application received for Installation of one (1) Emergency generator rated @ 600 kW

ICC MDTA - MD 200 @ 1/4 mile marker, 5.8 West, Derwood, MD 20855. Application received for Installation of one (1) Emergency generator rated @ 750 kW

POTOMAC RIVER GRILL - 20200 Frederick Rd, Germantown, MD 20874. Application received for Installation of three (3) charbroilers, one Cookshack (FEC-120) and two Cookshacks (C130-36)

QIAGEN SCIENCES INC - 19300 Germantown Rd, Germantown, MD 20874. Application received for Installation of one (1) Emergency generator rated @ 1000 kW & one (1) Natural gas boiler rated @ 17.2 MMBtu

Prince George's

AGGREGATE INDUSTRIES - KIRBY ROAD ASPHALT PLANT - 5411 Kirby Rd, Clinton, MD 20735. Application received for Renewal synthetic-minor SPTO for one (1) 318 ton per hour Astec Industries, Inc. double-barrel drum mix asphalt plant equipped with an Astec Industries, Inc. cyclone and baghouse

ANNIE'S DISCOUNT CLEANERS - 4047 Silver Hill Rd, Suitland, MD 20746. Application received for Installation of one Fulton (30HP) boiler rated at 1.26 MMBtu

ANNIE'S DISCOUNT CLEANERS - 4047 Silver Hill Rd, Suitland, MD 20746. Application received for Installation of one Real Star (HSK340) dry cleaning machine

CLUCKSTER'S - 7415 Baltimore Ave, College Park, MD 20740. Application received for Installation of one (1) MagiKitch'n (APM-RMB-630) charbroiler

NASA GODDARD SPACE FLIGHT CENTER - 8800 Greenbelt Rd, Greenbelt, MD 20771. Application received for Installation of one (1) Ultrasonic vapor degreaser to be located in Building 007

POHANKA COLLISION CENTER @ STEEPLECHASE - 1101 Hampton Park Blvd, Capitol Heights, MD 20743. Application received for Installation of one (1) Paint spraybooth

THE RECYCLING CENTER - 14852 Old Gunpowder Rd, Laurel, MD 20707. Application received for 2011 033-1711 Ren. SPTO for (1) Crush/Scrn pl & (1) shredder

THE RYLAND GROUP, INC. – 14280 Park Meadow Drive, Suite 108, Chantilly, VA 20151. (11-1085) Sewerage permit to construct gravity sewers Part 3-A at Muirkirk Road and Cedarhurst Drive

THE RYLAND GROUP, INC. – 14280 Park Meadow Drive, Suite 108, Chantilly, VA 20151. (11-1095) Sewerage permit to construct gravity sewers Park 3-B at Muirkirk Road and Cedarhurst Drive

WASHINGTON SUBURBAN SANITARY COMMISSION – 14501 Sweitzer Lane, Laurel, MD 20707. (11-1092) Sewerage permit to construct Broad Creek Augmentation Project at 10315 Livingston Road, Fort Washington

St. Mary's

COMMISSIONERS OF LEONARDTOWN – P.O. Box 1, 41660 Courthouse Drive, Leonardtown, MD 20650. (11-1096) Water permit to construct water mains at intersection of Church Street and Lawrence Avenue, Leonardtown

Talbot

JENSEN'S, INC. – 246 Redstone Street, P.O. box 608, Southington, CT 06489. (11-1094) Sewerage permit to construct DAF filter and bio-chip reactor for Jensen's Hyde Park at Easton

Washington

AMCOR - STEVENS FLEXIBLE PACKAGING INC - 747 Bowman Ave, Hagerstown, MD 21740. Application received for Amended synthetic minor SPTO to revise the average oxidizer chamber temperature

CHEVRON PHILLIPS CHEMICAL CO., LP - 11711 Hopewell Rd, Hagerstown, MD 21740. Application received for Installation of one (1) Shredder/grinder

VTI OF MARYLAND, INC - 101 Western Maryland Pkwy, Hagerstown, MD 21740. Application received for Laminate counter top manufacturing facility

Worcester

THE MAYOR AND CITY COUNCIL OF OCEAN CITY, MD DPW – 204 65th Street, Building E, Ocean City, MD 21842. (11-1087) Water permit to perform painting/repairs on tank at 64th and Coastal Highway, MD 528