



500 E 4<sup>th</sup> Street, Suite 333  
Austin, TX 78701  
[www.quantumloophole.com](http://www.quantumloophole.com)

December 28, 2022

**Via Electronic Delivery**

Mr. Edward Dexter, Chief  
Solid Waste Compliance Division  
Maryland Department of the  
Environment 1800 Washington Blvd.  
Baltimore, MD 21230

RE: Industrial Waste Disposal Permit No.: 2014-WIF-0537

Mr. Dexter,

Enclosed is the semiannual summary and interpretive discussion for the sampling event from 1 April 2022 through 30 September 2022 for the former Eastalco Aluminum Company's North Landfill. Quantum Loophole acquired the property from ALCOA on June 28, 2021, and has assumed the monitoring and reporting requirements at the facility per the Environmental Covenant and the Site Management Plan, a component of the Environmental Covenant.

The level of leachate in the leachate collection systems were measured electronically and/or by site personnel daily. Records of the level measured in each sump is available for review by the department. The alarm system is inspected / verified monthly by contracted personnel. Hardcopies of the completed inspections are retained with the Environmental files for review upon request.

Table 1 includes the volumes of landfill leachate collected. Tracking has transitioned from pump cycle time to volume removed from the storage tanks. During the reporting period the leachate was transported, treated and disposed by Univar Solutions USA Inc. in Downers Grove, IL.

Table 1.

Volume of Leachate Collected, kGals			
April '22	6	July '22	0
May '22	0	August '22	0
June '22	0	September '22	0
Total:	6		

Also included per permit requirements are the field test data and a semiannual summary and interpretive discussion, performed by a qualified groundwater scientist (Tetra Tech, Inc), of all analyses of the chemical quality of groundwater from all of the monitoring wells specified in this landfill's Post-closure Groundwater Monitoring Plan.

In a letter from MDE dated June 11, 2019 it was indicated that acceptance of the Post-Closure Groundwater Monitoring Plan to a reduction of fluoride only analysis was in error. MDE further

identified 20 parameters expected to be used for representative sampling of pollutants contained in the landfill leachate in a letter dated December 11, 2020. ALCOA submitted a revised GWMP which contained these constituents, and was approved by MDE in a letter dated May 11, 2021.

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Please contact Bill Williams – Chief Operations Officer, if you require additional information or have any questions regarding this report. I can be reached at (703) 505-9378 or via email at [bill@ql.email](mailto:bill@ql.email).

Sincerely,

A handwritten signature in black ink, appearing to read "Bill Williams", with a long, sweeping horizontal flourish extending to the right.

Bill Williams  
Chief Operations Officer

cc: Dustin Moore, Tetra Tech

---

Quantum Maryland, LLC.

# CLOSED NORTH INDUSTRIAL LANDFILL SEMIANNUAL WATER QUALITY REPORT

(FORMER INDUSTRIAL WASTE DISPOSAL PERMIT NO. 2014-WIF-0537)



December 2022

---

# CLOSED NORTH INDUSTRIAL LANDFILL SEMIANNUAL WATER QUALITY REPORT

(FORMER INDUSTRIAL WASTE DISPOSAL PERMIT NO. 2014-WIF-0537)

December 2022

## PRESENTED TO

---

**Quantum Maryland, LLC**

500 4<sup>th</sup> E. Street, Suite 333  
Austin, Texas 78701

## PRESENTED BY

---

**Tetra Tech**

661 Anderson Drive  
Foster Plaza 7  
Pittsburgh, PA 15220

P +1-412-921-7090

F +1-412-921-4040

tetrattech.com

---

**TABLE OF CONTENTS**

---

**1.0 INTRODUCTION ..... 1**

    1.1 Overview ..... 1

    1.2 Document Organization ..... 3

**2.0 SITE SETTING ..... 4**

    2.1 Topography ..... 4

    2.2 Surface Water ..... 4

    2.3 Geology ..... 4

        2.3.1 Regional Geology ..... 4

        2.3.2 Site Geology ..... 5

    2.4 Hydrogeology ..... 5

        2.4.1 Regional Hydrogeology ..... 5

        2.4.2 Site Hydrogeology ..... 6

**3.0 MONITORING PROGRAM ..... 7**

    3.1 Monitoring Points ..... 7

    3.2 Monitoring Frequency ..... 7

    3.3 Sampling And Analysis ..... 7

**4.0 RESULTS AND CONCLUSIONS ..... 8**

    4.1 Groundwater Flow ..... 8

    4.2 Groundwater Recharge ..... 8

    4.3 Landfill Base and Groundwater Elevations ..... 8

    4.4 Groundwater Quality ..... 9

        4.4.1 Fluoride ..... 9

        4.4.2 Metals ..... 9

        4.4.3 Water Quality Parameters ..... 9

**5.0 REFERENCES ..... 10**

**LIST OF TABLES**

---

- 3-1 PQLs for Analytical Parameters
- 4-1 Monthly Groundwater Level Measurements and Rainfall Data – April 2022 through September 2022
- 4-2 September 2022 Field Measurements
- 4-3 September 2022 Landfill Groundwater Sample Results

**LIST OF FIGURES**

---

- 1-1 Site Location
- 2-1 Landfill Location Map
- 2-2 Landfill Topographic Map
- 3-1 Well Location Map
- 4-1 Groundwater Elevations – April 2022
- 4-2 Groundwater Elevations – September 2022
- 4-3 Fluoride Concentrations – September 2022
- 4-4 Total Fluoride Concentration Trends in Landfill Monitoring Wells

**APPENDICES**

---

- Appendix A Groundwater Analytical Lab Reports
- Appendix B Historical Groundwater Analytical Data

## **1.0 INTRODUCTION**

This Semiannual Water Quality Report was prepared by Tetra Tech, Inc. (Tetra Tech) for Quantum Maryland, LLC (Quantum) to document and evaluate the results of groundwater monitoring activities performed during the second and third quarter 2022 semiannual reporting period at the closed North Industrial Landfill (Landfill) at the former Eastalco Works aluminum smelter located in Frederick, Maryland (Figure 1-1). Aluminum production was curtailed at the Eastalco smelter in December 2005, the plant was formally closed in March 2010, and demolition was completed in June 2016. Closure activities for the Landfill were completed in 2016 in accordance with the approved Closure and Post-Closure Care Plan (EA, 2015), which also included the North Industrial Landfill Post-Closure Groundwater Monitoring Plan (Monitoring Plan) (Tetra Tech, 2015). Final closure was granted by the Maryland Department of the Environment (MDE) in May 2018 (MDE, 2018). Groundwater monitoring continues per the requirements of the Environmental Covenant (EC) executed on December 12, 2017 (Eastalco, 2017) and the revised Post Closure Care Groundwater Monitoring Plan (Revised Groundwater Monitoring Plan) that was submitted to MDE on March 11, 2021, and subsequently approved by MDE in a letter dated May 11, 2021 (MDE, 2021). Quantum acquired the property from the Eastalco Aluminum Company on June 28, 2021. The site is now referred to as Quantum Frederick. Quantum has begun the permitting and design process for a master planned, first-of-its-kind, clean cloud community campus to be located on the property while continuing to monitor the groundwater in accordance with the EC and approved Revised Groundwater Monitoring Plan. This monitoring report documents and presents the results of groundwater monitoring activities at the Landfill performed in accordance with the Revised Groundwater Monitoring Plan (Tetra Tech, 2021.)

### **1.1 OVERVIEW**

---

The MDE issued Refuse Disposal Permit No. 2014-WIF-0537 on December 1, 2014, for the Landfill to receive various types of non-hazardous industrial wastes including fluoridated wastes, carbon wastes, refractory wastes, and miscellaneous trash. The Landfill (formerly referred to as the Active Industrial Waste Landfill) was constructed to hazardous waste landfill standards as a conservative measure, although it was never permitted or used for hazardous waste disposal. Cells 1 and 2 were constructed in 1993 and 2012, respectively, with a 24-inch re-compacted subgrade that underlies a double liner system (geocomposite clay liner between two high density polyethylene [HDPE] liners). Details regarding the construction specifications of the Landfill can be found in permit applications developed by EA Engineering Science and Technology, Inc. (EA) (EA, 1991 and 1992). Together, Cells 1 and 2 occupy an area of approximately 4.2 acres. Both the primary and secondary liners are continuously electronically monitored for leachate. Generated leachate is piped to a containment tank and periodically transferred to a tanker truck for transport to an off-site treatment and disposal facility. Closure activities for the Landfill were completed in 2016 in accordance with the approved Closure and Post-Closure Care Plan (EA, 2015). Final closure was granted by MDE in May 2018 (MDE, 2018).

Post-closure monitoring and maintenance of the Landfill are required per the regulations set forth in the Code of Maryland (COMAR) 26.04.07.22. The Post-Closure Groundwater Monitoring Plan (Tetra Tech, 2015) was developed to formalize the post-closure monitoring and maintenance program for the Landfill. The EC was

## **Closed North Industrial Landfill Semiannual Water Quality Report**

---

executed in December 2017 placing restrictions on land and groundwater use as a means of managing contamination and protecting human health and the environment during current and future activities/redevelopment. The Site Management Plan (SMP), a component of the EC, addresses the remediation and future management of known and potential environmental concerns (such as contaminated groundwater and surface water) associated with the former facility's operations. In the Activity and Use Limitations (Paragraph 6) of the EC, the property owner, now Quantum, is required to maintain compliance with landfill post-closure care including groundwater monitoring in accordance with the Monitoring Plan (Tetra Tech, 2015), which is included as Appendix G in the Post-Closure Care Plan (Exhibit E of the EC).

Although the landfill monitoring program during the operational period of the landfill included sampling for volatile organic compounds (VOCs) and metals, the groundwater and leachate data from that 22-year monitoring program showed that VOCs were not waste-derived constituents. While VOCs have mostly been non-detect, there have been a few isolated occurrences of VOCs detected at trace amounts in both upgradient and downgradient wells. The detections were always below maximum contaminant levels (MCLs) and were determined to not be attributable to the landfill (Tetra Tech, 2015).

Additionally, detections of metals above MCLs were sporadic; and when they occurred, they were determined to be the result of excess turbidity that typically occurs in the aquifer during periods of low water table conditions. Such detections were not attributable to the landfill, as they have occurred in groundwater both upgradient and downgradient of the landfill. Based on the above information and consistent with the monitoring program at the South Landfill (which received similar waste and is also closed), the MDE-approved North Landfill Post-Closure Care Groundwater Monitoring Plan established fluoride to be the only contaminant associated with the permitted waste which required post-closure monitoring.

MDE, in a letter dated June 11, 2019 (MDE, 2019), indicated that their acceptance of the Post-Closure Care Groundwater Monitoring Plan, which specified the analysis of fluoride only, was in error. MDE specified in that letter that future reports, beginning with the April through September 2019 reporting period, were to include the analysis of 36 parameters (25 elements and 11 indicator parameters, and no VOC parameters) until a revised Post-Closure Care Groundwater Monitoring Plan was submitted by Eastalco and approved by MDE. Eastalco met with MDE in October 2019 to discuss appropriate parameters for monitoring the groundwater conditions of the closed North Landfill to be included in the revised Post-Closure Care Groundwater Monitoring Plan.

Monitoring well MW-111 was installed north of the Landfill as a replacement upgradient monitoring point for MW-63 in accordance with the MDE-approved Monitoring Well 63 Relocation Plan (Eastalco, 2016). MW-111 was required to be sampled concurrently with the original well MW-63 for a minimum of four monitoring events separated by a minimum of 3 months between events. After the fourth monitoring event in September 2018, discontinuation of monitoring MW-63 was recommended in the December 2018 Semiannual Water Quality Report (Tetra Tech, 2018b) based on the results for the four monitoring events that had been completed at that time for MW- 111 which indicated that MW-111 is an effective upgradient monitoring well. Approval to cease groundwater monitoring and sampling and subsequent abandonment of MW-63 was received from MDE in a letter dated February 7, 2020 (MDE, 2020a). MW-63 was included in the March 2020 sampling event with concentrations of landfill contaminants of concern being consistent with historical



trends and concentrations; as such and in accordance with the MDE February 7, 2020, letter, MW- 63 is no longer required to be monitored. MW-63 was abandoned in accordance with applicable Maryland regulations (COMAR 26.04.04.01-.11) by a Maryland-licensed driller on September 14, 2020.

MDE, in an email and letter dated December 11, 2020, identified 20 parameters that it would require for laboratory analysis to be included in the Revised Groundwater Monitoring Plan that were considered “necessary to assure independent representative samples, were identified at measurable concentrations in landfill leachate, and listed as a primary pollutant or a combination of the aforementioned criteria” (MDE, 2020b). The Revised Groundwater Monitoring Plan was submitted to MDE on March 11, 2021. Sampling during March 2021 was completed in accordance with MDE’s December 11, 2020, email and letter and Revised Groundwater Monitoring Plan while awaiting approval of the Revised Groundwater Monitoring Plan. The Revised Groundwater Monitoring Plan was subsequently approved by MDE in a letter date May 11, 2021 (MDE, 2021). Quantum acquired the property from the Eastalco Aluminum Company on June 28, 2021. Quantum has begun the permitting and design process for a master planned, first-of-its-kind, clean cloud community campus to be located on the property while continuing to monitor the groundwater in accordance with the EC and approved Revised Groundwater Monitoring Plan.

In accordance with the revised Monitoring Plan, this report contains the following:

1. A complete copy of the laboratory data;
2. A table comparing the fluoride results to the MCL;
3. Concentration maps depicting total fluoride concentrations measured during the semi-annual monitoring event;
4. Charts showing the concentration of total fluoride at each well;
5. Historical data in tabular form and a chart depicting historical concentration trends for total fluoride;
6. A summary of all groundwater elevations measured at the applicable wells;
7. A topographic map of the Landfill showing well locations;
8. Contour maps showing the quarterly overburden groundwater elevations surrounding the Landfill;
9. A narrative discussion concerning background information, sampling procedures, and results; and
10. An interpretive discussion on water quality, which is to include a trend analysis, an evaluation of groundwater levels and recharge, etc.

This report contains the above items for monitoring performed during the second and third quarters of 2022.

## **1.2 DOCUMENT ORGANIZATION**

---

Section 2 provides a description of the site setting, and Section 3 describes the tasks that were performed to monitor groundwater quality in the vicinity of the Landfill. Section 4 provides results and associated conclusions. Section 5 provides a list of references used in developing this document.

## 2.0 SITE SETTING

### 2.1 TOPOGRAPHY

---

The Quantum Frederick site (formerly known as the Eastalco site) is located in the Frederick Valley, a synclinal structure characterized by gently rolling topography. Natural elevations at the site range from approximately 300 feet above mean sea level (amsl) in the low areas to about 400 feet amsl in the higher areas (Figure 1-1). The Landfill is located northwest of the former operations area (Figure 2-1). Figure 2-2 is a topographic map of the Landfill, which shows that the landfill surface slopes to the perimeter in all directions from the topographic high point near the center of the combined Cell 1 and Cell 2 area.

### 2.2 SURFACE WATER

---

There is an unnamed tributary to the west of the former plant site which flows south to join Tuscarora Creek. Tuscarora Creek then flows south into the Potomac River. To the east of the Landfill, there is a drainage ditch that receives stormwater runoff from the western portion of the plant property, and then joins the unnamed tributary via the plant's Discharge Point 004. The landfill stormwater management pond, located south of the landfill, discharges into this drainage ditch and subsequently the unnamed tributary.

### 2.3 GEOLOGY

---

The following description of regional and site-specific geology was obtained from EA (EA, 1991), and incorporates information from boring logs of existing monitoring wells.

#### 2.3.1 Regional Geology

The Quantum Frederick facility is located in the southwest corner of a geologic feature known as the Frederick Valley. The valley is the topographic expression of a subsurface asymmetrical synclinorium composed of folded Cambro-Ordovician carbonates and siltstones of the Araby, Frederick, and Grove Formations. The elongated western limb of the synclinorium is truncated by an angular unconformity and overlain by Triassic "redbed" sedimentary strata of the Newark Group, which includes the New Oxford Formation and the Gettysburg Shale. The eastern limb of the synclinorium is foreshortened and in some cases overturned. It is bounded to the east by Precambrian metasedimentary rocks of the Western Piedmont.

The Quantum property straddles the contact between the Triassic siltstones, sandstones, and shale of the New Oxford Formation and the Cambrian limestone of the Adamstown member of the Frederick Formation. The bedrock surface expression of this contact trends north-northeast by south-southwest and dips west-northwest. On the Quantum property, it is located approximately 200 feet southeast of the Landfill. From east to west across the Quantum property, the depth to the contact between the New Oxford and Frederick Formations varies from 0 feet at the bedrock surface contact to 90 feet beneath the Landfill. The contact surface is irregular, reflecting the erosional nature of the angular unconformity, which defines the contact between these formations in the subsurface, but, in general, the depth to the contact increases westward.

The Frederick Formation is a thin-bedded, laminated limestone with argillaceous partings and shaley zones. Estimated thickness is approximately 500 feet. The Frederick Formation has been subdivided into three members designated in ascending order: Spring Station, Adamstown, and Lime Kiln. The Adamstown member underlies the south and eastern portion of the plant site and consists of laminated, fine grained, thinly bedded, argillaceous, dark gray limestone. The beds have a north-northeast strike and dip about 40° to the east.

The New Oxford Formation consists of interbedded red and gray arkosic sandstone, red shale, and siltstone. A distinctive limestone/quartz pebble conglomerate at the base of the unit displays a mottled red and gray texture. Sandstone beds in this formation are lenticular and prone to pinching out over short distances. The total estimated thickness of the unit is 4,500 feet. In the vicinity of Quantum's property, beds of the New Oxford Formation underlie the western and northern portion of the property. The strike of these beds is north to south, and dip is to the west at 5°.

## **2.3.2 Site Geology**

### **2.3.2.1 Bedrock**

Bedrock underlying the Landfill consists of up to 45 feet of brownish-red siltstone and limestone pebble conglomerate of the New Oxford Formation, which overlies the Adamstown Limestone member of the Frederick Formation. Boring logs of monitoring wells installed around the perimeter of the Landfill (MW-64 and MW-74 through MW-77, see Figure 4-1) show that the depth to bedrock ranges from 24 feet below ground surface (bgs) on the east side to over 40 feet bgs on the west side. The bedrock surface is irregular but generally slopes to the south-southeast.

### **2.3.2.2 Soils**

Data from the test borings and monitoring wells indicate that the Landfill is underlain by a sequence of reddish-brown clayey silt and fine sand. Siltstone and shale fragments are present and found in increasing abundance with depth. The clayey silt and fine sand apparently have formed in situ by weathering of the underlying bedrock, and in some instances show relic texture similar to the parent material. A more detailed description of the soils and their properties can be found in EA (1991).

## **2.4 HYDROGEOLOGY**

---

### **2.4.1 Regional Hydrogeology**

Information on the regional hydrogeology was obtained from the Groundwater Atlas of the United States published by the US Geological Survey (Miller, 2000). In the Frederick Valley area, significant sources of groundwater exist in the carbonate rock aquifers. The Frederick Limestone, which underlies most of the plant site, has a typical well yield of 120 to 170 gallons per minute (GPM) and can yield up to 275 GPM in some areas. The carbonate rocks of the Piedmont have virtually no primary porosity, and water in these rocks moves through secondary openings such as fractures, bedding planes, joints, and faults. Water moving through the

secondary openings dissolves the carbonate rock and forms dissolution channels to create an interconnected network of openings, greatly increasing the porosity of the rock. Most of the water obtained from bedrock in this area is found in fractures and dissolution channels.

### **2.4.2 Site Hydrogeology**

The groundwater system beneath the site consists of two water-bearing units: an overburden water-bearing zone and a bedrock water-bearing zone. Based on lithologic descriptions of the overburden materials, most groundwater flow likely occurs in the highly fractured zone (weathered bedrock) located directly above the competent bedrock (Atlantic, 1996). Groundwater movement in bedrock beneath the site typically occurs through fractures. In both the overburden and bedrock zones, the general direction of horizontal groundwater flow across the plant is toward the southeast (Tetra Tech, 2015).

## **3.0 MONITORING PROGRAM**

This section summarizes the groundwater monitoring activities performed during the second and third quarters of 2022.

### **3.1 MONITORING POINTS**

---

The monitoring program included the collection of water level measurements and samples for chemical analysis from these six monitoring wells that surround the Landfill: MW-111 (replacement well for MW-63) to the north, MW-64 to the west, MW-76 to the southwest, MW-77 to the south, MW-74 to the southeast, and MW-75 to the east. Locations of the monitoring wells are shown on Figure 3-1.

### **3.2 MONITORING FREQUENCY**

---

Water levels were measured in MW-64, MW-74, MW-75, MW-76, MW-77, and MW-111 on a monthly basis by Quantum and/or Tetra Tech. The wells were sampled in September 2022 in accordance with the Revised Groundwater Monitoring Plan (Tetra Tech, 2021).

### **3.3 SAMPLING AND ANALYSIS**

---

Groundwater samples were collected utilizing low flow sampling methods as presented in the Revised Groundwater Monitoring Plan based on the general procedure described by the Environmental Protection Agency (EPA) (EPA, 2010). Field water quality measurements were also collected for these parameters: pH, dissolved oxygen (DO), conductivity, turbidity, oxidation reduction potential (ORP), and temperature. As discussed in Section 1.1, 20 parameters (12 elements and 8 water quality indicator parameters) were analyzed in groundwater based on the December 11, 2020, MDE letter and Revised Groundwater Monitoring Plan. Table 3-1 lists the analyses performed on the groundwater samples and the Practical Quantitation Limits (PQLs) that the laboratory performing the analyses was required to meet.

Groundwater samples were submitted to the laboratory, Eurofins Lancaster Laboratories Environment Testing, for analysis of total fluoride, select metals (11), and water quality parameters (total alkalinity, chloride, sulfate, total dissolved solids, nitrate, pH, specific conductance, and turbidity).

## **4.0 RESULTS AND CONCLUSIONS**

The results of groundwater monitoring activities as well as conclusions based on the monitoring data are discussed below.

### **4.1 GROUNDWATER FLOW**

---

The groundwater elevations based on depth to water measurements are provided in Table 4-1. In accordance with the Monitoring Plan, quarterly groundwater elevation maps were prepared to show groundwater flow in the vicinity of the Landfill. Figures 4-1 and 4-2, respectively, are groundwater elevation maps based on April 2022 and September 2022 depth to groundwater measurements.

As shown on both maps, groundwater beneath the Landfill generally flows in a southeasterly direction. Near the southern landfill boundary, the flow direction is more towards the south.

### **4.2 GROUNDWATER RECHARGE**

---

The overburden and bedrock aquifers beneath the Landfill receive recharge from both local rainfall and upgradient saturated zones.

Table 4-1 shows the total monthly rainfall at the former plant site. The rainfall data were obtained from Frederick, Maryland rainfall data available on the Weather Underground website (Weather Underground, 2022). Table 4-1 shows some correlation between the amount of rainfall and changes in water levels each month. In addition, the local rainfall and recharge from upgradient saturated zones can produce a seasonal effect on water level elevations. Water elevations are generally lower in the early part of fall due to a depressed water table from drier summer conditions, while water elevations begin to increase during the wetter fall and winter months. Typically, the highest water level elevations occur during late winter and spring and the data presented in Table 4-1 show that correlation.

### **4.3 LANDFILL BASE AND GROUNDWATER ELEVATIONS**

---

Groundwater elevations were compared to Landfill base elevations to determine if groundwater elevations have encroached on the bottom of the existing cells. The groundwater elevation contours based on the field measurements and the Landfill subgrade elevation contours were used for the comparison. Figures 4-1 and 4-2 show the elevations of the Cell 1 and Cell 2 liners, and the respective groundwater elevations in April 2022 and September 2022. In April 2022, the depth to groundwater ranged from approximately 6 to 21 feet below the Cell 1 liner, and 11 to 21 feet below the Cell 2 liner. In September 2022, the depth to groundwater ranged from approximately 18 to 28 feet below the Cell 1 liner, and 24 to 32 feet below the Cell 2 liner.

## **4.4 GROUNDWATER QUALITY**

---

The results of the field analyses performed at the wells before collecting the groundwater samples are presented in Table 4-2. The laboratory reports for the analyses performed on the groundwater samples during the September 2022 sampling event are provided in Appendix A and are the basis for the data summary presented in Table 4-3. Table 4-3 also lists the PQLs as well as the MCLs for the analyses performed. A “J” qualifier indicates a parameter was detected below the reporting limit but greater than or equal to the method detection limit, and the concentration is an approximate value. Appendix B contains a summary of the historical data collected from the Landfill monitoring wells.

### **4.4.1 Fluoride**

Results of total fluoride analyses performed on samples collected in September 2022 are presented on Figure 4-3. During the current reporting period, total fluoride detections were an order of magnitude lower than the MCL of 4 milligrams per liter (mg/L) in all of the wells, with concentrations ranging from an estimated value of 0.11 mg/L in MW-111 to a maximum concentration of 0.69 mg/L in downgradient well MW-74.

Figure 4-4 shows total fluoride concentration trends for the Landfill wells. The total fluoride concentrations have generally been the highest in MW-74 but have decreased from 2 mg/L in the February 2013 event to a concentration of 0.69 mg/L during the September 2022 event. The total fluoride concentrations in MW-75 during twelve of the last fourteen events immediately following the August 2015 event have been similar to recent historical concentrations. MW-111, the replacement well for MW-63, has exhibited detections of fluoride (maximum 0.14 mg/l) that are much lower than the MCL for total fluoride and within the range of concentrations observed on average historically for abandoned well MW-63 (0.23 mg/L).

Low concentrations of fluoride have been detected over time in both upgradient and downgradient wells. As such, the presence of fluoride in the monitoring wells is considered to be at least partially related to ambient conditions.

### **4.4.2 Metals**

As shown in Table 4-3, 9 of the 11 metals were detected in the September 2022 samples. For those metals detected, none of the concentrations were above MCLs.

### **4.4.3 Water Quality Parameters**

The only water quality parameter that has an MCL associated with it is nitrate. There were no exceedances of the nitrate MCL in the groundwater samples collected during the September 2022 sampling event.

## 5.0 REFERENCES

- Alcoa, Inc., 2016. Letter from Robyn Gross (Alcoa) to Martha Hynson (MDE), regarding Monitoring Well 63 Relocation Plan, Industrial Waste Disposal Permit No. 2014-WIF-0537. August 17.
- Atlantic Environmental Services, Inc., 1996. *Eastalco Aluminum Company, Aquifer Characteristics Investigation*. May 29.
- EA Engineering Science and Technology, Inc., 1991. Phase I/II Permit Application for an Industrial Waste Landfill at Eastalco Aluminum Company. December.
- EA Engineering Science and Technology, Inc., 1992. Phase III Permit Application for an Industrial Waste Landfill at Eastalco Aluminum Company. October.
- EA Engineering Science and Technology, Inc., 2011. *Concept Design Report, Eastalco Aluminum Company Industrial Waste Landfill Cell No. 2, Frederick, Maryland*. December.
- EA Engineering Science and Technology, Inc., 2012. Engineering Plans (Drawings 83.628M0021 to 83.628M0041) and Response to MDE Comments, Eastalco Aluminum Company, Industrial Waste Landfill Cell No.2, Frederick, Maryland. May.
- EA Engineering Science and Technology, Inc., 2015. *North Landfill Closure Plan and North/South Landfill Post-Closure Care Plan, Eastalco Aluminum Company, Frederick, Maryland*. August.
- Eastalco, 2016. Letter from Robyn Gross (Alcoa) to Martha Hynson (MDE), regarding Monitoring Well 63 Relocation Plan, Industrial Waste Disposal Permit No. 2014-WIF-0537. August 17.
- Eastalco, 2017. Environmental Covenant, 5601 Manor Woods Road, Frederick, Maryland 21701. Deed References: Liber D.D.L. No. 2371, Folio 341; Liber 2531. Folio 347; Tax Parcels: District: 01, Account Number: 000152, 005383, and 005405. December 12.
- EPA, 2010. *Low Stress (Low Flow) Purging And Sampling Procedure For The Collection Of Groundwater Samples From Monitoring Wells*. U.S. Environmental Protection Agency - Region 1 EQASOP-GW 001, Revision 3. January 19.
- Maryland Geological Survey (MGS), 1968. *Geologic Maps of Maryland, Frederick County*. Detail 12.
- MDE, 2018. Letter from Martha Hynson (MDE) to Ryan Wemyss (Alcoa), regarding granting final landfill closure. May 29.
- MDE, 2019. Letter from Martha Hynson (MDE) to Ms. Robyn Gross (Alcoa), regarding analytical parameters in the monitoring program. June 11.
- MDE, 2020a. Letter from Edward Dexter (MDE) to Ms. Robyn Gross (Alcoa), regarding approval to cease groundwater monitoring and sampling and subsequent abandonment of MW-63. February 7.
- MDE, 2020b. Letter from Andrew Grenzer (MDE) to Ms. Robyn Gross (Alcoa), regarding parameters required for laboratory analysis to be included in the revised Monitoring Plan. December 11.



## **Closed North Industrial Landfill Semiannual Water Quality Report**

---

MDE, 2021. Letter from Andrew Grenzer (MDE) to Ms. Robyn Gross (Alcoa), regarding approval of revised Monitoring Plan. May 11.

Miller, 2000. *The Groundwater Atlas of the United States, USGS Hydrologic Atlas 730*. U.S. Department of the Interior, U.S. Geological Survey, Renton, Virginia.

TtNUS, 2008. *Active Industrial Landfill Semiannual Water Quality Report*. Eastalco Aluminum Company. December.

Tetra Tech, 2015. *North Industrial Landfill Post-Closure Groundwater Monitoring Plan. Industrial Waste Disposal Permit No. 2014-WIF-0537*. Eastalco Aluminum Company. June.

Tetra Tech, 2017a. *North Industrial Landfill, Semiannual Water Quality Report, Industrial Waste Disposal, Permit No. 2014-WIF-0537*. June.

Tetra Tech, 2017b. *North Industrial Landfill, Semiannual Water Quality Report, Industrial Waste Disposal, Permit No. 2014-WIF-0537*. December.

Tetra Tech, 2018a. *North Industrial Landfill, Semiannual Water Quality Report, Industrial Waste Disposal, Permit No. 2014-WIF-0537*. June.

Tetra Tech, 2018b. *North Industrial Landfill, Semiannual Water Quality Report, Industrial Waste Disposal, Permit No. 2014-WIF-0537*. December.

Tetra Tech, 2021. *Closed North Industrial Landfill Revised Post-Closure Care Groundwater Monitoring Plan*. Former Industrial Waste Disposal Permit No. 2014-WIF-0537, Eastalco Aluminum Company. March.

Weather Underground, 2022. *Hagerstown, MD Weather History*. Accessed October 4, 2022.  
<https://www.wunderground.com/history/daily/us/md/hagerstown/KHGR>.

**TABLES**

**Table 3-1**  
**PQLs for Analytical Parameters**  
 Quantum Maryland, LLC

<b>ELEMENTS AND INDICATOR PARAMETERS</b>	<b>PQL (mg/L)</b>
Total Fluoride	0.10
Total Aluminum	2.00
Total Arsenic	0.002
Total Barium	0.01
Total Beryllium	0.002
Total Cadmium	0.004
Total Chromium	0.01
Total Lead	0.002
Total Mercury	0.0002
Total Nickel	0.011
Total Selenium	0.035
Total Sodium	0.2
pH	0.1 (SU)
Alkalinity	1
Chloride	0.39
Specific conductance	1 (us/cm)
Nitrate	0.06
Turbidity	0.11 (NTU)
Sulfate	0.38
Total dissolved solids	10

PQL = Practical Quantitation Limit

mg/L = milligrams per Liter

us/cm = microsiemens per centimeter

NTU = Nephelometric Turbidity Units

**Table 4-1**  
**Monthly Groundwater Level Measurements Rainfall Data**  
**April 2022 - September 2022**  
Quantum Maryland, LLC

Well ID	April 2022		May 2022		June 2022		July 2022		August 2022		September 2022		
	Rainfall (in) <sup>1</sup>	2.78		5.63		2.02		3.28		2.22		3.88	
	TOC Elevation (ft MSL)	Depth to Static Water (4/12/22)	Groundwater Elevation (4/12/22)	Depth to Static Water (5/11/22)	Groundwater Elevation (5/11/22)	Depth to Static Water (6/12/22)	Groundwater Elevation (6/12/22)	Depth to Static Water (7/14/22)	Groundwater Elevation (7/14/22)	Depth to Static Water (8/11/22)	Groundwater Elevation (8/11/22)	Depth to Static Water (9/26/22)	Groundwater Elevation (9/26/22)
		(ft below TOC)	(ft MSL)	(ft below TOC)	(ft MSL)	(ft below TOC)	(ft MSL)	(ft below TOC)	(ft MSL)	(ft below TOC)	(ft MSL)	(ft below TOC)	(ft MSL)
MW-63	373.85	ABN	ABN	ABN	ABN	ABN	ABN	ABN	ABN	ABN	ABN	ABN	
MW-64	350.13	23.00	327.13	17.70	332.43	22.00	328.13	26.40	323.73	28.70	321.43	30.33	319.80
MW-74	331.23	10.90	320.33	8.00	323.23	13.70	317.53	17.00	314.23	20.90	310.33	19.29	311.94
MW-75	335.01	11.50	323.51	9.20	325.81	15.20	319.81	20.20	314.81	22.20	312.81	22.83	312.18
MW-76	347.18	23.60	323.58	12.50	334.68	28.00	319.18	32.40	314.78	33.70	313.48	34.22	312.96
MW-77	337.26	19.30	317.96	17.50	319.76	21.80	315.46	24.50	312.76	25.60	311.66	26.15	311.11
MW-111	356.05	17.60	338.45	17.20	338.85	27.20	328.85	34.10	321.95	36.30	319.75	37.16	318.89

- Notes:**
- TOC Top of Casing
  - in Inches
  - ft Feet
  - ft MSL Feet Above Mean Sea Level
  - NM Not Measured
  - ABN Abandoned

<sup>1</sup> Rainfall data acquired from Weather Underground website for the Hagerstown, MD area (Weather Underground, 2022).

**Table 4-2  
September 2022  
Field Measurements  
Quantum Maryland, LLC**

Well ID	TOC Elevation (ft MSL)	Depth to Static Water (ft)	Groundwater Elevation (ft MSL)	pH  (s.u.)	Specific Conductance (mS/cm)	Dissolved Oxygen  (mg/L)	Turbidity  (NTUs)	Temperature  (°C)	ORP  (mV)
MW-64	350.13	30.33	319.80	4.73	0.072	5.66	4.90	13.53	362
MW-74	331.23	19.29	311.94	6.81	0.365	0.49	41.3	19.70	117
MW-75	335.01	22.83	312.18	6.60	0.623	0.00	5.94	14.70	30
MW-76	347.18	34.22	312.96	5.72	0.186	0.83	15.0	19.55	250
MW-77	337.26	26.15	311.11	6.70	0.635	2.97	3.54	16.79	208
MW-111	356.05	37.16	318.89	5.70	0.189	3.14	6.17	14.87	286

**Notes:**

TOC top of casing  
 ORP oxidation-reduction potential  
 ft feet  
 ft MSL feet above Mean Sea Level  
 s.u. standard units  
 mS/cm millisiemens per centimeter  
 NTUs Nephelometric Turbidity Units  
 mV millivolts  
 mg/L milligrams per Liter  
 °C degrees Centigrade

**Table 4-3  
September 2022 Landfill Groundwater Sample Results  
Quantum Maryland, LLC**

Parameter	PQL	MCL	Well ID						
			MW-64	MW-74	MW-75	MW-75 (DUP)	MW-76	MW-77	MW-111
Total Fluoride (mg/L)	0.1	4	<u>0.20 U</u>	0.69	0.14 J	0.15 J	0.20	0.15 J	0.11 J
<b>Water Quality (mg/L)</b>									
Alkalinity, Total	1	NC	<u>8.0 U</u>	160	230	230	45	240	46
Chloride	0.39	NC	4.1 Jcn	4.0 J	43	43	3.6 Jcn	24 cn	12 cn
Nitrate	0.06	10	3.3	0.89 Hcn	0.55 U Hcn	0.55 U Hcn	3.1	2.3	2.8 Hcn
Sulfate	0.38	NC	6.1 Jcn	21	28	27	24 cn	43 cn	13
Total Dissolved Solids (TDS)	10	NC	37	190	320	330	100	320	100
Turbidity (NTUs)	0.11	NC	3.0	39	3.2	3.5	10	2.0	5.1
<b>Metals (mg/L)</b>									
Aluminum	2	NC	0.15	1.3	0.096 cn	0.097	0.610 cn	0.042	0.110
Arsenic	0.002	0.01	0.002 U	0.002 U	0.002 Ucn	0.002 U	0.002 U	0.002 U	0.002 U
Barium	0.01	2	0.04	0.029	0.055 cn	0.053	0.027 cn	0.042	0.042
Beryllium	0.002	0.004	0.00034 J	0.0005 ^5-^+	0.0005 U cn	0.0005 U	0.00041 Jcn	0.005 U	0.00019 J
Cadmium	0.004	0.005	0.00015 J	0.0005 U	0.0005 U cn	0.0005 U	0.0005 Ucn	0.005 U	0.0005 U
Chromium	0.01	0.1	0.0014 J	0.0017 J	0.00051 J cn	0.00034 J	0.0034 cn	0.0009 J	0.0014 J
Lead	0.002	NC	0.00021 J	0.0013	0.00010 J cn	0.00008 J	0.00031 Jcn	0.005 U	0.00028 J
Mercury	0.0002	0.002	0.0002 U	0.0002 U	0.0002 U	0.0002 U	0.0002 U	0.0002 U	0.0002 U
Nickel	0.011	NC	0.0081	0.0017	0.001 U cn	0.00057 J	0.0018 cn	0.001 U	0.0017
Selenium	0.035	0.05	0.001 U	0.001	0.001 ^+ cn	0.001 U	0.001 ^+cn	0.001 U	0.001 U
Sodium	0.2	NC	2.6	6.8	19 cn	20	5.7 cn	14	4.1
<b>MISCELLANEOUS</b>									
pH (s.u.)	0.1	NC	5.6 HF	7.3 HF	7.3 HF	7.3 HF	6.5 HF	7.3 HF	6.4 HF
Specific Conductance (us/cm)	1	NC	67	370	640	630	180	630	190

Notes:

PQL = Practical Quantitation Limit

MCL = Maximum Contaminant Level

NC = No criteria

DUP = duplicate sample

S.U. = standard units

umhos/cm = micromhos per centimeter

mg/L = milligrams per liter

J= Estimated value; detected above the method detection limit and below the reporting limit (or limit of quantitation).

U = Not detected above the method detection limit. Value shown is method detection limit.

H = Sample was prepped or analyzed beyond the specified holding time

cn = Refer to Case Narrative for further detail

HF = Field parameter with a holding time of 15 minutes. Test performed by laboratory at client's request.

^5- = Linear Range Check (LRC) is outside acceptance limits, low biased.

^+ = Continuing Calibration Verification (CCV) is outside acceptance limits, high biased.


Underline = Reporting limit exceeds PQL.

## FIGURES

Topographic map provided by ESRI's ArcGIS Online USA Topo Maps map service (© 2013 National Geographic Society, i-cubed).  
Quadrangle shown is Buckeystown.



Quantum Maryland  
Property Boundary



**Legend**

- New Fence
- Existing Fence
- Property Boundary



SITE LOCATION  
 QUANTUM MARYLAND  
 FREDERICK, MARYLAND

DRAWN BY: J. ZAMUDIO 06/03/22  
 CHECKED BY: D. MOORE 06/03/22  
 APPROVED BY: D. MOORE 06/03/22

CONTRACT NUMBER: 112C09729

FIGURE NUMBER	REV
1-1	0




Aerial photograph provided by ESRI's ArcGIS Online MD iMAP, DoIT (© 2020 ESRI and its data suppliers).



**Legend**



- New Fence
- Existing Fence
- Closed Industrial Landfill




LANDFILL LOCATION MAP  
QUANTUM MARYLAND  
FREDERICK, MARYLAND

DRAWN BY: J. ZAMUDIO 06/03/22  
CHECKED BY: M. SIMCIK 06/03/22  
APPROVED BY: D. MOORE 06/03/22  
CONTRACT NUMBER: 112C09729

FIGURE NUMBER	REV
2-1	0



VICINITY MAP  
SCALE 1"=2450±



**AREA SUMMARY**

TOTAL PERMITTED CELL ACREAGE	9.3 Ac.±
-CELLS 1 & 2	4.5 Ac.±
REMAINING ACREAGE	4.8 Ac.±

**VOLUME NOTES:**

- LIMITED TO AREA OF LANDFILL CELLS 1 & 2.
- UPPER SURFACE IS BASED ON A FIELD SURVEY BY RODGERS CONSULTING, INC. ON SEPTEMBER 8, 2016.
- TOTAL VOLUMES DETERMINED BY ADDING THE DIFFERENCE IN VOLUME BETWEEN THE DECEMBER 2015 TOPOGRAPHIC SURVEY PREPARED BY HARRIS SMARIGA AND ASSOCIATES AND THE SEPTEMBER 8, 2016 FIELD SURVEY BY RODGERS CONSULTING, INC. TO THE VOLUME BETWEEN UPPER AND SUBBASE SURFACES QUANTITY.
- COMPARISON SURFACE BASED ON TOPOGRAPHIC SURVEY PREPARED BY HARRIS SMARIGA AND ASSOCIATES, INC. DATED DECEMBER 28, 2015
- SUBBASE SURFACE (BOTTOM OF CELLS) AND LEACHATE COLLECTION ZONE INFORMATION PROVIDED BY EA ENGINEERING FEB, 2014
- TOTAL PERMITTED CAPACITY & ACREAGE INFORMATION PROVIDED BY EA ENGINEERING FEB, 2014.


VOLUME BETWEEN UPPER AND SUBBASE SURFACES	154,965 CY.
-VOLUME OF LEACHATE COLLECTION ZONE	12,600 CY.
<b>TOTAL SOLID WASTE LANDFILL TO DATE</b>	<b>152,365 CY.</b>

**VOLUME SUMMARY**

TOTAL PERMITTED LANDFILL CAPACITY	380,000 CY.
-SOLID WASTE LANDFILL TO DATE	152,365 CY.
<b>REMAINING PERMITTED LANDFILL CAPACITY</b>	<b>227,635 CY.</b>


HORIZONTAL DATUM BASED ON PLANT DATUM PROVIDED BY EASTALCO  
 VERTICAL DATUM IS BASED ON PLANT DATUM PROVIDED BY EASTALCO.


VOLUMES COMPARISON IS BASED ON FIELD SURVEY ELEVATIONS SHOWN ON A TOPOGRAPHIC SURVEY PREPARED BY HARRIS SMARIGA AND ASSOCIATES, INC. DATED DECEMBER 28, 2015




**SURVEYOR'S CERTIFICATION**


I HEREBY CERTIFY THAT THE TOPOGRAPHY SHOWN HEREON IS CORRECT; THAT IT INCLUDES LANDFILL CELL 1 AND LANDFILL CELL 2 LOCATED ON THE PROPERTY OF EASTALCO ALUMINUM COMPANY AND THAT THE SURVEY FIELD WORK WAS COMPLETED ON SEPTEMBER 8, 2016, USING ACCEPTED FIELD SURVEYING PRACTICES. THE UNDERSIGNED, BEING A LICENSED SURVEYOR, PERSONALLY PREPARED OR WAS IN RESPONSIBLE CHARGE OF THE PREPARATION OF THE SURVEY WORK REFLECTED HEREON IN COMPLIANCE WITH THE REQUIREMENTS SET FORTH IN "COMAR" TITLE 09, SUBTITLE 13, CHAPTER 08, REGULATION 12.

11-21-2016  
DATE  
  
 TIM QUINN  
 PROFESSIONAL LAND SURVEYOR  
 MD. REG. NO. 20002  
 LICENSE EXPIRATION DATE: SEPTEMBER 20, 2018



 <b>TETRA TECH</b>	QUANTUM MARYLAND FREDERICK, MD LANDFILL TOPOGRAPHIC MAP SOURCE: RODGERS CONSULTING	DRAWN BY: J. ZAMUDIO 06/03/22 CHECKED BY: D. MOORE 06/03/22 APPROVED BY: D. MOORE 06/03/22 CONTRACT NUMBER: 112C09729
	FIGURE NUMBER: 2-2 REV: 0	




Legend	
	Abandoned Well
	Monitoring Well




WELL LOCATION MAP  
NORTH INDUSTRIAL LANDFILL  
QUANTUM MARYLAND  
FREDERICK, MARYLAND

DRAWN BY: K. MOORE 10/13/20	
CHECKED BY: D. MOORE 06/03/22	
APPROVED BY: D. MOORE 06/03/22	
CONTRACT NUMBER: 112C09729	
FIGURE NUMBER	REV
3-1	0



**Legend**

- Monitoring Well
- 317.96 Groundwater Elevation (ft amsl)
- Groundwater Elevation Contour (ft amsl)
- Index Contour (top of liner)
- Intermediate Contour (top of liner)




NOTE: ft amsl = feet above mean sea level



GROUNDWATER ELEVATIONS  
 APRIL 2022  
 NORTH INDUSTRIAL LANDFILL  
 QUANTUM MARYLAND  
 FREDERICK, MARYLAND


DRAWN BY: J. ZAMUDIO 11/21/22  
 CHECKED BY: M. SIMCIK 11/23/22  
 APPROVED BY: D. MOORE 11/23/22  
 CONTRACT NUMBER: 112C09729

FIGURE NUMBER	REV
4-1	0



**Legend**

- Monitoring Well
- 311.94 Groundwater Elevation (ft amsl)
- Groundwater Elevation contour (ft amsl)
- Index Contour (top of liner)
- Intermediate Contour (top of liner)



NOTE: ft amsl = feet above mean sea level



GROUNDWATER ELEVATIONS  
 SEPTEMBER 2022  
 NORTH INDUSTRIAL LANDFILL  
 QUANTUM MARYLAND  
 FREDERICK, MARYLAND

DRAWN BY: J. ZAMUDIO 11/17/22  
 CHECKED BY: M. SIMCIK 11/17/22  
 APPROVED BY: D. MOORE 11/17/22  
 CONTRACT NUMBER: 112C09729

FIGURE NUMBER	REV
4-2	0




FLUORIDE CONCENTRATIONS  
 SEPTEMBER 2022  
 NORTH INDUSTRIAL LANDFILL  
 QUANTUM MARYLAND  
 FREDERICK, MARYLAND

DRAWN BY: J. ZAMUDIO 11/17/22  
 CHECKED BY: D. MOORE 11/17/22  
 APPROVED BY: D. MOORE 11/17/22

CONTRACT NUMBER: 112C09729

FIGURE NUMBER	REV
4-3	0

**Total Fluoride Concentration Trends\* in Landfill Monitoring Wells  
Quantum Maryland, LLC**



\*Reporting limits for non-detected values are plotted as zero.  
Sampling method changed (i.e., from 3-volume purge to low flow) in February 2013

**Figure 4-4**

## APPENDIX A

### GROUNDWATER ANALYTICAL LAB REPORT



## ANALYTICAL REPORT

Eurofins Lancaster Laboratories Environment Testing, LLC  
2425 New Holland Pike  
Lancaster, PA 17601  
Tel: (717)656-2300

Laboratory Job ID: 410-99726-1  
Client Project/Site: EastAlco WW

**For:**

Tetra Tech, Inc.  
Foster Plaza VII  
661 Anderson Drive  
Foster Plaza 7 Suite 200  
Pittsburgh, Pennsylvania 15220

Attn: Dan Drzik



---

Authorized for release by:  
10/20/2022 8:02:01 AM

Stephen Gordon, Senior Project Manager  
(412)525-0071  
[Stephen.Gordon@et.eurofinsus.com](mailto:Stephen.Gordon@et.eurofinsus.com)

### LINKS

Review your project  
results through



Have a Question?



Visit us at:

[www.eurofinsus.com/Env](http://www.eurofinsus.com/Env)

The test results in this report meet all 2003 NELAC, 2009 TNI, and 2016 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.



Analytical test results meet all requirements of the associated regulatory program (e.g., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis. Data qualifiers are applied to note exceptions. Noncompliant quality control (QC) is further explained in narrative comments.

- QC results that exceed the upper limits and are associated with non-detect samples are qualified but further narration is not required since the bias is high and does not change a non-detect result. Further narration is also not required with QC blank detection when the associated sample concentration is non-detect or more than ten times the level in the blank.
  - Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD is performed, unless otherwise specified in the method.
  - Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.
- Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Measurement uncertainty values, as applicable, are available upon request.

Test results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. Times are local to the area of activity. Parameters listed in the 40 CFR Part 136 Table II as "analyze immediately" and tested in the laboratory are not performed within 15 minutes of collection.

This report shall not be reproduced except in full, without the written approval of the laboratory.

**WARRANTY AND LIMITS OF LIABILITY** - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. The foregoing express warranty is exclusive and is given in lieu of all other warranties, expressed or implied, except as otherwise agreed. We disclaim any other warranties, expressed or implied, including a warranty of fitness for particular purpose and warranty of merchantability. In no event shall Eurofins Lancaster Laboratories Environmental, LLC be liable for indirect, special, consequential, or incidental damages including, but not limited to, damages for loss of profit or goodwill regardless of (A) the negligence (either sole or concurrent) of Eurofins Lancaster Laboratories Environmental and (B) whether Eurofins Lancaster Laboratories Environmental has been informed of the possibility of such damages. We accept no legal responsibility for the purposes for which the client uses the test results. Except as otherwise agreed, no purchase order or other order for work shall be accepted by Eurofins Lancaster Laboratories Environmental which includes any conditions that vary from the Standard Terms and Conditions, and Eurofins Lancaster Laboratories Environmental hereby objects to any conflicting terms contained in any acceptance or order submitted by client.

A handwritten signature in black ink, appearing to read "Stephen Gordon".

---

Stephen Gordon  
Senior Project Manager  
10/20/2022 8:02:01 AM



# Table of Contents

Cover Page . . . . .	1
Table of Contents . . . . .	3
Definitions/Glossary . . . . .	4
Case Narrative . . . . .	5
Detection Summary . . . . .	6
Client Sample Results . . . . .	8
QC Sample Results . . . . .	11
QC Association Summary . . . . .	18
Lab Chronicle . . . . .	21
Certification Summary . . . . .	23
Method Summary . . . . .	24
Sample Summary . . . . .	25
Chain of Custody . . . . .	26
Receipt Checklists . . . . .	28

# Definitions/Glossary

Client: Tetra Tech, Inc.  
Project/Site: EastAlco WW

Job ID: 410-99726-1

## Qualifiers

### HPLC/IC

Qualifier	Qualifier Description
*+	LCS and/or LCSD is outside acceptance limits, high biased.
cn	Refer to Case Narrative for further detail
F1	MS and/or MSD recovery exceeds control limits.
F5	Duplicate RPD exceeds limit, and one or both sample results are less than 5 times RL, and the absolute difference between results is < the upper reporting limits for both.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

### Metals

Qualifier	Qualifier Description
^+	Continuing Calibration Verification (CCV) is outside acceptance limits, high biased.
cn	Refer to Case Narrative for further detail
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

### General Chemistry

Qualifier	Qualifier Description
HF	Field parameter with a holding time of 15 minutes. Test performed by laboratory at client's request.

## Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
1C	Result is from the primary column on a dual-column method.
2C	Result is from the confirmation column on a dual-column method.
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

# Case Narrative

Client: Tetra Tech, Inc.  
Project/Site: EastAlco WW

Job ID: 410-99726-1

---

## Job ID: 410-99726-1

---

### Laboratory: Eurofins Lancaster Laboratories Environment Testing, LLC

#### Narrative

---

#### Job Narrative 410-99726-1

#### Receipt

The samples were received on 9/28/2022 6:24 PM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 4.8°C

#### HPLC/IC

Method 300\_ORGFM\_28D: The continuing calibration verification (CCV) associated with batch 410-301680 recovered above the upper control limit for fluoride. The samples associated with this CCV were non-detects for the affected analytes; therefore, the data have been reported. The associated samples are impacted: MW-64-0922 (410-99726-4), MW-76-0922 (410-99726-5) and MW-77-0922 (410-99726-6).

Method 300\_ORGFM\_28D: The laboratory control sample (LCS) for analytical batch 410-301680 recovered outside control limits for the following analytes: fluoride. These analytes were biased high in the LCS and were not detected in the associated samples; therefore, the data have been reported.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

#### Metals

Method 6020B: The continuing calibration verification (CCV) associated with batch 410-305799 recovered above the upper control limit for Selenium. The samples associated with this CCV were non-detects for the affected analytes; therefore, the data have been reported.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

#### General Chemistry

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

# Detection Summary

Client: Tetra Tech, Inc.  
Project/Site: EastAlco WW

Job ID: 410-99726-1

## Client Sample ID: MW-25-0922

## Lab Sample ID: 410-99726-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Fluoride	14		1.0	0.45	mg/L	5		EPA 300.0 R2.1	Total/NA

## Client Sample ID: MW-26-0922

## Lab Sample ID: 410-99726-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Fluoride	4.3		1.0	0.45	mg/L	5		EPA 300.0 R2.1	Total/NA

## Client Sample ID: MW-13-0922

## Lab Sample ID: 410-99726-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Fluoride	0.51	J	1.0	0.45	mg/L	5		EPA 300.0 R2.1	Total/NA

## Client Sample ID: MW-64-0922

## Lab Sample ID: 410-99726-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Nitrogen, Nitrate	3.3		0.55	0.25	mg/L	5		EPA 300.0 R2.1	Total/NA
Sulfate	6.1	J cn	7.5	2.5	mg/L	5		EPA 300.0 R2.1	Total/NA
Chloride	4.1	J cn	7.5	3.0	mg/L	5		EPA 300.0 R2.1	Total/NA
Aluminum	150		25	12	ug/L	1		6020B	Total/NA
Barium	0.040		0.0020	0.00075	mg/L	1		6020B	Total/NA
Beryllium	0.00034	J	0.00050	0.00012	mg/L	1		6020B	Total/NA
Cadmium	0.00015	J	0.00050	0.00015	mg/L	1		6020B	Total/NA
Chromium	0.0014	J	0.0020	0.00033	mg/L	1		6020B	Total/NA
Lead	0.00021	J	0.00050	0.000071	mg/L	1		6020B	Total/NA
Nickel	0.0081		0.0010	0.00040	mg/L	1		6020B	Total/NA
Sodium	2.6		0.20	0.090	mg/L	1		6020B	Total/NA
Turbidity	3.0		1.0	1.0	NTU	1		2130B-2011	Total/NA
Specific Conductance	67		5.0	1.7	umhos/cm	1		2510B-2011	Total/NA
Total Dissolved Solids	37		30	12	mg/L	1		2540C-2011	Total/NA
pH	5.6	HF	0.01	0.01	S.U.	1		9040B	Total/NA
Temperature	22.0	HF	0.01	0.01	Degrees C	1		9040B	Total/NA

## Client Sample ID: MW-76-0922

## Lab Sample ID: 410-99726-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Fluoride	0.20		0.20	0.090	mg/L	1		EPA 300.0 R2.1	Total/NA
Nitrogen, Nitrate	3.1		0.55	0.25	mg/L	5		EPA 300.0 R2.1	Total/NA
Sulfate	24	cn	7.5	2.5	mg/L	5		EPA 300.0 R2.1	Total/NA
Chloride	3.6	J cn	7.5	3.0	mg/L	5		EPA 300.0 R2.1	Total/NA
Aluminum	610	cn	25	12	ug/L	1		6020B	Total/NA
Barium	0.027	cn	0.0020	0.00075	mg/L	1		6020B	Total/NA
Beryllium	0.00041	J cn	0.00050	0.00012	mg/L	1		6020B	Total/NA
Chromium	0.0034	cn	0.0020	0.00033	mg/L	1		6020B	Total/NA
Lead	0.00031	J cn	0.00050	0.000071	mg/L	1		6020B	Total/NA
Nickel	0.0018	cn	0.0010	0.00040	mg/L	1		6020B	Total/NA
Sodium	5.7	cn	0.20	0.090	mg/L	1		6020B	Total/NA
Turbidity	10		1.0	1.0	NTU	1		2130B-2011	Total/NA
Total Alkalinity as CaCO3 to pH 4.5	45		8.0	8.0	mg/L	1		2320B-2011	Total/NA
Specific Conductance	180		5.0	1.7	umhos/cm	1		2510B-2011	Total/NA
Total Dissolved Solids	100		30	12	mg/L	1		2540C-2011	Total/NA
pH	6.5	HF	0.01	0.01	S.U.	1		9040B	Total/NA
Temperature	21.9	HF	0.01	0.01	Degrees C	1		9040B	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Lancaster Laboratories Environment Testing, LLC

# Detection Summary

Client: Tetra Tech, Inc.  
Project/Site: EastAlco WW

Job ID: 410-99726-1

**Client Sample ID: MW-77-0922**

**Lab Sample ID: 410-99726-6**

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Fluoride	0.15	J	0.20	0.090	mg/L	1		EPA 300.0 R2.1	Total/NA
Nitrogen, Nitrate	2.3		0.55	0.25	mg/L	5		EPA 300.0 R2.1	Total/NA
Sulfate	43	cn	7.5	2.5	mg/L	5		EPA 300.0 R2.1	Total/NA
Chloride	24	cn	7.5	3.0	mg/L	5		EPA 300.0 R2.1	Total/NA
Aluminum	42		25	12	ug/L	1		6020B	Total/NA
Barium	0.042		0.0020	0.00075	mg/L	1		6020B	Total/NA
Chromium	0.00087	J	0.0020	0.00033	mg/L	1		6020B	Total/NA
Sodium	14		0.20	0.090	mg/L	1		6020B	Total/NA
Turbidity	2.0		1.0	1.0	NTU	1		2130B-2011	Total/NA
Total Alkalinity as CaCO3 to pH 4.5	240		8.0	8.0	mg/L	1		2320B-2011	Total/NA
Specific Conductance	630		5.0	1.7	umhos/cm	1		2510B-2011	Total/NA
Total Dissolved Solids	320		60	24	mg/L	1		2540C-2011	Total/NA
pH	7.3	HF	0.01	0.01	S.U.	1		9040B	Total/NA
Temperature	21.9	HF	0.01	0.01	Degrees C	1		9040B	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Lancaster Laboratories Environment Testing, LLC

# Client Sample Results

Client: Tetra Tech, Inc.  
Project/Site: EastAlco WW

Job ID: 410-99726-1

## Client Sample ID: MW-25-0922

Lab Sample ID: 410-99726-1

Date Collected: 09/28/22 08:20

Matrix: Water

Date Received: 09/28/22 18:24

### Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Fluoride	14		1.0	0.45	mg/L			10/10/22 18:18	5

## Client Sample ID: MW-26-0922

Lab Sample ID: 410-99726-2

Date Collected: 09/28/22 11:07

Matrix: Water

Date Received: 09/28/22 18:24

### Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Fluoride	4.3		1.0	0.45	mg/L			10/10/22 19:01	5

## Client Sample ID: MW-13-0922

Lab Sample ID: 410-99726-3

Date Collected: 09/28/22 14:52

Matrix: Water

Date Received: 09/28/22 18:24

### Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Fluoride	0.51	J	1.0	0.45	mg/L			10/10/22 18:50	5

## Client Sample ID: MW-64-0922

Lab Sample ID: 410-99726-4

Date Collected: 09/28/22 09:30

Matrix: Water

Date Received: 09/28/22 18:24

### Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Fluoride	ND		0.20	0.090	mg/L			10/18/22 17:53	1
Nitrogen, Nitrate	3.3		0.55	0.25	mg/L			09/29/22 21:41	5
Sulfate	6.1	J cn	7.5	2.5	mg/L			09/29/22 21:41	5
Chloride	4.1	J cn	7.5	3.0	mg/L			09/29/22 21:41	5

### Method: SW846 6020B - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aluminum	150		25	12	ug/L		10/04/22 17:50	10/13/22 19:01	1
Arsenic	ND		0.0020	0.00068	mg/L		10/04/22 17:50	10/13/22 19:01	1
Barium	0.040		0.0020	0.00075	mg/L		10/04/22 17:50	10/13/22 19:01	1
Beryllium	0.00034	J	0.00050	0.00012	mg/L		10/04/22 17:50	10/13/22 19:01	1
Cadmium	0.00015	J	0.00050	0.00015	mg/L		10/04/22 17:50	10/13/22 19:01	1
Chromium	0.0014	J	0.0020	0.00033	mg/L		10/04/22 17:50	10/13/22 19:01	1
Lead	0.00021	J	0.00050	0.000071	mg/L		10/04/22 17:50	10/13/22 19:01	1
Nickel	0.0081		0.0010	0.00040	mg/L		10/04/22 17:50	10/13/22 19:01	1
Selenium	ND		0.0010	0.00028	mg/L		10/04/22 17:50	10/13/22 19:01	1
Sodium	2.6		0.20	0.090	mg/L		10/04/22 17:50	10/13/22 19:01	1

### Method: SW846 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND		0.00020	0.000079	mg/L		10/05/22 20:59	10/06/22 14:42	1

### General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Turbidity (SM 2130B-2011)	3.0		1.0	1.0	NTU			09/29/22 16:12	1
Total Alkalinity as CaCO3 to pH 4.5 (SM 2320B-2011)	ND		8.0	8.0	mg/L			10/01/22 03:01	1



# Client Sample Results

Client: Tetra Tech, Inc.  
Project/Site: EastAlco WW

Job ID: 410-99726-1

**Client Sample ID: MW-64-0922**

**Lab Sample ID: 410-99726-4**

Date Collected: 09/28/22 09:30

Matrix: Water

Date Received: 09/28/22 18:24

## General Chemistry (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Specific Conductance (SM 2510B-2011)	67		5.0	1.7	umhos/cm			10/01/22 03:01	1
Total Dissolved Solids (SM 2540C-2011)	37		30	12	mg/L			09/29/22 07:44	1
pH (SW846 9040B)	5.6	HF	0.01	0.01	S.U.			10/01/22 03:01	1
Temperature (SW846 9040B)	22.0	HF	0.01	0.01	Degrees C			10/01/22 03:01	1

**Client Sample ID: MW-76-0922**

**Lab Sample ID: 410-99726-5**

Date Collected: 09/28/22 13:05

Matrix: Water

Date Received: 09/28/22 18:24

## Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Fluoride	0.20		0.20	0.090	mg/L			10/18/22 18:04	1
Nitrogen, Nitrate	3.1		0.55	0.25	mg/L			09/29/22 22:01	5
Sulfate	24	cn	7.5	2.5	mg/L			09/29/22 22:01	5
Chloride	3.6	J cn	7.5	3.0	mg/L			09/29/22 22:01	5

## Method: SW846 6020B - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aluminum	610	cn	25	12	ug/L		10/04/22 17:55	10/12/22 09:44	1
Arsenic	ND	cn	0.0020	0.00068	mg/L		10/04/22 17:55	10/12/22 09:44	1
Barium	0.027	cn	0.0020	0.00075	mg/L		10/04/22 17:55	10/12/22 09:44	1
Beryllium	0.00041	J cn	0.00050	0.00012	mg/L		10/04/22 17:55	10/12/22 09:44	1
Cadmium	ND	cn	0.00050	0.00015	mg/L		10/04/22 17:55	10/12/22 09:44	1
Chromium	0.0034	cn	0.0020	0.00033	mg/L		10/04/22 17:55	10/12/22 09:44	1
Lead	0.00031	J cn	0.00050	0.000071	mg/L		10/04/22 17:55	10/12/22 09:44	1
Nickel	0.0018	cn	0.0010	0.00040	mg/L		10/04/22 17:55	10/12/22 09:44	1
Selenium	ND	^+ cn	0.0010	0.00028	mg/L		10/04/22 17:55	10/12/22 09:44	1
Sodium	5.7	cn	0.20	0.090	mg/L		10/04/22 17:55	10/12/22 09:44	1

## Method: SW846 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND		0.00020	0.000079	mg/L		10/05/22 20:59	10/06/22 14:29	1

## General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Turbidity (SM 2130B-2011)	10		1.0	1.0	NTU			09/29/22 16:12	1
Total Alkalinity as CaCO3 to pH 4.5 (SM 2320B-2011)	45		8.0	8.0	mg/L			10/01/22 03:07	1
Specific Conductance (SM 2510B-2011)	180		5.0	1.7	umhos/cm			10/01/22 03:07	1
Total Dissolved Solids (SM 2540C-2011)	100		30	12	mg/L			09/29/22 07:44	1
pH (SW846 9040B)	6.5	HF	0.01	0.01	S.U.			10/01/22 03:07	1
Temperature (SW846 9040B)	21.9	HF	0.01	0.01	Degrees C			10/01/22 03:07	1

# Client Sample Results

Client: Tetra Tech, Inc.  
Project/Site: EastAlco WW

Job ID: 410-99726-1

**Client Sample ID: MW-77-0922**

**Lab Sample ID: 410-99726-6**

Date Collected: 09/28/22 14:20

Matrix: Water

Date Received: 09/28/22 18:24

### Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Fluoride	0.15	J	0.20	0.090	mg/L			10/18/22 18:15	1
Nitrogen, Nitrate	2.3		0.55	0.25	mg/L			09/29/22 22:20	5
Sulfate	43	cn	7.5	2.5	mg/L			09/29/22 22:20	5
Chloride	24	cn	7.5	3.0	mg/L			09/29/22 22:20	5

### Method: SW846 6020B - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aluminum	42		25	12	ug/L		10/04/22 17:50	10/13/22 19:06	1
Arsenic	ND		0.0020	0.00068	mg/L		10/04/22 17:50	10/13/22 19:06	1
Barium	0.042		0.0020	0.00075	mg/L		10/04/22 17:50	10/13/22 19:06	1
Beryllium	ND		0.00050	0.00012	mg/L		10/04/22 17:50	10/13/22 19:06	1
Cadmium	ND		0.00050	0.00015	mg/L		10/04/22 17:50	10/13/22 19:06	1
Chromium	0.00087	J	0.0020	0.00033	mg/L		10/04/22 17:50	10/13/22 19:06	1
Lead	ND		0.00050	0.000071	mg/L		10/04/22 17:50	10/13/22 19:06	1
Nickel	ND		0.0010	0.00040	mg/L		10/04/22 17:50	10/13/22 19:06	1
Selenium	ND		0.0010	0.00028	mg/L		10/04/22 17:50	10/13/22 19:06	1
Sodium	14		0.20	0.090	mg/L		10/04/22 17:50	10/13/22 19:06	1

### Method: SW846 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND		0.00020	0.000079	mg/L		10/05/22 20:59	10/06/22 14:40	1

### General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Turbidity (SM 2130B-2011)	2.0		1.0	1.0	NTU			09/29/22 16:12	1
Total Alkalinity as CaCO3 to pH 4.5 (SM 2320B-2011)	240		8.0	8.0	mg/L			10/01/22 03:13	1
Specific Conductance (SM 2510B-2011)	630		5.0	1.7	umhos/cm			10/01/22 03:13	1
Total Dissolved Solids (SM 2540C-2011)	320		60	24	mg/L			09/29/22 07:44	1
pH (SW846 9040B)	7.3	HF	0.01	0.01	S.U.			10/01/22 03:13	1
Temperature (SW846 9040B)	21.9	HF	0.01	0.01	Degrees C			10/01/22 03:13	1

# QC Sample Results

Client: Tetra Tech, Inc.  
Project/Site: EastAlco WW

Job ID: 410-99726-1

## Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

**Lab Sample ID: MB 410-301679/5**  
**Matrix: Water**  
**Analysis Batch: 301679**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrogen, Nitrate	ND		0.11	0.050	mg/L			09/29/22 11:00	1

**Lab Sample ID: LCS 410-301679/3**  
**Matrix: Water**  
**Analysis Batch: 301679**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Nitrogen, Nitrate	0.755	0.743		mg/L		98	90 - 110

**Lab Sample ID: LCSD 410-301679/4**  
**Matrix: Water**  
**Analysis Batch: 301679**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Nitrogen, Nitrate	0.755	0.744		mg/L		99	90 - 110	0	20

**Lab Sample ID: 410-99726-6 MS**  
**Matrix: Water**  
**Analysis Batch: 301679**

**Client Sample ID: MW-77-0922**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Nitrogen, Nitrate	4.6	J	25.2	30.4		mg/L		103	90 - 110

**Lab Sample ID: 410-99726-6 DU**  
**Matrix: Water**  
**Analysis Batch: 301679**

**Client Sample ID: MW-77-0922**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Nitrogen, Nitrate	4.6	J	6.40	F5	mg/L		33	15

**Lab Sample ID: MB 410-301680/5**  
**Matrix: Water**  
**Analysis Batch: 301680**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Fluoride	ND		0.20	0.090	mg/L			09/29/22 11:00	1
Sulfate	ND		1.5	0.50	mg/L			09/29/22 11:00	1
Chloride	ND		1.5	0.60	mg/L			09/29/22 11:00	1

**Lab Sample ID: LCS 410-301680/3**  
**Matrix: Water**  
**Analysis Batch: 301680**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Fluoride	0.750	1.00	*+	mg/L		133	90 - 110
Sulfate	7.51	7.79		mg/L		104	90 - 110
Chloride	3.00	3.19		mg/L		106	90 - 110

# QC Sample Results

Client: Tetra Tech, Inc.  
Project/Site: EastAlco WW

Job ID: 410-99726-1

## Method: EPA 300.0 R2.1 - Anions, Ion Chromatography (Continued)

**Lab Sample ID: LCSD 410-301680/4**  
**Matrix: Water**  
**Analysis Batch: 301680**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Fluoride	0.750	0.984	*+	mg/L		131	90 - 110	2	20
Sulfate	7.51	7.81		mg/L		104	90 - 110	0	20
Chloride	3.00	3.22		mg/L		107	90 - 110	1	20

**Lab Sample ID: 410-99726-6 MS**  
**Matrix: Water**  
**Analysis Batch: 301680**

**Client Sample ID: MW-77-0922**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Fluoride	ND	*+ F1	25.0	45.5	F1	mg/L		182	90 - 110
Sulfate	53	J F1	250	341	F1	mg/L		115	90 - 110
Chloride	ND	F1	100	143	F1	mg/L		143	90 - 110

**Lab Sample ID: 410-99726-6 DU**  
**Matrix: Water**  
**Analysis Batch: 301680**

**Client Sample ID: MW-77-0922**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Fluoride	ND	*+ F1	ND	*+	mg/L		NC	15
Sulfate	53	J F1	55.1	J	mg/L		3	15
Chloride	ND	F1	33.4	J	mg/L		NC	15

**Lab Sample ID: MB 410-305226/5**  
**Matrix: Water**  
**Analysis Batch: 305226**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Fluoride	ND		0.20	0.090	mg/L			10/10/22 13:27	1

**Lab Sample ID: LCS 410-305226/3**  
**Matrix: Water**  
**Analysis Batch: 305226**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Fluoride	0.750	0.758		mg/L		101	90 - 110

**Lab Sample ID: LCSD 410-305226/4**  
**Matrix: Water**  
**Analysis Batch: 305226**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Fluoride	0.750	0.764		mg/L		102	90 - 110	1	20

**Lab Sample ID: 410-99726-1 DU**  
**Matrix: Water**  
**Analysis Batch: 305226**

**Client Sample ID: MW-25-0922**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Fluoride	14		13.5		mg/L		3	15

# QC Sample Results

Client: Tetra Tech, Inc.  
Project/Site: EastAlco WW

Job ID: 410-99726-1

## Method: EPA 300.0 R2.1 - Anions, Ion Chromatography (Continued)

**Lab Sample ID: MB 410-307931/5**  
**Matrix: Water**  
**Analysis Batch: 307931**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Fluoride	ND		0.20	0.090	mg/L			10/18/22 16:38	1
Sulfate	ND		1.5	0.50	mg/L			10/18/22 16:38	1
Chloride	ND		1.5	0.60	mg/L			10/18/22 16:38	1

**Lab Sample ID: LCS 410-307931/3**  
**Matrix: Water**  
**Analysis Batch: 307931**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Fluoride	0.750	0.736		mg/L		98	90 - 110
Sulfate	7.50	7.59		mg/L		101	90 - 110
Chloride	3.00	3.07		mg/L		102	90 - 110

**Lab Sample ID: LCSD 410-307931/4**  
**Matrix: Water**  
**Analysis Batch: 307931**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Fluoride	0.750	0.738		mg/L		98	90 - 110	0	20
Sulfate	7.50	7.60		mg/L		101	90 - 110	0	20
Chloride	3.00	3.07		mg/L		102	90 - 110	0	20

## Method: 6020B - Metals (ICP/MS)

**Lab Sample ID: 410-99726-5 MS**  
**Matrix: Water**  
**Analysis Batch: 305799**

**Client Sample ID: MW-76-0922**  
**Prep Type: Total/NA**  
**Prep Batch: 303081**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Aluminum	610	cn	5000	6190		ug/L		112	75 - 125
Arsenic	ND	cn	0.500	0.488		mg/L		98	75 - 125
Barium	0.027	cn	0.500	0.541		mg/L		103	75 - 125
Beryllium	0.00041	J cn	0.0500	0.0479		mg/L		95	75 - 125
Cadmium	ND	cn	0.0500	0.0509		mg/L		102	75 - 125
Chromium	0.0034	cn	0.500	0.528		mg/L		105	75 - 125
Lead	0.00031	J cn	0.0500	0.0509		mg/L		101	75 - 125
Nickel	0.0018	cn	0.500	0.491		mg/L		98	75 - 125
Selenium	ND	^+ cn	0.100	0.104	^+	mg/L		104	75 - 125
Sodium	5.7	cn	5.00	11.1		mg/L		107	75 - 125

**Lab Sample ID: 410-99726-5 MSD**  
**Matrix: Water**  
**Analysis Batch: 305799**

**Client Sample ID: MW-76-0922**  
**Prep Type: Total/NA**  
**Prep Batch: 303081**

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Aluminum	610	cn	5000	6340		ug/L		115	75 - 125	2	20
Arsenic	ND	cn	0.500	0.487		mg/L		97	75 - 125	0	20
Barium	0.027	cn	0.500	0.554		mg/L		105	75 - 125	2	20
Beryllium	0.00041	J cn	0.0500	0.0484		mg/L		96	75 - 125	1	20
Cadmium	ND	cn	0.0500	0.0525		mg/L		105	75 - 125	3	20

Eurofins Lancaster Laboratories Environment Testing, LLC

# QC Sample Results

Client: Tetra Tech, Inc.  
Project/Site: EastAlco WW

Job ID: 410-99726-1

## Method: 6020B - Metals (ICP/MS) (Continued)

**Lab Sample ID: 410-99726-5 MSD**  
**Matrix: Water**  
**Analysis Batch: 305799**

**Client Sample ID: MW-76-0922**  
**Prep Type: Total/NA**  
**Prep Batch: 303081**

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chromium	0.0034	cn	0.500	0.535		mg/L		106	75 - 125	1	20
Lead	0.00031	J cn	0.0500	0.0517		mg/L		103	75 - 125	2	20
Nickel	0.0018	cn	0.500	0.496		mg/L		99	75 - 125	1	20
Selenium	ND	^+ cn	0.100	0.104	^+	mg/L		104	75 - 125	0	20
Sodium	5.7	cn	5.00	11.2		mg/L		109	75 - 125	1	20

**Lab Sample ID: 410-99726-5 DU**  
**Matrix: Water**  
**Analysis Batch: 305799**

**Client Sample ID: MW-76-0922**  
**Prep Type: Total/NA**  
**Prep Batch: 303081**

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Aluminum	610	cn	608		ug/L		0.07	20
Arsenic	ND	cn	ND		mg/L		NC	20
Barium	0.027	cn	0.0270		mg/L		0.1	20
Beryllium	0.00041	J cn	0.000398	J	mg/L		2	20
Cadmium	ND	cn	ND		mg/L		NC	20
Chromium	0.0034	cn	0.00300		mg/L		14	20
Lead	0.00031	J cn	0.000311	J	mg/L		0.3	20
Nickel	0.0018	cn	0.00174		mg/L		3	20
Selenium	ND	^+ cn	ND	^+	mg/L		NC	20
Sodium	5.7	cn	5.68		mg/L		0.8	20

**Lab Sample ID: MB 410-303078/1-A**  
**Matrix: Water**  
**Analysis Batch: 306542**

**Client Sample ID: Method Blank**  
**Prep Type: Total Recoverable**  
**Prep Batch: 303078**

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aluminum	ND		25	12	ug/L		10/04/22 17:50	10/13/22 18:29	1
Arsenic	ND		0.0020	0.00068	mg/L		10/04/22 17:50	10/13/22 18:29	1
Barium	ND		0.0020	0.00075	mg/L		10/04/22 17:50	10/13/22 18:29	1
Beryllium	ND		0.00050	0.00012	mg/L		10/04/22 17:50	10/13/22 18:29	1
Cadmium	ND		0.00050	0.00015	mg/L		10/04/22 17:50	10/13/22 18:29	1
Chromium	ND		0.0020	0.00033	mg/L		10/04/22 17:50	10/13/22 18:29	1
Lead	ND		0.00050	0.000071	mg/L		10/04/22 17:50	10/13/22 18:29	1
Nickel	ND		0.0010	0.00040	mg/L		10/04/22 17:50	10/13/22 18:29	1
Selenium	ND		0.0010	0.00028	mg/L		10/04/22 17:50	10/13/22 18:29	1
Sodium	ND		0.20	0.090	mg/L		10/04/22 17:50	10/13/22 18:29	1

**Lab Sample ID: LCS 410-303078/2-A**  
**Matrix: Water**  
**Analysis Batch: 306542**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total Recoverable**  
**Prep Batch: 303078**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Aluminum	5000	4930		ug/L		99	87 - 119
Arsenic	0.500	0.474		mg/L		95	85 - 120
Barium	0.500	0.510		mg/L		102	80 - 120
Beryllium	0.0500	0.0486		mg/L		97	90 - 112
Cadmium	0.0500	0.0509		mg/L		102	86 - 113
Chromium	0.500	0.507		mg/L		101	90 - 115

# QC Sample Results

Client: Tetra Tech, Inc.  
Project/Site: EastAlco WW

Job ID: 410-99726-1

## Method: 6020B - Metals (ICP/MS) (Continued)

**Lab Sample ID: LCS 410-303078/2-A**  
**Matrix: Water**  
**Analysis Batch: 306542**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total Recoverable**  
**Prep Batch: 303078**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Lead	0.0500	0.0493		mg/L		99	90 - 115
Nickel	0.500	0.496		mg/L		99	90 - 114
Selenium	0.100	0.0986		mg/L		99	80 - 120
Sodium	5.00	4.85		mg/L		97	89 - 112

**Lab Sample ID: LCSD 410-303078/3-A**  
**Matrix: Water**  
**Analysis Batch: 306542**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total Recoverable**  
**Prep Batch: 303078**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Aluminum	5000	5080		ug/L		102	87 - 119	3	20
Arsenic	0.500	0.479		mg/L		96	85 - 120	1	20
Barium	0.500	0.504		mg/L		101	80 - 120	1	20
Beryllium	0.0500	0.0486		mg/L		97	90 - 112	0	20
Cadmium	0.0500	0.0505		mg/L		101	86 - 113	1	20
Chromium	0.500	0.516		mg/L		103	90 - 115	2	20
Lead	0.0500	0.0503		mg/L		101	90 - 115	2	20
Nickel	0.500	0.502		mg/L		100	90 - 114	1	20
Selenium	0.100	0.101		mg/L		101	80 - 120	2	20
Sodium	5.00	4.93		mg/L		99	89 - 112	2	20

**Lab Sample ID: MB 410-303081/1-A**  
**Matrix: Water**  
**Analysis Batch: 305799**

**Client Sample ID: Method Blank**  
**Prep Type: Total Recoverable**  
**Prep Batch: 303081**

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aluminum	ND		25	12	ug/L		10/04/22 17:54	10/12/22 09:34	1
Arsenic	ND		0.0020	0.00068	mg/L		10/04/22 17:54	10/12/22 09:34	1
Barium	ND		0.0020	0.00075	mg/L		10/04/22 17:54	10/12/22 09:34	1
Beryllium	ND		0.00050	0.00012	mg/L		10/04/22 17:54	10/12/22 09:34	1
Cadmium	ND		0.00050	0.00015	mg/L		10/04/22 17:54	10/12/22 09:34	1
Chromium	ND		0.0020	0.00033	mg/L		10/04/22 17:54	10/12/22 09:34	1
Lead	ND		0.00050	0.000071	mg/L		10/04/22 17:54	10/12/22 09:34	1
Nickel	ND		0.0010	0.00040	mg/L		10/04/22 17:54	10/12/22 09:34	1
Selenium	ND		0.0010	0.00028	mg/L		10/04/22 17:54	10/12/22 09:34	1
Sodium	ND		0.20	0.090	mg/L		10/04/22 17:54	10/12/22 09:34	1

**Lab Sample ID: LCS 410-303081/2-A**  
**Matrix: Water**  
**Analysis Batch: 305799**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total Recoverable**  
**Prep Batch: 303081**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Aluminum	5000	4960		ug/L		99	87 - 119
Arsenic	0.500	0.479		mg/L		96	85 - 120
Barium	0.500	0.508		mg/L		102	80 - 120
Beryllium	0.0500	0.0473		mg/L		95	90 - 112
Cadmium	0.0500	0.0504		mg/L		101	86 - 113
Chromium	0.500	0.500		mg/L		100	90 - 115
Lead	0.0500	0.0500		mg/L		100	90 - 115

# QC Sample Results

Client: Tetra Tech, Inc.  
Project/Site: EastAlco WW

Job ID: 410-99726-1

## Method: 6020B - Metals (ICP/MS) (Continued)

Lab Sample ID: LCS 410-303081/2-A  
Matrix: Water  
Analysis Batch: 305799

Client Sample ID: Lab Control Sample  
Prep Type: Total Recoverable  
Prep Batch: 303081

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Nickel	0.500	0.492		mg/L		98	90 - 114
Selenium	0.100	0.104		mg/L		104	80 - 120
Sodium	5.00	4.96		mg/L		99	89 - 112

## Method: 7470A - Mercury (CVAA)

Lab Sample ID: MB 410-303587/1-A  
Matrix: Water  
Analysis Batch: 303940

Client Sample ID: Method Blank  
Prep Type: Total/NA  
Prep Batch: 303587

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND		0.00020	0.000079	mg/L		10/05/22 20:59	10/06/22 13:45	1

Lab Sample ID: LCS 410-303587/2-A  
Matrix: Water  
Analysis Batch: 303940

Client Sample ID: Lab Control Sample  
Prep Type: Total/NA  
Prep Batch: 303587

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Mercury	0.00100	0.000960		mg/L		96	80 - 118

Lab Sample ID: LCSD 410-303587/3-A  
Matrix: Water  
Analysis Batch: 303940

Client Sample ID: Lab Control Sample Dup  
Prep Type: Total/NA  
Prep Batch: 303587

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Mercury	0.00100	0.000956		mg/L		96	80 - 118	0	20

## Method: 2130B-2011 - Turbidity

Lab Sample ID: MB 410-301416/3  
Matrix: Water  
Analysis Batch: 301416

Client Sample ID: Method Blank  
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Turbidity	ND		1.0	1.0	NTU			09/29/22 16:12	1

Lab Sample ID: LCS 410-301416/4  
Matrix: Water  
Analysis Batch: 301416

Client Sample ID: Lab Control Sample  
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Turbidity	10.0	9.8		NTU		98	90 - 104

## Method: 2320B-2011 - Alkalinity, Total

Lab Sample ID: MB 410-302465/75  
Matrix: Water  
Analysis Batch: 302465

Client Sample ID: Method Blank  
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Alkalinity as CaCO3 to pH 4.5	ND		8.0	8.0	mg/L			10/01/22 00:28	1

Eurofins Lancaster Laboratories Environment Testing, LLC



# QC Sample Results

Client: Tetra Tech, Inc.  
Project/Site: EastAlco WW

Job ID: 410-99726-1

## Method: 2320B-2011 - Alkalinity, Total

Lab Sample ID: LCS 410-302465/78  
Matrix: Water  
Analysis Batch: 302465

Client Sample ID: Lab Control Sample  
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Total Alkalinity as CaCO3 to pH 4.5	189	175		mg/L		92	82 - 106

## Method: 2510B-2011 - Conductivity, Specific Conductance

Lab Sample ID: MB 410-302466/75  
Matrix: Water  
Analysis Batch: 302466

Client Sample ID: Method Blank  
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Specific Conductance	ND		5.0	1.7	umhos/cm			10/01/22 00:28	1

Lab Sample ID: LCS 410-302466/76  
Matrix: Water  
Analysis Batch: 302466

Client Sample ID: Lab Control Sample  
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Specific Conductance	1410	1430		umhos/cm		101	97 - 103

## Method: 2540C-2011 - Solids, Total Dissolved (TDS)

Lab Sample ID: MB 410-301136/1  
Matrix: Water  
Analysis Batch: 301136

Client Sample ID: Method Blank  
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	ND		30	12	mg/L			09/29/22 07:44	1

Lab Sample ID: LCS 410-301136/2  
Matrix: Water  
Analysis Batch: 301136

Client Sample ID: Lab Control Sample  
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Total Dissolved Solids	200	193		mg/L		97	72 - 127

## Method: 9040B - pH

Lab Sample ID: LCS 410-302467/77  
Matrix: Water  
Analysis Batch: 302467

Client Sample ID: Lab Control Sample  
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
pH	7.00	7.0		S.U.		100	95 - 105

# QC Association Summary

Client: Tetra Tech, Inc.  
Project/Site: EastAlco WW

Job ID: 410-99726-1

## HPLC/IC

### Analysis Batch: 301679

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-99726-4	MW-64-0922	Total/NA	Water	EPA 300.0 R2.1	
410-99726-5	MW-76-0922	Total/NA	Water	EPA 300.0 R2.1	
410-99726-6	MW-77-0922	Total/NA	Water	EPA 300.0 R2.1	
MB 410-301679/5	Method Blank	Total/NA	Water	EPA 300.0 R2.1	
LCS 410-301679/3	Lab Control Sample	Total/NA	Water	EPA 300.0 R2.1	
LCSD 410-301679/4	Lab Control Sample Dup	Total/NA	Water	EPA 300.0 R2.1	
410-99726-6 MS	MW-77-0922	Total/NA	Water	EPA 300.0 R2.1	
410-99726-6 DU	MW-77-0922	Total/NA	Water	EPA 300.0 R2.1	

### Analysis Batch: 301680

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-99726-4	MW-64-0922	Total/NA	Water	EPA 300.0 R2.1	
410-99726-5	MW-76-0922	Total/NA	Water	EPA 300.0 R2.1	
410-99726-6	MW-77-0922	Total/NA	Water	EPA 300.0 R2.1	
MB 410-301680/5	Method Blank	Total/NA	Water	EPA 300.0 R2.1	
LCS 410-301680/3	Lab Control Sample	Total/NA	Water	EPA 300.0 R2.1	
LCSD 410-301680/4	Lab Control Sample Dup	Total/NA	Water	EPA 300.0 R2.1	
410-99726-6 MS	MW-77-0922	Total/NA	Water	EPA 300.0 R2.1	
410-99726-6 DU	MW-77-0922	Total/NA	Water	EPA 300.0 R2.1	

### Analysis Batch: 305226

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-99726-1	MW-25-0922	Total/NA	Water	EPA 300.0 R2.1	
410-99726-2	MW-26-0922	Total/NA	Water	EPA 300.0 R2.1	
410-99726-3	MW-13-0922	Total/NA	Water	EPA 300.0 R2.1	
MB 410-305226/5	Method Blank	Total/NA	Water	EPA 300.0 R2.1	
LCS 410-305226/3	Lab Control Sample	Total/NA	Water	EPA 300.0 R2.1	
LCSD 410-305226/4	Lab Control Sample Dup	Total/NA	Water	EPA 300.0 R2.1	
410-99726-1 DU	MW-25-0922	Total/NA	Water	EPA 300.0 R2.1	

### Analysis Batch: 307931

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-99726-4	MW-64-0922	Total/NA	Water	EPA 300.0 R2.1	
410-99726-5	MW-76-0922	Total/NA	Water	EPA 300.0 R2.1	
410-99726-6	MW-77-0922	Total/NA	Water	EPA 300.0 R2.1	
MB 410-307931/5	Method Blank	Total/NA	Water	EPA 300.0 R2.1	
LCS 410-307931/3	Lab Control Sample	Total/NA	Water	EPA 300.0 R2.1	
LCSD 410-307931/4	Lab Control Sample Dup	Total/NA	Water	EPA 300.0 R2.1	

## Metals

### Prep Batch: 303078

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-99726-4	MW-64-0922	Total/NA	Water	3005A	
410-99726-6	MW-77-0922	Total/NA	Water	3005A	
MB 410-303078/1-A	Method Blank	Total Recoverable	Water	3005A	
LCS 410-303078/2-A	Lab Control Sample	Total Recoverable	Water	3005A	
LCSD 410-303078/3-A	Lab Control Sample Dup	Total Recoverable	Water	3005A	

# QC Association Summary

Client: Tetra Tech, Inc.  
Project/Site: EastAlco WW

Job ID: 410-99726-1

## Metals

### Prep Batch: 303081

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-99726-5	MW-76-0922	Total/NA	Water	3005A	
MB 410-303081/1-A	Method Blank	Total Recoverable	Water	3005A	
LCS 410-303081/2-A	Lab Control Sample	Total Recoverable	Water	3005A	
410-99726-5 MS	MW-76-0922	Total/NA	Water	3005A	
410-99726-5 MSD	MW-76-0922	Total/NA	Water	3005A	
410-99726-5 DU	MW-76-0922	Total/NA	Water	3005A	

### Prep Batch: 303587

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-99726-4	MW-64-0922	Total/NA	Water	7470A	
410-99726-5	MW-76-0922	Total/NA	Water	7470A	
410-99726-6	MW-77-0922	Total/NA	Water	7470A	
MB 410-303587/1-A	Method Blank	Total/NA	Water	7470A	
LCS 410-303587/2-A	Lab Control Sample	Total/NA	Water	7470A	
LCSD 410-303587/3-A	Lab Control Sample Dup	Total/NA	Water	7470A	

### Analysis Batch: 303940

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-99726-4	MW-64-0922	Total/NA	Water	7470A	303587
410-99726-5	MW-76-0922	Total/NA	Water	7470A	303587
410-99726-6	MW-77-0922	Total/NA	Water	7470A	303587
MB 410-303587/1-A	Method Blank	Total/NA	Water	7470A	303587
LCS 410-303587/2-A	Lab Control Sample	Total/NA	Water	7470A	303587
LCSD 410-303587/3-A	Lab Control Sample Dup	Total/NA	Water	7470A	303587

### Analysis Batch: 305799

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-99726-5	MW-76-0922	Total/NA	Water	6020B	303081
MB 410-303081/1-A	Method Blank	Total Recoverable	Water	6020B	303081
LCS 410-303081/2-A	Lab Control Sample	Total Recoverable	Water	6020B	303081
410-99726-5 MS	MW-76-0922	Total/NA	Water	6020B	303081
410-99726-5 MSD	MW-76-0922	Total/NA	Water	6020B	303081
410-99726-5 DU	MW-76-0922	Total/NA	Water	6020B	303081

### Analysis Batch: 306542

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-99726-4	MW-64-0922	Total/NA	Water	6020B	303078
410-99726-6	MW-77-0922	Total/NA	Water	6020B	303078
MB 410-303078/1-A	Method Blank	Total Recoverable	Water	6020B	303078
LCS 410-303078/2-A	Lab Control Sample	Total Recoverable	Water	6020B	303078
LCSD 410-303078/3-A	Lab Control Sample Dup	Total Recoverable	Water	6020B	303078

## General Chemistry

### Analysis Batch: 301136

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-99726-4	MW-64-0922	Total/NA	Water	2540C-2011	
410-99726-5	MW-76-0922	Total/NA	Water	2540C-2011	
410-99726-6	MW-77-0922	Total/NA	Water	2540C-2011	
MB 410-301136/1	Method Blank	Total/NA	Water	2540C-2011	
LCS 410-301136/2	Lab Control Sample	Total/NA	Water	2540C-2011	

# QC Association Summary

Client: Tetra Tech, Inc.  
Project/Site: EastAlco WW

Job ID: 410-99726-1

## General Chemistry

### Analysis Batch: 301416

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-99726-4	MW-64-0922	Total/NA	Water	2130B-2011	
410-99726-5	MW-76-0922	Total/NA	Water	2130B-2011	
410-99726-6	MW-77-0922	Total/NA	Water	2130B-2011	
MB 410-301416/3	Method Blank	Total/NA	Water	2130B-2011	
LCS 410-301416/4	Lab Control Sample	Total/NA	Water	2130B-2011	

### Analysis Batch: 302465

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-99726-4	MW-64-0922	Total/NA	Water	2320B-2011	
410-99726-5	MW-76-0922	Total/NA	Water	2320B-2011	
410-99726-6	MW-77-0922	Total/NA	Water	2320B-2011	
MB 410-302465/75	Method Blank	Total/NA	Water	2320B-2011	
LCS 410-302465/78	Lab Control Sample	Total/NA	Water	2320B-2011	

### Analysis Batch: 302466

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-99726-4	MW-64-0922	Total/NA	Water	2510B-2011	
410-99726-5	MW-76-0922	Total/NA	Water	2510B-2011	
410-99726-6	MW-77-0922	Total/NA	Water	2510B-2011	
MB 410-302466/75	Method Blank	Total/NA	Water	2510B-2011	
LCS 410-302466/76	Lab Control Sample	Total/NA	Water	2510B-2011	

### Analysis Batch: 302467

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-99726-4	MW-64-0922	Total/NA	Water	9040B	
410-99726-5	MW-76-0922	Total/NA	Water	9040B	
410-99726-6	MW-77-0922	Total/NA	Water	9040B	
LCS 410-302467/77	Lab Control Sample	Total/NA	Water	9040B	

# Lab Chronicle

Client: Tetra Tech, Inc.  
Project/Site: EastAlco WW

Job ID: 410-99726-1

## Client Sample ID: MW-25-0922

## Lab Sample ID: 410-99726-1

Date Collected: 09/28/22 08:20

Matrix: Water

Date Received: 09/28/22 18:24

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	EPA 300.0 R2.1		5	305226	L4QM	ELLE	10/10/22 18:18

## Client Sample ID: MW-26-0922

## Lab Sample ID: 410-99726-2

Date Collected: 09/28/22 11:07

Matrix: Water

Date Received: 09/28/22 18:24

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	EPA 300.0 R2.1		5	305226	L4QM	ELLE	10/10/22 19:01

## Client Sample ID: MW-13-0922

## Lab Sample ID: 410-99726-3

Date Collected: 09/28/22 14:52

Matrix: Water

Date Received: 09/28/22 18:24

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	EPA 300.0 R2.1		5	305226	L4QM	ELLE	10/10/22 18:50

## Client Sample ID: MW-64-0922

## Lab Sample ID: 410-99726-4

Date Collected: 09/28/22 09:30

Matrix: Water

Date Received: 09/28/22 18:24

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	EPA 300.0 R2.1		5	301679	L4QM	ELLE	09/29/22 21:41
Total/NA	Analysis	EPA 300.0 R2.1		5	301680	L4QM	ELLE	09/29/22 21:41
Total/NA	Analysis	EPA 300.0 R2.1		1	307931	L4QM	ELLE	10/18/22 17:53
Total/NA	Prep	3005A			303078	UAMX	ELLE	10/04/22 17:50
Total/NA	Analysis	6020B		1	306542	F7JF	ELLE	10/13/22 19:01
Total/NA	Prep	7470A			303587	UAMX	ELLE	10/05/22 20:59
Total/NA	Analysis	7470A		1	303940	UEFS	ELLE	10/06/22 14:42
Total/NA	Analysis	2130B-2011		1	301416	F8TI	ELLE	09/29/22 16:12
Total/NA	Analysis	2320B-2011		1	302465	DI9Q	ELLE	10/01/22 03:01
Total/NA	Analysis	2510B-2011		1	302466	DI9Q	ELLE	10/01/22 03:01
Total/NA	Analysis	2540C-2011		1	301136	M98K	ELLE	09/29/22 07:44
Total/NA	Analysis	9040B		1	302467	DI9Q	ELLE	10/01/22 03:01

## Client Sample ID: MW-76-0922

## Lab Sample ID: 410-99726-5

Date Collected: 09/28/22 13:05

Matrix: Water

Date Received: 09/28/22 18:24

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	EPA 300.0 R2.1		5	301679	L4QM	ELLE	09/29/22 22:01
Total/NA	Analysis	EPA 300.0 R2.1		5	301680	L4QM	ELLE	09/29/22 22:01
Total/NA	Analysis	EPA 300.0 R2.1		1	307931	L4QM	ELLE	10/18/22 18:04
Total/NA	Prep	3005A			303081	UAMX	ELLE	10/04/22 17:55
Total/NA	Analysis	6020B		1	305799	F7JF	ELLE	10/12/22 09:44

# Lab Chronicle

Client: Tetra Tech, Inc.  
Project/Site: EastAlco WW

Job ID: 410-99726-1

**Client Sample ID: MW-76-0922**

**Lab Sample ID: 410-99726-5**

**Date Collected: 09/28/22 13:05**

**Matrix: Water**

**Date Received: 09/28/22 18:24**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	7470A			303587	UAMX	ELLE	10/05/22 20:59
Total/NA	Analysis	7470A		1	303940	UEFS	ELLE	10/06/22 14:29
Total/NA	Analysis	2130B-2011		1	301416	F8TI	ELLE	09/29/22 16:12
Total/NA	Analysis	2320B-2011		1	302465	DI9Q	ELLE	10/01/22 03:07
Total/NA	Analysis	2510B-2011		1	302466	DI9Q	ELLE	10/01/22 03:07
Total/NA	Analysis	2540C-2011		1	301136	M98K	ELLE	09/29/22 07:44
Total/NA	Analysis	9040B		1	302467	DI9Q	ELLE	10/01/22 03:07

**Client Sample ID: MW-77-0922**

**Lab Sample ID: 410-99726-6**

**Date Collected: 09/28/22 14:20**

**Matrix: Water**

**Date Received: 09/28/22 18:24**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	EPA 300.0 R2.1		5	301679	L4QM	ELLE	09/29/22 22:20
Total/NA	Analysis	EPA 300.0 R2.1		5	301680	L4QM	ELLE	09/29/22 22:20
Total/NA	Analysis	EPA 300.0 R2.1		1	307931	L4QM	ELLE	10/18/22 18:15
Total/NA	Prep	3005A			303078	UAMX	ELLE	10/04/22 17:50
Total/NA	Analysis	6020B		1	306542	F7JF	ELLE	10/13/22 19:06
Total/NA	Prep	7470A			303587	UAMX	ELLE	10/05/22 20:59
Total/NA	Analysis	7470A		1	303940	UEFS	ELLE	10/06/22 14:40
Total/NA	Analysis	2130B-2011		1	301416	F8TI	ELLE	09/29/22 16:12
Total/NA	Analysis	2320B-2011		1	302465	DI9Q	ELLE	10/01/22 03:13
Total/NA	Analysis	2510B-2011		1	302466	DI9Q	ELLE	10/01/22 03:13
Total/NA	Analysis	2540C-2011		1	301136	M98K	ELLE	09/29/22 07:44
Total/NA	Analysis	9040B		1	302467	DI9Q	ELLE	10/01/22 03:13

**Laboratory References:**

ELLE = Eurofins Lancaster Laboratories Environment Testing, LLC, 2425 New Holland Pike, Lancaster, PA 17601, TEL (717)656-2300

# Accreditation/Certification Summary

Client: Tetra Tech, Inc.  
Project/Site: EastAlco WW

Job ID: 410-99726-1

## Laboratory: Eurofins Lancaster Laboratories Environment Testing, LLC

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
Maryland	State	100	06-30-23

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
2130B-2011		Water	Turbidity
2320B-2011		Water	Total Alkalinity as CaCO3 to pH 4.5
2510B-2011		Water	Specific Conductance
2540C-2011		Water	Total Dissolved Solids
6020B	3005A	Water	Aluminum
6020B	3005A	Water	Arsenic
6020B	3005A	Water	Barium
6020B	3005A	Water	Beryllium
6020B	3005A	Water	Cadmium
6020B	3005A	Water	Chromium
6020B	3005A	Water	Lead
6020B	3005A	Water	Nickel
6020B	3005A	Water	Selenium
6020B	3005A	Water	Sodium
7470A	7470A	Water	Mercury
9040B		Water	pH
9040B		Water	Temperature
EPA 300.0 R2.1		Water	Chloride
EPA 300.0 R2.1		Water	Fluoride
EPA 300.0 R2.1		Water	Sulfate



# Method Summary

Client: Tetra Tech, Inc.  
Project/Site: EastAlco WW

Job ID: 410-99726-1

Method	Method Description	Protocol	Laboratory
EPA 300.0 R2.1	Anions, Ion Chromatography	EPA	ELLE
6020B	Metals (ICP/MS)	SW846	ELLE
7470A	Mercury (CVAA)	SW846	ELLE
2130B-2011	Turbidity	SM	ELLE
2320B-2011	Alkalinity, Total	SM	ELLE
2510B-2011	Conductivity, Specific Conductance	SM	ELLE
2540C-2011	Solids, Total Dissolved (TDS)	SM	ELLE
9040B	pH	SW846	ELLE
3005A	Preparation, Total Recoverable or Dissolved Metals	SW846	ELLE
7470A	Preparation, Mercury	SW846	ELLE

#### Protocol References:

EPA = US Environmental Protection Agency

SM = "Standard Methods For The Examination Of Water And Wastewater"

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

#### Laboratory References:

ELLE = Eurofins Lancaster Laboratories Environment Testing, LLC, 2425 New Holland Pike, Lancaster, PA 17601, TEL (717)656-2300




# Sample Summary

Client: Tetra Tech, Inc.  
Project/Site: EastAlco WW

Job ID: 410-99726-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
410-99726-1	MW-25-0922	Water	09/28/22 08:20	09/28/22 18:24
410-99726-2	MW-26-0922	Water	09/28/22 11:07	09/28/22 18:24
410-99726-3	MW-13-0922	Water	09/28/22 14:52	09/28/22 18:24
410-99726-4	MW-64-0922	Water	09/28/22 09:30	09/28/22 18:24
410-99726-5	MW-76-0922	Water	09/28/22 13:05	09/28/22 18:24
410-99726-6	MW-77-0922	Water	09/28/22 14:20	09/28/22 18:24

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14



onmi

# Chain of Custody Record



Environment Testing America

410-99726 Chain of Custody

Client Contact: Josh Mullis	Sampler: <i>Mullis</i>	Lab PM: Gordon, Stephen J	Carrier Tracking No(s):	COC No: 410-64743-18583 3
Company: Tetra Tech, Inc.	Phone: <i>410-279-2700</i>	E-Mail: Stephen.Gordon@et.eurofinsus.com	State of Origin: <i>MD</i>	Page: Page 3 of 2 of 2

Address: 20251 Century Blvd Suite 200	Due Date Requested:	<b>Analysis Requested</b> <table border="1"> <tr><td>300_ORGFM_28D - Fluoride Only</td></tr> <tr><td>300_ORGFM_28D, 300_ORGFM5</td></tr> <tr><td>2320B, 2510B, 2540C, SingleDry, 9040B</td></tr> <tr><td>SM2130B - Turbidity</td></tr> <tr><td>6020B, 7470A</td></tr> <tr><td>1677_Free - Free Cyanide</td></tr> </table>	300_ORGFM_28D - Fluoride Only	300_ORGFM_28D, 300_ORGFM5	2320B, 2510B, 2540C, SingleDry, 9040B	SM2130B - Turbidity	6020B, 7470A	1677_Free - Free Cyanide	Job #																				
300_ORGFM_28D - Fluoride Only																													
300_ORGFM_28D, 300_ORGFM5																													
2320B, 2510B, 2540C, SingleDry, 9040B																													
SM2130B - Turbidity																													
6020B, 7470A																													
1677_Free - Free Cyanide																													
City: Germantown	TAT Requested (days): <i>Standard</i>	<b>Preservation Codes:</b> <table border="0"> <tr><td>A - HCL</td><td>M - Hexane</td></tr> <tr><td>B - NaOH</td><td>N - None</td></tr> <tr><td>C - Zn Acetate</td><td>O - AsNaO2</td></tr> <tr><td>D - Nitric Acid</td><td>P - Na2O4S</td></tr> <tr><td>E - NaHSO4</td><td>Q - Na2SO3</td></tr> <tr><td>F - MeOH</td><td>R - Na2S2O3</td></tr> <tr><td>G - Amchlor</td><td>S - H2SO4</td></tr> <tr><td>H - Ascorbic Acid</td><td>T - TSP Dodecahydrate</td></tr> <tr><td>I - Ice</td><td>U - Acetone</td></tr> <tr><td>J - DI Water</td><td>V - MCAA</td></tr> <tr><td>K - EDTA</td><td>W - pH 4.5</td></tr> <tr><td>L - EDA</td><td>Y - Trizma</td></tr> <tr><td></td><td>Z - other (specify)</td></tr> </table>	A - HCL	M - Hexane	B - NaOH	N - None	C - Zn Acetate	O - AsNaO2	D - Nitric Acid	P - Na2O4S	E - NaHSO4	Q - Na2SO3	F - MeOH	R - Na2S2O3	G - Amchlor	S - H2SO4	H - Ascorbic Acid	T - TSP Dodecahydrate	I - Ice	U - Acetone	J - DI Water	V - MCAA	K - EDTA	W - pH 4.5	L - EDA	Y - Trizma		Z - other (specify)	Other:
A - HCL	M - Hexane																												
B - NaOH	N - None																												
C - Zn Acetate	O - AsNaO2																												
D - Nitric Acid	P - Na2O4S																												
E - NaHSO4	Q - Na2SO3																												
F - MeOH	R - Na2S2O3																												
G - Amchlor	S - H2SO4																												
H - Ascorbic Acid	T - TSP Dodecahydrate																												
I - Ice	U - Acetone																												
J - DI Water	V - MCAA																												
K - EDTA	W - pH 4.5																												
L - EDA	Y - Trizma																												
	Z - other (specify)																												
State, Zip: MD, 20874	Compliance Project: <input type="checkbox"/> Yes <input type="checkbox"/> No	<b>Special Instructions/Note:</b>																											
Phone: 412-921-8277(Tel)	PO #: 1188904																												
Email: Josh.Mullis@tetratech.com	WO #:																												
Project Name: EastAlco WW	Project #: 41001054																												
Site:	SSOW#:																												

Sample Identification	Sample Date	Sample Time	Sample Type (C=comp, G=grab)	Matrix (W=water, S=solid, O=oil, BT=Tissue, A=Air)	Analysis Requested	Special Instructions/Note:
				Water	<del>X X X X</del>	
<del>MW-64</del>				Water		
MW-64 - 0922	9/28/22	0930	G	Water	X X X X	Includes Fluoride
MW-74 Jr				Water		
MW-76 Jr				Water		
MW-75DUP Jr				Water		
MW-76	9/28/22	1305	G	Water	X X X X	" "
MW-77	9/28/22	1420	G	Water	X X X X	" "
EUR-SATT Jr				Water		
				Water		
				Water		

<b>Possible Hazard Identification</b> <input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological	<b>Sample Disposal ( A fee may be assessed if samples are retained longer than 1 month)</b> <input type="checkbox"/> Return To Client <input checked="" type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months
--	--

Deliverable Requested: I, II, III, IV, Other (specify) \_\_\_\_\_

Special Instructions/QC Requirements: \_\_\_\_\_

Empty Kit Relinquished by:	Date:	Time:	Method of Shipment
Relinquished by: <i>[Signature]</i>	Date/Time: <i>Tetra Tech Inc</i>	Company: <i>TT</i>	Received by: <i>[Signature]</i> Date/Time: <i>9/28/22 1526</i> Company: _____
Relinquished by: <i>[Signature]</i>	Date/Time: <i>9/28/22</i>	Company: _____	Received by: _____ Date/Time: _____ Company: _____
Relinquished by: _____	Date/Time: <i>9/28/22 1809</i>	Company: _____	Received by: _____ Date/Time: <i>9-28-22 1824</i> Company: <i>ETC</i>

Custody Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No	Custody Seal No.: <i>N/A</i>	Cooler Temperature(s) °C and Other Remarks: <i>4.8</i>
--	------------------------------	--

### Chain of Custody Record

<b>Client Information</b>		Sampler <i>Mullis/Musser</i>	Lab PM: Gordon, Stephen J	Carrier Tracking No(s):	COC No: 410-64743-18583 1						
Client Contact: Josh Mullis		Phone: <i>410-279-2700</i>	E-Mail: Stephen.Gordon@et.eurofinsus.com	State of Origin: <i>Maryland</i>	Page: Page 1 of 2						
Company: Tetra Tech, Inc.		PWSID:	<b>Analysis Requested</b>								
Address: 20251 Century Blvd Suite 200		Due Date Requested:	<table border="1" style="width:100%; border-collapse: collapse;"> <tr><td>300_ORGFM_28D - Flouride Only</td></tr> <tr><td>300_ORGFM_28D, 300_ORGFMS</td></tr> <tr><td>2320B, 2510B, 2540C, SingleDry, 9040B</td></tr> <tr><td>SM2130B - Turbidity</td></tr> <tr><td>6020B, 7470A</td></tr> <tr><td>1677_Free - Free Cyanide</td></tr> </table>			300_ORGFM_28D - Flouride Only	300_ORGFM_28D, 300_ORGFMS	2320B, 2510B, 2540C, SingleDry, 9040B	SM2130B - Turbidity	6020B, 7470A	1677_Free - Free Cyanide
300_ORGFM_28D - Flouride Only											
300_ORGFM_28D, 300_ORGFMS											
2320B, 2510B, 2540C, SingleDry, 9040B											
SM2130B - Turbidity											
6020B, 7470A											
1677_Free - Free Cyanide											
City: Germantown		TAT Requested (days): <i>STANDARD</i>									
State, Zip: MD, 20874		Compliance Project: <input type="checkbox"/> Yes <input type="checkbox"/> No									
Phone: 412-921-8277(Tel)		PO #: 1188904									
Email: Josh.Mullis@tetratech.com		WO #:									
Project Name: EastAlco WW		Project #: 41001054	Preservation Codes: A - HCL                      M - Hexane B - NaOH                    N - None C - Zn Acetate              O - AsNaO2 D - Nitric Acid              P - Na2O4S E - NaHSO4                 Q - Na2SO3 F - MeOH                    R - Na2S2O3 G - Amchlor                S - H2SO4 H - Ascorbic Acid         T - TSP Dodecahydrate I - Ice                         U - Acetone J - DI Water                V - MCAA K - EDTA                    W - pH 4-5 L - EDA                      Y - Trizma Z - other (specify)								
Site:		SSOW#:									
<b>Sample Identification</b>		Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (W=water, S=solid, O=waste/oil, BT=Tissue, A=Air)	Field Filtered? Sample (Yes or No)	Analysis Requested	Total Number of containers	Special Instructions/Note:		
MW-13	<i>MW-25-0922</i>	<i>9/28/22</i>	<i>0820</i>	<i>G</i>	Water		X				
RW-29	<i>MW-26-0922</i>		<i>1107</i>	<i>G</i>	Water		X				
<i>SN</i> RW-29 BLIP	<del><i>MW-107-0922</i></del>		<del><i>1128</i></del>	<del><i>G</i></del>	Water		X		<i>Zn (092822)</i>		
MW-45	<i>MW-13-0922</i>		<i>1452</i>	<i>G</i>	Water		X		<i>A enough volume?</i>		
MW-51					Water						
MW-52					Water						
MW-56					Water						
MW-60					Water						
MW-62					Water						
MW-72					Water						
MW-103					Water						
<b>Possible Hazard Identification</b>			<b>Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)</b>								
<input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological			<input type="checkbox"/> Return To Client <input checked="" type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months								
Deliverable Requested: I, II, III, IV, Other (specify)			Special Instructions/QC Requirements:								
Empty Kit Relinquished by:		Date:	Time:	Method of Shipment:							
Relinquished by: <i>[Signature]</i>		Date/Time: <i>9/28/22</i>	Company: <i>TH</i>	Received by: <i>[Signature]</i>		Date/Time: <i>9/28/22 1521</i>	Company:				
Relinquished by: <i>[Signature]</i>		Date/Time: <i>9/28/22 1809</i>	Company:	Received by: <i>[Signature]</i>		Date/Time:	Company:				
Relinquished by:		Date/Time:	Company:	Received by: <i>[Signature]</i>		Date/Time: <i>9-28-22 1824</i>	Company: <i>ELC</i>				
Custody Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No		Custody Seal No.: <i>N/A</i>		Cooler Temperature(s)°C and Other Remarks: <i>4.8</i>							



# Login Sample Receipt Checklist

Client: Tetra Tech, Inc.

Job Number: 410-99726-1

**Login Number: 99726**

**List Source: Eurofins Lancaster Laboratories Environment Testing, LLC**

**List Number: 1**

**Creator: Metzger, Katherine A**

<b>Question</b>	<b>Answer</b>	<b>Comment</b>
The cooler's custody seal is intact.	N/A	Not present
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable ( $\leq 6^{\circ}\text{C}$ , not frozen).	True	
Cooler Temperature is recorded.	True	
WV: Container Temperature is acceptable ( $\leq 6^{\circ}\text{C}$ , not frozen).	N/A	
WV: Container Temperature is recorded.	N/A	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the containers received and the COC.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
There is sufficient vol. for all requested analyses.	True	
Is the Field Sampler's name present on COC?	True	
Sample custody seals are intact.	N/A	Not present.
VOA sample vials do not have headspace $> 6\text{mm}$ in diameter (none, if from WV)?	N/A	

## ANALYTICAL REPORT

Eurofins Lancaster Laboratories Environment Testing, LLC  
2425 New Holland Pike  
Lancaster, PA 17601  
Tel: (717)656-2300

Laboratory Job ID: 410-99897-1  
Client Project/Site: EastAlco WW  
Revision: 1

For:  
Tetra Tech, Inc.  
Foster Plaza VII  
661 Anderson Drive  
Foster Plaza 7 Suite 200  
Pittsburgh, Pennsylvania 15220

Attn: Dan Drzik



---

Authorized for release by:  
10/25/2022 3:25:50 PM

Stephen Gordon, Senior Project Manager  
(412)525-0071  
[Stephen.Gordon@et.eurofinsus.com](mailto:Stephen.Gordon@et.eurofinsus.com)

### LINKS

Review your project  
results through



Have a Question?



Visit us at:

[www.eurofinsus.com/Env](http://www.eurofinsus.com/Env)

The test results in this report meet all 2003 NELAC, 2009 TNI, and 2016 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.



Analytical test results meet all requirements of the associated regulatory program (e.g., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis. Data qualifiers are applied to note exceptions. Noncompliant quality control (QC) is further explained in narrative comments.

- QC results that exceed the upper limits and are associated with non-detect samples are qualified but further narration is not required since the bias is high and does not change a non-detect result. Further narration is also not required with QC blank detection when the associated sample concentration is non-detect or more than ten times the level in the blank.
  - Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD is performed, unless otherwise specified in the method.
  - Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.
- Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Measurement uncertainty values, as applicable, are available upon request.

Test results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. Times are local to the area of activity. Parameters listed in the 40 CFR Part 136 Table II as "analyze immediately" and tested in the laboratory are not performed within 15 minutes of collection.

This report shall not be reproduced except in full, without the written approval of the laboratory.

**WARRANTY AND LIMITS OF LIABILITY** - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. The foregoing express warranty is exclusive and is given in lieu of all other warranties, expressed or implied, except as otherwise agreed. We disclaim any other warranties, expressed or implied, including a warranty of fitness for particular purpose and warranty of merchantability. In no event shall Eurofins Lancaster Laboratories Environmental, LLC be liable for indirect, special, consequential, or incidental damages including, but not limited to, damages for loss of profit or goodwill regardless of (A) the negligence (either sole or concurrent) of Eurofins Lancaster Laboratories Environmental and (B) whether Eurofins Lancaster Laboratories Environmental has been informed of the possibility of such damages. We accept no legal responsibility for the purposes for which the client uses the test results. Except as otherwise agreed, no purchase order or other order for work shall be accepted by Eurofins Lancaster Laboratories Environmental which includes any conditions that vary from the Standard Terms and Conditions, and Eurofins Lancaster Laboratories Environmental hereby objects to any conflicting terms contained in any acceptance or order submitted by client.

A handwritten signature in black ink, appearing to read "Stephen Gordon".

---

Stephen Gordon  
Senior Project Manager  
10/25/2022 3:25:51 PM



# Table of Contents

Cover Page . . . . .	1
Table of Contents . . . . .	3
Definitions/Glossary . . . . .	4
Case Narrative . . . . .	6
Detection Summary . . . . .	7
Client Sample Results . . . . .	9
QC Sample Results . . . . .	14
QC Association Summary . . . . .	25
Lab Chronicle . . . . .	30
Certification Summary . . . . .	34
Method Summary . . . . .	35
Sample Summary . . . . .	36
Chain of Custody . . . . .	37
Receipt Checklists . . . . .	40

# Definitions/Glossary

Client: Tetra Tech, Inc.  
Project/Site: EastAlco WW

Job ID: 410-99897-1

## Qualifiers

### HPLC/IC

Qualifier	Qualifier Description
*-	LCS and/or LCSD is outside acceptance limits, low biased.
cn	Refer to Case Narrative for further detail
H	Sample was prepped or analyzed beyond the specified holding time
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

### Metals

Qualifier	Qualifier Description
^+	Continuing Calibration Verification (CCV) is outside acceptance limits, high biased.
^5-	Linear Range Check (LRC) is outside acceptance limits, low biased.
cn	Refer to Case Narrative for further detail
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

### General Chemistry

Qualifier	Qualifier Description
F1	MS and/or MSD recovery exceeds control limits.
HF	Field parameter with a holding time of 15 minutes. Test performed by laboratory at client's request.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

## Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
♠	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
1C	Result is from the primary column on a dual-column method.
2C	Result is from the confirmation column on a dual-column method.
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)



# Definitions/Glossary

Client: Tetra Tech, Inc.  
Project/Site: EastAlco WW

Job ID: 410-99897-1

## Glossary (Continued)

Abbreviation	These commonly used abbreviations may or may not be present in this report.
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

1

2

3

4

5

6

7

8

9

10

11

12

13

14

# Case Narrative

Client: Tetra Tech, Inc.  
Project/Site: EastAlco WW

Job ID: 410-99897-1

---

## Job ID: 410-99897-1

---

### Laboratory: Eurofins Lancaster Laboratories Environment Testing, LLC

#### Narrative

---

#### Job Narrative 410-99897-1

#### REVISION

The report being provided is a revision of the original report sent on 10/13/2022. The report (revision 1) is being revised due to Revised to report fluoride at DF1.

Report revision history

#### Receipt

The samples were received on 9/29/2022 6:53 PM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 4.1°C

#### HPLC/IC

Method 300\_ORGFM\_28D: The continuing calibration verification (CCV) associated with batch 410-302228 recovered above the upper control limit for fluoride. The samples associated with this CCV were non-detects for the affected analyte; therefore, the data have been reported. The following samples are impacted: MW-111-0922 (410-99897-1), MW-75-0922 (410-99897-3), MW-75DUP-0922 (410-99897-4) and EQR-SA11-0922 (410-99897-5).

Method 300\_ORGFM\_28D: The continuing calibration verification (CCV) associated with batch 410-302228 recovered above the upper control limit for sulfate. The sample associated with this CCV was non-detect for the affected analyte; therefore, the data have been reported. The following sample is impacted: EQR-SA11-0922 (410-99897-5).

Method 300\_ORGFMS: The following samples were analyzed outside of analytical holding time due to a laboratory error: MW-111-0922 (410-99897-1), MW-74-0922 (410-99897-2), MW-75-0922 (410-99897-3), MW-75DUP-0922 (410-99897-4) and EQR-SA11-0922 (410-99897-5).

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

#### Metals

Method 6020B: The continuing calibration verification (CCV) associated with batch 410-305815 recovered above the upper control limit for Selenium. The samples associated with this CCV were non-detects for the affected analytes; therefore, the data have been reported.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

#### General Chemistry

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

# Detection Summary

Client: Tetra Tech, Inc.  
Project/Site: EastAlco WW

Job ID: 410-99897-1

## Client Sample ID: MW-111-0922

## Lab Sample ID: 410-99897-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Fluoride	0.11	J	0.20	0.090	mg/L	1		EPA 300.0 R2.1	Total/NA
Nitrogen, Nitrate	2.8	H cn	0.55	0.25	mg/L	5		EPA 300.0 R2.1	Total/NA
Sulfate	13		7.5	2.5	mg/L	5		EPA 300.0 R2.1	Total/NA
Chloride	12	cn	7.5	3.0	mg/L	5		EPA 300.0 R2.1	Total/NA
Aluminum	110		25	12	ug/L	1		6020B	Total/NA
Barium	0.042		0.0020	0.00075	mg/L	1		6020B	Total/NA
Beryllium	0.00019	J	0.00050	0.00012	mg/L	1		6020B	Total/NA
Chromium	0.0014	J	0.0020	0.00033	mg/L	1		6020B	Total/NA
Lead	0.00028	J	0.00050	0.000071	mg/L	1		6020B	Total/NA
Nickel	0.0017		0.0010	0.00040	mg/L	1		6020B	Total/NA
Sodium	4.1		0.20	0.090	mg/L	1		6020B	Total/NA
Turbidity	5.1		1.0	1.0	NTU	1		2130B-2011	Total/NA
Total Alkalinity as CaCO3 to pH 4.5	46		8.0	8.0	mg/L	1		2320B-2011	Total/NA
Specific Conductance	190		5.0	1.7	umhos/cm	1		2510B-2011	Total/NA
Total Dissolved Solids	100		30	12	mg/L	1		2540C-2011	Total/NA
pH	6.4	HF	0.01	0.01	S.U.	1		9040B	Total/NA

## Client Sample ID: MW-74-0922

## Lab Sample ID: 410-99897-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Fluoride	0.69		0.20	0.090	mg/L	1		EPA 300.0 R2.1	Total/NA
Nitrogen, Nitrate	0.89	H cn	0.55	0.25	mg/L	5		EPA 300.0 R2.1	Total/NA
Sulfate	21		7.5	2.5	mg/L	5		EPA 300.0 R2.1	Total/NA
Chloride	4.0	J	7.5	3.0	mg/L	5		EPA 300.0 R2.1	Total/NA
Aluminum	1300		25	12	ug/L	1		6020B	Total/NA
Barium	0.029		0.0020	0.00075	mg/L	1		6020B	Total/NA
Chromium	0.0017	J	0.0020	0.00033	mg/L	1		6020B	Total/NA
Lead	0.0013		0.00050	0.000071	mg/L	1		6020B	Total/NA
Nickel	0.0017		0.0010	0.00040	mg/L	1		6020B	Total/NA
Sodium	6.8		0.20	0.090	mg/L	1		6020B	Total/NA
Turbidity	39		1.0	1.0	NTU	1		2130B-2011	Total/NA
Total Alkalinity as CaCO3 to pH 4.5	160		8.0	8.0	mg/L	1		2320B-2011	Total/NA
Specific Conductance	370		5.0	1.7	umhos/cm	1		2510B-2011	Total/NA
Total Dissolved Solids	190		30	12	mg/L	1		2540C-2011	Total/NA
pH	7.3	HF	0.01	0.01	S.U.	1		9040B	Total/NA

## Client Sample ID: MW-75-0922

## Lab Sample ID: 410-99897-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Fluoride	0.14	J	0.20	0.090	mg/L	1		EPA 300.0 R2.1	Total/NA
Sulfate	28		7.5	2.5	mg/L	5		EPA 300.0 R2.1	Total/NA
Chloride	43		15	6.0	mg/L	10		EPA 300.0 R2.1	Total/NA
Aluminum	96	cn	25	12	ug/L	1		6020B	Total/NA
Barium	0.055	cn	0.0020	0.00075	mg/L	1		6020B	Total/NA
Chromium	0.00051	J cn	0.0020	0.00033	mg/L	1		6020B	Total/NA
Lead	0.00010	J cn	0.00050	0.000071	mg/L	1		6020B	Total/NA
Sodium	19	cn	0.20	0.090	mg/L	1		6020B	Total/NA
Turbidity	3.2		1.0	1.0	NTU	1		2130B-2011	Total/NA
Total Alkalinity as CaCO3 to pH 4.5	230		8.0	8.0	mg/L	1		2320B-2011	Total/NA
Specific Conductance	640		5.0	1.7	umhos/cm	1		2510B-2011	Total/NA
Total Dissolved Solids	320		60	24	mg/L	1		2540C-2011	Total/NA
pH	7.3	HF	0.01	0.01	S.U.	1		9040B	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Lancaster Laboratories Environment Testing, LLC

# Detection Summary

Client: Tetra Tech, Inc.  
Project/Site: EastAlco WW

Job ID: 410-99897-1

## Client Sample ID: MW-75DUP-0922

Lab Sample ID: 410-99897-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Fluoride	0.15	J	0.20	0.090	mg/L	1		EPA 300.0 R2.1	Total/NA
Sulfate	27		7.5	2.5	mg/L	5		EPA 300.0 R2.1	Total/NA
Chloride	43		15	6.0	mg/L	10		EPA 300.0 R2.1	Total/NA
Aluminum	97		25	12	ug/L	1		6020B	Total/NA
Barium	0.053		0.0020	0.00075	mg/L	1		6020B	Total/NA
Chromium	0.00034	J	0.0020	0.00033	mg/L	1		6020B	Total/NA
Lead	0.000080	J	0.00050	0.000071	mg/L	1		6020B	Total/NA
Nickel	0.00057	J	0.0010	0.00040	mg/L	1		6020B	Total/NA
Sodium	20		0.20	0.090	mg/L	1		6020B	Total/NA
Turbidity	3.5		1.0	1.0	NTU	1		2130B-2011	Total/NA
Total Alkalinity as CaCO3 to pH 4.5	230		8.0	8.0	mg/L	1		2320B-2011	Total/NA
Specific Conductance	630		5.0	1.7	umhos/cm	1		2510B-2011	Total/NA
Total Dissolved Solids	330		60	24	mg/L	1		2540C-2011	Total/NA
pH	7.3	HF	0.01	0.01	S.U.	1		9040B	Total/NA

## Client Sample ID: EQR-SA11-0922

Lab Sample ID: 410-99897-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Specific Conductance	2.1	J	5.0	1.7	umhos/cm	1		2510B-2011	Total/NA
Total Dissolved Solids	3100		240	96	mg/L	1		2540C-2011	Total/NA
pH	6.2	HF	0.01	0.01	S.U.	1		9040B	Total/NA

## Client Sample ID: SW-D-0922

Lab Sample ID: 410-99897-6

No Detections.

## Client Sample ID: SW-E-0922

Lab Sample ID: 410-99897-7

No Detections.

## Client Sample ID: SW-I-0922

Lab Sample ID: 410-99897-8

No Detections.

## Client Sample ID: TUSCARORA CREEK DUP

Lab Sample ID: 410-99897-9

No Detections.

## Client Sample ID: MW-107-0922

Lab Sample ID: 410-99897-10

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Fluoride	1.6		1.0	0.45	mg/L	5		EPA 300.0 R2.1	Total/NA

## Client Sample ID: MW-6-0922

Lab Sample ID: 410-99897-11

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Fluoride	2.6		1.0	0.45	mg/L	5		EPA 300.0 R2.1	Total/NA

## Client Sample ID: MW-51-0922

Lab Sample ID: 410-99897-12

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Fluoride	1.6		1.0	0.45	mg/L	5		EPA 300.0 R2.1	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Lancaster Laboratories Environment Testing, LLC

# Client Sample Results

Client: Tetra Tech, Inc.  
Project/Site: EastAlco WW

Job ID: 410-99897-1

**Client Sample ID: MW-111-0922**

**Lab Sample ID: 410-99897-1**

Date Collected: 09/29/22 09:00

Matrix: Water

Date Received: 09/29/22 18:53

**Method: EPA 300.0 R2.1 - Anions, Ion Chromatography**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Fluoride	0.11	J	0.20	0.090	mg/L			10/18/22 17:10	1
Nitrogen, Nitrate	2.8	H cn	0.55	0.25	mg/L			10/01/22 13:54	5
Sulfate	13		7.5	2.5	mg/L			10/04/22 05:54	5
Chloride	12	cn	7.5	3.0	mg/L			10/01/22 13:54	5

**Method: SW846 6020B - Metals (ICP/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aluminum	110		25	12	ug/L		10/05/22 19:44	10/12/22 11:54	1
Arsenic	ND		0.0020	0.00068	mg/L		10/05/22 19:44	10/12/22 11:54	1
Barium	0.042		0.0020	0.00075	mg/L		10/05/22 19:44	10/12/22 11:54	1
Beryllium	0.00019	J	0.00050	0.00012	mg/L		10/05/22 19:44	10/12/22 11:54	1
Cadmium	ND		0.00050	0.00015	mg/L		10/05/22 19:44	10/12/22 11:54	1
Chromium	0.0014	J	0.0020	0.00033	mg/L		10/05/22 19:44	10/12/22 11:54	1
Lead	0.00028	J	0.00050	0.000071	mg/L		10/05/22 19:44	10/12/22 11:54	1
Nickel	0.0017		0.0010	0.00040	mg/L		10/05/22 19:44	10/12/22 11:54	1
Selenium	ND		0.0010	0.00028	mg/L		10/05/22 19:44	10/12/22 11:54	1
Sodium	4.1		0.20	0.090	mg/L		10/05/22 19:44	10/12/22 15:25	1

**Method: SW846 7470A - Mercury (CVAA)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND		0.00020	0.000079	mg/L		10/05/22 20:59	10/06/22 13:51	1

**General Chemistry**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Turbidity (SM 2130B-2011)	5.1		1.0	1.0	NTU			10/01/22 06:47	1
Total Alkalinity as CaCO <sub>3</sub> to pH 4.5 (SM 2320B-2011)	46		8.0	8.0	mg/L			10/01/22 02:06	1
Specific Conductance (SM 2510B-2011)	190		5.0	1.7	umhos/cm			10/01/22 02:06	1
Total Dissolved Solids (SM 2540C-2011)	100		30	12	mg/L			09/30/22 07:33	1
pH (SW846 9040B)	6.4	HF	0.01	0.01	S.U.			10/01/22 02:06	1

**Client Sample ID: MW-74-0922**

**Lab Sample ID: 410-99897-2**

Date Collected: 09/29/22 12:45

Matrix: Water

Date Received: 09/29/22 18:53

**Method: EPA 300.0 R2.1 - Anions, Ion Chromatography**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Fluoride	0.69		0.20	0.090	mg/L			10/18/22 17:21	1
Nitrogen, Nitrate	0.89	H cn	0.55	0.25	mg/L			10/01/22 14:11	5
Sulfate	21		7.5	2.5	mg/L			10/04/22 18:25	5
Chloride	4.0	J	7.5	3.0	mg/L			10/01/22 14:11	5

**Method: SW846 6020B - Metals (ICP/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aluminum	1300		25	12	ug/L		10/05/22 19:52	10/13/22 10:07	1
Arsenic	ND		0.0020	0.00068	mg/L		10/05/22 19:52	10/13/22 10:07	1
Barium	0.029		0.0020	0.00075	mg/L		10/05/22 19:52	10/13/22 10:07	1
Beryllium	ND	^5- ^+	0.00050	0.00012	mg/L		10/05/22 19:52	10/13/22 10:07	1
Cadmium	ND		0.00050	0.00015	mg/L		10/05/22 19:52	10/13/22 10:07	1
Chromium	0.0017	J	0.0020	0.00033	mg/L		10/05/22 19:52	10/13/22 10:07	1

Eurofins Lancaster Laboratories Environment Testing, LLC

# Client Sample Results

Client: Tetra Tech, Inc.  
Project/Site: EastAlco WW

Job ID: 410-99897-1

**Client Sample ID: MW-74-0922**

**Lab Sample ID: 410-99897-2**

Date Collected: 09/29/22 12:45

Matrix: Water

Date Received: 09/29/22 18:53

**Method: SW846 6020B - Metals (ICP/MS) (Continued)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	0.0013		0.00050	0.000071	mg/L		10/05/22 19:52	10/13/22 10:07	1
Nickel	0.0017		0.0010	0.00040	mg/L		10/05/22 19:52	10/13/22 10:07	1
Selenium	ND		0.0010	0.00028	mg/L		10/05/22 19:52	10/13/22 10:07	1
Sodium	6.8		0.20	0.090	mg/L		10/05/22 19:52	10/13/22 10:07	1

**Method: SW846 7470A - Mercury (CVAA)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND		0.00020	0.000079	mg/L		10/05/22 20:59	10/06/22 14:10	1

**General Chemistry**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Turbidity (SM 2130B-2011)	39		1.0	1.0	NTU			10/01/22 06:47	1
Total Alkalinity as CaCO3 to pH 4.5 (SM 2320B-2011)	160		8.0	8.0	mg/L			10/01/22 02:12	1
Specific Conductance (SM 2510B-2011)	370		5.0	1.7	umhos/cm			10/01/22 02:12	1
Total Dissolved Solids (SM 2540C-2011)	190		30	12	mg/L			09/30/22 07:33	1
pH (SW846 9040B)	7.3	HF	0.01	0.01	S.U.			10/01/22 02:12	1

**Client Sample ID: MW-75-0922**

**Lab Sample ID: 410-99897-3**

Date Collected: 09/29/22 10:40

Matrix: Water

Date Received: 09/29/22 18:53

**Method: EPA 300.0 R2.1 - Anions, Ion Chromatography**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Fluoride	0.14	J	0.20	0.090	mg/L			10/18/22 17:32	1
Nitrogen, Nitrate	ND	H cn	0.55	0.25	mg/L			10/01/22 14:28	5
Sulfate	28		7.5	2.5	mg/L			10/04/22 03:47	5
Chloride	43		15	6.0	mg/L			10/04/22 03:57	10

**Method: SW846 6020B - Metals (ICP/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aluminum	96	cn	25	12	ug/L		10/05/22 19:44	10/12/22 11:18	1
Arsenic	ND	cn	0.0020	0.00068	mg/L		10/05/22 19:44	10/12/22 11:18	1
Barium	0.055	cn	0.0020	0.00075	mg/L		10/05/22 19:44	10/12/22 11:18	1
Beryllium	ND	cn	0.00050	0.00012	mg/L		10/05/22 19:44	10/12/22 11:18	1
Cadmium	ND	cn	0.00050	0.00015	mg/L		10/05/22 19:44	10/12/22 11:18	1
Chromium	0.00051	J cn	0.0020	0.00033	mg/L		10/05/22 19:44	10/12/22 11:18	1
Lead	0.00010	J cn	0.00050	0.000071	mg/L		10/05/22 19:44	10/12/22 11:18	1
Nickel	ND	cn	0.0010	0.00040	mg/L		10/05/22 19:44	10/12/22 11:18	1
Selenium	ND	^+ cn	0.0010	0.00028	mg/L		10/05/22 19:44	10/12/22 11:18	1
Sodium	19	cn	0.20	0.090	mg/L		10/05/22 19:44	10/12/22 15:21	1

**Method: SW846 7470A - Mercury (CVAA)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND		0.00020	0.000079	mg/L		10/05/22 20:59	10/06/22 14:02	1

**General Chemistry**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Turbidity (SM 2130B-2011)	3.2		1.0	1.0	NTU			10/01/22 06:47	1

# Client Sample Results

Client: Tetra Tech, Inc.  
Project/Site: EastAlco WW

Job ID: 410-99897-1

**Client Sample ID: MW-75-0922**

**Lab Sample ID: 410-99897-3**

Date Collected: 09/29/22 10:40

Matrix: Water

Date Received: 09/29/22 18:53

## General Chemistry (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Alkalinity as CaCO3 to pH 4.5 (SM 2320B-2011)	230		8.0	8.0	mg/L			10/01/22 02:18	1
Specific Conductance (SM 2510B-2011)	640		5.0	1.7	umhos/cm			10/01/22 02:18	1
Total Dissolved Solids (SM 2540C-2011)	320		60	24	mg/L			09/30/22 07:33	1
pH (SW846 9040B)	7.3	HF	0.01	0.01	S.U.			10/01/22 02:18	1

**Client Sample ID: MW-75DUP-0922**

**Lab Sample ID: 410-99897-4**

Date Collected: 09/29/22 00:00

Matrix: Water

Date Received: 09/29/22 18:53

## Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Fluoride	0.15	J	0.20	0.090	mg/L			10/18/22 17:43	1
Nitrogen, Nitrate	ND	H cn	0.55	0.25	mg/L			10/01/22 15:03	5
Sulfate	27		7.5	2.5	mg/L			10/04/22 04:07	5
Chloride	43		15	6.0	mg/L			10/04/22 04:17	10

## Method: SW846 6020B - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aluminum	97		25	12	ug/L		10/05/22 19:44	10/12/22 11:30	1
Arsenic	ND		0.0020	0.00068	mg/L		10/05/22 19:44	10/12/22 11:30	1
Barium	0.053		0.0020	0.00075	mg/L		10/05/22 19:44	10/12/22 11:30	1
Beryllium	ND		0.00050	0.00012	mg/L		10/05/22 19:44	10/12/22 11:30	1
Cadmium	ND		0.00050	0.00015	mg/L		10/05/22 19:44	10/12/22 11:30	1
Chromium	0.00034	J	0.0020	0.00033	mg/L		10/05/22 19:44	10/12/22 11:30	1
Lead	0.000080	J	0.00050	0.000071	mg/L		10/05/22 19:44	10/12/22 11:30	1
Nickel	0.00057	J	0.0010	0.00040	mg/L		10/05/22 19:44	10/12/22 11:30	1
Selenium	ND		0.0010	0.00028	mg/L		10/05/22 19:44	10/12/22 11:30	1
Sodium	20		0.20	0.090	mg/L		10/05/22 19:44	10/12/22 15:23	1

## Method: SW846 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND		0.00020	0.000079	mg/L		10/05/22 20:59	10/06/22 14:04	1

## General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Turbidity (SM 2130B-2011)	3.5		1.0	1.0	NTU			10/01/22 06:47	1
Total Alkalinity as CaCO3 to pH 4.5 (SM 2320B-2011)	230		8.0	8.0	mg/L			10/01/22 02:24	1
Specific Conductance (SM 2510B-2011)	630		5.0	1.7	umhos/cm			10/01/22 02:24	1
Total Dissolved Solids (SM 2540C-2011)	330		60	24	mg/L			09/30/22 07:33	1
pH (SW846 9040B)	7.3	HF	0.01	0.01	S.U.			10/01/22 02:24	1

# Client Sample Results

Client: Tetra Tech, Inc.  
Project/Site: EastAlco WW

Job ID: 410-99897-1

**Client Sample ID: EQR-SA11-0922**

**Lab Sample ID: 410-99897-5**

Date Collected: 09/29/22 00:00

Matrix: Water

Date Received: 09/29/22 18:53

**Method: EPA 300.0 R2.1 - Anions, Ion Chromatography**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Fluoride	ND		0.20	0.090	mg/L			10/24/22 23:21	1
Nitrogen, Nitrate	ND	H cn	0.55	0.25	mg/L			10/01/22 15:20	5
Sulfate	ND	cn	7.5	2.5	mg/L			10/01/22 15:20	5
Chloride	ND	cn	7.5	3.0	mg/L			10/01/22 15:20	5

**Method: SW846 6020B - Metals (ICP/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aluminum	ND	cn	25	12	ug/L		10/05/22 19:44	10/12/22 11:12	1
Arsenic	ND	cn	0.0020	0.00068	mg/L		10/05/22 19:44	10/12/22 11:12	1
Barium	ND	cn	0.0020	0.00075	mg/L		10/05/22 19:44	10/12/22 11:12	1
Beryllium	ND	cn	0.00050	0.00012	mg/L		10/05/22 19:44	10/12/22 11:12	1
Cadmium	ND	cn	0.00050	0.00015	mg/L		10/05/22 19:44	10/12/22 11:12	1
Chromium	ND	cn	0.0020	0.00033	mg/L		10/05/22 19:44	10/12/22 11:12	1
Lead	ND	cn	0.00050	0.000071	mg/L		10/05/22 19:44	10/12/22 11:12	1
Nickel	ND	cn	0.0010	0.00040	mg/L		10/05/22 19:44	10/12/22 11:12	1
Selenium	ND	^+ cn	0.0010	0.00028	mg/L		10/05/22 19:44	10/12/22 11:12	1
Sodium	ND	cn	0.20	0.090	mg/L		10/05/22 19:44	10/12/22 15:19	1

**Method: SW846 7470A - Mercury (CVAA)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND		0.00020	0.000079	mg/L		10/05/22 20:59	10/06/22 14:25	1

**General Chemistry**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Turbidity (SM 2130B-2011)	ND		1.0	1.0	NTU			10/01/22 06:47	1
Total Alkalinity as CaCO3 to pH 4.5 (SM 2320B-2011)	ND		8.0	8.0	mg/L			10/01/22 02:30	1
<b>Specific Conductance (SM 2510B-2011)</b>	<b>2.1</b>	<b>J</b>	5.0	1.7	umhos/cm			10/01/22 02:30	1
<b>Total Dissolved Solids (SM 2540C-2011)</b>	<b>3100</b>		240	96	mg/L			09/30/22 07:33	1
<b>pH (SW846 9040B)</b>	<b>6.2</b>	<b>HF</b>	0.01	0.01	S.U.			10/01/22 02:30	1

**Client Sample ID: SW-D-0922**

**Lab Sample ID: 410-99897-6**

Date Collected: 09/29/22 14:05

Matrix: Water

Date Received: 09/29/22 18:53

**General Chemistry**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Cyanide, Free (OI CORP OIA-1677)	ND	F1	0.0060	0.0050	mg/L			09/30/22 10:05	1

**Client Sample ID: SW-E-0922**

**Lab Sample ID: 410-99897-7**

Date Collected: 09/29/22 13:35

Matrix: Water

Date Received: 09/29/22 18:53

**General Chemistry**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Cyanide, Free (OI CORP OIA-1677)	ND		0.0060	0.0050	mg/L			09/30/22 10:13	1



# Client Sample Results

Client: Tetra Tech, Inc.  
Project/Site: EastAlco WW

Job ID: 410-99897-1

**Client Sample ID: SW-I-0922**

**Lab Sample ID: 410-99897-8**

Date Collected: 09/29/22 13:55

Matrix: Water

Date Received: 09/29/22 18:53

**General Chemistry**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Cyanide, Free (OI CORP OIA-1677)	ND		0.0060	0.0050	mg/L			09/30/22 10:16	1

**Client Sample ID: TUSCARORA CREEK DUP**

**Lab Sample ID: 410-99897-9**

Date Collected: 09/29/22 00:00

Matrix: Water

Date Received: 09/29/22 18:53

**General Chemistry**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Cyanide, Free (OI CORP OIA-1677)	ND		0.0060	0.0050	mg/L			09/30/22 10:19	1

**Client Sample ID: MW-107-0922**

**Lab Sample ID: 410-99897-10**

Date Collected: 09/29/22 09:29

Matrix: Water

Date Received: 09/29/22 18:53

**Method: EPA 300.0 R2.1 - Anions, Ion Chromatography**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Fluoride	1.6		1.0	0.45	mg/L			10/11/22 20:56	5

**Client Sample ID: MW-6-0922**

**Lab Sample ID: 410-99897-11**

Date Collected: 09/29/22 09:42

Matrix: Water

Date Received: 09/29/22 18:53

**Method: EPA 300.0 R2.1 - Anions, Ion Chromatography**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Fluoride	2.6		1.0	0.45	mg/L			10/11/22 21:06	5

**Client Sample ID: MW-51-0922**

**Lab Sample ID: 410-99897-12**

Date Collected: 09/29/22 09:01

Matrix: Water

Date Received: 09/29/22 18:53

**Method: EPA 300.0 R2.1 - Anions, Ion Chromatography**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Fluoride	1.6		1.0	0.45	mg/L			10/11/22 21:39	5

# QC Sample Results

Client: Tetra Tech, Inc.  
Project/Site: EastAlco WW

Job ID: 410-99897-1

## Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

**Lab Sample ID: MB 410-302227/5**  
**Matrix: Water**  
**Analysis Batch: 302227**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrogen, Nitrate	ND		0.11	0.050	mg/L			10/01/22 12:54	1

**Lab Sample ID: MB 410-302227/64**  
**Matrix: Water**  
**Analysis Batch: 302227**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrogen, Nitrate	ND		0.11	0.050	mg/L			10/01/22 21:20	1

**Lab Sample ID: LCS 410-302227/3**  
**Matrix: Water**  
**Analysis Batch: 302227**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Nitrogen, Nitrate	0.755	0.776		mg/L		103	90 - 110

**Lab Sample ID: LCS 410-302227/62**  
**Matrix: Water**  
**Analysis Batch: 302227**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Nitrogen, Nitrate	0.755	0.782		mg/L		104	90 - 110

**Lab Sample ID: LCSD 410-302227/4**  
**Matrix: Water**  
**Analysis Batch: 302227**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Nitrogen, Nitrate	0.755	0.787		mg/L		104	90 - 110	1	20

**Lab Sample ID: LCSD 410-302227/63**  
**Matrix: Water**  
**Analysis Batch: 302227**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Nitrogen, Nitrate	0.755	0.790		mg/L		105	90 - 110	1	20

**Lab Sample ID: MB 410-302228/5**  
**Matrix: Water**  
**Analysis Batch: 302228**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Fluoride	ND		0.20	0.090	mg/L			10/01/22 12:54	1
Sulfate	ND		1.5	0.50	mg/L			10/01/22 12:54	1
Chloride	ND		1.5	0.60	mg/L			10/01/22 12:54	1

# QC Sample Results

Client: Tetra Tech, Inc.  
Project/Site: EastAlco WW

Job ID: 410-99897-1

## Method: EPA 300.0 R2.1 - Anions, Ion Chromatography (Continued)

**Lab Sample ID: MB 410-302228/64**  
**Matrix: Water**  
**Analysis Batch: 302228**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Fluoride	ND		0.20	0.090	mg/L			10/01/22 21:20	1
Sulfate	ND		1.5	0.50	mg/L			10/01/22 21:20	1
Chloride	ND		1.5	0.60	mg/L			10/01/22 21:20	1

**Lab Sample ID: LCS 410-302228/3**  
**Matrix: Water**  
**Analysis Batch: 302228**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Fluoride	0.750	0.749		mg/L		100	90 - 110
Sulfate	7.51	8.07		mg/L		108	90 - 110
Chloride	3.00	3.25		mg/L		108	90 - 110

**Lab Sample ID: LCS 410-302228/62**  
**Matrix: Water**  
**Analysis Batch: 302228**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Fluoride	0.750	0.811		mg/L		108	90 - 110
Chloride	3.00	3.29		mg/L		110	90 - 110

**Lab Sample ID: LCSD 410-302228/4**  
**Matrix: Water**  
**Analysis Batch: 302228**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Fluoride	0.750	0.749		mg/L		100	90 - 110	0	20
Sulfate	7.51	8.09		mg/L		108	90 - 110	0	20
Chloride	3.00	3.28		mg/L		109	90 - 110	1	20

**Lab Sample ID: LCSD 410-302228/63**  
**Matrix: Water**  
**Analysis Batch: 302228**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Fluoride	0.750	0.793		mg/L		106	90 - 110	2	20
Chloride	3.00	3.29		mg/L		110	90 - 110	0	20

**Lab Sample ID: MB 410-302604/5**  
**Matrix: Water**  
**Analysis Batch: 302604**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Fluoride	ND		0.20	0.090	mg/L			10/03/22 20:59	1
Sulfate	ND		1.5	0.50	mg/L			10/03/22 20:59	1
Chloride	ND		1.5	0.60	mg/L			10/03/22 20:59	1

# QC Sample Results

Client: Tetra Tech, Inc.  
Project/Site: EastAlco WW

Job ID: 410-99897-1

## Method: EPA 300.0 R2.1 - Anions, Ion Chromatography (Continued)

**Lab Sample ID: LCS 410-302604/3**  
**Matrix: Water**  
**Analysis Batch: 302604**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Fluoride	0.750	0.296	*-	mg/L		39	90 - 110
Sulfate	7.51	7.56		mg/L		101	90 - 110
Chloride	3.00	3.07		mg/L		102	90 - 110

**Lab Sample ID: LCSD 410-302604/4**  
**Matrix: Water**  
**Analysis Batch: 302604**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Sulfate	7.51	7.55		mg/L		101	90 - 110	0	20
Chloride	3.00	3.09		mg/L		103	90 - 110	1	20

**Lab Sample ID: MB 410-302609/5**  
**Matrix: Water**  
**Analysis Batch: 302609**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Fluoride	ND		0.20	0.090	mg/L			10/04/22 05:25	1
Sulfate	ND		1.5	0.50	mg/L			10/04/22 05:25	1
Chloride	ND		1.5	0.60	mg/L			10/04/22 05:25	1

**Lab Sample ID: LCS 410-302609/3**  
**Matrix: Water**  
**Analysis Batch: 302609**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Sulfate	7.51	7.81		mg/L		104	90 - 110
Chloride	3.00	3.12		mg/L		104	90 - 110

**Lab Sample ID: LCSD 410-302609/4**  
**Matrix: Water**  
**Analysis Batch: 302609**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Sulfate	7.51	7.72		mg/L		103	90 - 110	1	20
Chloride	3.00	3.11		mg/L		104	90 - 110	0	20

**Lab Sample ID: MB 410-302612/5**  
**Matrix: Water**  
**Analysis Batch: 302612**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Fluoride	ND		0.20	0.090	mg/L			10/04/22 11:41	1
Sulfate	ND		1.5	0.50	mg/L			10/04/22 11:41	1
Chloride	ND		1.5	0.60	mg/L			10/04/22 11:41	1

# QC Sample Results

Client: Tetra Tech, Inc.  
Project/Site: EastAlco WW

Job ID: 410-99897-1

## Method: EPA 300.0 R2.1 - Anions, Ion Chromatography (Continued)

**Lab Sample ID: LCS 410-302612/3**  
**Matrix: Water**  
**Analysis Batch: 302612**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Fluoride	0.750	0.682		mg/L		91	90 - 110
Sulfate	7.50	6.84		mg/L		91	90 - 110
Chloride	3.00	2.89		mg/L		96	90 - 110

**Lab Sample ID: LCSD 410-302612/4**  
**Matrix: Water**  
**Analysis Batch: 302612**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Fluoride	0.750	0.680		mg/L		91	90 - 110	0	20
Sulfate	7.50	6.84		mg/L		91	90 - 110	0	20
Chloride	3.00	2.88		mg/L		96	90 - 110	0	20

**Lab Sample ID: 410-99897-2 MS**  
**Matrix: Water**  
**Analysis Batch: 302612**

**Client Sample ID: MW-74-0922**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Fluoride	0.81	J	2.50	3.39		mg/L		103	90 - 110
Sulfate	21		25.0	46.8		mg/L		104	90 - 110

**Lab Sample ID: 410-99897-2 DU**  
**Matrix: Water**  
**Analysis Batch: 302612**

**Client Sample ID: MW-74-0922**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Fluoride	0.81	J	0.792	J	mg/L		3	15
Sulfate	21		20.7		mg/L		0.1	15

**Lab Sample ID: MB 410-305447/5**  
**Matrix: Water**  
**Analysis Batch: 305447**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Fluoride	ND		0.20	0.090	mg/L			10/11/22 14:38	1

**Lab Sample ID: LCS 410-305447/3**  
**Matrix: Water**  
**Analysis Batch: 305447**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Fluoride	0.750	0.747		mg/L		100	90 - 110

**Lab Sample ID: LCSD 410-305447/4**  
**Matrix: Water**  
**Analysis Batch: 305447**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Fluoride	0.750	0.728		mg/L		97	90 - 110	3	20

# QC Sample Results

Client: Tetra Tech, Inc.  
Project/Site: EastAlco WW

Job ID: 410-99897-1

## Method: EPA 300.0 R2.1 - Anions, Ion Chromatography (Continued)

**Lab Sample ID: MB 410-307931/5**  
**Matrix: Water**  
**Analysis Batch: 307931**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Fluoride	ND		0.20	0.090	mg/L			10/18/22 16:38	1
Sulfate	ND		1.5	0.50	mg/L			10/18/22 16:38	1
Chloride	ND		1.5	0.60	mg/L			10/18/22 16:38	1

**Lab Sample ID: LCS 410-307931/3**  
**Matrix: Water**  
**Analysis Batch: 307931**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Fluoride	0.750	0.736		mg/L		98	90 - 110
Sulfate	7.50	7.59		mg/L		101	90 - 110
Chloride	3.00	3.07		mg/L		102	90 - 110

**Lab Sample ID: LCSD 410-307931/4**  
**Matrix: Water**  
**Analysis Batch: 307931**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Fluoride	0.750	0.738		mg/L		98	90 - 110	0	20
Sulfate	7.50	7.60		mg/L		101	90 - 110	0	20
Chloride	3.00	3.07		mg/L		102	90 - 110	0	20

**Lab Sample ID: MB 410-309905/5**  
**Matrix: Water**  
**Analysis Batch: 309905**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Fluoride	ND		0.20	0.090	mg/L			10/24/22 22:27	1
Sulfate	ND		1.5	0.50	mg/L			10/24/22 22:27	1
Chloride	ND		1.5	0.60	mg/L			10/24/22 22:27	1

**Lab Sample ID: LCS 410-309905/3**  
**Matrix: Water**  
**Analysis Batch: 309905**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Fluoride	0.750	0.703		mg/L		94	90 - 110
Sulfate	7.50	7.12		mg/L		95	90 - 110
Chloride	3.00	2.77		mg/L		92	90 - 110

**Lab Sample ID: LCSD 410-309905/4**  
**Matrix: Water**  
**Analysis Batch: 309905**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Fluoride	0.750	0.706		mg/L		94	90 - 110	0	20
Sulfate	7.50	7.17		mg/L		96	90 - 110	1	20
Chloride	3.00	2.79		mg/L		93	90 - 110	1	20

# QC Sample Results

Client: Tetra Tech, Inc.  
Project/Site: EastAlco WW

Job ID: 410-99897-1

## Method: 6020B - Metals (ICP/MS)

Lab Sample ID: 410-99897-2 MS

Matrix: Water

Analysis Batch: 306267

Client Sample ID: MW-74-0922

Prep Type: Total/NA

Prep Batch: 303581

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	Limits
Aluminum	1300		5000	7220		ug/L		119	75 - 125
Arsenic	ND		0.500	0.483		mg/L		97	75 - 125
Barium	0.029		0.500	0.542		mg/L		103	75 - 125
Beryllium	ND	^5- ^+	0.0500	0.0512	^5- ^+	mg/L		102	75 - 125
Cadmium	ND		0.0500	0.0506		mg/L		101	75 - 125
Chromium	0.0017	J	0.500	0.499		mg/L		100	75 - 125
Lead	0.0013		0.0500	0.0512		mg/L		100	75 - 125
Nickel	0.0017		0.500	0.494		mg/L		98	75 - 125
Selenium	ND		0.100	0.101		mg/L		101	75 - 125
Sodium	6.8		5.00	11.7		mg/L		99	75 - 125

Lab Sample ID: 410-99897-2 MSD

Matrix: Water

Analysis Batch: 306267

Client Sample ID: MW-74-0922

Prep Type: Total/NA

Prep Batch: 303581

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Aluminum	1300		5000	7380		ug/L		122	75 - 125	2	20
Arsenic	ND		0.500	0.473		mg/L		95	75 - 125	2	20
Barium	0.029		0.500	0.539		mg/L		102	75 - 125	1	20
Beryllium	ND	^5- ^+	0.0500	0.0510	^5- ^+	mg/L		102	75 - 125	1	20
Cadmium	ND		0.0500	0.0504		mg/L		101	75 - 125	0	20
Chromium	0.0017	J	0.500	0.497		mg/L		99	75 - 125	0	20
Lead	0.0013		0.0500	0.0511		mg/L		99	75 - 125	0	20
Nickel	0.0017		0.500	0.490		mg/L		98	75 - 125	1	20
Selenium	ND		0.100	0.101		mg/L		101	75 - 125	0	20
Sodium	6.8		5.00	12.2		mg/L		109	75 - 125	4	20

Lab Sample ID: 410-99897-2 DU

Matrix: Water

Analysis Batch: 306267

Client Sample ID: MW-74-0922

Prep Type: Total/NA

Prep Batch: 303581

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	Limit
Aluminum	1300		1390		ug/L		8	20
Arsenic	ND		ND		mg/L		NC	20
Barium	0.029		0.0299		mg/L		4	20
Beryllium	ND	^5- ^+	0.000126	J ^+	mg/L		NC	20
Cadmium	ND		ND		mg/L		NC	20
Chromium	0.0017	J	0.00188	J	mg/L		9	20
Lead	0.0013		0.00137		mg/L		3	20
Nickel	0.0017		0.00202		mg/L		16	20
Selenium	ND		0.000284	J	mg/L		NC	20
Sodium	6.8		6.85		mg/L		1	20

Lab Sample ID: MB 410-303577/1-A

Matrix: Water

Analysis Batch: 305815

Client Sample ID: Method Blank

Prep Type: Total Recoverable

Prep Batch: 303577

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aluminum	ND		25	12	ug/L		10/05/22 19:44	10/12/22 10:39	1

Eurofins Lancaster Laboratories Environment Testing, LLC

# QC Sample Results

Client: Tetra Tech, Inc.  
Project/Site: EastAlco WW

Job ID: 410-99897-1

## Method: 6020B - Metals (ICP/MS) (Continued)

**Lab Sample ID: MB 410-303577/1-A**  
**Matrix: Water**  
**Analysis Batch: 305815**

**Client Sample ID: Method Blank**  
**Prep Type: Total Recoverable**  
**Prep Batch: 303577**

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Arsenic	ND		0.0020	0.00068	mg/L		10/05/22 19:44	10/12/22 10:39	1
Barium	ND		0.0020	0.00075	mg/L		10/05/22 19:44	10/12/22 10:39	1
Beryllium	ND		0.00050	0.00012	mg/L		10/05/22 19:44	10/12/22 10:39	1
Cadmium	ND		0.00050	0.00015	mg/L		10/05/22 19:44	10/12/22 10:39	1
Chromium	ND		0.0020	0.00033	mg/L		10/05/22 19:44	10/12/22 10:39	1
Lead	ND		0.00050	0.000071	mg/L		10/05/22 19:44	10/12/22 10:39	1
Nickel	ND		0.0010	0.00040	mg/L		10/05/22 19:44	10/12/22 10:39	1
Selenium	ND	^+	0.0010	0.00028	mg/L		10/05/22 19:44	10/12/22 10:39	1
Sodium	ND		0.20	0.090	mg/L		10/05/22 19:44	10/12/22 10:39	1

**Lab Sample ID: LCS 410-303577/2-A**  
**Matrix: Water**  
**Analysis Batch: 305815**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total Recoverable**  
**Prep Batch: 303577**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec
							Limits
Aluminum	5000	5120		ug/L		102	87 - 119
Arsenic	0.500	0.486		mg/L		97	85 - 120
Barium	0.500	0.518		mg/L		104	80 - 120
Beryllium	0.0500	0.0486		mg/L		97	90 - 112
Cadmium	0.0500	0.0510		mg/L		102	86 - 113
Chromium	0.500	0.526		mg/L		105	90 - 115
Lead	0.0500	0.0514		mg/L		103	90 - 115
Nickel	0.500	0.495		mg/L		99	90 - 114
Selenium	0.100	0.105	^+	mg/L		105	80 - 120
Sodium	5.00	5.16		mg/L		103	89 - 112

**Lab Sample ID: MB 410-303581/1-A**  
**Matrix: Water**  
**Analysis Batch: 306267**

**Client Sample ID: Method Blank**  
**Prep Type: Total Recoverable**  
**Prep Batch: 303581**

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Aluminum	ND		25	12	ug/L		10/05/22 19:52	10/13/22 09:57	1
Arsenic	ND		0.0020	0.00068	mg/L		10/05/22 19:52	10/13/22 09:57	1
Barium	ND		0.0020	0.00075	mg/L		10/05/22 19:52	10/13/22 09:57	1
Beryllium	ND	^5- ^+	0.00050	0.00012	mg/L		10/05/22 19:52	10/13/22 09:57	1
Cadmium	ND		0.00050	0.00015	mg/L		10/05/22 19:52	10/13/22 09:57	1
Chromium	ND		0.0020	0.00033	mg/L		10/05/22 19:52	10/13/22 09:57	1
Lead	ND		0.00050	0.000071	mg/L		10/05/22 19:52	10/13/22 09:57	1
Nickel	ND		0.0010	0.00040	mg/L		10/05/22 19:52	10/13/22 09:57	1
Selenium	ND		0.0010	0.00028	mg/L		10/05/22 19:52	10/13/22 09:57	1
Sodium	ND		0.20	0.090	mg/L		10/05/22 19:52	10/13/22 09:57	1

**Lab Sample ID: LCS 410-303581/2-A**  
**Matrix: Water**  
**Analysis Batch: 306267**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total Recoverable**  
**Prep Batch: 303581**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec
							Limits
Aluminum	5000	5060		ug/L		101	87 - 119
Arsenic	0.500	0.486		mg/L		97	85 - 120



# QC Sample Results

Client: Tetra Tech, Inc.  
Project/Site: EastAlco WW

Job ID: 410-99897-1

## Method: 6020B - Metals (ICP/MS) (Continued)

Lab Sample ID: LCS 410-303581/2-A  
Matrix: Water  
Analysis Batch: 306267

Client Sample ID: Lab Control Sample  
Prep Type: Total Recoverable  
Prep Batch: 303581

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Barium	0.500	0.506		mg/L		101	80 - 120
Cadmium	0.0500	0.0502		mg/L		100	86 - 113
Chromium	0.500	0.503		mg/L		101	90 - 115
Lead	0.0500	0.0502		mg/L		100	90 - 115
Nickel	0.500	0.509		mg/L		102	90 - 114
Selenium	0.100	0.103		mg/L		103	80 - 120
Sodium	5.00	5.08		mg/L		102	89 - 112

## Method: 7470A - Mercury (CVAA)

Lab Sample ID: MB 410-303587/1-A  
Matrix: Water  
Analysis Batch: 303940

Client Sample ID: Method Blank  
Prep Type: Total/NA  
Prep Batch: 303587

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND		0.00020	0.000079	mg/L		10/05/22 20:59	10/06/22 13:45	1

Lab Sample ID: LCS 410-303587/2-A  
Matrix: Water  
Analysis Batch: 303940

Client Sample ID: Lab Control Sample  
Prep Type: Total/NA  
Prep Batch: 303587

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Mercury	0.00100	0.000960		mg/L		96	80 - 118

Lab Sample ID: LCSD 410-303587/3-A  
Matrix: Water  
Analysis Batch: 303940

Client Sample ID: Lab Control Sample Dup  
Prep Type: Total/NA  
Prep Batch: 303587

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Mercury	0.00100	0.000956		mg/L		96	80 - 118	0	20

Lab Sample ID: 410-99897-1 MS  
Matrix: Water  
Analysis Batch: 303940

Client Sample ID: MW-111-0922  
Prep Type: Total/NA  
Prep Batch: 303587

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Mercury	ND		0.00100	0.000934		mg/L		93	80 - 120

Lab Sample ID: 410-99897-1 MSD  
Matrix: Water  
Analysis Batch: 303940

Client Sample ID: MW-111-0922  
Prep Type: Total/NA  
Prep Batch: 303587

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Mercury	ND		0.00100	0.000989		mg/L		99	80 - 120	6	20

# QC Sample Results

Client: Tetra Tech, Inc.  
Project/Site: EastAlco WW

Job ID: 410-99897-1

## Method: 7470A - Mercury (CVAA) (Continued)

Lab Sample ID: 410-99897-1 DU  
Matrix: Water  
Analysis Batch: 303940

Client Sample ID: MW-111-0922  
Prep Type: Total/NA  
Prep Batch: 303587

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	Limit
Mercury	ND		ND		mg/L		NC	20

## Method: 2130B-2011 - Turbidity

Lab Sample ID: MB 410-302041/3  
Matrix: Water  
Analysis Batch: 302041

Client Sample ID: Method Blank  
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Turbidity	ND		1.0	1.0	NTU			10/01/22 06:47	1

Lab Sample ID: LCS 410-302041/4  
Matrix: Water  
Analysis Batch: 302041

Client Sample ID: Lab Control Sample  
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Turbidity	10.0	9.7		NTU		97	90 - 104

Lab Sample ID: 410-99897-2 DU  
Matrix: Water  
Analysis Batch: 302041

Client Sample ID: MW-74-0922  
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	Limit
Turbidity	39		39		NTU		0.8	8

## Method: 2320B-2011 - Alkalinity, Total

Lab Sample ID: MB 410-302465/75  
Matrix: Water  
Analysis Batch: 302465

Client Sample ID: Method Blank  
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Alkalinity as CaCO3 to pH 4.5	ND		8.0	8.0	mg/L			10/01/22 00:28	1

Lab Sample ID: LCS 410-302465/78  
Matrix: Water  
Analysis Batch: 302465

Client Sample ID: Lab Control Sample  
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Total Alkalinity as CaCO3 to pH 4.5	189	175		mg/L		92	82 - 106

## Method: 2510B-2011 - Conductivity, Specific Conductance

Lab Sample ID: MB 410-302466/75  
Matrix: Water  
Analysis Batch: 302466

Client Sample ID: Method Blank  
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Specific Conductance	ND		5.0	1.7	umhos/cm			10/01/22 00:28	1

# QC Sample Results

Client: Tetra Tech, Inc.  
Project/Site: EastAlco WW

Job ID: 410-99897-1

## Method: 2510B-2011 - Conductivity, Specific Conductance (Continued)

Lab Sample ID: LCS 410-302466/76  
Matrix: Water  
Analysis Batch: 302466

Client Sample ID: Lab Control Sample  
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Specific Conductance	1410	1430		umhos/cm		101	97 - 103

## Method: 2540C-2011 - Solids, Total Dissolved (TDS)

Lab Sample ID: MB 410-301647/1  
Matrix: Water  
Analysis Batch: 301647

Client Sample ID: Method Blank  
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	ND		30	12	mg/L			09/30/22 07:33	1

Lab Sample ID: LCS 410-301647/2  
Matrix: Water  
Analysis Batch: 301647

Client Sample ID: Lab Control Sample  
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Total Dissolved Solids	200	195		mg/L		98	72 - 127

## Method: 9040B - pH

Lab Sample ID: LCS 410-302467/77  
Matrix: Water  
Analysis Batch: 302467

Client Sample ID: Lab Control Sample  
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
pH	7.00	7.0		S.U.		100	95 - 105

## Method: OIA-1677 - Cyanide, Free (Flow Injection)

Lab Sample ID: MB 410-301757/18  
Matrix: Water  
Analysis Batch: 301757

Client Sample ID: Method Blank  
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Cyanide, Free	ND		0.0060	0.0050	mg/L			09/30/22 08:40	1

Lab Sample ID: MB 410-301757/40  
Matrix: Water  
Analysis Batch: 301757

Client Sample ID: Method Blank  
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Cyanide, Free	ND		0.0060	0.0050	mg/L			09/30/22 09:57	1

Lab Sample ID: LCS 410-301757/38  
Matrix: Water  
Analysis Batch: 301757

Client Sample ID: Lab Control Sample  
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Cyanide, Free	0.0500	0.0468		mg/L		94	86 - 132

# QC Sample Results

Client: Tetra Tech, Inc.  
Project/Site: EastAlco WW

Job ID: 410-99897-1

## Method: OIA-1677 - Cyanide, Free (Flow Injection) (Continued)

**Lab Sample ID: LCSD 410-301757/39**  
**Matrix: Water**  
**Analysis Batch: 301757**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Cyanide, Free	0.0500	0.0495		mg/L		99	86 - 132	5	11

**Lab Sample ID: 410-99897-6 MS**  
**Matrix: Water**  
**Analysis Batch: 301757**

**Client Sample ID: SW-D-0922**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Cyanide, Free	ND	F1	0.0500	0.0392	F1	mg/L		78	82 - 130		

**Lab Sample ID: 410-99897-6 MSD**  
**Matrix: Water**  
**Analysis Batch: 301757**

**Client Sample ID: SW-D-0922**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Cyanide, Free	ND	F1	0.0500	0.0419		mg/L		84	82 - 130	6	11

# QC Association Summary

Client: Tetra Tech, Inc.  
Project/Site: EastAlco WW

Job ID: 410-99897-1

## HPLC/IC

### Analysis Batch: 302227

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-99897-1	MW-111-0922	Total/NA	Water	EPA 300.0 R2.1	
410-99897-2	MW-74-0922	Total/NA	Water	EPA 300.0 R2.1	
410-99897-3	MW-75-0922	Total/NA	Water	EPA 300.0 R2.1	
410-99897-4	MW-75DUP-0922	Total/NA	Water	EPA 300.0 R2.1	
410-99897-5	EQR-SA11-0922	Total/NA	Water	EPA 300.0 R2.1	
MB 410-302227/5	Method Blank	Total/NA	Water	EPA 300.0 R2.1	
MB 410-302227/64	Method Blank	Total/NA	Water	EPA 300.0 R2.1	
LCS 410-302227/3	Lab Control Sample	Total/NA	Water	EPA 300.0 R2.1	
LCS 410-302227/62	Lab Control Sample	Total/NA	Water	EPA 300.0 R2.1	
LCSD 410-302227/4	Lab Control Sample Dup	Total/NA	Water	EPA 300.0 R2.1	
LCSD 410-302227/63	Lab Control Sample Dup	Total/NA	Water	EPA 300.0 R2.1	

### Analysis Batch: 302228

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-99897-1	MW-111-0922	Total/NA	Water	EPA 300.0 R2.1	
410-99897-2	MW-74-0922	Total/NA	Water	EPA 300.0 R2.1	
410-99897-5	EQR-SA11-0922	Total/NA	Water	EPA 300.0 R2.1	
MB 410-302228/5	Method Blank	Total/NA	Water	EPA 300.0 R2.1	
MB 410-302228/64	Method Blank	Total/NA	Water	EPA 300.0 R2.1	
LCS 410-302228/3	Lab Control Sample	Total/NA	Water	EPA 300.0 R2.1	
LCS 410-302228/62	Lab Control Sample	Total/NA	Water	EPA 300.0 R2.1	
LCSD 410-302228/4	Lab Control Sample Dup	Total/NA	Water	EPA 300.0 R2.1	
LCSD 410-302228/63	Lab Control Sample Dup	Total/NA	Water	EPA 300.0 R2.1	

### Analysis Batch: 302604

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-99897-3	MW-75-0922	Total/NA	Water	EPA 300.0 R2.1	
410-99897-3	MW-75-0922	Total/NA	Water	EPA 300.0 R2.1	
410-99897-4	MW-75DUP-0922	Total/NA	Water	EPA 300.0 R2.1	
410-99897-4	MW-75DUP-0922	Total/NA	Water	EPA 300.0 R2.1	
MB 410-302604/5	Method Blank	Total/NA	Water	EPA 300.0 R2.1	
LCS 410-302604/3	Lab Control Sample	Total/NA	Water	EPA 300.0 R2.1	
LCSD 410-302604/4	Lab Control Sample Dup	Total/NA	Water	EPA 300.0 R2.1	

### Analysis Batch: 302609

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-99897-1	MW-111-0922	Total/NA	Water	EPA 300.0 R2.1	
MB 410-302609/5	Method Blank	Total/NA	Water	EPA 300.0 R2.1	
LCS 410-302609/3	Lab Control Sample	Total/NA	Water	EPA 300.0 R2.1	
LCSD 410-302609/4	Lab Control Sample Dup	Total/NA	Water	EPA 300.0 R2.1	

### Analysis Batch: 302612

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-99897-2	MW-74-0922	Total/NA	Water	EPA 300.0 R2.1	
MB 410-302612/5	Method Blank	Total/NA	Water	EPA 300.0 R2.1	
LCS 410-302612/3	Lab Control Sample	Total/NA	Water	EPA 300.0 R2.1	
LCSD 410-302612/4	Lab Control Sample Dup	Total/NA	Water	EPA 300.0 R2.1	
410-99897-2 MS	MW-74-0922	Total/NA	Water	EPA 300.0 R2.1	
410-99897-2 DU	MW-74-0922	Total/NA	Water	EPA 300.0 R2.1	

# QC Association Summary

Client: Tetra Tech, Inc.  
Project/Site: EastAlco WW

Job ID: 410-99897-1

## HPLC/IC

### Analysis Batch: 305447

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-99897-10	MW-107-0922	Total/NA	Water	EPA 300.0 R2.1	
410-99897-11	MW-6-0922	Total/NA	Water	EPA 300.0 R2.1	
410-99897-12	MW-51-0922	Total/NA	Water	EPA 300.0 R2.1	
MB 410-305447/5	Method Blank	Total/NA	Water	EPA 300.0 R2.1	
LCS 410-305447/3	Lab Control Sample	Total/NA	Water	EPA 300.0 R2.1	
LCSD 410-305447/4	Lab Control Sample Dup	Total/NA	Water	EPA 300.0 R2.1	

### Analysis Batch: 307931

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-99897-1	MW-111-0922	Total/NA	Water	EPA 300.0 R2.1	
410-99897-2	MW-74-0922	Total/NA	Water	EPA 300.0 R2.1	
410-99897-3	MW-75-0922	Total/NA	Water	EPA 300.0 R2.1	
410-99897-4	MW-75DUP-0922	Total/NA	Water	EPA 300.0 R2.1	
MB 410-307931/5	Method Blank	Total/NA	Water	EPA 300.0 R2.1	
LCS 410-307931/3	Lab Control Sample	Total/NA	Water	EPA 300.0 R2.1	
LCSD 410-307931/4	Lab Control Sample Dup	Total/NA	Water	EPA 300.0 R2.1	

### Analysis Batch: 309905

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-99897-5	EQR-SA11-0922	Total/NA	Water	EPA 300.0 R2.1	
MB 410-309905/5	Method Blank	Total/NA	Water	EPA 300.0 R2.1	
LCS 410-309905/3	Lab Control Sample	Total/NA	Water	EPA 300.0 R2.1	
LCSD 410-309905/4	Lab Control Sample Dup	Total/NA	Water	EPA 300.0 R2.1	

## Metals

### Prep Batch: 303577

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-99897-1	MW-111-0922	Total/NA	Water	3005A	
410-99897-3	MW-75-0922	Total/NA	Water	3005A	
410-99897-4	MW-75DUP-0922	Total/NA	Water	3005A	
410-99897-5	EQR-SA11-0922	Total/NA	Water	3005A	
MB 410-303577/1-A	Method Blank	Total Recoverable	Water	3005A	
LCS 410-303577/2-A	Lab Control Sample	Total Recoverable	Water	3005A	

### Prep Batch: 303581

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-99897-2	MW-74-0922	Total/NA	Water	3005A	
MB 410-303581/1-A	Method Blank	Total Recoverable	Water	3005A	
LCS 410-303581/2-A	Lab Control Sample	Total Recoverable	Water	3005A	
410-99897-2 MS	MW-74-0922	Total/NA	Water	3005A	
410-99897-2 MSD	MW-74-0922	Total/NA	Water	3005A	
410-99897-2 DU	MW-74-0922	Total/NA	Water	3005A	

### Prep Batch: 303587

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-99897-1	MW-111-0922	Total/NA	Water	7470A	
410-99897-2	MW-74-0922	Total/NA	Water	7470A	
410-99897-3	MW-75-0922	Total/NA	Water	7470A	
410-99897-4	MW-75DUP-0922	Total/NA	Water	7470A	
410-99897-5	EQR-SA11-0922	Total/NA	Water	7470A	

Eurofins Lancaster Laboratories Environment Testing, LLC

# QC Association Summary

Client: Tetra Tech, Inc.  
Project/Site: EastAlco WW

Job ID: 410-99897-1

## Metals (Continued)

### Prep Batch: 303587 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 410-303587/1-A	Method Blank	Total/NA	Water	7470A	
LCS 410-303587/2-A	Lab Control Sample	Total/NA	Water	7470A	
LCSD 410-303587/3-A	Lab Control Sample Dup	Total/NA	Water	7470A	
410-99897-1 MS	MW-111-0922	Total/NA	Water	7470A	
410-99897-1 MSD	MW-111-0922	Total/NA	Water	7470A	
410-99897-1 DU	MW-111-0922	Total/NA	Water	7470A	

### Analysis Batch: 303940

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-99897-1	MW-111-0922	Total/NA	Water	7470A	303587
410-99897-2	MW-74-0922	Total/NA	Water	7470A	303587
410-99897-3	MW-75-0922	Total/NA	Water	7470A	303587
410-99897-4	MW-75DUP-0922	Total/NA	Water	7470A	303587
410-99897-5	EQR-SA11-0922	Total/NA	Water	7470A	303587
MB 410-303587/1-A	Method Blank	Total/NA	Water	7470A	303587
LCS 410-303587/2-A	Lab Control Sample	Total/NA	Water	7470A	303587
LCSD 410-303587/3-A	Lab Control Sample Dup	Total/NA	Water	7470A	303587
410-99897-1 MS	MW-111-0922	Total/NA	Water	7470A	303587
410-99897-1 MSD	MW-111-0922	Total/NA	Water	7470A	303587
410-99897-1 DU	MW-111-0922	Total/NA	Water	7470A	303587

### Analysis Batch: 305815

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-99897-1	MW-111-0922	Total/NA	Water	6020B	303577
410-99897-3	MW-75-0922	Total/NA	Water	6020B	303577
410-99897-4	MW-75DUP-0922	Total/NA	Water	6020B	303577
410-99897-5	EQR-SA11-0922	Total/NA	Water	6020B	303577
MB 410-303577/1-A	Method Blank	Total Recoverable	Water	6020B	303577
LCS 410-303577/2-A	Lab Control Sample	Total Recoverable	Water	6020B	303577

### Analysis Batch: 305934

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-99897-1	MW-111-0922	Total/NA	Water	6020B	303577
410-99897-3	MW-75-0922	Total/NA	Water	6020B	303577
410-99897-4	MW-75DUP-0922	Total/NA	Water	6020B	303577
410-99897-5	EQR-SA11-0922	Total/NA	Water	6020B	303577

### Analysis Batch: 306267

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-99897-2	MW-74-0922	Total/NA	Water	6020B	303581
MB 410-303581/1-A	Method Blank	Total Recoverable	Water	6020B	303581
LCS 410-303581/2-A	Lab Control Sample	Total Recoverable	Water	6020B	303581
410-99897-2 MS	MW-74-0922	Total/NA	Water	6020B	303581
410-99897-2 MSD	MW-74-0922	Total/NA	Water	6020B	303581
410-99897-2 DU	MW-74-0922	Total/NA	Water	6020B	303581

## General Chemistry

### Analysis Batch: 301647

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-99897-1	MW-111-0922	Total/NA	Water	2540C-2011	

# QC Association Summary

Client: Tetra Tech, Inc.  
Project/Site: EastAlco WW

Job ID: 410-99897-1

## General Chemistry (Continued)

### Analysis Batch: 301647 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-99897-2	MW-74-0922	Total/NA	Water	2540C-2011	
410-99897-3	MW-75-0922	Total/NA	Water	2540C-2011	
410-99897-4	MW-75DUP-0922	Total/NA	Water	2540C-2011	
410-99897-5	EQR-SA11-0922	Total/NA	Water	2540C-2011	
MB 410-301647/1	Method Blank	Total/NA	Water	2540C-2011	
LCS 410-301647/2	Lab Control Sample	Total/NA	Water	2540C-2011	

### Analysis Batch: 301757

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-99897-6	SW-D-0922	Total/NA	Water	OIA-1677	
410-99897-7	SW-E-0922	Total/NA	Water	OIA-1677	
410-99897-8	SW-I-0922	Total/NA	Water	OIA-1677	
410-99897-9	TUSCARORA CREEK DUP	Total/NA	Water	OIA-1677	
MB 410-301757/18	Method Blank	Total/NA	Water	OIA-1677	
MB 410-301757/40	Method Blank	Total/NA	Water	OIA-1677	
LCS 410-301757/38	Lab Control Sample	Total/NA	Water	OIA-1677	
LCSD 410-301757/39	Lab Control Sample Dup	Total/NA	Water	OIA-1677	
410-99897-6 MS	SW-D-0922	Total/NA	Water	OIA-1677	
410-99897-6 MSD	SW-D-0922	Total/NA	Water	OIA-1677	

### Analysis Batch: 302041

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-99897-1	MW-111-0922	Total/NA	Water	2130B-2011	
410-99897-2	MW-74-0922	Total/NA	Water	2130B-2011	
410-99897-3	MW-75-0922	Total/NA	Water	2130B-2011	
410-99897-4	MW-75DUP-0922	Total/NA	Water	2130B-2011	
410-99897-5	EQR-SA11-0922	Total/NA	Water	2130B-2011	
MB 410-302041/3	Method Blank	Total/NA	Water	2130B-2011	
LCS 410-302041/4	Lab Control Sample	Total/NA	Water	2130B-2011	
410-99897-2 DU	MW-74-0922	Total/NA	Water	2130B-2011	

### Analysis Batch: 302465

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-99897-1	MW-111-0922	Total/NA	Water	2320B-2011	
410-99897-2	MW-74-0922	Total/NA	Water	2320B-2011	
410-99897-3	MW-75-0922	Total/NA	Water	2320B-2011	
410-99897-4	MW-75DUP-0922	Total/NA	Water	2320B-2011	
410-99897-5	EQR-SA11-0922	Total/NA	Water	2320B-2011	
MB 410-302465/75	Method Blank	Total/NA	Water	2320B-2011	
LCS 410-302465/78	Lab Control Sample	Total/NA	Water	2320B-2011	

### Analysis Batch: 302466

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-99897-1	MW-111-0922	Total/NA	Water	2510B-2011	
410-99897-2	MW-74-0922	Total/NA	Water	2510B-2011	
410-99897-3	MW-75-0922	Total/NA	Water	2510B-2011	
410-99897-4	MW-75DUP-0922	Total/NA	Water	2510B-2011	
410-99897-5	EQR-SA11-0922	Total/NA	Water	2510B-2011	
MB 410-302466/75	Method Blank	Total/NA	Water	2510B-2011	
LCS 410-302466/76	Lab Control Sample	Total/NA	Water	2510B-2011	



# QC Association Summary

Client: Tetra Tech, Inc.  
Project/Site: EastAlco WW

Job ID: 410-99897-1

## General Chemistry

### Analysis Batch: 302467

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-99897-1	MW-111-0922	Total/NA	Water	9040B	
410-99897-2	MW-74-0922	Total/NA	Water	9040B	
410-99897-3	MW-75-0922	Total/NA	Water	9040B	
410-99897-4	MW-75DUP-0922	Total/NA	Water	9040B	
410-99897-5	EQR-SA11-0922	Total/NA	Water	9040B	
LCS 410-302467/77	Lab Control Sample	Total/NA	Water	9040B	

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

# Lab Chronicle

Client: Tetra Tech, Inc.  
Project/Site: EastAlco WW

Job ID: 410-99897-1

**Client Sample ID: MW-111-0922**

**Lab Sample ID: 410-99897-1**

**Date Collected: 09/29/22 09:00**

**Matrix: Water**

**Date Received: 09/29/22 18:53**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	EPA 300.0 R2.1		5	302609	L4QM	ELLE	10/04/22 05:54
Total/NA	Analysis	EPA 300.0 R2.1		5	302227	L4QM	ELLE	10/01/22 13:54
Total/NA	Analysis	EPA 300.0 R2.1		5	302228	L4QM	ELLE	10/01/22 13:54
Total/NA	Analysis	EPA 300.0 R2.1		1	307931	L4QM	ELLE	10/18/22 17:10
Total/NA	Prep	3005A			303577	UAMX	ELLE	10/05/22 19:44
Total/NA	Analysis	6020B		1	305934	UCIG	ELLE	10/12/22 15:25
Total/NA	Prep	3005A			303577	UAMX	ELLE	10/05/22 19:44
Total/NA	Analysis	6020B		1	305815	F7JF	ELLE	10/12/22 11:54
Total/NA	Prep	7470A			303587	UAMX	ELLE	10/05/22 20:59
Total/NA	Analysis	7470A		1	303940	UEFS	ELLE	10/06/22 13:51
Total/NA	Analysis	2130B-2011		1	302041	UDS7	ELLE	10/01/22 06:47
Total/NA	Analysis	2320B-2011		1	302465	DI9Q	ELLE	10/01/22 02:06
Total/NA	Analysis	2510B-2011		1	302466	DI9Q	ELLE	10/01/22 02:06
Total/NA	Analysis	2540C-2011		1	301647	M98K	ELLE	09/30/22 07:33
Total/NA	Analysis	9040B		1	302467	DI9Q	ELLE	10/01/22 02:06

**Client Sample ID: MW-74-0922**

**Lab Sample ID: 410-99897-2**

**Date Collected: 09/29/22 12:45**

**Matrix: Water**

**Date Received: 09/29/22 18:53**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	EPA 300.0 R2.1		5	302227	L4QM	ELLE	10/01/22 14:11
Total/NA	Analysis	EPA 300.0 R2.1		5	302228	L4QM	ELLE	10/01/22 14:11
Total/NA	Analysis	EPA 300.0 R2.1		5	302612	L4QM	ELLE	10/04/22 18:25
Total/NA	Analysis	EPA 300.0 R2.1		1	307931	L4QM	ELLE	10/18/22 17:21
Total/NA	Prep	3005A			303581	UAMX	ELLE	10/05/22 19:52
Total/NA	Analysis	6020B		1	306267	F7JF	ELLE	10/13/22 10:07
Total/NA	Prep	7470A			303587	UAMX	ELLE	10/05/22 20:59
Total/NA	Analysis	7470A		1	303940	UEFS	ELLE	10/06/22 14:10
Total/NA	Analysis	2130B-2011		1	302041	UDS7	ELLE	10/01/22 06:47
Total/NA	Analysis	2320B-2011		1	302465	DI9Q	ELLE	10/01/22 02:12
Total/NA	Analysis	2510B-2011		1	302466	DI9Q	ELLE	10/01/22 02:12
Total/NA	Analysis	2540C-2011		1	301647	M98K	ELLE	09/30/22 07:33
Total/NA	Analysis	9040B		1	302467	DI9Q	ELLE	10/01/22 02:12

**Client Sample ID: MW-75-0922**

**Lab Sample ID: 410-99897-3**

**Date Collected: 09/29/22 10:40**

**Matrix: Water**

**Date Received: 09/29/22 18:53**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	EPA 300.0 R2.1		5	302604	L4QM	ELLE	10/04/22 03:47
Total/NA	Analysis	EPA 300.0 R2.1		10	302604	L4QM	ELLE	10/04/22 03:57
Total/NA	Analysis	EPA 300.0 R2.1		5	302227	L4QM	ELLE	10/01/22 14:28

Eurofins Lancaster Laboratories Environment Testing, LLC

# Lab Chronicle

Client: Tetra Tech, Inc.  
Project/Site: EastAlco WW

Job ID: 410-99897-1

**Client Sample ID: MW-75-0922**

**Lab Sample ID: 410-99897-3**

**Date Collected: 09/29/22 10:40**

**Matrix: Water**

**Date Received: 09/29/22 18:53**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	EPA 300.0 R2.1		1	307931	L4QM	ELLE	10/18/22 17:32
Total/NA	Prep	3005A			303577	UAMX	ELLE	10/05/22 19:44
Total/NA	Analysis	6020B		1	305934	UCIG	ELLE	10/12/22 15:21
Total/NA	Prep	3005A			303577	UAMX	ELLE	10/05/22 19:44
Total/NA	Analysis	6020B		1	305815	F7JF	ELLE	10/12/22 11:18
Total/NA	Prep	7470A			303587	UAMX	ELLE	10/05/22 20:59
Total/NA	Analysis	7470A		1	303940	UEFS	ELLE	10/06/22 14:02
Total/NA	Analysis	2130B-2011		1	302041	UDS7	ELLE	10/01/22 06:47
Total/NA	Analysis	2320B-2011		1	302465	DI9Q	ELLE	10/01/22 02:18
Total/NA	Analysis	2510B-2011		1	302466	DI9Q	ELLE	10/01/22 02:18
Total/NA	Analysis	2540C-2011		1	301647	M98K	ELLE	09/30/22 07:33
Total/NA	Analysis	9040B		1	302467	DI9Q	ELLE	10/01/22 02:18

**Client Sample ID: MW-75DUP-0922**

**Lab Sample ID: 410-99897-4**

**Date Collected: 09/29/22 00:00**

**Matrix: Water**

**Date Received: 09/29/22 18:53**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	EPA 300.0 R2.1		5	302604	L4QM	ELLE	10/04/22 04:07
Total/NA	Analysis	EPA 300.0 R2.1		10	302604	L4QM	ELLE	10/04/22 04:17
Total/NA	Analysis	EPA 300.0 R2.1		5	302227	L4QM	ELLE	10/01/22 15:03
Total/NA	Analysis	EPA 300.0 R2.1		1	307931	L4QM	ELLE	10/18/22 17:43
Total/NA	Prep	3005A			303577	UAMX	ELLE	10/05/22 19:44
Total/NA	Analysis	6020B		1	305934	UCIG	ELLE	10/12/22 15:23
Total/NA	Prep	3005A			303577	UAMX	ELLE	10/05/22 19:44
Total/NA	Analysis	6020B		1	305815	F7JF	ELLE	10/12/22 11:30
Total/NA	Prep	7470A			303587	UAMX	ELLE	10/05/22 20:59
Total/NA	Analysis	7470A		1	303940	UEFS	ELLE	10/06/22 14:04
Total/NA	Analysis	2130B-2011		1	302041	UDS7	ELLE	10/01/22 06:47
Total/NA	Analysis	2320B-2011		1	302465	DI9Q	ELLE	10/01/22 02:24
Total/NA	Analysis	2510B-2011		1	302466	DI9Q	ELLE	10/01/22 02:24
Total/NA	Analysis	2540C-2011		1	301647	M98K	ELLE	09/30/22 07:33
Total/NA	Analysis	9040B		1	302467	DI9Q	ELLE	10/01/22 02:24

**Client Sample ID: EQR-SA11-0922**

**Lab Sample ID: 410-99897-5**

**Date Collected: 09/29/22 00:00**

**Matrix: Water**

**Date Received: 09/29/22 18:53**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	EPA 300.0 R2.1		5	302227	L4QM	ELLE	10/01/22 15:20
Total/NA	Analysis	EPA 300.0 R2.1		5	302228	L4QM	ELLE	10/01/22 15:20
Total/NA	Analysis	EPA 300.0 R2.1		1	309905	L4QM	ELLE	10/24/22 23:21

# Lab Chronicle

Client: Tetra Tech, Inc.  
Project/Site: EastAlco WW

Job ID: 410-99897-1

**Client Sample ID: EQR-SA11-0922**

**Lab Sample ID: 410-99897-5**

**Date Collected: 09/29/22 00:00**

**Matrix: Water**

**Date Received: 09/29/22 18:53**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	3005A			303577	UAMX	ELLE	10/05/22 19:44
Total/NA	Analysis	6020B		1	305934	UCIG	ELLE	10/12/22 15:19
Total/NA	Prep	3005A			303577	UAMX	ELLE	10/05/22 19:44
Total/NA	Analysis	6020B		1	305815	F7JF	ELLE	10/12/22 11:12
Total/NA	Prep	7470A			303587	UAMX	ELLE	10/05/22 20:59
Total/NA	Analysis	7470A		1	303940	UEFS	ELLE	10/06/22 14:25
Total/NA	Analysis	2130B-2011		1	302041	UDS7	ELLE	10/01/22 06:47
Total/NA	Analysis	2320B-2011		1	302465	DI9Q	ELLE	10/01/22 02:30
Total/NA	Analysis	2510B-2011		1	302466	DI9Q	ELLE	10/01/22 02:30
Total/NA	Analysis	2540C-2011		1	301647	M98K	ELLE	09/30/22 07:33
Total/NA	Analysis	9040B		1	302467	DI9Q	ELLE	10/01/22 02:30

**Client Sample ID: SW-D-0922**

**Lab Sample ID: 410-99897-6**

**Date Collected: 09/29/22 14:05**

**Matrix: Water**

**Date Received: 09/29/22 18:53**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	OIA-1677		1	301757	CBM8	ELLE	09/30/22 10:05

**Client Sample ID: SW-E-0922**

**Lab Sample ID: 410-99897-7**

**Date Collected: 09/29/22 13:35**

**Matrix: Water**

**Date Received: 09/29/22 18:53**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	OIA-1677		1	301757	CBM8	ELLE	09/30/22 10:13

**Client Sample ID: SW-I-0922**

**Lab Sample ID: 410-99897-8**

**Date Collected: 09/29/22 13:55**

**Matrix: Water**

**Date Received: 09/29/22 18:53**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	OIA-1677		1	301757	CBM8	ELLE	09/30/22 10:16

**Client Sample ID: TUSCARORA CREEK DUP**

**Lab Sample ID: 410-99897-9**

**Date Collected: 09/29/22 00:00**

**Matrix: Water**

**Date Received: 09/29/22 18:53**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	OIA-1677		1	301757	CBM8	ELLE	09/30/22 10:19

# Lab Chronicle

Client: Tetra Tech, Inc.  
Project/Site: EastAlco WW

Job ID: 410-99897-1

**Client Sample ID: MW-107-0922**

**Lab Sample ID: 410-99897-10**

**Date Collected: 09/29/22 09:29**

**Matrix: Water**

**Date Received: 09/29/22 18:53**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	EPA 300.0 R2.1		5	305447	L4QM	ELLE	10/11/22 20:56

**Client Sample ID: MW-6-0922**

**Lab Sample ID: 410-99897-11**

**Date Collected: 09/29/22 09:42**

**Matrix: Water**

**Date Received: 09/29/22 18:53**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	EPA 300.0 R2.1		5	305447	L4QM	ELLE	10/11/22 21:06

**Client Sample ID: MW-51-0922**

**Lab Sample ID: 410-99897-12**

**Date Collected: 09/29/22 09:01**

**Matrix: Water**

**Date Received: 09/29/22 18:53**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	EPA 300.0 R2.1		5	305447	L4QM	ELLE	10/11/22 21:39

**Laboratory References:**

ELLE = Eurofins Lancaster Laboratories Environment Testing, LLC, 2425 New Holland Pike, Lancaster, PA 17601, TEL (717)656-2300

# Accreditation/Certification Summary

Client: Tetra Tech, Inc.  
 Project/Site: EastAlco WW

Job ID: 410-99897-1

## Laboratory: Eurofins Lancaster Laboratories Environment Testing, LLC

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
Maryland	State	100	06-30-23

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
2130B-2011		Water	Turbidity
2320B-2011		Water	Total Alkalinity as CaCO <sub>3</sub> to pH 4.5
2510B-2011		Water	Specific Conductance
2540C-2011		Water	Total Dissolved Solids
6020B	3005A	Water	Aluminum
6020B	3005A	Water	Arsenic
6020B	3005A	Water	Barium
6020B	3005A	Water	Beryllium
6020B	3005A	Water	Cadmium
6020B	3005A	Water	Chromium
6020B	3005A	Water	Lead
6020B	3005A	Water	Nickel
6020B	3005A	Water	Selenium
6020B	3005A	Water	Sodium
7470A	7470A	Water	Mercury
9040B		Water	pH
EPA 300.0 R2.1		Water	Chloride
EPA 300.0 R2.1		Water	Fluoride
EPA 300.0 R2.1		Water	Sulfate
OIA-1677		Water	Cyanide, Free



# Method Summary

Client: Tetra Tech, Inc.  
Project/Site: EastAlco WW

Job ID: 410-99897-1

Method	Method Description	Protocol	Laboratory
EPA 300.0 R2.1	Anions, Ion Chromatography	EPA	ELLE
6020B	Metals (ICP/MS)	SW846	ELLE
7470A	Mercury (CVAA)	SW846	ELLE
2130B-2011	Turbidity	SM	ELLE
2320B-2011	Alkalinity, Total	SM	ELLE
2510B-2011	Conductivity, Specific Conductance	SM	ELLE
2540C-2011	Solids, Total Dissolved (TDS)	SM	ELLE
9040B	pH	SW846	ELLE
OIA-1677	Cyanide, Free (Flow Injection)	OI CORP	ELLE
3005A	Preparation, Total Recoverable or Dissolved Metals	SW846	ELLE
7470A	Preparation, Mercury	SW846	ELLE

#### Protocol References:

EPA = US Environmental Protection Agency

OI CORP = OI Corporation Instrument Manual.

SM = "Standard Methods For The Examination Of Water And Wastewater"

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

#### Laboratory References:

ELLE = Eurofins Lancaster Laboratories Environment Testing, LLC, 2425 New Holland Pike, Lancaster, PA 17601, TEL (717)656-2300

# Sample Summary

Client: Tetra Tech, Inc.  
Project/Site: EastAlco WW

Job ID: 410-99897-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
410-99897-1	MW-111-0922	Water	09/29/22 09:00	09/29/22 18:53
410-99897-2	MW-74-0922	Water	09/29/22 12:45	09/29/22 18:53
410-99897-3	MW-75-0922	Water	09/29/22 10:40	09/29/22 18:53
410-99897-4	MW-75DUP-0922	Water	09/29/22 00:00	09/29/22 18:53
410-99897-5	EQR-SA11-0922	Water	09/29/22 00:00	09/29/22 18:53
410-99897-6	SW-D-0922	Water	09/29/22 14:05	09/29/22 18:53
410-99897-7	SW-E-0922	Water	09/29/22 13:35	09/29/22 18:53
410-99897-8	SW-I-0922	Water	09/29/22 13:55	09/29/22 18:53
410-99897-9	TUSCARORA CREEK DUP	Water	09/29/22 00:00	09/29/22 18:53
410-99897-10	MW-107-0922	Water	09/29/22 09:29	09/29/22 18:53
410-99897-11	MW-6-0922	Water	09/29/22 09:42	09/29/22 18:53
410-99897-12	MW-51-0922	Water	09/29/22 09:01	09/29/22 18:53





**Eurofins Lancaster Laboratories Environm**

2425 New Holland Pike  
Lancaster, PA 17601  
Phone: 717-656-2300 Fax: 717-656-2681

**Chain of Custody Record**



eurofins  
Environment Testing  
America

<b>Client Information</b>		Sampler: <i>Mullis</i>		Lab PM Gordon, Stephen J		410-99897 Chain of Custody		C No 0-64743-18583 3										
Client Contact Josh Mullis		Phone: <i>410-279-2700</i>		E-Mail Stephen.Gordon@et.eurofinsus.com		<i>M7</i>		Page <i>1</i> of <i>3</i>										
Company Tetra Tech, Inc.		PWSID:		<b>Analysis Requested</b>						Job #								
Address: 20251 Century Blvd Suite 200		Due Date Requested:		<table border="1"> <tr> <td>Field Filtered Sample (Yes or No)</td> <td>300_ORGFM_28D - Fluoride Only</td> <td>300_ORGFM_28D, 300_ORGFMS</td> <td>2320B, 2510B, 2540C, SingleDry, 9040B</td> <td>SM2130B - Turbidity</td> <td>6020B, 7470A</td> <td>1677_Free - Free Cyanide</td> </tr> </table>						Field Filtered Sample (Yes or No)	300_ORGFM_28D - Fluoride Only	300_ORGFM_28D, 300_ORGFMS	2320B, 2510B, 2540C, SingleDry, 9040B	SM2130B - Turbidity	6020B, 7470A	1677_Free - Free Cyanide	Preservation Codes:	
Field Filtered Sample (Yes or No)	300_ORGFM_28D - Fluoride Only	300_ORGFM_28D, 300_ORGFMS	2320B, 2510B, 2540C, SingleDry, 9040B							SM2130B - Turbidity	6020B, 7470A	1677_Free - Free Cyanide						
City Germantown		TAT Requested (days): <i>STANDARD</i>								A - HCL		M - Hexane						
State, Zip MD, 20874		Compliance Project: <input type="checkbox"/> Yes <input type="checkbox"/> No								B - NaOH		N - None						
Phone 412-921-8277(Tel)		PO #: 1188904								C - Zn Acetate		O - AsNaO2						
Email Josh Mullis@tetratech.com		WO #:		D - Nitric Acid		P - Na2O4S												
Project Name EastAlco WW		Project #: 41001054		E - NaHSO4		Q - Na2SO3												
Site:		SSOW#:		F - MeOH		R - Na2S2O3												
				G - Amchlor		S - H2SO4												
				H - Ascorbic Acid		T - TSP Dodecahydrate												
				I - Ice		U - Acetone												
				J - DI Water		V - MCAA												
				K - EDTA		W - pH 4-5												
				L - EDA		Y - Trizma												
						Z - other (specify)												
						Other:												
								Special Instructions/Note:										
<b>Sample Identification</b>		Sample Date		Sample Time		Sample Type (C=comp, G=grab)		Matrix (W=water, S=solid, O=waste/oil, BT=Tissue, A=Air)										
								Preservation Codes: X X N N N N D B S										
MW-111-0922		9/29/22		0900		G		Water										
MW-74-0922		9/29/22		1245		G		Water										
MW-75-0922		9/29/22		1040		G		Water										
MW-75DUP-0922		9/29/22		0000		G		Water										
EQR-SA11-0922		9/29/22		0000				Water										
								Water										
								Water										
<b>Possible Hazard Identification</b>				<b>Sample Disposal ( A fee may be assessed if samples are retained longer than 1 month)</b>														
<input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological				<input type="checkbox"/> Return To Client <input checked="" type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months														
Deliverable Requested: I, II, III, IV, Other (specify)				Special Instructions/QC Requirements:														
Empty Kit Relinquished by:		Date:		Time:		Method of Shipment:												
Relinquished by: <i>[Signature]</i>		Date/Time: <i>9/29/22</i>		Company: <i>TH</i>		Received by: <i>[Signature]</i>		Date/Time: <i>9/29/22 1505</i>										
Relinquished by: <i>[Signature]</i>		Date/Time: <i>9/29/22 1830</i>		Company:		Received by:		Date/Time:										
Relinquished by:		Date/Time:		Company:		Received by:		Date/Time: <i>9-29-22 1853</i>										
Custody Seals Intact: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		Custody Seal No.:		Cooler Temperature(s) °C and Other Remarks: <i>4.1</i>														

( )

**Chain of Custody Record**

<b>Client Information</b>		Sampler: <i>Mullis/Musser</i>		Lab PM: Gordon, Stephen J		Camer Tracking No(s)		COC No: 410-64743-18583 4		
Client Contact: Josh Mullis		Phone: <i>410-279-2700</i>		E-Mail: Stephen.Gordon@et.eurofinsus.com		State of Origin: <i>PA</i>		Page: <i>4 of 2 of 3</i>		
Company: Tetra Tech, Inc.				PWSID		<b>Analysis Requested</b>				
Address: 20251 Century Blvd Suite 200		Due Date Requested:		T NO 300_ORGFM_28D - Flouride Only 300_ORGFM_28D, 300_ORGFMS 2320B, 2510B, 2540C, SingleDry, 9040B SM2130B - Turbidity 6020B, 7470A 1877_Free - Free Cyanide		Job #		<b>Preservation Codes:</b> A - HCL                      M - Hexane B - NaOH                    N - None C - Zn Acetate            O - AsNaO2 D - Nitric Acid            P - Na2O4S E - NaHSO4                Q - Na2SO3 F - MeOH                    R - Na2S2O3 G - Amchlor                S - H2SO4 H - Ascorbic Acid        T - TSP Dodecahydrate I - Ice                         U - Acetone J - DI Water                V - MCAA K - EDTA                    W - pH 4-5 L - EDA                      Y - Trnzma Z - other (specify)		
City: Germantown		TAT Requested (days): <i>Standard</i>								
State, Zip: MD, 20874		Compliance Project: <input type="checkbox"/> Yes <input type="checkbox"/> No								
Phone: 412-921-8277(Tel)		PO #: 1188904								
Email: Josh.Mullis@tetratech.com		WO #:		Project #: 41001054		SSOW#:		<b>Special Instructions/Note:</b>		
Project Name: EastAlco WW		Site:								
<b>Sample Identification</b>		Sample Date	Sample Time	Sample Type (C=comp, G=grab)	Matrix (W=water, S=solid, O=metal/oil, BT=Tissue, A=Air)	Preservation Code				
<i>D SW-D-0922</i>		<i>9/29/22</i>	<i>1405</i>	<i>G</i>	<i>Water</i>	<i>K</i>				
<i>E SW-G-0922</i>		<i>↓</i>	<i>1335</i>	<i>↓</i>	<i>Water</i>	<i>K</i>				
<i>T SW-I-0922</i>		<i>↓</i>	<i>1355</i>	<i>↓</i>	<i>Water</i>	<i>K</i>				
TUSCARORA CREEK DUP		<i>↓</i>	<i>0000</i>	<i>↓</i>	<i>Water</i>	<i>K</i>				
					<i>Water</i>					
<b>Possible Hazard Identification</b>						<b>Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)</b>				
<input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological						<input type="checkbox"/> Return To Client <input checked="" type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months				
Deliverable Requested I, II, III, IV, Other (specify)						Special Instructions/QC Requirements:				
Empty Kit Relinquished by:		Date:		Time:		Method of Shipment:				
Relinquished by: <i>[Signature]</i>		Date/Time: <i>9/29/22</i>		Company: <i>TH</i>		Received by: <i>[Signature]</i>		Date/Time: <i>9/29/22 1505</i>		Company:
Relinquished by: <i>[Signature]</i>		Date/Time: <i>9/29/22 1830</i>		Company:		Received by:		Date/Time:		Company:
Relinquished by: _____		Date/Time: _____		Company:		Received by: _____		Date/Time: <i>9/29/22 1853</i>		Company: <i>ELC</i>
Custody Seals Intact: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		Custody Seal No.:		Cooler Temperature(s) °C and Other Remarks: <i>4.1</i>						

*CD*



# Chain of Custody Record

<b>Client Information</b>		Sampler: <i>Mullis/Muller</i>		Lab PM: Gordon, Stephen J		Carrier Tracking No(s)		COC No: 410-64743-18583 1	
Client Contact: Josh Mullis		Phone: 410-279-2700		E-Mail: Stephen.Gordon@et.eurofinsus.com		State of Origin: MD		Page: 4 of 4 <i>3 of 3</i>	
Company: Tetra Tech, Inc.				PWSID		<b>Analysis Requested</b>			
Address: 20251 Century Blvd Suite 200		Due Date Requested:		Filtration Method (Y/N) 300_ORGFM_28D - Fluoride Only 300_ORGFM_28D, 300_ORGFMS 2320B, 2510B, 2540C - Single Dry, 9040B SM2130B - Turbidity 6020B, 7470A 1677_Free - Free Cyanide		Total Number of Containers		Job #:	
City: Germantown		TAT Requested (days): <i>Standard</i>						Preservation Codes:	
State, Zip: MD, 20874		Compliance Project: <input type="checkbox"/> Yes <input type="checkbox"/> No						A - HCL M - Hexane B - NaOH N - None C - Zn Acetate O - AsNaO2 D - Nitric Acid P - Na2O4S E - NaHSO4 Q - Na2SO3 F - MeOH R - Na2S2O3 G - Amchlor S - H2SO4 H - Ascorbic Acid T - TSP Dodecahydrate I - Ice U - Acetone J - DI Water V - MCAA K - EDTA W - pH 4-5 L - EDA Y - Trizma Z - other (specify)	
Phone: 412-921-8277(Tel)		PO #: 1188904						Other:	
Email: Josh.Mullis@tetratech.com		WO #:		Project Name: EastAlco WW		Project #: 41001054		Site: S50W#:	
Sample Identification		Sample Date	Sample Time	Sample Type (C=comp, G=grab)	MATRIX (W=water, S=solid, O=waste/oil, BT=Tissue, A=Air)	Preservation Code	Special Instructions/Note:		
MW-13	<i>MW-107-0922</i>	<i>9/29/22</i>	<i>0929</i>	<i>6</i>	Water	<i>K</i>			
RW-29	<i>MW-6-0922</i>	<i>↓</i>	<i>0942</i>	<i>6</i>	Water	<i>K</i>			
RW-29 DUP	<i>MW-51-0922</i>	<i>↓</i>	<i>0901</i>	<i>6</i>	Water	<i>K</i>			
MW-45					Water				
MW-51					Water				
MW-52					Water				
MW-56					Water				
MW-60					Water				
MW-62					Water				
MW-72					Water				
MW-103					Water				
<b>Possible Hazard Identification</b>					<b>Sample Disposal ( A fee may be assessed if samples are retained longer than 1 month)</b>				
<input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological					<input type="checkbox"/> Return To Client <input checked="" type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months				
Deliverable Requested: I, II, III, IV, Other (specify)					Special Instructions/QC Requirements:				
Empty Kit Relinquished by:		Date:		Time:		Method of Shipment:			
Relinquished by: <i>[Signature]</i>		Date/Time: <i>9/29/22</i>		Company:		Received by: <i>[Signature]</i>		Date/Time: <i>9/29/22 1505</i>	
Relinquished by: <i>[Signature]</i>		Date/Time: <i>9/29/22 1830</i>		Company:		Received by:		Date/Time:	
Relinquished by:		Date/Time:		Company:		Received by: <i>[Signature]</i>		Date/Time: <i>9-29-22 1855</i>	
Custody Seals Intact: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		Custody Seal No.:		Cooler Temperature(s)°C and Other Remarks: <i>4-1</i>					

*JM*

*(7)*



# Login Sample Receipt Checklist

Client: Tetra Tech, Inc.

Job Number: 410-99897-1

**Login Number: 99897**

**List Source: Eurofins Lancaster Laboratories Environment Testing, LLC**

**List Number: 1**

**Creator: Jeremiah, Cory T**

<b>Question</b>	<b>Answer</b>	<b>Comment</b>
The cooler's custody seal is intact.	N/A	Not present.
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable ( $\leq 6^{\circ}\text{C}$ , not frozen).	True	
Cooler Temperature is recorded.	True	
WV: Container Temperature is acceptable ( $\leq 6^{\circ}\text{C}$ , not frozen).	N/A	
WV: Container Temperature is recorded.	N/A	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the containers received and the COC.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
There is sufficient vol. for all requested analyses.	True	
Is the Field Sampler's name present on COC?	True	
Sample custody seals are intact.	N/A	Not present.
VOA sample vials do not have headspace $> 6\text{mm}$ in diameter (none, if from WV)?	N/A	

## APPENDIX B

### HISTORICAL GROUNDWATER ANALYTICAL DATA

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

Well ID	Date	Parameter	Result	Qualifier	Result Units
MW-063	11/9/1993	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-063	11/9/1993	ALKALINITY	160		MG/L
MW-063	11/9/1993	BICARBONATE ALKALINITY	160		MG/L
MW-063	11/9/1993	CALCIUM	71		MG/L
MW-063	11/9/1993	CARBONATE ALKALINITY	1	U	MG/L
MW-063	11/9/1993	CHLORIDE	25		MG/L
MW-063	11/9/1993	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-063	11/9/1993	CYANIDE	9.42	U	MG/L
MW-063	11/9/1993	FLUORIDE	0.15		MG/L
MW-063	11/9/1993	FREE CYANIDE	0.0081	U	MG/L
MW-063	11/9/1993	IRON	3.1		MG/L
MW-063	11/9/1993	SULFATE	26		MG/L
MW-063	11/9/1993	TETRACHLOROETHENE	0.001	U	MG/L
MW-063	11/9/1993	TOTAL DISSOLVED SOLIDS	280		MG/L
MW-063	11/9/1993	TRICHLOROETHENE	0.001	U	MG/L
MW-063	11/9/1993	VINYL CHLORIDE	0.001	U	MG/L
MW-063	3/17/1994	CYANIDE	8.94	U	MG/L
MW-063	3/17/1994	FLUORIDE	0.19		MG/L
MW-063	3/17/1994	FREE CYANIDE	0.0085	U	MG/L
MW-063	7/19/1994	CYANIDE	9.01	U	MG/L
MW-063	7/22/1994	ALKALINITY	39		MG/L
MW-063	7/22/1994	BICARBONATE ALKALINITY	39		MG/L
MW-063	7/22/1994	CALCIUM	78.6		MG/L
MW-063	7/22/1994	CARBONATE ALKALINITY	0.00	U	MG/L
MW-063	7/22/1994	CHLORIDE	19.8		MG/L
MW-063	7/22/1994	FLUORIDE	0.14		MG/L
MW-063	7/22/1994	IRON	0.10		MG/L
MW-063	7/22/1994	SULFATE	20.2		MG/L
MW-063	7/22/1994	TOTAL DISSOLVED SOLIDS	242		MG/L
MW-063	7/29/1994	FREE CYANIDE	0.0075	U	MG/L
MW-063	1/23/1995	CYANIDE	10.4	U	MG/L
MW-063	1/23/1995	FLUORIDE	0.10		MG/L
MW-063	1/23/1995	FREE CYANIDE	0.0087	U	MG/L
MW-063	7/18/1995	ALKALINITY	380		MG/L
MW-063	7/18/1995	BICARBONATE ALKALINITY	380		MG/L
MW-063	7/18/1995	CALCIUM	124		MG/L
MW-063	7/18/1995	CARBONATE ALKALINITY	0.00	U	MG/L
MW-063	7/18/1995	CHLORIDE	25.5		MG/L
MW-063	7/18/1995	CYANIDE	9.86	U	MG/L
MW-063	7/18/1995	FLUORIDE	0.56		MG/L
MW-063	7/18/1995	IRON	132		MG/L
MW-063	7/18/1995	SULFATE	29.9		MG/L
MW-063	7/18/1995	TOTAL DISSOLVED SOLIDS	273		MG/L
MW-063	7/31/1995	FREE CYANIDE	0.0077	U	MG/L
MW-063	1/23/1996	CYANIDE	11	U	MG/L
MW-063	1/23/1996	FLUORIDE	0.13		MG/L
MW-063	1/23/1996	FREE CYANIDE	0.0081	U	MG/L
MW-063	7/2/1996	ALKALINITY	88.4		MG/L
MW-063	7/2/1996	BICARBONATE ALKALINITY	88.4		MG/L
MW-063	7/2/1996	CALCIUM	54		MG/L
MW-063	7/2/1996	CARBONATE ALKALINITY	0.00	U	MG/L
MW-063	7/2/1996	CHLORIDE	20		MG/L
MW-063	7/2/1996	CYANIDE	9.32	U	MG/L
MW-063	7/2/1996	FLUORIDE	0.17		MG/L
MW-063	7/2/1996	FLUORINE	0.10		MG/L
MW-063	7/2/1996	FREE CYANIDE	0.0083	U	MG/L
MW-063	7/2/1996	IRON	2.3		MG/L
MW-063	7/2/1996	SODIUM	3.1		MG/L
MW-063	7/2/1996	SULFATE	18.5		MG/L
MW-063	7/2/1996	TOTAL DISSOLVED SOLIDS	254		MG/L
MW-063	1/28/1997	CYANIDE	6.18	U	MG/L
MW-063	1/28/1997	FLUORIDE	0.12		MG/L
MW-063	1/28/1997	FLUORINE	0.20		MG/L
MW-063	1/28/1997	FREE CYANIDE	0.008	U	MG/L
MW-063	1/28/1997	SODIUM	2.7		MG/L
MW-063	7/8/1997	ALKALINITY	150		MG/L
MW-063	7/8/1997	BICARBONATE ALKALINITY	150		MG/L
MW-063	7/8/1997	CALCIUM	97		MG/L
MW-063	7/8/1997	CARBONATE ALKALINITY	1	U	MG/L
MW-063	7/8/1997	CHLORIDE	18		MG/L
MW-063	7/8/1997	CYANIDE	6.18	U	MG/L
MW-063	7/8/1997	FLUORIDE	0.30		MG/L
MW-063	7/8/1997	FLUORINE	0.20		MG/L
MW-063	7/8/1997	FREE CYANIDE	0.008	U	MG/L
MW-063	7/8/1997	IRON	9.7		MG/L
MW-063	7/8/1997	SODIUM	5		MG/L
MW-063	7/8/1997	SULFATE	26		MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-063	7/8/1997	TOTAL DISSOLVED SOLIDS	306		MG/L
MW-063	1/26/1998	CYANIDE	0.001		MG/L
MW-063	1/26/1998	FLUORIDE	0.10		MG/L
MW-063	1/26/1998	FLUORINE	0.10		MG/L
MW-063	1/26/1998	FREE CYANIDE	0.00823	U	MG/L
MW-063	1/26/1998	SODIUM	2.8		MG/L
MW-063	7/1/1998	ALKALINITY	118		MG/L
MW-063	7/1/1998	BICARBONATE ALKALINITY	118		MG/L
MW-063	7/1/1998	CALCIUM	61		MG/L
MW-063	7/1/1998	CARBONATE ALKALINITY	4.75	U	MG/L
MW-063	7/1/1998	CHLORIDE	17		MG/L
MW-063	7/1/1998	CYANIDE	10.98	U	MG/L
MW-063	7/1/1998	FLUORIDE	0.19		MG/L
MW-063	7/1/1998	FREE CYANIDE	0.00823	U	MG/L
MW-063	7/1/1998	IRON	0.10	U	MG/L
MW-063	7/1/1998	SILICON DIOXIDE	8		MG/L
MW-063	7/1/1998	SODIUM	3		MG/L
MW-063	7/1/1998	SULFATE	25		MG/L
MW-063	7/1/1998	TOTAL DISSOLVED SOLIDS	256		MG/L
MW-063	1/13/1999	CYANIDE	10.98	U	MG/L
MW-063	1/13/1999	FLUORIDE	0.10	U	MG/L
MW-063	1/13/1999	FREE CYANIDE	0.0134	U	MG/L
MW-063	7/6/1999	ALKALINITY	170		MG/L
MW-063	7/6/1999	BICARBONATE ALKALINITY	170		MG/L
MW-063	7/6/1999	CARBONATE ALKALINITY	4	U	MG/L
MW-063	7/6/1999	FREE CYANIDE	0.0134	U	MG/L
MW-063	7/7/1999	CALCIUM	110		MG/L
MW-063	7/7/1999	CHLORIDE	21		MG/L
MW-063	7/7/1999	CYANIDE	0.002		MG/L
MW-063	7/7/1999	FLUORIDE	0.27		MG/L
MW-063	7/7/1999	IRON	87		MG/L
MW-063	7/7/1999	SULFATE	37		MG/L
MW-063	7/7/1999	TOTAL DISSOLVED SOLIDS	330		MG/L
MW-063	1/28/2000	CYANIDE	0.001	U	MG/L
MW-063	1/28/2000	FLUORIDE	0.15		MG/L
MW-063	1/28/2000	FREE CYANIDE	0.004		MG/L
MW-063	7/18/2000	ALKALINITY	48		MG/L
MW-063	7/18/2000	BICARBONATE ALKALINITY	48		MG/L
MW-063	7/18/2000	CALCIUM	44		MG/L
MW-063	7/18/2000	CARBONATE ALKALINITY	1	U	MG/L
MW-063	7/18/2000	CHLORIDE	19		MG/L
MW-063	7/18/2000	CYANIDE	0.001	U	MG/L
MW-063	7/18/2000	FLUORIDE	0.15		MG/L
MW-063	7/18/2000	FREE CYANIDE	0.004		MG/L
MW-063	7/18/2000	IRON	0.30		MG/L
MW-063	7/18/2000	SULFATE	22		MG/L
MW-063	7/18/2000	TOTAL DISSOLVED SOLIDS	210		MG/L
MW-063	1/26/2001	CYANIDE	0.001	U	MG/L
MW-063	1/26/2001	FLUORIDE	0.12		MG/L
MW-063	1/26/2001	FREE CYANIDE	0.0026	U	MG/L
MW-063	7/31/2001	ALKALINITY	119		MG/L
MW-063	7/31/2001	BICARBONATE ALKALINITY	119		MG/L
MW-063	7/31/2001	CALCIUM	72.5		MG/L
MW-063	7/31/2001	CARBONATE ALKALINITY	5	U	MG/L
MW-063	7/31/2001	CHLORIDE	20.7		MG/L
MW-063	7/31/2001	CYANIDE	0.001	U	MG/L
MW-063	7/31/2001	FLUORIDE	0.33		MG/L
MW-063	7/31/2001	FREE CYANIDE	0.004		MG/L
MW-063	7/31/2001	IRON	26		MG/L
MW-063	7/31/2001	SULFATE	20	U	MG/L
MW-063	7/31/2001	TOTAL DISSOLVED SOLIDS	312		MG/L
MW-063	1/28/2002	CYANIDE	0.01	U	MG/L
MW-063	1/28/2002	FLUORIDE	0.10	U	MG/L
MW-063	1/28/2002	FREE CYANIDE	0.01		MG/L
MW-063	7/30/2002	ALKALINITY	130		MG/L
MW-063	7/30/2002	BICARBONATE ALKALINITY	130		MG/L
MW-063	7/30/2002	CALCIUM	63		MG/L
MW-063	7/30/2002	CARBONATE ALKALINITY	2	U	MG/L
MW-063	7/30/2002	CHLORIDE	26		MG/L
MW-063	7/30/2002	CYANIDE	0.0025		MG/L
MW-063	7/30/2002	FLUORIDE	0.20		MG/L
MW-063	7/30/2002	FREE CYANIDE	0.0022		MG/L
MW-063	7/30/2002	IRON	10		MG/L
MW-063	7/30/2002	SULFATE	27		MG/L
MW-063	7/30/2002	TOTAL DISSOLVED SOLIDS	350		MG/L
MW-063	1/30/2003	CYANIDE	0.0048		MG/L
MW-063	1/30/2003	FLUORIDE	0.29		MG/L
MW-063	1/30/2003	FREE CYANIDE	0.005		MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-063	7/21/2003	ALKALINITY	60		MG/L
MW-063	7/21/2003	BICARBONATE ALKALINITY	60		MG/L
MW-063	7/21/2003	CALCIUM	36		MG/L
MW-063	7/21/2003	CARBONATE ALKALINITY	1	U	MG/L
MW-063	7/21/2003	CHLORIDE	18		MG/L
MW-063	7/21/2003	CYANIDE	0.0056		MG/L
MW-063	7/21/2003	FLUORIDE	0.16		MG/L
MW-063	7/21/2003	FREE CYANIDE	0.005		MG/L
MW-063	7/21/2003	IRON	1.6		MG/L
MW-063	7/21/2003	SULFATE	34		MG/L
MW-063	7/21/2003	TOTAL DISSOLVED SOLIDS	180		MG/L
MW-063	1/28/2004	CYANIDE	0.0042		MG/L
MW-063	1/28/2004	FLUORIDE	0.11		MG/L
MW-063	1/28/2004	FREE CYANIDE	0.003		MG/L
MW-063	7/28/2004	ALKALINITY	190		MG/L
MW-063	7/28/2004	BICARBONATE ALKALINITY	190		MG/L
MW-063	7/28/2004	CALCIUM	110		MG/L
MW-063	7/28/2004	CARBONATE ALKALINITY	2	U	MG/L
MW-063	7/28/2004	CHLORIDE	15		MG/L
MW-063	7/28/2004	CYANIDE	0.0079		MG/L
MW-063	7/28/2004	FLUORIDE	0.33		MG/L
MW-063	7/28/2004	FREE CYANIDE	0.009		MG/L
MW-063	7/28/2004	IRON	73		MG/L
MW-063	7/28/2004	SULFATE	34		MG/L
MW-063	7/28/2004	TOTAL DISSOLVED SOLIDS	260		MG/L
MW-063	9/27/2004	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-063	9/27/2004	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-063	9/27/2004	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-063	9/27/2004	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-063	9/27/2004	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-063	9/27/2004	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-063	9/27/2004	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-063	9/27/2004	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-063	9/27/2004	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-063	9/27/2004	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-063	9/27/2004	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-063	9/27/2004	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-063	9/27/2004	1,4-DICHLOROBENZENE	0.0012		MG/L
MW-063	9/27/2004	2-BUTANONE	0.005	U	MG/L
MW-063	9/27/2004	2-HEXANONE	0.005	U	MG/L
MW-063	9/27/2004	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-063	9/27/2004	ACETONE	0.11		MG/L
MW-063	9/27/2004	ACRYLONITRILE	0.005	U	MG/L
MW-063	9/27/2004	AMMONIA	0.13		MG/L
MW-063	9/27/2004	ANTIMONY	0.0025		MG/L
MW-063	9/27/2004	ARSENIC	0.005		MG/L
MW-063	9/27/2004	BARIIUM	0.18		MG/L
MW-063	9/27/2004	BENZENE	0.0042		MG/L
MW-063	9/27/2004	BERYLLIUM	0.002		MG/L
MW-063	9/27/2004	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-063	9/27/2004	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-063	9/27/2004	BROMOFORM	0.001	U	MG/L
MW-063	9/27/2004	BROMOMETHANE	0.001	U	MG/L
MW-063	9/27/2004	CADMIUM	0.003		MG/L
MW-063	9/27/2004	CARBON DISULFIDE	0.001	U	MG/L
MW-063	9/27/2004	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-063	9/27/2004	CHEMICAL OXYGEN DEMAND	50		MG/L
MW-063	9/27/2004	CHLOROBENZENE	0.001	U	MG/L
MW-063	9/27/2004	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-063	9/27/2004	CHLOROETHANE	0.001	U	MG/L
MW-063	9/27/2004	CHLOROFORM	0.001	U	MG/L
MW-063	9/27/2004	CHLOROMETHANE	0.001	U	MG/L
MW-063	9/27/2004	CHROMIUM	0.26		MG/L
MW-063	9/27/2004	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-063	9/27/2004	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-063	9/27/2004	COBALT	0.054		MG/L
MW-063	9/27/2004	COPPER	0.24		MG/L
MW-063	9/27/2004	DIBROMOMETHANE	0.001	U	MG/L
MW-063	9/27/2004	ETHYLBENZENE	0.001	U	MG/L
MW-063	9/27/2004	GALLIUM	0.03		MG/L
MW-063	9/27/2004	HARDNESS	410		MG/L
MW-063	9/27/2004	IRON	36		MG/L
MW-063	9/27/2004	LEAD	0.018		MG/L
MW-063	9/27/2004	M+P-XYLENES	0.001	U	MG/L
MW-063	9/27/2004	MANGANESE	1.9		MG/L
MW-063	9/27/2004	MERCURY	0.0002	U	MG/L
MW-063	9/27/2004	METHYL IODIDE	0.001	U	MG/L
MW-063	9/27/2004	METHYLENE CHLORIDE	0.001	U	MG/L



Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-063	9/27/2004	NICKEL	0.40		MG/L
MW-063	9/27/2004	NITRATE	5.1		MG/L
MW-063	9/27/2004	NITRITE	0.012		MG/L
MW-063	9/27/2004	O-XYLENE	0.001	U	MG/L
MW-063	9/27/2004	SELENIUM	0.005	U	MG/L
MW-063	9/27/2004	SILVER	0.66		MG/L
MW-063	9/27/2004	SODIUM	3.7		MG/L
MW-063	9/27/2004	STYRENE	0.001	U	MG/L
MW-063	9/27/2004	TETRACHLOROETHENE	0.001	U	MG/L
MW-063	9/27/2004	THALLIUM	0.0089		MG/L
MW-063	9/27/2004	TOTAL XYLENES	0.001	U	MG/L
MW-063	9/27/2004	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-063	9/27/2004	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-063	9/27/2004	TRANS-1,4-DICHLORO-2-BUTENE	0.005	U	MG/L
MW-063	9/27/2004	TRICHLOROETHENE	0.001	U	MG/L
MW-063	9/27/2004	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-063	9/27/2004	TURBIDITY	1400		NTU
MW-063	9/27/2004	VANADIUM	0.053		MG/L
MW-063	9/27/2004	VINYL ACETATE	0.001	U	MG/L
MW-063	9/27/2004	VINYL CHLORIDE	0.001	U	MG/L
MW-063	9/27/2004	ZINC	0.42		MG/L
MW-063	1/5/2005	CHROMIUM	0.019		MG/L
MW-063	1/5/2005	THALLIUM	0.002	U	MG/L
MW-063	3/17/2005	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-063	3/17/2005	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-063	3/17/2005	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-063	3/17/2005	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-063	3/17/2005	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-063	3/17/2005	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-063	3/17/2005	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-063	3/17/2005	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-063	3/17/2005	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-063	3/17/2005	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-063	3/17/2005	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-063	3/17/2005	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-063	3/17/2005	1,4-DICHLOROBENZENE	0.0018		MG/L
MW-063	3/17/2005	2-BUTANONE	0.005	U	MG/L
MW-063	3/17/2005	2-HEXANONE	0.005	U	MG/L
MW-063	3/17/2005	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-063	3/17/2005	ACETONE	0.012		MG/L
MW-063	3/17/2005	ACRYLONITRILE	0.005	U	MG/L
MW-063	3/17/2005	ALKALINITY	65		MG/L
MW-063	3/17/2005	AMMONIA	1	U	MG/L
MW-063	3/17/2005	ANTIMONY	0.002	U	MG/L
MW-063	3/17/2005	ARSENIC	0.0028		MG/L
MW-063	3/17/2005	BARIUM	0.005	U	MG/L
MW-063	3/17/2005	BENZENE	0.001	U	MG/L
MW-063	3/17/2005	BERYLLIUM	0.002	U	MG/L
MW-063	3/17/2005	BICARBONATE ALKALINITY	65		MG/L
MW-063	3/17/2005	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-063	3/17/2005	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-063	3/17/2005	BROMOFORM	0.001	U	MG/L
MW-063	3/17/2005	BROMOMETHANE	0.001	U	MG/L
MW-063	3/17/2005	CADMIUM	0.0005	U	MG/L
MW-063	3/17/2005	CALCIUM	0.77		MG/L
MW-063	3/17/2005	CARBON DISULFIDE	0.001	U	MG/L
MW-063	3/17/2005	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-063	3/17/2005	CARBONATE ALKALINITY	2	U	MG/L
MW-063	3/17/2005	CHEMICAL OXYGEN DEMAND	15		MG/L
MW-063	3/17/2005	CHLORIDE	7.5		MG/L
MW-063	3/17/2005	CHLOROETHENE	0.001	U	MG/L
MW-063	3/17/2005	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-063	3/17/2005	CHLOROETHANE	0.001	U	MG/L
MW-063	3/17/2005	CHLOROFORM	0.00061		MG/L
MW-063	3/17/2005	CHLOROMETHANE	0.001	U	MG/L
MW-063	3/17/2005	CHROMIUM	0.0088		MG/L
MW-063	3/17/2005	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-063	3/17/2005	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-063	3/17/2005	COBALT	0.005	U	MG/L
MW-063	3/17/2005	COPPER	0.002	U	MG/L
MW-063	3/17/2005	CYANIDE	0.0015		MG/L
MW-063	3/17/2005	DIBROMOMETHANE	0.001	U	MG/L
MW-063	3/17/2005	ETHYLBENZENE	0.001	U	MG/L
MW-063	3/17/2005	FLUORIDE	0.19		MG/L
MW-063	3/17/2005	FREE CYANIDE	0.0016		MG/L
MW-063	3/17/2005	GALLIUM	0.05	U	MG/L
MW-063	3/17/2005	HARDNESS	2.8		MG/L
MW-063	3/17/2005	IRON	0.17		MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-063	3/17/2005	LEAD	0.002	U	MG/L
MW-063	3/17/2005	M+P-XYLENES	0.001	U	MG/L
MW-063	3/17/2005	MAGNESIUM	0.21		MG/L
MW-063	3/17/2005	MANGANESE	0.0072		MG/L
MW-063	3/17/2005	MERCURY	0.0002	U	MG/L
MW-063	3/17/2005	METHYL IODIDE	0.001	U	MG/L
MW-063	3/17/2005	METHYLENE CHLORIDE	0.001	U	MG/L
MW-063	3/17/2005	NICKEL	0.005	U	MG/L
MW-063	3/17/2005	NITRATE	8.7		MG/L
MW-063	3/17/2005	O-XYLENE	0.001	U	MG/L
MW-063	3/17/2005	SELENIUM	0.005	U	MG/L
MW-063	3/17/2005	SILVER	0.001	U	MG/L
MW-063	3/17/2005	SODIUM	0.10		MG/L
MW-063	3/17/2005	STYRENE	0.001	U	MG/L
MW-063	3/17/2005	SULFATE	31		MG/L
MW-063	3/17/2005	TETRACHLOROETHENE	0.001	U	MG/L
MW-063	3/17/2005	THALLIUM	0.002	U	MG/L
MW-063	3/17/2005	TOLUENE	0.001	U	MG/L
MW-063	3/17/2005	TOTAL DISSOLVED SOLIDS	190		MG/L
MW-063	3/17/2005	TOTAL XYLENES	0.001	U	MG/L
MW-063	3/17/2005	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-063	3/17/2005	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-063	3/17/2005	TRANS-1,4-DICHLORO-2-BUTENE	0.005	U	MG/L
MW-063	3/17/2005	TRICHLOROETHENE	0.001	U	MG/L
MW-063	3/17/2005	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-063	3/17/2005	TURBIDITY	92		NTU
MW-063	3/17/2005	VANADIUM	0.005	U	MG/L
MW-063	3/17/2005	VINYL ACETATE	0.001	U	MG/L
MW-063	3/17/2005	VINYL CHLORIDE	0.001	U	MG/L
MW-063	3/17/2005	ZINC	0.01	U	MG/L
MW-063	6/21/2005	ALKALINITY	72.5		MG/L
MW-063	6/21/2005	CALCIUM	47		MG/L
MW-063	6/21/2005	CHLORIDE	7.2		MG/L
MW-063	6/21/2005	FLUORIDE	0.21		MG/L
MW-063	6/21/2005	FREE CYANIDE	0.01	U	MG/L
MW-063	6/21/2005	MAGNESIUM	13.8		MG/L
MW-063	6/21/2005	NITRATE	45.6		MG/L
MW-063	6/21/2005	NITRITE	0.16		MG/L
MW-063	6/21/2005	POTASSIUM	3.66		MG/L
MW-063	6/21/2005	SODIUM	3.14		MG/L
MW-063	6/21/2005	SULFATE	22.6		MG/L
MW-063	6/21/2005	TOTAL DISSOLVED SOLIDS	211		MG/L
MW-063	6/21/2005	TOTAL SUSPENDED SOLIDS	218		MG/L
MW-063	9/21/2005	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-063	9/21/2005	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-063	9/21/2005	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-063	9/21/2005	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-063	9/21/2005	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-063	9/21/2005	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-063	9/21/2005	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-063	9/21/2005	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-063	9/21/2005	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-063	9/21/2005	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-063	9/21/2005	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-063	9/21/2005	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-063	9/21/2005	1,4-DICHLOROBENZENE	0.001	U	MG/L
MW-063	9/21/2005	2-BUTANONE	0.005	U	MG/L
MW-063	9/21/2005	2-HEXANONE	0.005	U	MG/L
MW-063	9/21/2005	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-063	9/21/2005	ACETONE	0.004		MG/L
MW-063	9/21/2005	ACRYLONITRILE	0.004	U	MG/L
MW-063	9/21/2005	ALKALINITY	140		MG/L
MW-063	9/21/2005	AMMONIA	1	U	MG/L
MW-063	9/21/2005	ANTIMONY	0.001		MG/L
MW-063	9/21/2005	ARSENIC	0.002	U	MG/L
MW-063	9/21/2005	BARIUM	0.046		MG/L
MW-063	9/21/2005	BENZENE	0.001	U	MG/L
MW-063	9/21/2005	BERYLLIUM	0.002	U	MG/L
MW-063	9/21/2005	BICARBONATE ALKALINITY	140		MG/L
MW-063	9/21/2005	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-063	9/21/2005	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-063	9/21/2005	BROMOFORM	0.001	U	MG/L
MW-063	9/21/2005	BROMOMETHANE	0.001	U	MG/L
MW-063	9/21/2005	CADMIUM	0.0005	U	MG/L
MW-063	9/21/2005	CALCIUM	62		MG/L
MW-063	9/21/2005	CARBON DISULFIDE	0.001	U	MG/L
MW-063	9/21/2005	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-063	9/21/2005	CARBONATE ALKALINITY	2	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-063	9/21/2005	CHEMICAL OXYGEN DEMAND	11		MG/L
MW-063	9/21/2005	CHLORIDE	10		MG/L
MW-063	9/21/2005	CHLOROBENZENE	0.001	U	MG/L
MW-063	9/21/2005	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-063	9/21/2005	CHLOROETHANE	0.001	U	MG/L
MW-063	9/21/2005	CHLOROFORM	0.001	U	MG/L
MW-063	9/21/2005	CHLOROMETHANE	0.001	U	MG/L
MW-063	9/21/2005	CHROMIUM	0.014		MG/L
MW-063	9/21/2005	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-063	9/21/2005	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-063	9/21/2005	COBALT	0.004		MG/L
MW-063	9/21/2005	COPPER	0.018		MG/L
MW-063	9/21/2005	CYANIDE	0.001	U	MG/L
MW-063	9/21/2005	DIBROMOMETHANE	0.001	U	MG/L
MW-063	9/21/2005	ETHYLBENZENE	0.001	U	MG/L
MW-063	9/21/2005	FLUORIDE	0.19		MG/L
MW-063	9/21/2005	FREE CYANIDE	0.01	U	MG/L
MW-063	9/21/2005	GALLIUM	0.005	U	MG/L
MW-063	9/21/2005	HARDNESS	220		MG/L
MW-063	9/21/2005	IRON	4.1		MG/L
MW-063	9/21/2005	LEAD	0.001		MG/L
MW-063	9/21/2005	M+P-XYLENES	0.001	U	MG/L
MW-063	9/21/2005	MAGNESIUM	15		MG/L
MW-063	9/21/2005	MANGANESE	0.098		MG/L
MW-063	9/21/2005	MERCURY	0.001	U	MG/L
MW-063	9/21/2005	METHYL IODIDE	0.001	U	MG/L
MW-063	9/21/2005	METHYLENE CHLORIDE	0.0046		MG/L
MW-063	9/21/2005	NICKEL	0.011		MG/L
MW-063	9/21/2005	NITRATE	8.6		MG/L
MW-063	9/21/2005	NITRITE	0.013		MG/L
MW-063	9/21/2005	O-XYLENE	0.001	U	MG/L
MW-063	9/21/2005	SELENIUM	0.01	U	MG/L
MW-063	9/21/2005	SILVER	0.027		MG/L
MW-063	9/21/2005	SODIUM	3.5		MG/L
MW-063	9/21/2005	STYRENE	0.001	U	MG/L
MW-063	9/21/2005	SULFATE	25		MG/L
MW-063	9/21/2005	TETRACHLOROETHENE	0.001	U	MG/L
MW-063	9/21/2005	THALLIUM	0.0038		MG/L
MW-063	9/21/2005	TOLUENE	0.001	U	MG/L
MW-063	9/21/2005	TOTAL DISSOLVED SOLIDS	280		MG/L
MW-063	9/21/2005	TOTAL XYLENES	0.001	U	MG/L
MW-063	9/21/2005	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-063	9/21/2005	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-063	9/21/2005	TRANS-1,4-DICHLORO-2-BUTENE	0.005	U	MG/L
MW-063	9/21/2005	TRICHLOROETHENE	0.001	U	MG/L
MW-063	9/21/2005	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-063	9/21/2005	VANADIUM	0.008		MG/L
MW-063	9/21/2005	VINYL ACETATE	0.005	U	MG/L
MW-063	9/21/2005	VINYL CHLORIDE	0.001	U	MG/L
MW-063	9/21/2005	ZINC	0.12		MG/L
MW-063	11/22/2005	TURBIDITY	50		NTU
MW-063	12/6/2005	THALLIUM	0.001		MG/L
MW-063	3/10/2006	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-063	3/10/2006	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-063	3/10/2006	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-063	3/10/2006	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-063	3/10/2006	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-063	3/10/2006	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-063	3/10/2006	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-063	3/10/2006	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-063	3/10/2006	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-063	3/10/2006	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-063	3/10/2006	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-063	3/10/2006	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-063	3/10/2006	1,4-DICHLOROBENZENE	0.001	U	MG/L
MW-063	3/10/2006	2-BUTANONE	0.005	U	MG/L
MW-063	3/10/2006	2-HEXANONE	0.005	U	MG/L
MW-063	3/10/2006	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-063	3/10/2006	ACETONE	0.005	U	MG/L
MW-063	3/10/2006	ACRYLONITRILE	0.005	U	MG/L
MW-063	3/10/2006	ALKALINITY	72		MG/L
MW-063	3/10/2006	AMMONIA	1	U	MG/L
MW-063	3/10/2006	ANTIMONY	0.002		MG/L
MW-063	3/10/2006	ARSENIC	0.002	U	MG/L
MW-063	3/10/2006	BARIIUM	0.098		MG/L
MW-063	3/10/2006	BENZENE	0.001	U	MG/L
MW-063	3/10/2006	BERYLLIUM	0.001		MG/L
MW-063	3/10/2006	BROMOCHLOROMETHANE	0.001	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-063	3/10/2006	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-063	3/10/2006	BROMOFORM	0.001	U	MG/L
MW-063	3/10/2006	BROMOMETHANE	0.001	U	MG/L
MW-063	3/10/2006	CADMIUM	0.0012		MG/L
MW-063	3/10/2006	CALCIUM	45		MG/L
MW-063	3/10/2006	CARBON DISULFIDE	0.001	U	MG/L
MW-063	3/10/2006	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-063	3/10/2006	CHEMICAL OXYGEN DEMAND	11		MG/L
MW-063	3/10/2006	CHLORIDE	5		MG/L
MW-063	3/10/2006	CHLOROENZENE	0.001	U	MG/L
MW-063	3/10/2006	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-063	3/10/2006	CHLOROETHANE	0.001	U	MG/L
MW-063	3/10/2006	CHLOROFORM	0.001	U	MG/L
MW-063	3/10/2006	CHLOROMETHANE	0.001	U	MG/L
MW-063	3/10/2006	CHROMIUM	0.029		MG/L
MW-063	3/10/2006	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-063	3/10/2006	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-063	3/10/2006	COBALT	0.0094		MG/L
MW-063	3/10/2006	COPPER	0.063		MG/L
MW-063	3/10/2006	CYANIDE	0.001	U	MG/L
MW-063	3/10/2006	DIBROMOMETHANE	0.001	U	MG/L
MW-063	3/10/2006	ETHYLBENZENE	0.001	U	MG/L
MW-063	3/10/2006	FLUORIDE	0.20		MG/L
MW-063	3/10/2006	FREE CYANIDE	0.005	U	MG/L
MW-063	3/10/2006	GALLIUM	0.0061		MG/L
MW-063	3/10/2006	HARDNESS	170		MG/L
MW-063	3/10/2006	IRON	10		MG/L
MW-063	3/10/2006	LEAD	0.0075		MG/L
MW-063	3/10/2006	M+P-XYLENES	0.001	U	MG/L
MW-063	3/10/2006	MAGNESIUM	14		MG/L
MW-063	3/10/2006	MANGANESE	0.54		MG/L
MW-063	3/10/2006	MERCURY	0.0002	U	MG/L
MW-063	3/10/2006	METHYL IODIDE	0.001	U	MG/L
MW-063	3/10/2006	METHYLENE CHLORIDE	0.001	U	MG/L
MW-063	3/10/2006	NICKEL	0.027		MG/L
MW-063	3/10/2006	NITRATE	12		MG/L
MW-063	3/10/2006	O-XYLENE	0.001	U	MG/L
MW-063	3/10/2006	SELENIUM	0.005	U	MG/L
MW-063	3/10/2006	SILVER	0.0072		MG/L
MW-063	3/10/2006	SODIUM	3.6		MG/L
MW-063	3/10/2006	STYRENE	0.001	U	MG/L
MW-063	3/10/2006	SULFATE	45		MG/L
MW-063	3/10/2006	TETRACHLOROETHENE	0.001	U	MG/L
MW-063	3/10/2006	THALLIUM	0.002	U	MG/L
MW-063	3/10/2006	TOLUENE	0.001	U	MG/L
MW-063	3/10/2006	TOTAL DISSOLVED SOLIDS	220		MG/L
MW-063	3/10/2006	TOTAL XYLENES	0.001	U	MG/L
MW-063	3/10/2006	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-063	3/10/2006	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-063	3/10/2006	TRANS-1,4-DICHLORO-2-BUTENE	0.005	U	MG/L
MW-063	3/10/2006	TRICHLOROETHENE	0.001	U	MG/L
MW-063	3/10/2006	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-063	3/10/2006	TURBIDITY	193		NTU
MW-063	3/10/2006	VANADIUM	0.02		MG/L
MW-063	3/10/2006	VINYL ACETATE	0.001	U	MG/L
MW-063	3/10/2006	VINYL CHLORIDE	0.001	U	MG/L
MW-063	3/10/2006	ZINC	0.049		MG/L
MW-063	8/23/2006	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-063	8/23/2006	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-063	8/23/2006	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-063	8/23/2006	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-063	8/23/2006	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-063	8/23/2006	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-063	8/23/2006	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-063	8/23/2006	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-063	8/23/2006	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-063	8/23/2006	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-063	8/23/2006	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-063	8/23/2006	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-063	8/23/2006	1,4-DICHLOROBENZENE	0.0019		MG/L
MW-063	8/23/2006	2-BUTANONE	0.005	U	MG/L
MW-063	8/23/2006	2-HEXANONE	0.005	U	MG/L
MW-063	8/23/2006	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-063	8/23/2006	ACETONE	0.0047		MG/L
MW-063	8/23/2006	ACRYLONITRILE	0.005	U	MG/L
MW-063	8/23/2006	ALKALINITY	200		MG/L
MW-063	8/23/2006	AMMONIA	1	U	MG/L
MW-063	8/23/2006	ANTIMONY	0.002	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-063	8/23/2006	ARSENIC	0.002	U	MG/L
MW-063	8/23/2006	BARIUM	0.24		MG/L
MW-063	8/23/2006	BENZENE	0.001	U	MG/L
MW-063	8/23/2006	BERYLLIUM	0.0024		MG/L
MW-063	8/23/2006	BICARBONATE ALKALINITY	200		MG/L
MW-063	8/23/2006	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-063	8/23/2006	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-063	8/23/2006	BROMOFORM	0.001	U	MG/L
MW-063	8/23/2006	BROMOMETHANE	0.001	U	MG/L
MW-063	8/23/2006	CADMIUM	0.0014		MG/L
MW-063	8/23/2006	CALCIUM	75		MG/L
MW-063	8/23/2006	CARBON DISULFIDE	0.001	U	MG/L
MW-063	8/23/2006	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-063	8/23/2006	CARBONATE ALKALINITY	10	U	MG/L
MW-063	8/23/2006	CHEMICAL OXYGEN DEMAND	10	U	MG/L
MW-063	8/23/2006	CHLORIDE	4.5		MG/L
MW-063	8/23/2006	CHLOROBENZENE	0.001	U	MG/L
MW-063	8/23/2006	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-063	8/23/2006	CHLOROETHANE	0.001	U	MG/L
MW-063	8/23/2006	CHLOROFORM	0.001	U	MG/L
MW-063	8/23/2006	CHLOROMETHANE	0.001	U	MG/L
MW-063	8/23/2006	CHROMIUM	0.11		MG/L
MW-063	8/23/2006	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-063	8/23/2006	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-063	8/23/2006	COBALT	0.035		MG/L
MW-063	8/23/2006	COPPER	0.10		MG/L
MW-063	8/23/2006	CYANIDE	0.0011		MG/L
MW-063	8/23/2006	DIBROMOMETHANE	0.001	U	MG/L
MW-063	8/23/2006	ETHYLBENZENE	0.001	U	MG/L
MW-063	8/23/2006	FLUORIDE	0.23		MG/L
MW-063	8/23/2006	FREE CYANIDE	0.01		MG/L
MW-063	8/23/2006	GALLIUM	0.024		MG/L
MW-063	8/23/2006	HARDNESS	340		MG/L
MW-063	8/23/2006	IRON	47		MG/L
MW-063	8/23/2006	LEAD	0.028		MG/L
MW-063	8/23/2006	M+P-XYLENES	0.001	U	MG/L
MW-063	8/23/2006	MAGNESIUM	37		MG/L
MW-063	8/23/2006	MANGANESE	1.5		MG/L
MW-063	8/23/2006	MERCURY	0.0002	U	MG/L
MW-063	8/23/2006	METHYL IODIDE	0.001	U	MG/L
MW-063	8/23/2006	METHYLENE CHLORIDE	0.0013		MG/L
MW-063	8/23/2006	NICKEL	0.15		MG/L
MW-063	8/23/2006	NITRITE/NITRATE-N	10		MG/L
MW-063	8/23/2006	O-XYLENE	0.001	U	MG/L
MW-063	8/23/2006	SELENIUM	0.005	U	MG/L
MW-063	8/23/2006	SILVER	0.088		MG/L
MW-063	8/23/2006	SODIUM	4.4		MG/L
MW-063	8/23/2006	STYRENE	0.001	U	MG/L
MW-063	8/23/2006	SULFATE	23		MG/L
MW-063	8/23/2006	TETRACHLOROETHENE	0.001	U	MG/L
MW-063	8/23/2006	THALLIUM	0.002	U	MG/L
MW-063	8/23/2006	TOLUENE	0.001	U	MG/L
MW-063	8/23/2006	TOTAL DISSOLVED SOLIDS	230		MG/L
MW-063	8/23/2006	TOTAL XYLENES	0.001	U	MG/L
MW-063	8/23/2006	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-063	8/23/2006	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-063	8/23/2006	TRANS-1,4-DICHLORO-2-BUTENE	0.005	U	MG/L
MW-063	8/23/2006	TRICHLOROETHENE	0.001	U	MG/L
MW-063	8/23/2006	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-063	8/23/2006	TURBIDITY	3200		NTU
MW-063	8/23/2006	VANADIUM	0.069		MG/L
MW-063	8/23/2006	VINYL ACETATE	0.001	U	MG/L
MW-063	8/23/2006	VINYL CHLORIDE	0.001	U	MG/L
MW-063	8/23/2006	ZINC	0.26		MG/L
MW-063	3/13/2007	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-063	3/13/2007	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-063	3/13/2007	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-063	3/13/2007	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-063	3/13/2007	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-063	3/13/2007	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-063	3/13/2007	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-063	3/13/2007	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-063	3/13/2007	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-063	3/13/2007	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-063	3/13/2007	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-063	3/13/2007	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-063	3/13/2007	1,4-DICHLOROBENZENE	0.001	U	MG/L
MW-063	3/13/2007	2-BUTANONE	0.005	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-063	3/13/2007	2-HEXANONE	0.005	U	MG/L
MW-063	3/13/2007	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-063	3/13/2007	ACETONE	0.005	U	MG/L
MW-063	3/13/2007	ACRYLONITRILE	0.005	U	MG/L
MW-063	3/13/2007	ALKALINITY	76		MG/L
MW-063	3/13/2007	AMMONIA	1	U	MG/L
MW-063	3/13/2007	ANTIMONY	0.002	U	MG/L
MW-063	3/13/2007	ARSENIC	0.05	U	MG/L
MW-063	3/13/2007	BARIUM	0.058		MG/L
MW-063	3/13/2007	BENZENE	0.001	U	MG/L
MW-063	3/13/2007	BERYLLIUM	0.002	U	MG/L
MW-063	3/13/2007	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-063	3/13/2007	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-063	3/13/2007	BROMOFORM	0.001	U	MG/L
MW-063	3/13/2007	BROMOMETHANE	0.001	U	MG/L
MW-063	3/13/2007	CADMIUM	0.0004		MG/L
MW-063	3/13/2007	CALCIUM	43		MG/L
MW-063	3/13/2007	CARBON DISULFIDE	0.001	U	MG/L
MW-063	3/13/2007	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-063	3/13/2007	CHEMICAL OXYGEN DEMAND	10	U	MG/L
MW-063	3/13/2007	CHLORIDE	4.5		MG/L
MW-063	3/13/2007	CHLOROENZENE	0.001	U	MG/L
MW-063	3/13/2007	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-063	3/13/2007	CHLOROETHANE	0.001	U	MG/L
MW-063	3/13/2007	CHLOROFORM	0.001	U	MG/L
MW-063	3/13/2007	CHLOROMETHANE	0.001	U	MG/L
MW-063	3/13/2007	CHROMIUM	0.016		MG/L
MW-063	3/13/2007	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-063	3/13/2007	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-063	3/13/2007	COBALT	0.0053		MG/L
MW-063	3/13/2007	COPPER	0.0066		MG/L
MW-063	3/13/2007	CYANIDE	0.001	U	MG/L
MW-063	3/13/2007	DIBROMOMETHANE	0.001	U	MG/L
MW-063	3/13/2007	ETHYLBENZENE	0.001	U	MG/L
MW-063	3/13/2007	FLUORIDE	0.27		MG/L
MW-063	3/13/2007	FREE CYANIDE	0.005	U	MG/L
MW-063	3/13/2007	GALLIUM	0.005	U	MG/L
MW-063	3/13/2007	HARDNESS	160		MG/L
MW-063	3/13/2007	IRON	8.1		MG/L
MW-063	3/13/2007	LEAD	0.0045		MG/L
MW-063	3/13/2007	M+P-XYLENES	0.001	U	MG/L
MW-063	3/13/2007	MAGNESIUM	12		MG/L
MW-063	3/13/2007	MANGANESE	0.30		MG/L
MW-063	3/13/2007	MERCURY	0.0002	U	MG/L
MW-063	3/13/2007	METHYL IODIDE	0.001	U	MG/L
MW-063	3/13/2007	METHYLENE CHLORIDE	0.001	U	MG/L
MW-063	3/13/2007	MOLYBDENUM	0.005	U	MG/L
MW-063	3/13/2007	NICKEL	0.003		MG/L
MW-063	3/13/2007	NITRATE	1.1		MG/L
MW-063	3/13/2007	NITRITE	0.005	U	MG/L
MW-063	3/13/2007	O-XYLENE	0.001	U	MG/L
MW-063	3/13/2007	SELENIUM	0.005	U	MG/L
MW-063	3/13/2007	SILVER	0.0012		MG/L
MW-063	3/13/2007	SODIUM	2.7		MG/L
MW-063	3/13/2007	STYRENE	0.001	U	MG/L
MW-063	3/13/2007	SULFATE	23		MG/L
MW-063	3/13/2007	TETRACHLOROETHENE	0.001	U	MG/L
MW-063	3/13/2007	THALLIUM	0.002	U	MG/L
MW-063	3/13/2007	TOLUENE	0.001	U	MG/L
MW-063	3/13/2007	TOTAL DISSOLVED SOLIDS	170		MG/L
MW-063	3/13/2007	TOTAL XYLENES	0.001	U	MG/L
MW-063	3/13/2007	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-063	3/13/2007	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-063	3/13/2007	TRANS-1,4-DICHLORO-2-BUTENE	0.005	U	MG/L
MW-063	3/13/2007	TRICHLOROETHENE	0.001	U	MG/L
MW-063	3/13/2007	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-063	3/13/2007	TURBIDITY	27		NTU
MW-063	3/13/2007	VANADIUM	0.015		MG/L
MW-063	3/13/2007	VINYL ACETATE	0.001	U	MG/L
MW-063	3/13/2007	VINYL CHLORIDE	0.001	U	MG/L
MW-063	3/13/2007	ZINC	0.019		MG/L
MW-063	9/12/2007	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-063	9/12/2007	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-063	9/12/2007	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-063	9/12/2007	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-063	9/12/2007	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-063	9/12/2007	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-063	9/12/2007	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-063	9/12/2007	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-063	9/12/2007	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-063	9/12/2007	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-063	9/12/2007	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-063	9/12/2007	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-063	9/12/2007	1,4-DICHLOROBENZENE	0.001	U	MG/L
MW-063	9/12/2007	2-BUTANONE	0.005	U	MG/L
MW-063	9/12/2007	2-HEXANONE	0.005	U	MG/L
MW-063	9/12/2007	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-063	9/12/2007	ACETONE	0.005	U	MG/L
MW-063	9/12/2007	ACRYLONITRILE	0.005	U	MG/L
MW-063	9/12/2007	ALKALINITY	180		MG/L
MW-063	9/12/2007	ANTIMONY	0.002	U	MG/L
MW-063	9/12/2007	ARSENIC	0.0096		MG/L
MW-063	9/12/2007	BARIUM	0.34		MG/L
MW-063	9/12/2007	BENZENE	0.001	U	MG/L
MW-063	9/12/2007	BERYLLIUM	0.0036		MG/L
MW-063	9/12/2007	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-063	9/12/2007	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-063	9/12/2007	BROMOFORM	0.001	U	MG/L
MW-063	9/12/2007	BROMOMETHANE	0.001	U	MG/L
MW-063	9/12/2007	CADMIUM	0.0044		MG/L
MW-063	9/12/2007	CALCIUM	110		MG/L
MW-063	9/12/2007	CARBON DISULFIDE	0.001	U	MG/L
MW-063	9/12/2007	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-063	9/12/2007	CHLORIDE	1.5		MG/L
MW-063	9/12/2007	CHLOROBENZENE	0.001	U	MG/L
MW-063	9/12/2007	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-063	9/12/2007	CHLOROETHANE	0.001	U	MG/L
MW-063	9/12/2007	CHLOROFORM	0.001	U	MG/L
MW-063	9/12/2007	CHLOROMETHANE	0.001	U	MG/L
MW-063	9/12/2007	CHROMIUM	0.079		MG/L
MW-063	9/12/2007	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-063	9/12/2007	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-063	9/12/2007	COBALT	0.057		MG/L
MW-063	9/12/2007	COPPER	0.096		MG/L
MW-063	9/12/2007	DIBROMOMETHANE	0.001	U	MG/L
MW-063	9/12/2007	ETHYLBENZENE	0.001	U	MG/L
MW-063	9/12/2007	FLUORIDE	0.19		MG/L
MW-063	9/12/2007	FREE CYANIDE	0.005	U	MG/L
MW-063	9/12/2007	GALLIUM	0.11		MG/L
MW-063	9/12/2007	HARDNESS	520		MG/L
MW-063	9/12/2007	IRON	64		MG/L
MW-063	9/12/2007	LEAD	0.037		MG/L
MW-063	9/12/2007	M+P-XYLENES	0.001	U	MG/L
MW-063	9/12/2007	MAGNESIUM	58		MG/L
MW-063	9/12/2007	MANGANESE	2.6		MG/L
MW-063	9/12/2007	MERCURY	0.0001		MG/L
MW-063	9/12/2007	METHYL IODIDE	0.001	U	MG/L
MW-063	9/12/2007	METHYLENE CHLORIDE	0.001	U	MG/L
MW-063	9/12/2007	NICKEL	0.12		MG/L
MW-063	9/12/2007	NITRATE	9.1		MG/L
MW-063	9/12/2007	NITRITE	0.015		MG/L
MW-063	9/12/2007	O-XYLENE	0.001	U	MG/L
MW-063	9/12/2007	SELENIUM	0.005	U	MG/L
MW-063	9/12/2007	SILVER	0.053		MG/L
MW-063	9/12/2007	SODIUM	4.5		MG/L
MW-063	9/12/2007	STYRENE	0.001	U	MG/L
MW-063	9/12/2007	SULFATE	34		MG/L
MW-063	9/12/2007	TETRACHLOROETHENE	0.001	U	MG/L
MW-063	9/12/2007	THALLIUM	0.002	U	MG/L
MW-063	9/12/2007	TOLUENE	0.001	U	MG/L
MW-063	9/12/2007	TOTAL DISSOLVED SOLIDS	160		MG/L
MW-063	9/12/2007	TOTAL XYLENES	0.001	U	MG/L
MW-063	9/12/2007	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-063	9/12/2007	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-063	9/12/2007	TRANS-1,4-DICHLORO-2-BUTENE	0.005	U	MG/L
MW-063	9/12/2007	TRICHLOROETHENE	0.001	U	MG/L
MW-063	9/12/2007	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-063	9/12/2007	TURBIDITY	740		NTU
MW-063	9/12/2007	VANADIUM	0.13		MG/L
MW-063	9/12/2007	VINYL ACETATE	0.001	U	MG/L
MW-063	9/12/2007	VINYL CHLORIDE	0.001	U	MG/L
MW-063	9/12/2007	ZINC	0.27		MG/L
MW-063	3/18/2008	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-063	3/18/2008	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-063	3/18/2008	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-063	3/18/2008	1,1,2-TRICHLOROETHANE	0.001	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-063	3/18/2008	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-063	3/18/2008	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-063	3/18/2008	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-063	3/18/2008	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-063	3/18/2008	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-063	3/18/2008	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-063	3/18/2008	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-063	3/18/2008	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-063	3/18/2008	1,4-DICHLOROBENZENE	0.001	U	MG/L
MW-063	3/18/2008	2-BUTANONE	0.005	U	MG/L
MW-063	3/18/2008	2-HEXANONE	0.005	U	MG/L
MW-063	3/18/2008	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-063	3/18/2008	ACETONE	0.005	U	MG/L
MW-063	3/18/2008	ACRYLONITRILE	0.005	U	MG/L
MW-063	3/18/2008	ALKALINITY	58		MG/L
MW-063	3/18/2008	AMMONIA	0.10	U	MG/L
MW-063	3/18/2008	ANTIMONY	0.0087		MG/L
MW-063	3/18/2008	ARSENIC	0.002	U	MG/L
MW-063	3/18/2008	BARIIUM	0.059		MG/L
MW-063	3/18/2008	BENZENE	0.001	U	MG/L
MW-063	3/18/2008	BERYLLIUM	0.0025	U	MG/L
MW-063	3/18/2008	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-063	3/18/2008	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-063	3/18/2008	BROMOFORM	0.001	U	MG/L
MW-063	3/18/2008	BROMOMETHANE	0.001	U	MG/L
MW-063	3/18/2008	CADMIUM	0.0005	U	MG/L
MW-063	3/18/2008	CALCIUM	39		MG/L
MW-063	3/18/2008	CARBON DISULFIDE	0.001	U	MG/L
MW-063	3/18/2008	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-063	3/18/2008	CHEMICAL OXYGEN DEMAND	19		MG/L
MW-063	3/18/2008	CHLORIDE	6		MG/L
MW-063	3/18/2008	CHLOROBENZENE	0.001	U	MG/L
MW-063	3/18/2008	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-063	3/18/2008	CHLOROETHANE	0.001	U	MG/L
MW-063	3/18/2008	CHLOROFORM	0.001	U	MG/L
MW-063	3/18/2008	CHLOROMETHANE	0.001	U	MG/L
MW-063	3/18/2008	CHROMIUM	0.016		MG/L
MW-063	3/18/2008	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-063	3/18/2008	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-063	3/18/2008	COBALT	0.003		MG/L
MW-063	3/18/2008	COPPER	0.004		MG/L
MW-063	3/18/2008	CYANIDE	0.021		MG/L
MW-063	3/18/2008	DIBROMOMETHANE	0.001	U	MG/L
MW-063	3/18/2008	ETHYLBENZENE	0.001	U	MG/L
MW-063	3/18/2008	FLUORIDE	0.14		MG/L
MW-063	3/18/2008	FREE CYANIDE	0.0062		MG/L
MW-063	3/18/2008	GALLIUM	0.01	U	MG/L
MW-063	3/18/2008	HARDNESS	140		MG/L
MW-063	3/18/2008	IRON	4.4		MG/L
MW-063	3/18/2008	LEAD	0.0041		MG/L
MW-063	3/18/2008	M+P-XYLENES	0.001	U	MG/L
MW-063	3/18/2008	MAGNESIUM	9.5		MG/L
MW-063	3/18/2008	MANGANESE	0.24		MG/L
MW-063	3/18/2008	MERCURY	0.0002	U	MG/L
MW-063	3/18/2008	METHYL IODIDE	0.001	U	MG/L
MW-063	3/18/2008	METHYLENE CHLORIDE	0.001	U	MG/L
MW-063	3/18/2008	NICKEL	0.011		MG/L
MW-063	3/18/2008	NITRATE	0.22		MG/L
MW-063	3/18/2008	NITRITE	0.047		MG/L
MW-063	3/18/2008	O-XYLENE	0.001	U	MG/L
MW-063	3/18/2008	SELENIUM	0.003		MG/L
MW-063	3/18/2008	SILVER	0.001	U	MG/L
MW-063	3/18/2008	SODIUM	2.4		MG/L
MW-063	3/18/2008	STYRENE	0.001	U	MG/L
MW-063	3/18/2008	SULFATE	30		MG/L
MW-063	3/18/2008	TETRACHLOROETHENE	0.001	U	MG/L
MW-063	3/18/2008	THALLIUM	0.002	U	MG/L
MW-063	3/18/2008	TOLUENE	0.001	U	MG/L
MW-063	3/18/2008	TOTAL DISSOLVED SOLIDS	160		MG/L
MW-063	3/18/2008	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-063	3/18/2008	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-063	3/18/2008	TRANS-1,4-DICHLORO-2-BUTENE	0.005	U	MG/L
MW-063	3/18/2008	TRICHLOROETHENE	0.001	U	MG/L
MW-063	3/18/2008	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-063	3/18/2008	TURBIDITY	58		NTU
MW-063	3/18/2008	VANADIUM	0.017		MG/L
MW-063	3/18/2008	VINYL ACETATE	0.005	U	MG/L
MW-063	3/18/2008	VINYL CHLORIDE	0.001	U	MG/L



Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-063	3/18/2008	ZINC	0.02		MG/L
MW-063	9/25/2008	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-063	9/25/2008	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-063	9/25/2008	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-063	9/25/2008	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-063	9/25/2008	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-063	9/25/2008	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-063	9/25/2008	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-063	9/25/2008	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-063	9/25/2008	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-063	9/25/2008	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-063	9/25/2008	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-063	9/25/2008	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-063	9/25/2008	1,4-DICHLOROBENZENE	0.001	U	MG/L
MW-063	9/25/2008	2-BUTANONE	0.015		MG/L
MW-063	9/25/2008	2-HEXANONE	0.005	U	MG/L
MW-063	9/25/2008	4-BROMOFLUOROBENZENE	0.0298		MG/L
MW-063	9/25/2008	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-063	9/25/2008	ACETONE	0.0092		MG/L
MW-063	9/25/2008	ACRYLONITRILE	0.005	U	MG/L
MW-063	9/25/2008	ALKALINITY	160		MG/L
MW-063	9/25/2008	AMMONIA	0.53		MG/L
MW-063	9/25/2008	ANTIMONY	0.005	U	MG/L
MW-063	9/25/2008	ARSENIC	0.005	U	MG/L
MW-063	9/25/2008	BARIIUM	0.041		MG/L
MW-063	9/25/2008	BENZENE	0.001	U	MG/L
MW-063	9/25/2008	BERYLLIUM	0.002	U	MG/L
MW-063	9/25/2008	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-063	9/25/2008	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-063	9/25/2008	BROMOFORM	0.001	U	MG/L
MW-063	9/25/2008	BROMOMETHANE	0.001	U	MG/L
MW-063	9/25/2008	CADMIUM	0.0005	U	MG/L
MW-063	9/25/2008	CALCIUM	64		MG/L
MW-063	9/25/2008	CARBON DISULFIDE	0.001	U	MG/L
MW-063	9/25/2008	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-063	9/25/2008	CHEMICAL OXYGEN DEMAND	10	U	MG/L
MW-063	9/25/2008	CHLORIDE	2		MG/L
MW-063	9/25/2008	CHLOROBENZENE	0.001	U	MG/L
MW-063	9/25/2008	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-063	9/25/2008	CHLOROETHANE	0.001	U	MG/L
MW-063	9/25/2008	CHLOROFORM	0.001	U	MG/L
MW-063	9/25/2008	CHLOROMETHANE	0.001	U	MG/L
MW-063	9/25/2008	CHROMIUM	0.0082		MG/L
MW-063	9/25/2008	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-063	9/25/2008	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-063	9/25/2008	COBALT	0.005	U	MG/L
MW-063	9/25/2008	COPPER	0.0036		MG/L
MW-063	9/25/2008	CYANIDE	0.01	U	MG/L
MW-063	9/25/2008	DIBROMOMETHANE	0.001	U	MG/L
MW-063	9/25/2008	ETHYLBENZENE	0.001	U	MG/L
MW-063	9/25/2008	FLUORIDE	0.10	U	MG/L
MW-063	9/25/2008	FLUORODIBROMOMETHANE	0.024		MG/L
MW-063	9/25/2008	FREE CYANIDE	0.01	U	MG/L
MW-063	9/25/2008	GALLIUM	0.005	U	MG/L
MW-063	9/25/2008	HARDNESS	230		MG/L
MW-063	9/25/2008	IRON	2.3		MG/L
MW-063	9/25/2008	LEAD	0.002	U	MG/L
MW-063	9/25/2008	M+P-XYLENES	0.002	U	MG/L
MW-063	9/25/2008	MAGNESIUM	17		MG/L
MW-063	9/25/2008	MANGANESE	0.37		MG/L
MW-063	9/25/2008	MERCURY	0.0002	U	MG/L
MW-063	9/25/2008	METHYL IODIDE	0.001	U	MG/L
MW-063	9/25/2008	METHYLENE CHLORIDE	0.001	U	MG/L
MW-063	9/25/2008	NICKEL	0.0089		MG/L
MW-063	9/25/2008	NITRATE	9.8		MG/L
MW-063	9/25/2008	NITRITE	0.06		MG/L
MW-063	9/25/2008	NITRITE/NITRATE-N	9.8		MG/L
MW-063	9/25/2008	O-XYLENE	0.001	U	MG/L
MW-063	9/25/2008	SELENIUM	0.005	U	MG/L
MW-063	9/25/2008	SILVER	0.002	U	MG/L
MW-063	9/25/2008	SODIUM	4		MG/L
MW-063	9/25/2008	STYRENE	0.001	U	MG/L
MW-063	9/25/2008	SULFATE	34		MG/L
MW-063	9/25/2008	TETRACHLOROETHENE	0.001	U	MG/L
MW-063	9/25/2008	THALLIUM	0.002	U	MG/L
MW-063	9/25/2008	TOLUENE	0.001	U	MG/L
MW-063	9/25/2008	TOTAL DISSOLVED SOLIDS	200		MG/L
MW-063	9/25/2008	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-063	9/25/2008	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-063	9/25/2008	TRANS-1,4-DICHLORO-2-BUTENE	0.005	U	MG/L
MW-063	9/25/2008	TRICHLOROETHENE	0.001	U	MG/L
MW-063	9/25/2008	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-063	9/25/2008	TURBIDITY	25		NTU
MW-063	9/25/2008	VANADIUM	0.005	U	MG/L
MW-063	9/25/2008	VINYL ACETATE	0.001	U	MG/L
MW-063	9/25/2008	VINYL CHLORIDE	0.001	U	MG/L
MW-063	9/25/2008	ZINC	0.023		MG/L
MW-063	2/24/2009	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-063	2/24/2009	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-063	2/24/2009	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-063	2/24/2009	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-063	2/24/2009	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-063	2/24/2009	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-063	2/24/2009	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-063	2/24/2009	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-063	2/24/2009	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-063	2/24/2009	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-063	2/24/2009	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-063	2/24/2009	1,4-DICHLOROETHANE	0.001	U	MG/L
MW-063	2/24/2009	2-BUTANONE	0.005	U	MG/L
MW-063	2/24/2009	2-HEXANONE	0.005	U	MG/L
MW-063	2/24/2009	4-BROMOFLUOROBENZENE	0.0238		MG/L
MW-063	2/24/2009	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-063	2/24/2009	ACETONE	0.005	U	MG/L
MW-063	2/24/2009	ACRYLONITRILE	0.005	U	MG/L
MW-063	2/24/2009	ALKALINITY	110		MG/L
MW-063	2/24/2009	AMMONIA	0.15		MG/L
MW-063	2/24/2009	ANTIMONY	0.0019		MG/L
MW-063	2/24/2009	ARSENIC	0.005	U	MG/L
MW-063	2/24/2009	BARIUM	0.029		MG/L
MW-063	2/24/2009	BENZENE	0.001	U	MG/L
MW-063	2/24/2009	BERYLLIUM	0.002	U	MG/L
MW-063	2/24/2009	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-063	2/24/2009	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-063	2/24/2009	BROMOFORM	0.001	U	MG/L
MW-063	2/24/2009	BROMOMETHANE	0.001	U	MG/L
MW-063	2/24/2009	CADMIUM	0.00082		MG/L
MW-063	2/24/2009	CARBON DISULFIDE	0.001	U	MG/L
MW-063	2/24/2009	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-063	2/24/2009	CHEMICAL OXYGEN DEMAND	10	U	MG/L
MW-063	2/24/2009	CHLORIDE	3		MG/L
MW-063	2/24/2009	CHLOROBENZENE	0.001	U	MG/L
MW-063	2/24/2009	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-063	2/24/2009	CHLOROETHANE	0.001	U	MG/L
MW-063	2/24/2009	CHLOROFORM	0.001	U	MG/L
MW-063	2/24/2009	CHLOROMETHANE	0.001	U	MG/L
MW-063	2/24/2009	CHROMIUM	0.003		MG/L
MW-063	2/24/2009	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-063	2/24/2009	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-063	2/24/2009	COBALT	0.005	U	MG/L
MW-063	2/24/2009	COPPER	0.002	U	MG/L
MW-063	2/24/2009	CYANIDE	0.003	U	MG/L
MW-063	2/24/2009	DIBROMOMETHANE	0.001	U	MG/L
MW-063	2/24/2009	ETHYLBENZENE	0.001	U	MG/L
MW-063	2/24/2009	FLUORIDE	0.13		MG/L
MW-063	2/24/2009	FLUORODIBROMOMETHANE	0.0229		MG/L
MW-063	2/24/2009	FREE CYANIDE	0.0017	U	MG/L
MW-063	2/24/2009	GALLIUM	0.005	U	MG/L
MW-063	2/24/2009	HARDNESS	160		MG/L
MW-063	2/24/2009	IRON	0.042		MG/L
MW-063	2/24/2009	LEAD	0.002	U	MG/L
MW-063	2/24/2009	M+P-XYLENES	0.00095	U	MG/L
MW-063	2/24/2009	MANGANESE	0.0069		MG/L
MW-063	2/24/2009	MERCURY	0.0002	U	MG/L
MW-063	2/24/2009	METHYL IODIDE	0.001	U	MG/L
MW-063	2/24/2009	METHYLENE CHLORIDE	0.001	U	MG/L
MW-063	2/24/2009	NICKEL	0.005	U	MG/L
MW-063	2/24/2009	NITRATE	11		MG/L
MW-063	2/24/2009	NITRITE	0.005	U	MG/L
MW-063	2/24/2009	NITRITE/NITRATE-N	11		MG/L
MW-063	2/24/2009	O-XYLENE	0.001	U	MG/L
MW-063	2/24/2009	SELENIUM	0.005	U	MG/L
MW-063	2/24/2009	SILVER	0.002	U	MG/L
MW-063	2/24/2009	SODIUM	3.2		MG/L
MW-063	2/24/2009	STYRENE	0.001	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-063	2/24/2009	SULFATE	21		MG/L
MW-063	2/24/2009	TETRACHLOROETHENE	0.001	U	MG/L
MW-063	2/24/2009	THALLIUM	0.002	U	MG/L
MW-063	2/24/2009	TOLUENE	0.001	U	MG/L
MW-063	2/24/2009	TOTAL DISSOLVED SOLIDS	120		MG/L
MW-063	2/24/2009	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-063	2/24/2009	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-063	2/24/2009	TRANS-1,4-DICHLORO-2-BUTENE	0.001	U	MG/L
MW-063	2/24/2009	TRICHLOROETHENE	0.001	U	MG/L
MW-063	2/24/2009	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-063	2/24/2009	TURBIDITY	3.4		NTU
MW-063	2/24/2009	VANADIUM	0.005	U	MG/L
MW-063	2/24/2009	VINYL ACETATE	0.001	U	MG/L
MW-063	2/24/2009	VINYL CHLORIDE	0.001	U	MG/L
MW-063	2/24/2009	ZINC	0.01	U	MG/L
MW-063	8/27/2009	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-063	8/27/2009	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-063	8/27/2009	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-063	8/27/2009	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-063	8/27/2009	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-063	8/27/2009	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-063	8/27/2009	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-063	8/27/2009	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-063	8/27/2009	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-063	8/27/2009	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-063	8/27/2009	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-063	8/27/2009	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-063	8/27/2009	1,4-DICHLOROBENZENE	0.001	U	MG/L
MW-063	8/27/2009	2-BUTANONE	0.005	U	MG/L
MW-063	8/27/2009	2-HEXANONE	0.005	U	MG/L
MW-063	8/27/2009	4-BROMOFLUOROBENZENE	0.0209		MG/L
MW-063	8/27/2009	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-063	8/27/2009	ACETONE	0.005	U	MG/L
MW-063	8/27/2009	ACRYLONITRILE	0.005	U	MG/L
MW-063	8/27/2009	ALKALINITY	11		MG/L
MW-063	8/27/2009	AMMONIA	0.10	U	MG/L
MW-063	8/27/2009	ANTIMONY	0.002	U	MG/L
MW-063	8/27/2009	ARSENIC	0.005	U	MG/L
MW-063	8/27/2009	BARIUM	0.037		MG/L
MW-063	8/27/2009	BENZENE	0.001	U	MG/L
MW-063	8/27/2009	BERYLLIUM	0.001	U	MG/L
MW-063	8/27/2009	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-063	8/27/2009	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-063	8/27/2009	BROMOFORM	0.001	U	MG/L
MW-063	8/27/2009	BROMOMETHANE	0.001	U	MG/L
MW-063	8/27/2009	CADMIUM	0.0005	U	MG/L
MW-063	8/27/2009	CARBON DISULFIDE	0.001	U	MG/L
MW-063	8/27/2009	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-063	8/27/2009	CHEMICAL OXYGEN DEMAND	11		MG/L
MW-063	8/27/2009	CHLORIDE	5		MG/L
MW-063	8/27/2009	CHLOROBENZENE	0.001	U	MG/L
MW-063	8/27/2009	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-063	8/27/2009	CHLOROETHANE	0.001	U	MG/L
MW-063	8/27/2009	CHLOROFORM	0.001	U	MG/L
MW-063	8/27/2009	CHLOROMETHANE	0.001	U	MG/L
MW-063	8/27/2009	CHROMIUM	0.0025	U	MG/L
MW-063	8/27/2009	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-063	8/27/2009	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-063	8/27/2009	COBALT	0.005	U	MG/L
MW-063	8/27/2009	COPPER	0.0059		MG/L
MW-063	8/27/2009	CYANIDE	0.005	U	MG/L
MW-063	8/27/2009	DIBROMOMETHANE	0.001	U	MG/L
MW-063	8/27/2009	ETHYLBENZENE	0.001	U	MG/L
MW-063	8/27/2009	FLUORIDE	0.12		MG/L
MW-063	8/27/2009	FLUORODIBROMOMETHANE	0.0221		MG/L
MW-063	8/27/2009	FREE CYANIDE	0.0017	U	MG/L
MW-063	8/27/2009	GALLIUM	0.0059		MG/L
MW-063	8/27/2009	HARDNESS	180		MG/L
MW-063	8/27/2009	IRON	0.71		MG/L
MW-063	8/27/2009	LEAD	0.0024		MG/L
MW-063	8/27/2009	M+P-XYLENES	0.001	U	MG/L
MW-063	8/27/2009	MANGANESE	0.22		MG/L
MW-063	8/27/2009	MERCURY	0.0002	U	MG/L
MW-063	8/27/2009	METHYL IODIDE	0.001	U	MG/L
MW-063	8/27/2009	METHYLENE CHLORIDE	0.001	U	MG/L
MW-063	8/27/2009	NICKEL	0.005	U	MG/L
MW-063	8/27/2009	NITRITE	0.005	U	MG/L
MW-063	8/27/2009	NITRITE/NITRATE-N	0.15		MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-063	8/27/2009	O-XYLENE	0.001	U	MG/L
MW-063	8/27/2009	SELENIUM	0.005	U	MG/L
MW-063	8/27/2009	SILVER	0.002	U	MG/L
MW-063	8/27/2009	SODIUM	2.9		MG/L
MW-063	8/27/2009	STYRENE	0.001	U	MG/L
MW-063	8/27/2009	SULFATE	19		MG/L
MW-063	8/27/2009	TETRACHLOROETHENE	0.001	U	MG/L
MW-063	8/27/2009	THALLIUM	0.002	U	MG/L
MW-063	8/27/2009	TOLUENE	0.001	U	MG/L
MW-063	8/27/2009	TOTAL DISSOLVED SOLIDS	180		MG/L
MW-063	8/27/2009	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-063	8/27/2009	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-063	8/27/2009	TRANS-1,4-DICHLORO-2-BUTENE	0.001	U	MG/L
MW-063	8/27/2009	TRICHLOROETHENE	0.001	U	MG/L
MW-063	8/27/2009	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-063	8/27/2009	TURBIDITY	19		NTU
MW-063	8/27/2009	VANADIUM	0.005	U	MG/L
MW-063	8/27/2009	VINYL ACETATE	0.001	U	MG/L
MW-063	8/27/2009	VINYL CHLORIDE	0.001	U	MG/L
MW-063	8/27/2009	ZINC	0.015	U	MG/L
MW-063	3/17/2010	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-063	3/17/2010	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-063	3/17/2010	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-063	3/17/2010	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-063	3/17/2010	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-063	3/17/2010	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-063	3/17/2010	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-063	3/17/2010	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-063	3/17/2010	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-063	3/17/2010	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-063	3/17/2010	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-063	3/17/2010	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-063	3/17/2010	1,4-DICHLOROBENZENE	0.001	U	MG/L
MW-063	3/17/2010	2-BUTANONE	0.005	U	MG/L
MW-063	3/17/2010	2-HEXANONE	0.005	U	MG/L
MW-063	3/17/2010	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-063	3/17/2010	ACETONE	0.005	U	MG/L
MW-063	3/17/2010	ACRYLONITRILE	0.005	U	MG/L
MW-063	3/17/2010	ALKALINITY	36		MG/L
MW-063	3/17/2010	AMMONIA	0.12		MG/L
MW-063	3/17/2010	ANTIMONY	0.002	U	MG/L
MW-063	3/17/2010	ARSENIC	0.0028		MG/L
MW-063	3/17/2010	BARIUM	0.015		MG/L
MW-063	3/17/2010	BENZENE	0.001	U	MG/L
MW-063	3/17/2010	BERYLLIUM	0.001	U	MG/L
MW-063	3/17/2010	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-063	3/17/2010	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-063	3/17/2010	BROMOFORM	0.001	U	MG/L
MW-063	3/17/2010	BROMOMETHANE	0.001	U	MG/L
MW-063	3/17/2010	CADMIUM	0.0005	U	MG/L
MW-063	3/17/2010	CALCIUM	18		MG/L
MW-063	3/17/2010	CARBON DISULFIDE	0.001	U	MG/L
MW-063	3/17/2010	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-063	3/17/2010	CHEMICAL OXYGEN DEMAND	23		MG/L
MW-063	3/17/2010	CHLORIDE	2.5		MG/L
MW-063	3/17/2010	CHLOROBENZENE	0.001	U	MG/L
MW-063	3/17/2010	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-063	3/17/2010	CHLOROETHANE	0.001	U	MG/L
MW-063	3/17/2010	CHLOROFORM	0.001	U	MG/L
MW-063	3/17/2010	CHLOROMETHANE	0.001	U	MG/L
MW-063	3/17/2010	CHROMIUM	0.0025	U	MG/L
MW-063	3/17/2010	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-063	3/17/2010	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-063	3/17/2010	COBALT	0.005	U	MG/L
MW-063	3/17/2010	COPPER	0.002	U	MG/L
MW-063	3/17/2010	CYANIDE	0.005	U	MG/L
MW-063	3/17/2010	DIBROMOMETHANE	0.001	U	MG/L
MW-063	3/17/2010	ETHYLBENZENE	0.001	U	MG/L
MW-063	3/17/2010	FLUORIDE	0.10	U	MG/L
MW-063	3/17/2010	FREE CYANIDE	0.0034	U	MG/L
MW-063	3/17/2010	HARDNESS	58		MG/L
MW-063	3/17/2010	IRON	0.035		MG/L
MW-063	3/17/2010	LEAD	0.002	U	MG/L
MW-063	3/17/2010	MAGNESIUM	3.4		MG/L
MW-063	3/17/2010	MANGANESE	0.011		MG/L
MW-063	3/17/2010	MERCURY	0.0002	U	MG/L
MW-063	3/17/2010	METHYL IODIDE	0.001	U	MG/L
MW-063	3/17/2010	METHYL TERT-BUTYL ETHER	0.001	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-063	3/17/2010	METHYLENE CHLORIDE	0.001	U	MG/L
MW-063	3/17/2010	NICKEL	0.005	U	MG/L
MW-063	3/17/2010	NITRATE	0.14		MG/L
MW-063	3/17/2010	O-XYLENE	0.001	U	MG/L
MW-063	3/17/2010	POTASSIUM	1.4		MG/L
MW-063	3/17/2010	SELENIUM	0.005	U	MG/L
MW-063	3/17/2010	SILVER	0.002	U	MG/L
MW-063	3/17/2010	SODIUM	1.8		MG/L
MW-063	3/17/2010	STYRENE	0.001	U	MG/L
MW-063	3/17/2010	SULFATE	28		MG/L
MW-063	3/17/2010	TETRACHLOROETHENE	0.001	U	MG/L
MW-063	3/17/2010	THALLIUM	0.002	U	MG/L
MW-063	3/17/2010	TOLUENE	0.001	U	MG/L
MW-063	3/17/2010	TOTAL DISSOLVED SOLIDS	110		MG/L
MW-063	3/17/2010	TOTAL XYLENES	0.001	U	MG/L
MW-063	3/17/2010	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-063	3/17/2010	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-063	3/17/2010	TRANS-1,4-DICHLORO-2-BUTENE	0.001	U	MG/L
MW-063	3/17/2010	TRICHLOROETHENE	0.001	U	MG/L
MW-063	3/17/2010	TRICHLOROFUOROMETHANE	0.001	U	MG/L
MW-063	3/17/2010	TURBIDITY	2.5		NTU
MW-063	3/17/2010	VANADIUM	0.005	U	MG/L
MW-063	3/17/2010	VINYL ACETATE	0.001	U	MG/L
MW-063	3/17/2010	VINYL CHLORIDE	0.001	U	MG/L
MW-063	3/17/2010	ZINC	0.01	U	MG/L
MW-063	8/26/2010	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-063	8/26/2010	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-063	8/26/2010	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-063	8/26/2010	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-063	8/26/2010	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-063	8/26/2010	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-063	8/26/2010	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-063	8/26/2010	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-063	8/26/2010	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-063	8/26/2010	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-063	8/26/2010	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-063	8/26/2010	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-063	8/26/2010	1,4-DICHLOROBENZENE	0.001	U	MG/L
MW-063	8/26/2010	2-BUTANONE	0.005	U	MG/L
MW-063	8/26/2010	2-HEXANONE	0.005	U	MG/L
MW-063	8/26/2010	4-BROMOFLUOROBENZENE	0.0232		MG/L
MW-063	8/26/2010	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-063	8/26/2010	ACETONE	0.005	U	MG/L
MW-063	8/26/2010	ACRYLONITRILE	0.005	U	MG/L
MW-063	8/26/2010	ALKALINITY	130		MG/L
MW-063	8/26/2010	AMMONIA	0.18		MG/L
MW-063	8/26/2010	ANTIMONY	0.002		MG/L
MW-063	8/26/2010	ARSENIC	0.001	U	MG/L
MW-063	8/26/2010	BARIUM	0.027		MG/L
MW-063	8/26/2010	BENZENE	0.001	U	MG/L
MW-063	8/26/2010	BERYLLIUM	0.001	U	MG/L
MW-063	8/26/2010	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-063	8/26/2010	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-063	8/26/2010	BROMOFORM	0.001	U	MG/L
MW-063	8/26/2010	BROMOMETHANE	0.001	U	MG/L
MW-063	8/26/2010	CADMIUM	0.0005	U	MG/L
MW-063	8/26/2010	CALCIUM	60		MG/L
MW-063	8/26/2010	CARBON DISULFIDE	0.001	U	MG/L
MW-063	8/26/2010	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-063	8/26/2010	CHEMICAL OXYGEN DEMAND	26		MG/L
MW-063	8/26/2010	CHLORIDE	9		MG/L
MW-063	8/26/2010	CHLOROBENZENE	0.001	U	MG/L
MW-063	8/26/2010	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-063	8/26/2010	CHLOROETHANE	0.001	U	MG/L
MW-063	8/26/2010	CHLOROFORM	0.001	U	MG/L
MW-063	8/26/2010	CHLOROMETHANE	0.001	U	MG/L
MW-063	8/26/2010	CHROMIUM	0.0033		MG/L
MW-063	8/26/2010	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-063	8/26/2010	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-063	8/26/2010	COBALT	0.0025	U	MG/L
MW-063	8/26/2010	COPPER	0.0041		MG/L
MW-063	8/26/2010	CYANIDE	0.0018		MG/L
MW-063	8/26/2010	DIBROMOMETHANE	0.001	U	MG/L
MW-063	8/26/2010	ETHYLBENZENE	0.001	U	MG/L
MW-063	8/26/2010	FLUORIDE	0.36		MG/L
MW-063	8/26/2010	FLUORODIBROMOMETHANE	0.0254		MG/L
MW-063	8/26/2010	FREE CYANIDE	0.0034	U	MG/L
MW-063	8/26/2010	HARDNESS	200		MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-063	8/26/2010	IRON	0.34		MG/L
MW-063	8/26/2010	LEAD	0.001	U	MG/L
MW-063	8/26/2010	M+P-XYLENES	0.001	U	MG/L
MW-063	8/26/2010	MAGNESIUM	13		MG/L
MW-063	8/26/2010	MANGANESE	0.033		MG/L
MW-063	8/26/2010	MERCURY	0.0002	U	MG/L
MW-063	8/26/2010	METHYL IODIDE	0.001	U	MG/L
MW-063	8/26/2010	METHYL TERT-BUTYL ETHER	0.001	U	MG/L
MW-063	8/26/2010	METHYLENE CHLORIDE	0.001	U	MG/L
MW-063	8/26/2010	NICKEL	0.0025		MG/L
MW-063	8/26/2010	NITRATE	4.2		MG/L
MW-063	8/26/2010	NITRITE	0.015		MG/L
MW-063	8/26/2010	NITRITE/NITRATE-N	4.2		MG/L
MW-063	8/26/2010	O-XYLENE	0.001	U	MG/L
MW-063	8/26/2010	POTASSIUM	2.4		MG/L
MW-063	8/26/2010	SELENIUM	0.0025	U	MG/L
MW-063	8/26/2010	SILVER	0.0014		MG/L
MW-063	8/26/2010	SODIUM	3.1		MG/L
MW-063	8/26/2010	STYRENE	0.001	U	MG/L
MW-063	8/26/2010	SULFATE	25		MG/L
MW-063	8/26/2010	TETRACHLOROETHENE	0.001	U	MG/L
MW-063	8/26/2010	THALLIUM	0.001	U	MG/L
MW-063	8/26/2010	TOLUENE	0.001	U	MG/L
MW-063	8/26/2010	TOTAL DISSOLVED SOLIDS	290		MG/L
MW-063	8/26/2010	TOTAL XYLENES	0.0014	U	MG/L
MW-063	8/26/2010	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-063	8/26/2010	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-063	8/26/2010	TRANS-1,4-DICHLORO-2-BUTENE	0.001	U	MG/L
MW-063	8/26/2010	TRICHLOROETHENE	0.001	U	MG/L
MW-063	8/26/2010	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-063	8/26/2010	TURBIDITY	18		NTU
MW-063	8/26/2010	VANADIUM	0.0025	U	MG/L
MW-063	8/26/2010	VINYL ACETATE	0.001	U	MG/L
MW-063	8/26/2010	VINYL CHLORIDE	0.001	U	MG/L
MW-063	8/26/2010	ZINC	0.0055		MG/L
MW-063	2/23/2011	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-063	2/23/2011	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-063	2/23/2011	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-063	2/23/2011	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-063	2/23/2011	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-063	2/23/2011	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-063	2/23/2011	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-063	2/23/2011	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-063	2/23/2011	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-063	2/23/2011	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-063	2/23/2011	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-063	2/23/2011	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-063	2/23/2011	1,4-DICHLOROBENZENE	0.001	U	MG/L
MW-063	2/23/2011	2-BUTANONE	0.005	U	MG/L
MW-063	2/23/2011	2-HEXANONE	0.005	U	MG/L
MW-063	2/23/2011	4-BROMOFLUOROBENZENE	0.0251		MG/L
MW-063	2/23/2011	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-063	2/23/2011	ACETONE	0.005	U	MG/L
MW-063	2/23/2011	ACRYLONITRILE	0.005	U	MG/L
MW-063	2/23/2011	ALKALINITY	68		MG/L
MW-063	2/23/2011	AMMONIA	0.66		MG/L
MW-063	2/23/2011	ANTIMONY	0.0026		MG/L
MW-063	2/23/2011	ARSENIC	0.002	U	MG/L
MW-063	2/23/2011	BARIUM	0.028		MG/L
MW-063	2/23/2011	BENZENE	0.001	U	MG/L
MW-063	2/23/2011	BERYLLIUM	0.001	U	MG/L
MW-063	2/23/2011	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-063	2/23/2011	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-063	2/23/2011	BROMOFORM	0.001	U	MG/L
MW-063	2/23/2011	BROMOMETHANE	0.001	U	MG/L
MW-063	2/23/2011	CADMIUM	0.0005	U	MG/L
MW-063	2/23/2011	CALCIUM	32		MG/L
MW-063	2/23/2011	CARBON DISULFIDE	0.001	U	MG/L
MW-063	2/23/2011	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-063	2/23/2011	CHEMICAL OXYGEN DEMAND	16		MG/L
MW-063	2/23/2011	CHLORIDE	4		MG/L
MW-063	2/23/2011	CHLOROBENZENE	0.001	U	MG/L
MW-063	2/23/2011	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-063	2/23/2011	CHLOROETHANE	0.001	U	MG/L
MW-063	2/23/2011	CHLOROFORM	0.001	U	MG/L
MW-063	2/23/2011	CHLOROMETHANE	0.001	U	MG/L
MW-063	2/23/2011	CHROMIUM	0.002	U	MG/L
MW-063	2/23/2011	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-063	2/23/2011	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-063	2/23/2011	COBALT	0.005	U	MG/L
MW-063	2/23/2011	COPPER	0.0023		MG/L
MW-063	2/23/2011	CYANIDE	0.005	U	MG/L
MW-063	2/23/2011	DIBROMOMETHANE	0.001	U	MG/L
MW-063	2/23/2011	ETHYLBENZENE	0.001	U	MG/L
MW-063	2/23/2011	FLUORIDE	0.15		MG/L
MW-063	2/23/2011	FLUORODIBROMOMETHANE	0.0262		MG/L
MW-063	2/23/2011	FREE CYANIDE	0.0034	U	MG/L
MW-063	2/23/2011	HARDNESS	110		MG/L
MW-063	2/23/2011	IRON	0.79		MG/L
MW-063	2/23/2011	LEAD	0.001	U	MG/L
MW-063	2/23/2011	M+P-XYLENES	0.001	U	MG/L
MW-063	2/23/2011	MAGNESIUM	7.4		MG/L
MW-063	2/23/2011	MANGANESE	0.084		MG/L
MW-063	2/23/2011	MERCURY	0.0002	U	MG/L
MW-063	2/23/2011	METHYL IODIDE	0.001	U	MG/L
MW-063	2/23/2011	METHYL TERT-BUTYL ETHER	0.001	U	MG/L
MW-063	2/23/2011	METHYLENE CHLORIDE	0.001	U	MG/L
MW-063	2/23/2011	NICKEL	0.005	U	MG/L
MW-063	2/23/2011	NITRATE	1.2		MG/L
MW-063	2/23/2011	O-XYLENE	0.001	U	MG/L
MW-063	2/23/2011	POTASSIUM	2.1		MG/L
MW-063	2/23/2011	SELENIUM	0.005	U	MG/L
MW-063	2/23/2011	SILVER	0.001	U	MG/L
MW-063	2/23/2011	SODIUM	2.4		MG/L
MW-063	2/23/2011	STYRENE	0.001	U	MG/L
MW-063	2/23/2011	SULFATE	22		MG/L
MW-063	2/23/2011	TETRACHLOROETHENE	0.001	U	MG/L
MW-063	2/23/2011	THALLIUM	0.001	U	MG/L
MW-063	2/23/2011	TOLUENE	0.001	U	MG/L
MW-063	2/23/2011	TOTAL DISSOLVED SOLIDS	150		MG/L
MW-063	2/23/2011	TOTAL XYLENES	0.0014	U	MG/L
MW-063	2/23/2011	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-063	2/23/2011	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-063	2/23/2011	TRANS-1,4-DICHLORO-2-BUTENE	0.001	U	MG/L
MW-063	2/23/2011	TRICHLOROETHENE	0.001	U	MG/L
MW-063	2/23/2011	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-063	2/23/2011	TURBIDITY	70		NTU
MW-063	2/23/2011	VANADIUM	0.005	U	MG/L
MW-063	2/23/2011	VINYL ACETATE	0.001	U	MG/L
MW-063	2/23/2011	VINYL CHLORIDE	0.001	U	MG/L
MW-063	2/23/2011	ZINC	0.013		MG/L
MW-063	8/25/2011	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-063	8/25/2011	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-063	8/25/2011	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-063	8/25/2011	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-063	8/25/2011	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-063	8/25/2011	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-063	8/25/2011	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-063	8/25/2011	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-063	8/25/2011	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-063	8/25/2011	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-063	8/25/2011	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-063	8/25/2011	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-063	8/25/2011	1,4-DICHLOROBENZENE	0.001	U	MG/L
MW-063	8/25/2011	2-BUTANONE	0.005	U	MG/L
MW-063	8/25/2011	2-HEXANONE	0.005	U	MG/L
MW-063	8/25/2011	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-063	8/25/2011	ACETONE	0.025	U	MG/L
MW-063	8/25/2011	ACRYLONITRILE	0.005	U	MG/L
MW-063	8/25/2011	ALKALINITY	140		MG/L
MW-063	8/25/2011	AMMONIA	0.043	J	MG/L
MW-063	8/25/2011	ANTIMONY	0.0017	J	MG/L
MW-063	8/25/2011	ARSENIC	0.0038		MG/L
MW-063	8/25/2011	BARIUM	0.14		MG/L
MW-063	8/25/2011	BENZENE	0.001	U	MG/L
MW-063	8/25/2011	BERYLLIUM	0.0017	J	MG/L
MW-063	8/25/2011	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-063	8/25/2011	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-063	8/25/2011	BROMOFORM	0.001	U	MG/L
MW-063	8/25/2011	BROMOMETHANE	0.001	U	MG/L
MW-063	8/25/2011	CADMIUM	0.0018	J	MG/L
MW-063	8/25/2011	CALCIUM	86		MG/L
MW-063	8/25/2011	CARBON DISULFIDE	0.001	U	MG/L
MW-063	8/25/2011	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-063	8/25/2011	CHEMICAL OXYGEN DEMAND	10	U	MG/L
MW-063	8/25/2011	CHLORIDE	7		MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-063	8/25/2011	CHLOROBENZENE	0.001	U	MG/L
MW-063	8/25/2011	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-063	8/25/2011	CHLOROETHANE	0.001	U	MG/L
MW-063	8/25/2011	CHLOROFORM	0.001	U	MG/L
MW-063	8/25/2011	CHLOROMETHANE	0.001	U	MG/L
MW-063	8/25/2011	CHROMIUM	0.021		MG/L
MW-063	8/25/2011	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-063	8/25/2011	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-063	8/25/2011	COBALT	0.017		MG/L
MW-063	8/25/2011	COPPER	0.03		MG/L
MW-063	8/25/2011	CYANIDE	0.005	U	MG/L
MW-063	8/25/2011	DIBROMOMETHANE	0.001	U	MG/L
MW-063	8/25/2011	ETHYLBENZENE	0.001	U	MG/L
MW-063	8/25/2011	FLUORIDE	0.12		MG/L
MW-063	8/25/2011	FREE CYANIDE	0.005	U	MG/L
MW-063	8/25/2011	HARDNESS	320		MG/L
MW-063	8/25/2011	IRON	12		MG/L
MW-063	8/25/2011	LEAD	0.012		MG/L
MW-063	8/25/2011	MAGNESIUM	25	B	MG/L
MW-063	8/25/2011	MANGANESE	0.77		MG/L
MW-063	8/25/2011	MERCURY	0.0002	U	MG/L
MW-063	8/25/2011	METHYL IODIDE	0.001	U	MG/L
MW-063	8/25/2011	METHYL TERT-BUTYL ETHER	0.001	U	MG/L
MW-063	8/25/2011	METHYLENE CHLORIDE	0.001	U	MG/L
MW-063	8/25/2011	NICKEL	0.032		MG/L
MW-063	8/25/2011	NITRATE	8.5		MG/L
MW-063	8/25/2011	POTASSIUM	4.9		MG/L
MW-063	8/25/2011	SELENIUM	0.0024	J	MG/L
MW-063	8/25/2011	SILVER	0.0048	J	MG/L
MW-063	8/25/2011	SODIUM	3.3		MG/L
MW-063	8/25/2011	STYRENE	0.001	U	MG/L
MW-063	8/25/2011	SULFATE	21		MG/L
MW-063	8/25/2011	TETRACHLOROETHENE	0.001	U	MG/L
MW-063	8/25/2011	THALLIUM	0.00076	J	MG/L
MW-063	8/25/2011	TOLUENE	0.001	U	MG/L
MW-063	8/25/2011	TOTAL DISSOLVED SOLIDS	290		MG/L
MW-063	8/25/2011	TOTAL XYLENES	0.0014	U	MG/L
MW-063	8/25/2011	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-063	8/25/2011	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-063	8/25/2011	TRANS-1,4-DICHLORO-2-BUTENE	0.001	U	MG/L
MW-063	8/25/2011	TRICHLOROETHENE	0.001	U	MG/L
MW-063	8/25/2011	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-063	8/25/2011	TURBIDITY	1		NTU
MW-063	8/25/2011	VANADIUM	0.028		MG/L
MW-063	8/25/2011	VINYL ACETATE	0.001	U	MG/L
MW-063	8/25/2011	VINYL CHLORIDE	0.001	U	MG/L
MW-063	8/25/2011	ZINC	0.096		MG/L
MW-063	2/29/2012	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-063	2/29/2012	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-063	2/29/2012	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-063	2/29/2012	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-063	2/29/2012	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-063	2/29/2012	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-063	2/29/2012	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-063	2/29/2012	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-063	2/29/2012	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-063	2/29/2012	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-063	2/29/2012	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-063	2/29/2012	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-063	2/29/2012	1,4-DICHLOROBENZENE	0.001	U	MG/L
MW-063	2/29/2012	2-BUTANONE	0.005	U	MG/L
MW-063	2/29/2012	2-HEXANONE	0.005	U	MG/L
MW-063	2/29/2012	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-063	2/29/2012	ACETONE	0.005	U	MG/L
MW-063	2/29/2012	ACRYLONITRILE	0.005	U	MG/L
MW-063	2/29/2012	ALKALINITY	16		MG/L
MW-063	2/29/2012	AMMONIA	0.073	J	MG/L
MW-063	2/29/2012	ANTIMONY	0.0033	J	MG/L
MW-063	2/29/2012	ARSENIC	0.002	U	MG/L
MW-063	2/29/2012	BARIUM	0.015		MG/L
MW-063	2/29/2012	BENZENE	0.001	U	MG/L
MW-063	2/29/2012	BERYLLIUM	0.002	U	MG/L
MW-063	2/29/2012	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-063	2/29/2012	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-063	2/29/2012	BROMOFORM	0.001	U	MG/L
MW-063	2/29/2012	BROMOMETHANE	0.001	U	MG/L
MW-063	2/29/2012	CADMIUM	0.004	U	MG/L
MW-063	2/29/2012	CALCIUM	16		MG/L



Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-063	2/29/2012	CARBON DISULFIDE	0.001	U	MG/L
MW-063	2/29/2012	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-063	2/29/2012	CHEMICAL OXYGEN DEMAND	10	U	MG/L
MW-063	2/29/2012	CHLORIDE	5.5		MG/L
MW-063	2/29/2012	CHLOROBENZENE	0.001	U	MG/L
MW-063	2/29/2012	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-063	2/29/2012	CHLOROETHANE	0.001	U	MG/L
MW-063	2/29/2012	CHLOROFORM	0.001	U	MG/L
MW-063	2/29/2012	CHLOROMETHANE	0.001	U	MG/L
MW-063	2/29/2012	CHROMIUM	0.01	U	MG/L
MW-063	2/29/2012	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-063	2/29/2012	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-063	2/29/2012	COBALT	0.01	U	MG/L
MW-063	2/29/2012	COPPER	0.0022	J	MG/L
MW-063	2/29/2012	CYANIDE	0.005	U	MG/L
MW-063	2/29/2012	DIBROMOMETHANE	0.001	U	MG/L
MW-063	2/29/2012	ETHYLBENZENE	0.001	U	MG/L
MW-063	2/29/2012	FLUORIDE	0.15		MG/L
MW-063	2/29/2012	FREE CYANIDE	0.005	U	MG/L
MW-063	2/29/2012	HARDNESS	54		MG/L
MW-063	2/29/2012	IRON	0.22		MG/L
MW-063	2/29/2012	LEAD	0.002	U	MG/L
MW-063	2/29/2012	MAGNESIUM	3.5		MG/L
MW-063	2/29/2012	MANGANESE	0.01		MG/L
MW-063	2/29/2012	MERCURY	0.0002	U	MG/L
MW-063	2/29/2012	METHYL IODIDE	0.001	U	MG/L
MW-063	2/29/2012	METHYL TERT-BUTYL ETHER	0.001	U	MG/L
MW-063	2/29/2012	METHYLENE CHLORIDE	0.001	U	MG/L
MW-063	2/29/2012	NICKEL	0.0019	J	MG/L
MW-063	2/29/2012	NITRATE	2.9		MG/L
MW-063	2/29/2012	NITRITE	0.0086	J	MG/L
MW-063	2/29/2012	NITRITE/NITRATE-N	2.9		MG/L
MW-063	2/29/2012	POTASSIUM	1.5		MG/L
MW-063	2/29/2012	SELENIUM	0.035	U	MG/L
MW-063	2/29/2012	SILVER	0.01	U	MG/L
MW-063	2/29/2012	SODIUM	2.9	B	MG/L
MW-063	2/29/2012	STYRENE	0.001	U	MG/L
MW-063	2/29/2012	SULFATE	26	B	MG/L
MW-063	2/29/2012	TETRACHLOROETHENE	0.001	U	MG/L
MW-063	2/29/2012	THALLIUM	0.002	U	MG/L
MW-063	2/29/2012	TOLUENE	0.001	U	MG/L
MW-063	2/29/2012	TOTAL DISSOLVED SOLIDS	58		MG/L
MW-063	2/29/2012	TOTAL XYLENES	0.001	U	MG/L
MW-063	2/29/2012	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-063	2/29/2012	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-063	2/29/2012	TRANS-1,4-DICHLORO-2-BUTENE	0.005	U	MG/L
MW-063	2/29/2012	TRICHLOROETHENE	0.001	U	MG/L
MW-063	2/29/2012	TRICHLOROFUOROMETHANE	0.001	U	MG/L
MW-063	2/29/2012	TURBIDITY	13		NTU
MW-063	2/29/2012	VINYL ACETATE	0.001	U	MG/L
MW-063	2/29/2012	VINYL CHLORIDE	0.001	U	MG/L
MW-063	2/29/2012	ZINC	0.0019	J	MG/L
MW-063	8/22/2012	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-063	8/22/2012	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-063	8/22/2012	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-063	8/22/2012	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-063	8/22/2012	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-063	8/22/2012	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-063	8/22/2012	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-063	8/22/2012	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-063	8/22/2012	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-063	8/22/2012	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-063	8/22/2012	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-063	8/22/2012	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-063	8/22/2012	1,4-DICHLOROBENZENE	0.001	U	MG/L
MW-063	8/22/2012	2-BUTANONE	0.005	U	MG/L
MW-063	8/22/2012	2-HEXANONE	0.005	U	MG/L
MW-063	8/22/2012	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-063	8/22/2012	ACETONE	0.005	U	MG/L
MW-063	8/22/2012	ACRYLONITRILE	0.005	U	MG/L
MW-063	8/22/2012	ALKALINITY	180		MG/L
MW-063	8/22/2012	AMMONIA	0.14	J	MG/L
MW-063	8/22/2012	ANTIMONY	0.009		MG/L
MW-063	8/22/2012	ARSENIC	0.003		MG/L
MW-063	8/22/2012	BARIIUM	0.12		MG/L
MW-063	8/22/2012	BENZENE	0.001	U	MG/L
MW-063	8/22/2012	BERYLLIUM	0.0021		MG/L
MW-063	8/22/2012	BROMOCHLOROMETHANE	0.001	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-063	8/22/2012	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-063	8/22/2012	BROMOFORM	0.001	U	MG/L
MW-063	8/22/2012	BROMOMETHANE	0.001	U	MG/L
MW-063	8/22/2012	CADMIUM	0.0057		MG/L
MW-063	8/22/2012	CALCIUM	78		MG/L
MW-063	8/22/2012	CARBON DISULFIDE	0.001	U	MG/L
MW-063	8/22/2012	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-063	8/22/2012	CHEMICAL OXYGEN DEMAND	99		MG/L
MW-063	8/22/2012	CHLORIDE	10		MG/L
MW-063	8/22/2012	CHLOROBENZENE	0.001	U	MG/L
MW-063	8/22/2012	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-063	8/22/2012	CHLOROETHANE	0.001	U	MG/L
MW-063	8/22/2012	CHLOROFORM	0.001	U	MG/L
MW-063	8/22/2012	CHLOROMETHANE	0.001	U	MG/L
MW-063	8/22/2012	CHROMIUM	0.024		MG/L
MW-063	8/22/2012	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-063	8/22/2012	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-063	8/22/2012	COBALT	0.017		MG/L
MW-063	8/22/2012	COPPER	0.05		MG/L
MW-063	8/22/2012	CYANIDE	0.0045		MG/L
MW-063	8/22/2012	DIBROMOMETHANE	0.001	U	MG/L
MW-063	8/22/2012	ETHYLBENZENE	0.001	U	MG/L
MW-063	8/22/2012	FLUORIDE	0.27		MG/L
MW-063	8/22/2012	FREE CYANIDE	0.005	U	MG/L
MW-063	8/22/2012	HARDNESS	280		MG/L
MW-063	8/22/2012	IRON	18		MG/L
MW-063	8/22/2012	LEAD	0.012		MG/L
MW-063	8/22/2012	MAGNESIUM	21		MG/L
MW-063	8/22/2012	MANGANESE	0.79		MG/L
MW-063	8/22/2012	MERCURY	0.0002	U	MG/L
MW-063	8/22/2012	METHYL IODIDE	0.001	U	MG/L
MW-063	8/22/2012	METHYL TERT-BUTYL ETHER	0.001	U	MG/L
MW-063	8/22/2012	METHYLENE CHLORIDE	0.001	U	MG/L
MW-063	8/22/2012	NICKEL	0.034		MG/L
MW-063	8/22/2012	NITRATE	6.1		MG/L
MW-063	8/22/2012	POTASSIUM	4.3		MG/L
MW-063	8/22/2012	SELENIUM	0.0007	J	MG/L
MW-063	8/22/2012	SILVER	0.004	J	MG/L
MW-063	8/22/2012	SODIUM	3.5		MG/L
MW-063	8/22/2012	STYRENE	0.001	U	MG/L
MW-063	8/22/2012	SULFATE	48		MG/L
MW-063	8/22/2012	TETRACHLOROETHENE	0.001	U	MG/L
MW-063	8/22/2012	THALLIUM	0.00026	J	MG/L
MW-063	8/22/2012	TOLUENE	0.001	U	MG/L
MW-063	8/22/2012	TOTAL DISSOLVED SOLIDS	250		MG/L
MW-063	8/22/2012	TOTAL XYLENES	0.001	U	MG/L
MW-063	8/22/2012	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-063	8/22/2012	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-063	8/22/2012	TRANS-1,4-DICHLORO-2-BUTENE	0.005	U	MG/L
MW-063	8/22/2012	TRICHLOROETHENE	0.001	U	MG/L
MW-063	8/22/2012	TRICHLOROFUOROMETHANE	0.001	U	MG/L
MW-063	8/22/2012	TURBIDITY	47		NTU
MW-063	8/22/2012	VANADIUM	0.028		MG/L
MW-063	8/22/2012	VINYL ACETATE	0.001	U	MG/L
MW-063	8/22/2012	VINYL CHLORIDE	0.001	U	MG/L
MW-063	8/22/2012	ZINC	0.12		MG/L
MW-063	2/27/2013	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-063	2/27/2013	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-063	2/27/2013	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-063	2/27/2013	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-063	2/27/2013	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-063	2/27/2013	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-063	2/27/2013	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-063	2/27/2013	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-063	2/27/2013	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-063	2/27/2013	1,2-DICHLOROETHENE	0.001	U	MG/L
MW-063	2/27/2013	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-063	2/27/2013	1,4-DICHLOROETHENE	0.001	U	MG/L
MW-063	2/27/2013	2-BUTANONE	0.005	U	MG/L
MW-063	2/27/2013	2-HEXANONE	0.005	U	MG/L
MW-063	2/27/2013	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-063	2/27/2013	ACETONE	0.005	U	MG/L
MW-063	2/27/2013	ACRYLONITRILE	0.005	U	MG/L
MW-063	2/27/2013	ALKALINITY	14		MG/L
MW-063	2/27/2013	AMMONIA	0.08	J	MG/L
MW-063	2/27/2013	ANTIMONY	0.0024		MG/L
MW-063	2/27/2013	ARSENIC	0.002	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-063	2/27/2013	BARIUM	0.015		MG/L
MW-063	2/27/2013	BENZENE	0.001	U	MG/L
MW-063	2/27/2013	BERYLLIUM	0.002	U	MG/L
MW-063	2/27/2013	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-063	2/27/2013	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-063	2/27/2013	BROMOFORM	0.001	U	MG/L
MW-063	2/27/2013	BROMOMETHANE	0.001	U	MG/L
MW-063	2/27/2013	CADMIUM	0.004	U	MG/L
MW-063	2/27/2013	CALCIUM	15		MG/L
MW-063	2/27/2013	CARBON DISULFIDE	0.001	U	MG/L
MW-063	2/27/2013	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-063	2/27/2013	CHEMICAL OXYGEN DEMAND	10		MG/L
MW-063	2/27/2013	CHLORIDE	4.1		MG/L
MW-063	2/27/2013	CHLOROENZENE	0.001	U	MG/L
MW-063	2/27/2013	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-063	2/27/2013	CHLOROETHANE	0.001	U	MG/L
MW-063	2/27/2013	CHLOROFORM	0.001	U	MG/L
MW-063	2/27/2013	CHLOROMETHANE	0.001	U	MG/L
MW-063	2/27/2013	CHROMIUM	0.01	U	MG/L
MW-063	2/27/2013	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-063	2/27/2013	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-063	2/27/2013	COBALT	0.01	U	MG/L
MW-063	2/27/2013	COPPER	0.0013	J	MG/L
MW-063	2/27/2013	CYANIDE	0.0012	J	MG/L
MW-063	2/27/2013	DIBROMOMETHANE	0.001	U	MG/L
MW-063	2/27/2013	ETHYLBENZENE	0.001	U	MG/L
MW-063	2/27/2013	FLUORIDE	0.15		MG/L
MW-063	2/27/2013	FREE CYANIDE	0.005	U	MG/L
MW-063	2/27/2013	HARDNESS	54		MG/L
MW-063	2/27/2013	IRON	0.59		MG/L
MW-063	2/27/2013	LEAD	0.00024	J	MG/L
MW-063	2/27/2013	MAGNESIUM	3.8		MG/L
MW-063	2/27/2013	MANGANESE	0.023		MG/L
MW-063	2/27/2013	MERCURY	0.0002	U	MG/L
MW-063	2/27/2013	METHYL IODIDE	0.001	U	MG/L
MW-063	2/27/2013	METHYL TERT-BUTYL ETHER	0.001	U	MG/L
MW-063	2/27/2013	METHYLENE CHLORIDE	0.001	U	MG/L
MW-063	2/27/2013	NICKEL	0.0018	J	MG/L
MW-063	2/27/2013	NITRATE	0.06	U	MG/L
MW-063	2/27/2013	POTASSIUM	1.6	B	MG/L
MW-063	2/27/2013	SELENIUM	0.0005	J	MG/L
MW-063	2/27/2013	SILVER	0.01	U	MG/L
MW-063	2/27/2013	SODIUM	2.4	B	MG/L
MW-063	2/27/2013	STYRENE	0.001	U	MG/L
MW-063	2/27/2013	SULFATE	17		MG/L
MW-063	2/27/2013	TETRACHLOROETHENE	0.001	U	MG/L
MW-063	2/27/2013	THALLIUM	0.002	U	MG/L
MW-063	2/27/2013	TOLUENE	0.001	U	MG/L
MW-063	2/27/2013	TOTAL DISSOLVED SOLIDS	82		MG/L
MW-063	2/27/2013	TOTAL XYLENES	0.001	U	MG/L
MW-063	2/27/2013	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-063	2/27/2013	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-063	2/27/2013	TRANS-1,4-DICHLORO-2-BUTENE	0.005	U	MG/L
MW-063	2/27/2013	TRICHLOROETHENE	0.001	U	MG/L
MW-063	2/27/2013	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-063	2/27/2013	TURBIDITY	5.6		NTU
MW-063	2/27/2013	VANADIUM	0.0016	J	MG/L
MW-063	2/27/2013	VINYL ACETATE	0.001	U	MG/L
MW-063	2/27/2013	VINYL CHLORIDE	0.001	U	MG/L
MW-063	2/27/2013	ZINC	0.0054	J	MG/L
MW-063	8/29/2013	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-063	8/29/2013	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-063	8/29/2013	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-063	8/29/2013	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-063	8/29/2013	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-063	8/29/2013	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-063	8/29/2013	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-063	8/29/2013	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-063	8/29/2013	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-063	8/29/2013	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-063	8/29/2013	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-063	8/29/2013	1,4-DICHLOROETHANE	0.001	U	MG/L
MW-063	8/29/2013	2-BUTANONE	0.0065		MG/L
MW-063	8/29/2013	2-HEXANONE	0.005	U	MG/L
MW-063	8/29/2013	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-063	8/29/2013	ACETONE	0.26		MG/L
MW-063	8/29/2013	ACRYLONITRILE	0.01	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-063	8/29/2013	ALKALINITY	220		MG/L
MW-063	8/29/2013	AMMONIA	17		MG/L
MW-063	8/29/2013	ANTIMONY	0.0021	B	MG/L
MW-063	8/29/2013	ARSENIC	0.0014	J	MG/L
MW-063	8/29/2013	BARIUM	0.043		MG/L
MW-063	8/29/2013	BENZENE	0.001	U	MG/L
MW-063	8/29/2013	BERYLLIUM	0.00097	J	MG/L
MW-063	8/29/2013	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-063	8/29/2013	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-063	8/29/2013	BROMOFORM	0.001	U	MG/L
MW-063	8/29/2013	BROMOMETHANE	0.001	U	MG/L
MW-063	8/29/2013	CADMIUM	0.00023	J	MG/L
MW-063	8/29/2013	CALCIUM	63		MG/L
MW-063	8/29/2013	CARBON DISULFIDE	0.0017		MG/L
MW-063	8/29/2013	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-063	8/29/2013	CHEMICAL OXYGEN DEMAND	40		MG/L
MW-063	8/29/2013	CHLORIDE	8.2	B	MG/L
MW-063	8/29/2013	CHLOROBENZENE	0.001	U	MG/L
MW-063	8/29/2013	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-063	8/29/2013	CHLOROETHANE	0.001	U	MG/L
MW-063	8/29/2013	CHLOROFORM	0.001	U	MG/L
MW-063	8/29/2013	CHLOROMETHANE	0.001	U	MG/L
MW-063	8/29/2013	CHROMIUM	0.0013	J	MG/L
MW-063	8/29/2013	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-063	8/29/2013	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-063	8/29/2013	COBALT	0.0049	J	MG/L
MW-063	8/29/2013	COPPER	0.037		MG/L
MW-063	8/29/2013	CYANIDE	0.0022	J	MG/L
MW-063	8/29/2013	DIBROMOMETHANE	0.001	U	MG/L
MW-063	8/29/2013	ETHYLBENZENE	0.001	U	MG/L
MW-063	8/29/2013	FLUORIDE	0.17		MG/L
MW-063	8/29/2013	FREE CYANIDE	0.005	U	MG/L
MW-063	8/29/2013	HARDNESS	220		MG/L
MW-063	8/29/2013	IRON	6.4		MG/L
MW-063	8/29/2013	LEAD	0.00047	J	MG/L
MW-063	8/29/2013	MAGNESIUM	15		MG/L
MW-063	8/29/2013	MANGANESE	0.52		MG/L
MW-063	8/29/2013	MERCURY	0.0002	U	MG/L
MW-063	8/29/2013	METHYL IODIDE	0.002	U	MG/L
MW-063	8/29/2013	METHYL TERT-BUTYL ETHER	0.002	U	MG/L
MW-063	8/29/2013	METHYLENE CHLORIDE	0.001	U	MG/L
MW-063	8/29/2013	NICKEL	0.0037	J	MG/L
MW-063	8/29/2013	NITRATE	0.25	U	MG/L
MW-063	8/29/2013	POTASSIUM	4.8		MG/L
MW-063	8/29/2013	SELENIUM	0.0017	J	MG/L
MW-063	8/29/2013	SILVER	0.01	U	MG/L
MW-063	8/29/2013	SODIUM	4.9	B	MG/L
MW-063	8/29/2013	STYRENE	0.001	U	MG/L
MW-063	8/29/2013	SULFATE	17		MG/L
MW-063	8/29/2013	TETRACHLOROETHENE	0.001	U	MG/L
MW-063	8/29/2013	THALLIUM	0.00036	J	MG/L
MW-063	8/29/2013	TOLUENE	0.00021	J	MG/L
MW-063	8/29/2013	TOTAL DISSOLVED SOLIDS	340		MG/L
MW-063	8/29/2013	TOTAL XYLENES	0.001	U	MG/L
MW-063	8/29/2013	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-063	8/29/2013	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-063	8/29/2013	TRANS-1,4-DICHLORO-2-BUTENE	0.005	U	MG/L
MW-063	8/29/2013	TRICHLOROETHENE	0.001	U	MG/L
MW-063	8/29/2013	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-063	8/29/2013	TURBIDITY	39		NTU
MW-063	8/29/2013	VANADIUM	0.0022	J	MG/L
MW-063	8/29/2013	VINYL ACETATE	0.001	U	MG/L
MW-063	8/29/2013	VINYL CHLORIDE	0.001	U	MG/L
MW-063	8/29/2013	ZINC	0.073		MG/L
MW-063	3/11/2014	1,1,1,2-TETRACHLOROETHANE	0.01	U	MG/L
MW-063	3/11/2014	1,1,1-TRICHLOROETHANE	0.005	U	MG/L
MW-063	3/11/2014	1,1,2,2-TETRACHLOROETHANE	0.005	U	MG/L
MW-063	3/11/2014	1,1,2-TRICHLOROETHANE	0.005	U	MG/L
MW-063	3/11/2014	1,1-DICHLOROETHANE	0.005	U	MG/L
MW-063	3/11/2014	1,1-DICHLOROETHENE	0.005	U	MG/L
MW-063	3/11/2014	1,2,3-TRICHLOROPROPANE	0.005	U	MG/L
MW-063	3/11/2014	1,2-DIBROMO-3-CHLOROPROPANE	0.01	U	MG/L
MW-063	3/11/2014	1,2-DIBROMOETHANE	0.005	U	MG/L
MW-063	3/11/2014	1,2-DICHLOROBENZENE	0.005	U	MG/L
MW-063	3/11/2014	1,2-DICHLOROETHANE	0.005	U	MG/L
MW-063	3/11/2014	1,2-DICHLOROPROPANE	0.005	U	MG/L
MW-063	3/11/2014	1,4-DICHLOROBENZENE	0.01	U	MG/L
MW-063	3/11/2014	2-BUTANONE	0.01	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-063	3/11/2014	2-HEXANONE	0.01	U	MG/L
MW-063	3/11/2014	4-METHYL-2-PENTANONE	0.01	U	MG/L
MW-063	3/11/2014	ACETONE	0.05	U	MG/L
MW-063	3/11/2014	ACRYLONITRILE	0.10	U	MG/L
MW-063	3/11/2014	ALKALINITY	16		MG/L
MW-063	3/11/2014	AMMONIA	0.24	J	MG/L
MW-063	3/11/2014	ANTIMONY	0.002	U	MG/L
MW-063	3/11/2014	ARSENIC	0.00075	J	MG/L
MW-063	3/11/2014	BARIUM	0.014		MG/L
MW-063	3/11/2014	BENZENE	0.005	U	MG/L
MW-063	3/11/2014	BERYLLIUM	0.0002	J	MG/L
MW-063	3/11/2014	BROMOCHLOROMETHANE	0.005	U	MG/L
MW-063	3/11/2014	BROMODICHLOROMETHANE	0.005	U	MG/L
MW-063	3/11/2014	BROMOFORM	0.005	U	MG/L
MW-063	3/11/2014	BROMOMETHANE	0.01	U	MG/L
MW-063	3/11/2014	CADMIUM	0.004	U	MG/L
MW-063	3/11/2014	CALCIUM	17		MG/L
MW-063	3/11/2014	CARBON DISULFIDE	0.01	U	MG/L
MW-063	3/11/2014	CARBON TETRACHLORIDE	0.005	U	MG/L
MW-063	3/11/2014	CHEMICAL OXYGEN DEMAND	10	U	MG/L
MW-063	3/11/2014	CHLORIDE	6.1		MG/L
MW-063	3/11/2014	CHLOROENZENE	0.005	U	MG/L
MW-063	3/11/2014	CHLORODIBROMOMETHANE	0.005	U	MG/L
MW-063	3/11/2014	CHLOROETHANE	0.01	U	MG/L
MW-063	3/11/2014	CHLOROFORM	0.005	U	MG/L
MW-063	3/11/2014	CHLOROMETHANE	0.01	U	MG/L
MW-063	3/11/2014	CHROMIUM	0.00093	J	MG/L
MW-063	3/11/2014	CIS-1,2-DICHLOROETHENE	0.005	U	MG/L
MW-063	3/11/2014	CIS-1,3-DICHLOROPROPENE	0.005	U	MG/L
MW-063	3/11/2014	COBALT	0.0001	J	MG/L
MW-063	3/11/2014	COPPER	0.00079	J	MG/L
MW-063	3/11/2014	CYANIDE	0.005	U	MG/L
MW-063	3/11/2014	DIBROMOMETHANE	0.005	U	MG/L
MW-063	3/11/2014	ETHYLBENZENE	0.005	U	MG/L
MW-063	3/11/2014	FLUORIDE	0.22		MG/L
MW-063	3/11/2014	FREE CYANIDE	0.005	U	MG/L
MW-063	3/11/2014	HARDNESS	60		MG/L
MW-063	3/11/2014	IRON	0.022		MG/L
MW-063	3/11/2014	LEAD	0.002	U	MG/L
MW-063	3/11/2014	MAGNESIUM	4.4		MG/L
MW-063	3/11/2014	MANGANESE	0.0043	J	MG/L
MW-063	3/11/2014	MERCURY	0.0002	U	MG/L
MW-063	3/11/2014	METHYL IODIDE	0.005	U	MG/L
MW-063	3/11/2014	METHYL TERT-BUTYL ETHER	0.005	U	MG/L
MW-063	3/11/2014	METHYLENE CHLORIDE	0.01	U	MG/L
MW-063	3/11/2014	NICKEL	0.0014	J	MG/L
MW-063	3/11/2014	NITRATE	3		MG/L
MW-063	3/11/2014	POTASSIUM	1.6		MG/L
MW-063	3/11/2014	SELENIUM	0.0033	J	MG/L
MW-063	3/11/2014	SILVER	0.01	U	MG/L
MW-063	3/11/2014	SODIUM	2.3	B	MG/L
MW-063	3/11/2014	STYRENE	0.005	U	MG/L
MW-063	3/11/2014	SULFATE	18		MG/L
MW-063	3/11/2014	TETRACHLOROETHENE	0.005	U	MG/L
MW-063	3/11/2014	THALLIUM	0.00072	J	MG/L
MW-063	3/11/2014	TOLUENE	0.005	U	MG/L
MW-063	3/11/2014	TOTAL DISSOLVED SOLIDS	110		MG/L
MW-063	3/11/2014	TOTAL XYLENES	0.005	U	MG/L
MW-063	3/11/2014	TRANS-1,2-DICHLOROETHENE	0.005	U	MG/L
MW-063	3/11/2014	TRANS-1,3-DICHLOROPROPENE	0.005	U	MG/L
MW-063	3/11/2014	TRANS-1,4-DICHLORO-2-BUTENE	0.005	U	MG/L
MW-063	3/11/2014	TRICHLOROETHENE	0.005	U	MG/L
MW-063	3/11/2014	TRICHLOROFLUOROMETHANE	0.01		MG/L
MW-063	3/11/2014	TURBIDITY	1.1		NTU
MW-063	3/11/2014	VANADIUM	0.01	U	MG/L
MW-063	3/11/2014	VINYL ACETATE	0.01	U	MG/L
MW-063	3/11/2014	VINYL CHLORIDE	0.002	U	MG/L
MW-063	3/11/2014	ZINC	0.0012	J	MG/L
MW-063	3/12/2015	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-063	3/12/2015	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-063	3/12/2015	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-063	3/12/2015	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-063	3/12/2015	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-063	3/12/2015	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-063	3/12/2015	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-063	3/12/2015	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-063	3/12/2015	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-063	3/12/2015	1,2-DICHLOROBENZENE	0.001	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-063	3/12/2015	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-063	3/12/2015	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-063	3/12/2015	1,4-DICHLOROBENZENE	0.001	U	MG/L
MW-063	3/12/2015	2-BUTANONE	0.005	U	MG/L
MW-063	3/12/2015	2-HEXANONE	0.005	U	MG/L
MW-063	3/12/2015	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-063	3/12/2015	ACETONE	0.0011	J	MG/L
MW-063	3/12/2015	ACRYLONITRILE	0.005	U	MG/L
MW-063	3/12/2015	ALKALINITY	50		MG/L
MW-063	3/12/2015	AMMONIA	1	U	MG/L
MW-063	3/12/2015	ANTIMONY	0.001	U	MG/L
MW-063	3/12/2015	ARSENIC	0.002	U	MG/L
MW-063	3/12/2015	BARIUM	0.014		MG/L
MW-063	3/12/2015	BENZENE	0.001	U	MG/L
MW-063	3/12/2015	BERYLLIUM	0.002	U	MG/L
MW-063	3/12/2015	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-063	3/12/2015	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-063	3/12/2015	BROMOFORM	0.001	U	MG/L
MW-063	3/12/2015	BROMOMETHANE	0.001	U	MG/L
MW-063	3/12/2015	CADMIUM	0.004	U	MG/L
MW-063	3/12/2015	CALCIUM	12		MG/L
MW-063	3/12/2015	CARBON DISULFIDE	0.001	U	MG/L
MW-063	3/12/2015	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-063	3/12/2015	CHEMICAL OXYGEN DEMAND	10	U	MG/L
MW-063	3/12/2015	CHLORIDE	6.4		MG/L
MW-063	3/12/2015	CHLOROBENZENE	0.001	U	MG/L
MW-063	3/12/2015	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-063	3/12/2015	CHLOROETHANE	0.001	U	MG/L
MW-063	3/12/2015	CHLOROFORM	0.001	U	MG/L
MW-063	3/12/2015	CHLOROMETHANE	0.001	U	MG/L
MW-063	3/12/2015	CHROMIUM	0.00029	J	MG/L
MW-063	3/12/2015	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-063	3/12/2015	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-063	3/12/2015	COBALT	0.01	U	MG/L
MW-063	3/12/2015	COPPER	0.0016	J	MG/L
MW-063	3/12/2015	CYANIDE	0.005	U	MG/L
MW-063	3/12/2015	DIBROMOMETHANE	0.001	U	MG/L
MW-063	3/12/2015	ETHYLBENZENE	0.001	U	MG/L
MW-063	3/12/2015	FLUORIDE	0.097	J	MG/L
MW-063	3/12/2015	FREE CYANIDE	0.005	U	MG/L
MW-063	3/12/2015	GALLIUM	0.005	U	MG/L
MW-063	3/12/2015	HARDNESS	43		MG/L
MW-063	3/12/2015	IRON	0.11	B	MG/L
MW-063	3/12/2015	LEAD	0.002	U	MG/L
MW-063	3/12/2015	MAGNESIUM	3.1		MG/L
MW-063	3/12/2015	MANGANESE	0.0066	J	MG/L
MW-063	3/12/2015	MERCURY	0.0002	U	MG/L
MW-063	3/12/2015	METHYL IODIDE	0.001	U	MG/L
MW-063	3/12/2015	METHYL TERT-BUTYL ETHER	0.002	U	MG/L
MW-063	3/12/2015	METHYLENE CHLORIDE	0.001	U	MG/L
MW-063	3/12/2015	NICKEL	0.0014	J	MG/L
MW-063	3/12/2015	NITRATE	4.5		MG/L
MW-063	3/12/2015	NITRITE	0.012	U	MG/L
MW-063	3/12/2015	NITRITE/NITRATE-N	4.5		MG/L
MW-063	3/12/2015	POTASSIUM	1.3		MG/L
MW-063	3/12/2015	SELENIUM	0.035	U	MG/L
MW-063	3/12/2015	SILVER	0.01	U	MG/L
MW-063	3/12/2015	SODIUM	1.7		MG/L
MW-063	3/12/2015	STYRENE	0.001	U	MG/L
MW-063	3/12/2015	SULFATE	16		MG/L
MW-063	3/12/2015	TETRACHLOROETHENE	0.001	U	MG/L
MW-063	3/12/2015	THALLIUM	0.002	U	MG/L
MW-063	3/12/2015	TOLUENE	0.00036	J	MG/L
MW-063	3/12/2015	TOTAL DISSOLVED SOLIDS	61		MG/L
MW-063	3/12/2015	TOTAL XYLENES	0.001	U	MG/L
MW-063	3/12/2015	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-063	3/12/2015	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-063	3/12/2015	TRANS-1,4-DICHLORO-2-BUTENE	0.001	U	MG/L
MW-063	3/12/2015	TRICHLOROETHENE	0.001	U	MG/L
MW-063	3/12/2015	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-063	3/12/2015	TURBIDITY	6.6		NTU
MW-063	3/12/2015	VANADIUM	0.01	U	MG/L
MW-063	3/12/2015	VINYL ACETATE	0.001	U	MG/L
MW-063	3/12/2015	VINYL CHLORIDE	0.001	U	MG/L
MW-063	3/12/2015	ZINC	0.0034	J	MG/L
MW-063	8/20/2015	1,1,1,2-TETRACHLOROETHANE	0.002	U	MG/L
MW-063	8/20/2015	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-063	8/20/2015	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-063	8/20/2015	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-063	8/20/2015	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-063	8/20/2015	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-063	8/20/2015	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-063	8/20/2015	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-063	8/20/2015	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-063	8/20/2015	1,2-DICHLOROBENZENE	0.005	U	MG/L
MW-063	8/20/2015	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-063	8/20/2015	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-063	8/20/2015	1,4-DICHLOROBENZENE	0.001	U	MG/L
MW-063	8/20/2015	2-BUTANONE	0.002	U	MG/L
MW-063	8/20/2015	2-HEXANONE	0.002	U	MG/L
MW-063	8/20/2015	4-METHYL-2-PENTANONE	0.001	U	MG/L
MW-063	8/20/2015	ACETONE	0.005	U	MG/L
MW-063	8/20/2015	ACRYLONITRILE	0.01	U	MG/L
MW-063	8/20/2015	ALKALINITY	120		MG/L
MW-063	8/20/2015	AMMONIA	2.6		MG/L
MW-063	8/20/2015	ANTIMONY	0.001	U	MG/L
MW-063	8/20/2015	ARSENIC	0.001	U	MG/L
MW-063	8/20/2015	BARIUM	0.029		MG/L
MW-063	8/20/2015	BENZENE	0.001	U	MG/L
MW-063	8/20/2015	BERYLLIUM	0.001	U	MG/L
MW-063	8/20/2015	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-063	8/20/2015	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-063	8/20/2015	BROMOFORM	0.001	U	MG/L
MW-063	8/20/2015	BROMOMETHANE	0.002	U	MG/L
MW-063	8/20/2015	CADMIUM	0.0005	U	MG/L
MW-063	8/20/2015	CALCIUM	52		MG/L
MW-063	8/20/2015	CARBON DISULFIDE	0.002	U	MG/L
MW-063	8/20/2015	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-063	8/20/2015	CHEMICAL OXYGEN DEMAND	14		MG/L
MW-063	8/20/2015	CHLORIDE	12		MG/L
MW-063	8/20/2015	CHLOROBENZENE	0.001	U	MG/L
MW-063	8/20/2015	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-063	8/20/2015	CHLOROETHANE	0.002	U	MG/L
MW-063	8/20/2015	CHLOROFORM	0.001	U	MG/L
MW-063	8/20/2015	CHLOROMETHANE	0.002	U	MG/L
MW-063	8/20/2015	CHROMIUM	0.002	U	MG/L
MW-063	8/20/2015	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-063	8/20/2015	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-063	8/20/2015	COBALT	0.005	U	MG/L
MW-063	8/20/2015	COPPER	0.0042		MG/L
MW-063	8/20/2015	CYANIDE	0.005	U	MG/L
MW-063	8/20/2015	DIBROMOMETHANE	0.001	U	MG/L
MW-063	8/20/2015	ETHYLBENZENE	0.001	U	MG/L
MW-063	8/20/2015	FLUORIDE	1.2	B	MG/L
MW-063	8/20/2015	FREE CYANIDE	0.005	U	MG/L
MW-063	8/20/2015	HARDNESS	170		MG/L
MW-063	8/20/2015	IRON	0.25		MG/L
MW-063	8/20/2015	LEAD	0.001	U	MG/L
MW-063	8/20/2015	M+P-XYLENES	0.001	U	MG/L
MW-063	8/20/2015	MAGNESIUM	9.3		MG/L
MW-063	8/20/2015	MANGANESE	0.068		MG/L
MW-063	8/20/2015	MERCURY	0.0002	U	MG/L
MW-063	8/20/2015	METHYL IODIDE	0.01	U	MG/L
MW-063	8/20/2015	METHYL TERT-BUTYL ETHER	0.002	U	MG/L
MW-063	8/20/2015	METHYLENE CHLORIDE	0.002	U	MG/L
MW-063	8/20/2015	NICKEL	0.005	U	MG/L
MW-063	8/20/2015	NITRATE	5.9		MG/L
MW-063	8/20/2015	O-XYLENE	0.001	U	MG/L
MW-063	8/20/2015	POTASSIUM	2.5		MG/L
MW-063	8/20/2015	SELENIUM	0.005	U	MG/L
MW-063	8/20/2015	SILVER	0.001	U	MG/L
MW-063	8/20/2015	SODIUM	3.2		MG/L
MW-063	8/20/2015	STYRENE	0.001	U	MG/L
MW-063	8/20/2015	SULFATE	20		MG/L
MW-063	8/20/2015	TETRACHLOROETHENE	0.001	U	MG/L
MW-063	8/20/2015	THALLIUM	0.001	U	MG/L
MW-063	8/20/2015	TOLUENE	0.001	U	MG/L
MW-063	8/20/2015	TOTAL DISSOLVED SOLIDS	140		MG/L
MW-063	8/20/2015	TOTAL XYLENES	0.001	U	MG/L
MW-063	8/20/2015	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-063	8/20/2015	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-063	8/20/2015	TRANS-1,4-DICHLORO-2-BUTENE	0.001	U	MG/L
MW-063	8/20/2015	TRICHLOROETHENE	0.001	U	MG/L
MW-063	8/20/2015	TRICHLOROFLUOROMETHANE	0.002	U	MG/L
MW-063	8/20/2015	TURBIDITY	15		NTU
MW-063	8/20/2015	VANADIUM	0.005	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-063	8/20/2015	VINYL ACETATE	0.002	U	MG/L
MW-063	8/20/2015	VINYL CHLORIDE	0.002	U	MG/L
MW-063	8/20/2015	ZINC	0.0075		MG/L
MW-063	3/16/2016	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-063	3/16/2016	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-063	3/16/2016	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-063	3/16/2016	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-063	3/16/2016	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-063	3/16/2016	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-063	3/16/2016	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-063	3/16/2016	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-063	3/16/2016	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-063	3/16/2016	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-063	3/16/2016	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-063	3/16/2016	1,4-DICHLOROETHANE	0.001	U	MG/L
MW-063	3/16/2016	2-BUTANONE	0.005	U	MG/L
MW-063	3/16/2016	2-HEXANONE	0.005	U	MG/L
MW-063	3/16/2016	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-063	3/16/2016	ACETONE	0.0014	J	MG/L
MW-063	3/16/2016	ACRYLONITRILE	0.005	U	MG/L
MW-063	3/16/2016	ALKALINITY	25		MG/L
MW-063	3/16/2016	AMMONIA	0.78	J	MG/L
MW-063	3/16/2016	ANTIMONY	0.001	U	MG/L
MW-063	3/16/2016	ARSENIC	0.001	U	MG/L
MW-063	3/16/2016	BARIUM	0.0262		MG/L
MW-063	3/16/2016	BENZENE	0.001	U	MG/L
MW-063	3/16/2016	BERYLLIUM	0.001	U	MG/L
MW-063	3/16/2016	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-063	3/16/2016	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-063	3/16/2016	BROMOFORM	0.001	U	MG/L
MW-063	3/16/2016	BROMOMETHANE	0.001	U	MG/L
MW-063	3/16/2016	CADMIUM	0.0005	U	MG/L
MW-063	3/16/2016	CALCIUM	29		MG/L
MW-063	3/16/2016	CARBON DISULFIDE	0.001	U	MG/L
MW-063	3/16/2016	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-063	3/16/2016	CHEMICAL OXYGEN DEMAND	21		MG/L
MW-063	3/16/2016	CHLORIDE	7.2		MG/L
MW-063	3/16/2016	CHLOROBENZENE	0.001	U	MG/L
MW-063	3/16/2016	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-063	3/16/2016	CHLOROETHANE	0.001	U	MG/L
MW-063	3/16/2016	CHLOROFORM	0.001	U	MG/L
MW-063	3/16/2016	CHLOROMETHANE	0.001	U	MG/L
MW-063	3/16/2016	CHROMIUM	0.002	U	MG/L
MW-063	3/16/2016	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-063	3/16/2016	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-063	3/16/2016	COBALT	0.005	U	MG/L
MW-063	3/16/2016	COPPER	0.0031	B	MG/L
MW-063	3/16/2016	CYANIDE	0.005	U	MG/L
MW-063	3/16/2016	DIBROMOMETHANE	0.001	U	MG/L
MW-063	3/16/2016	ETHYLBENZENE	0.001	U	MG/L
MW-063	3/16/2016	FLUORIDE	0.11		MG/L
MW-063	3/16/2016	FREE CYANIDE	0.005	U	MG/L
MW-063	3/16/2016	HARDNESS	100		MG/L
MW-063	3/16/2016	IRON	0.177		MG/L
MW-063	3/16/2016	LEAD	0.001	U	MG/L
MW-063	3/16/2016	MAGNESIUM	6.76		MG/L
MW-063	3/16/2016	MANGANESE	0.177		MG/L
MW-063	3/16/2016	MERCURY	0.0002	U	MG/L
MW-063	3/16/2016	METHYL IODIDE	0.001	U	MG/L
MW-063	3/16/2016	METHYL TERT-BUTYL ETHER	0.002	U	MG/L
MW-063	3/16/2016	METHYLENE CHLORIDE	0.001	U	MG/L
MW-063	3/16/2016	NICKEL	0.005	U	MG/L
MW-063	3/16/2016	NITRATE	2		MG/L
MW-063	3/16/2016	NITRITE	0.012	B	MG/L
MW-063	3/16/2016	NITRITE/NITRATE-N	2		MG/L
MW-063	3/16/2016	POTASSIUM	2.35		MG/L
MW-063	3/16/2016	SELENIUM	0.005	U	MG/L
MW-063	3/16/2016	SILVER	0.001	U	MG/L
MW-063	3/16/2016	SODIUM	2.17		MG/L
MW-063	3/16/2016	STYRENE	0.001	U	MG/L
MW-063	3/16/2016	SULFATE	16		MG/L
MW-063	3/16/2016	TETRACHLOROETHENE	0.001	U	MG/L
MW-063	3/16/2016	THALLIUM	0.001	U	MG/L
MW-063	3/16/2016	TOLUENE	0.001	U	MG/L
MW-063	3/16/2016	TOTAL DISSOLVED SOLIDS	120		MG/L
MW-063	3/16/2016	TOTAL XYLENES	0.001	U	MG/L
MW-063	3/16/2016	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L



Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-063	3/16/2016	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-063	3/16/2016	TRANS-1,4-DICHLORO-2-BUTENE	0.001	U	MG/L
MW-063	3/16/2016	TRICHLOROETHENE	0.001	U	MG/L
MW-063	3/16/2016	TRICHLOROFLUOROMETHANE	0.002	U	MG/L
MW-063	3/16/2016	TURBIDITY	7		NTU
MW-063	3/16/2016	VANADIUM	0.005	U	MG/L
MW-063	3/16/2016	VINYL ACETATE	0.001	U	MG/L
MW-063	3/16/2016	VINYL CHLORIDE	0.001	U	MG/L
MW-063	3/16/2016	ZINC	0.0056		MG/L
MW-063	3/23/2017	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-063	3/23/2017	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-063	3/23/2017	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-063	3/23/2017	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-063	3/23/2017	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-063	3/23/2017	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-063	3/23/2017	1,2,3-TRICHLOROPROPANE	0.003	U	MG/L
MW-063	3/23/2017	1,2-DIBROMO-3-CHLOROPROPANE	0.002	U	MG/L
MW-063	3/23/2017	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-063	3/23/2017	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-063	3/23/2017	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-063	3/23/2017	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-063	3/23/2017	1,4-DICHLOROBENZENE	0.001	U	MG/L
MW-063	3/23/2017	2-BUTANONE	0.001	U	MG/L
MW-063	3/23/2017	2-HEXANONE	0.001	U	MG/L
MW-063	3/23/2017	4-METHYL-2-PENTANONE	0.001	U	MG/L
MW-063	3/23/2017	ACETONE	0.003	U	MG/L
MW-063	3/23/2017	ACRYLONITRILE	0.001	U	MG/L
MW-063	3/23/2017	ALKALINITY	15.4		MG/L
MW-063	3/23/2017	AMMONIA-N	0.20	U	MG/L
MW-063	3/23/2017	ANTIMONY	0.0048	U	MG/L
MW-063	3/23/2017	ARSENIC	0.0068	U	MG/L
MW-063	3/23/2017	BARIUM	0.0157		MG/L
MW-063	3/23/2017	BENZENE	0.001	U	MG/L
MW-063	3/23/2017	BERYLLIUM	0.0011	U	MG/L
MW-063	3/23/2017	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-063	3/23/2017	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-063	3/23/2017	BROMOFORM	0.001	U	MG/L
MW-063	3/23/2017	BROMOMETHANE	0.001	U	MG/L
MW-063	3/23/2017	CADMIUM	0.0024	J	MG/L
MW-063	3/23/2017	CALCIUM	17.5		MG/L
MW-063	3/23/2017	CARBON DISULFIDE	0.004	U	MG/L
MW-063	3/23/2017	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-063	3/23/2017	CHEMICAL OXYGEN DEMAND	3.0	U	MG/L
MW-063	3/23/2017	CHLORIDE	6.7		MG/L
MW-063	3/23/2017	CHLOROBENZENE	0.001	U	MG/L
MW-063	3/23/2017	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-063	3/23/2017	CHLOROETHANE	0.001	U	MG/L
MW-063	3/23/2017	CHLOROFORM	0.001	U	MG/L
MW-063	3/23/2017	CHLOROMETHANE	0.002	U	MG/L
MW-063	3/23/2017	CHROMIUM	0.014	J	MG/L
MW-063	3/23/2017	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-063	3/23/2017	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-063	3/23/2017	COBALT	0.019	U	MG/L
MW-063	3/23/2017	COPPER	0.041	U	MG/L
MW-063	3/23/2017	CYANIDE	0.050	U	MG/L
MW-063	3/23/2017	DIBROMOMETHANE	0.001	U	MG/L
MW-063	3/23/2017	ETHYLBENZENE	0.001	U	MG/L
MW-063	3/23/2017	FLUORIDE	0.11		MG/L
MW-063	3/23/2017	FREE CYANIDE	0.0020	U	MG/L
MW-063	3/23/2017	HARDNESS AS CaCO3	60.2		MG/L
MW-063	3/23/2017	IRON	0.111		MG/L
MW-063	3/23/2017	LEAD	0.0012	J	MG/L
MW-063	3/23/2017	MAGNESIUM	3.98		MG/L
MW-063	3/23/2017	MAGNESIUM	3.89		MG/L
MW-063	3/23/2017	MANGANESE	0.0076		MG/L
MW-063	3/23/2017	MERCURY	0.00050	U	MG/L
MW-063	3/23/2017	METHYL IODIDE	0.001	U	MG/L
MW-063	3/23/2017	METHYL TERT-BUTYL ETHER	0.001	U	MG/L
MW-063	3/23/2017	METHYLENE CHLORIDE	0.002	U	MG/L
MW-063	3/23/2017	NICKEL	0.0028	U	MG/L
MW-063	3/23/2017	NITRATE-N	6.1		MG/L
MW-063	3/23/2017	PH	5.9		S.U.
MW-063	3/23/2017	POTASSIUM	1.69		MG/L
MW-063	3/23/2017	SELENIUM	0.0097	U	MG/L
MW-063	3/23/2017	SILVER	0.019	U	MG/L
MW-063	3/23/2017	SODIUM	1.95		MG/L
MW-063	3/23/2017	SPECIFIC CONDUCTANCE	150		UMHOS/CM
MW-063	3/23/2017	STYRENE	0.001	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-063	3/23/2017	SULFATE	18.5		MG/L
MW-063	3/23/2017	TEMPERATURE	22.1		C
MW-063	3/23/2017	TETRACHLOROETHENE	0.0001	U	MG/L
MW-063	3/23/2017	THALLIUM	0.00016	U	MG/L
MW-063	3/23/2017	TOLUENE	0.0001	U	MG/L
MW-063	3/23/2017	TOTAL DISSOLVED SOLIDS	130		MG/L
MW-063	3/23/2017	TOTAL XYLENES	0.0001	U	MG/L
MW-063	3/23/2017	TRANS-1,2-DICHLOROETHENE	0.0001	U	MG/L
MW-063	3/23/2017	TRANS-1,3-DICHLOROPROPENE	0.0001	U	MG/L
MW-063	3/23/2017	TRANS-1,4-DICHLORO-2-BUTENE	0.001	U	MG/L
MW-063	3/23/2017	TRICHLOROETHENE	0.0001	U	MG/L
MW-063	3/23/2017	TRICHLOROFLUOROMETHANE	0.0001	U	MG/L
MW-063	3/23/2017	TURBIDITY	4.5		NTU
MW-063	3/23/2017	VANADIUM	0.0016	U	MG/L
MW-063	3/23/2017	VINYL ACETATE	0.0002	U	MG/L
MW-063	3/23/2017	VINYL CHLORIDE	0.0001	U	MG/L
MW-063	3/23/2017	ZINC	0.0035	U	MG/L
MW-063	9/8/2017	1,1,1,2-TETRACHLOROETHANE	0.10	U	UG/L
MW-063	9/8/2017	1,1,1-TRICHLOROETHANE	0.10	U	UG/L
MW-063	9/8/2017	1,1,2,2-TETRACHLOROETHANE	0.10	U	UG/L
MW-063	9/8/2017	1,1,2-TRICHLOROETHANE	0.10	U	UG/L
MW-063	9/8/2017	1,1-DICHLOROETHANE	0.10	U	UG/L
MW-063	9/8/2017	1,2,3-TRICHLOROPROPANE	0.30	U	UG/L
MW-063	9/8/2017	1,2-DIBROMO-3-CHLOROPROPANE	0.20	U	UG/L
MW-063	9/8/2017	1,2-DIBROMOETHANE	0.10	U	UG/L
MW-063	9/8/2017	1,2-DICHLOROBENZENE	0.10	U	UG/L
MW-063	9/8/2017	1,2-DICHLOROETHANE	0.10	U	UG/L
MW-063	9/8/2017	1,2-DICHLOROPROPANE	0.10	U	UG/L
MW-063	9/8/2017	1,4-DICHLOROBENZENE	0.10	U	UG/L
MW-063	9/8/2017	2-BUTANONE	1	U	UG/L
MW-063	9/8/2017	2-HEXANONE	1	U	UG/L
MW-063	9/8/2017	4-METHYL-2-PENTANONE	1	U	UG/L
MW-063	9/8/2017	ACETONE	50		UG/L
MW-063	9/8/2017	ACRYLONITRILE	1	U	UG/L
MW-063	9/8/2017	ALKALINITY	255		MG/L
MW-063	9/8/2017	AMMONIA	3.9		MG/L
MW-063	9/8/2017	ANTIMONY	0.0011		MG/L
MW-063	9/8/2017	ARSENIC	0.0016	J	MG/L
MW-063	9/8/2017	BARIUM	0.0615		MG/L
MW-063	9/8/2017	BENZENE	0.10	U	UG/L
MW-063	9/8/2017	BERYLLIUM	0.00062		MG/L
MW-063	9/8/2017	BROMOCHLOROMETHANE	0.10	U	UG/L
MW-063	9/8/2017	BROMODICHLOROMETHANE	0.10	U	UG/L
MW-063	9/8/2017	BROMOFORM	0.10	U	UG/L
MW-063	9/8/2017	BROMOMETHANE	0.10	U	UG/L
MW-063	9/8/2017	CADMIUM	0.0013		MG/L
MW-063	9/8/2017	CALCIUM	55.1		MG/L
MW-063	9/8/2017	CARBON DISULFIDE	0.40	U	UG/L
MW-063	9/8/2017	CARBON TETRACHLORIDE	0.10	U	UG/L
MW-063	9/8/2017	CHEMICAL OXYGEN DEMAND	114		MG/L
MW-063	9/8/2017	CHLORIDE	7.6		MG/L
MW-063	9/8/2017	CHLOROBENZENE	0.10	U	UG/L
MW-063	9/8/2017	CHLORODIBROMOMETHANE	0.10	U	UG/L
MW-063	9/8/2017	CHLOROETHANE	0.10	U	UG/L
MW-063	9/8/2017	CHLOROFORM	0.10	U	UG/L
MW-063	9/8/2017	CHLOROMETHANE	0.20	U	UG/L
MW-063	9/8/2017	CHROMIUM	0.0106		MG/L
MW-063	9/8/2017	CIS-1,2-DICHLOROETHENE	0.10	U	UG/L
MW-063	9/8/2017	CIS-1,3-DICHLOROPROPENE	0.10	U	UG/L
MW-063	9/8/2017	COBALT	0.0049	J	MG/L
MW-063	9/8/2017	COPPER	0.0138		MG/L
MW-063	9/8/2017	CYANIDE	0.005	U	MG/L
MW-063	9/8/2017	DIBROMOMETHANE	0.10	U	UG/L
MW-063	9/8/2017	ETHYLBENZENE	0.10	U	UG/L
MW-063	9/8/2017	FLUORIDE	0.21		MG/L
MW-063	9/8/2017	FREE CYANIDE	0.0022	J	MG/L
MW-063	9/8/2017	HARDNESS AS CaCO3	198		MG/L
MW-063	9/8/2017	IRON	3.8		MG/L
MW-063	9/8/2017	LEAD	0.0021		MG/L
MW-063	9/8/2017	MAGNESIUM	14.6		MG/L
MW-063	9/8/2017	MAGNESIUM	16.5		MG/L
MW-063	9/8/2017	MANGANESE	0.535		MG/L
MW-063	9/8/2017	MERCURY	0.00005	U	MG/L
MW-063	9/8/2017	METHYL IODIDE	0.10	U	UG/L
MW-063	9/8/2017	METHYL TERT-BUTYL ETHER	0.10	U	UG/L
MW-063	9/8/2017	METHYLENE CHLORIDE	0.20	U	UG/L
MW-063	9/8/2017	NICKEL	0.0087	J	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-063	9/8/2017	NITRATE-N	0.64		MG/L
MW-063	9/8/2017	PH	7.7		S.U.
MW-063	9/8/2017	POTASSIUM	13.4		MG/L
MW-063	9/8/2017	SELENIUM	0.0093	U	MG/L
MW-063	9/8/2017	SILVER	0.0024	U	MG/L
MW-063	9/8/2017	SODIUM	3.52		MG/L
MW-063	9/8/2017	SPECIFIC CONDUCTANCE	554		UMHOS/CM
MW-063	9/8/2017	STYRENE	0.10	U	UG/L
MW-063	9/8/2017	SULFATE	5		MG/L
MW-063	9/8/2017	TEMPERATURE	23.1		C
MW-063	9/8/2017	TETRACHLOROETHENE	0.10	U	UG/L
MW-063	9/8/2017	THALLIUM	0.00012	U	MG/L
MW-063	9/8/2017	TOLUENE	0.60		UG/L
MW-063	9/8/2017	TOTAL DISSOLVED SOLIDS	239		MG/L
MW-063	9/8/2017	TOTAL XYLENES	0.10	U	UG/L
MW-063	9/8/2017	TRANS-1,2-DICHLOROETHENE	0.10	U	UG/L
MW-063	9/8/2017	TRANS-1,3-DICHLOROPROPENE	0.10	U	UG/L
MW-063	9/8/2017	TRANS-1,4-DICHLORO-2-BUTENE	1	U	UG/L
MW-063	9/8/2017	TRICHLOROETHENE	0.10	U	UG/L
MW-063	9/8/2017	TRICHLOROFUOROMETHANE	0.10	U	UG/L
MW-063	9/8/2017	TURBIDITY	130		NTU
MW-063	9/8/2017	VANADIUM	0.008		MG/L
MW-063	9/8/2017	VINYL ACETATE	0.20	U	UG/L
MW-063	9/8/2017	VINYL CHLORIDE	0.10	U	UG/L
MW-063	9/8/2017	ZINC	0.0459		MG/L
MW-063	3/5/2018	1,1,1,2-TETRACHLOROETHANE	0.0001	U	MG/L
MW-063	3/5/2018	1,1,1-TRICHLOROETHANE	0.0001	U	MG/L
MW-063	3/5/2018	1,1,2,2-TETRACHLOROETHANE	0.0001	U	MG/L
MW-063	3/5/2018	1,1,2-TRICHLOROETHANE	0.0001	U	MG/L
MW-063	3/5/2018	1,1-DICHLOROETHANE	0.0001	U	MG/L
MW-063	3/5/2018	1,1-DICHLOROETHENE	0.0001	U	MG/L
MW-063	3/5/2018	1,2,3-TRICHLOROPROPANE	0.0003	U	MG/L
MW-063	3/5/2018	1,2-DIBROMO-3-CHLOROPROPANE	0.0002	U	MG/L
MW-063	3/5/2018	1,2-DIBROMOETHANE	0.0001	U	MG/L
MW-063	3/5/2018	1,2-DICHLOROBENZENE	0.0001	U	MG/L
MW-063	3/5/2018	1,2-DICHLOROETHANE	0.0001	U	MG/L
MW-063	3/5/2018	1,2-DICHLOROPROPANE	0.0001	U	MG/L
MW-063	3/5/2018	1,4-DICHLOROBENZENE	0.0001	U	MG/L
MW-063	3/5/2018	2-BUTANONE	0.001	U	MG/L
MW-063	3/5/2018	2-HEXANONE	0.001	U	MG/L
MW-063	3/5/2018	4-METHYL-2-PENTANONE	0.001	U	MG/L
MW-063	3/5/2018	ACETONE	0.003	U	MG/L
MW-063	3/5/2018	ACRYLONITRILE	0.001	U	MG/L
MW-063	3/5/2018	ALKALINITY	22.2		MG/L
MW-063	3/5/2018	AMMONIA-N	0.89		MG/L
MW-063	3/5/2018	ANTIMONY	0.00045	U	MG/L
MW-063	3/5/2018	ARSENIC	0.00072	U	MG/L
MW-063	3/5/2018	BARIUM	0.0168		MG/L
MW-063	3/5/2018	BENZENE	0.0001	U	MG/L
MW-063	3/5/2018	BERYLLIUM	0.00014	J	MG/L
MW-063	3/5/2018	BROMOCHLOROMETHANE	0.0001	U	MG/L
MW-063	3/5/2018	BROMODICHLOROMETHANE	0.0001	U	MG/L
MW-063	3/5/2018	BROMOFORM	0.0001	U	MG/L
MW-063	3/5/2018	BROMOMETHANE	0.0001	U	MG/L
MW-063	3/5/2018	CADMIUM	0.00015	U	MG/L
MW-063	3/5/2018	CALCIUM	17.4		MG/L
MW-063	3/5/2018	CARBON DISULFIDE	0.0004	U	MG/L
MW-063	3/5/2018	CARBON TETRACHLORIDE	0.0001	U	MG/L
MW-063	3/5/2018	CHEMICAL OXYGEN DEMAND	3	U	MG/L
MW-063	3/5/2018	CHLORIDE	4.7		MG/L
MW-063	3/5/2018	CHLOROBENZENE	0.0001	U	MG/L
MW-063	3/5/2018	CHLORODIBROMOMETHANE	0.0001	U	MG/L
MW-063	3/5/2018	CHLOROETHANE	0.0001	U	MG/L
MW-063	3/5/2018	CHLOROFORM	0.0001	U	MG/L
MW-063	3/5/2018	CHLOROMETHANE	0.0002	U	MG/L
MW-063	3/5/2018	CHROMIUM	0.00091	J	MG/L
MW-063	3/5/2018	CIS-1,2-DICHLOROETHENE	0.0001	U	MG/L
MW-063	3/5/2018	CIS-1,3-DICHLOROPROPENE	0.0001	U	MG/L
MW-063	3/5/2018	COBALT	0.0017	U	MG/L
MW-063	3/5/2018	COPPER	0.004	U	MG/L
MW-063	3/5/2018	CYANIDE	0.005	U	MG/L
MW-063	3/5/2018	DIBROMOMETHANE	0.0001	U	MG/L
MW-063	3/5/2018	ETHYLBENZENE	0.0001	U	MG/L
MW-063	3/5/2018	FLUORIDE	0.099	J	MG/L
MW-063	3/5/2018	FREE CYANIDE	0.0038	J	MG/L
MW-063	3/5/2018	HARDNESS AS CaCO3	61.4		MG/L
MW-063	3/5/2018	IRON	0.122		MG/L
MW-063	3/5/2018	LEAD	0.00012	J	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-063	3/5/2018	MAGNESIUM	4.39		MG/L
MW-063	3/5/2018	MANGANESE	0.0306		MG/L
MW-063	3/5/2018	MERCURY	0.00005	U	MG/L
MW-063	3/5/2018	METHYL IODIDE	0.0001	U	MG/L
MW-063	3/5/2018	METHYL TERT-BUTYL ETHER	0.0001	U	MG/L
MW-063	3/5/2018	METHYLENE CHLORIDE	0.0002	U	MG/L
MW-063	3/5/2018	NICKEL	0.004	U	MG/L
MW-063	3/5/2018	NITRATE-N	5.2		MG/L
MW-063	3/5/2018	PH	6.7		S.U.
MW-063	3/5/2018	POTASSIUM	1.71		MG/L
MW-063	3/5/2018	SELENIUM	0.0093	U	MG/L
MW-063	3/5/2018	SILVER	0.0024	U	MG/L
MW-063	3/5/2018	SODIUM	1.86		MG/L
MW-063	3/5/2018	SPECIFIC CONDUCTANCE	152		UMHOS/CM
MW-063	3/5/2018	STYRENE	0.0001	U	MG/L
MW-063	3/5/2018	SULFATE	18.2		MG/L
MW-063	3/5/2018	TEMPERATURE	22		C
MW-063	3/5/2018	TETRACHLOROETHENE	0.0001	U	MG/L
MW-063	3/5/2018	THALLIUM	0.00012	U	MG/L
MW-063	3/5/2018	TOLUENE	0.0029		MG/L
MW-063	3/5/2018	TOTAL DISSOLVED SOLIDS	117		MG/L
MW-063	3/5/2018	TOTAL XYLENES	0.0001	U	MG/L
MW-063	3/5/2018	TRANS-1,2-DICHLOROETHENE	0.0001	U	MG/L
MW-063	3/5/2018	TRANS-1,3-DICHLOROPROPENE	0.0001	U	MG/L
MW-063	3/5/2018	TRANS-1,4-DICHLORO-2-BUTENE	0.001	U	MG/L
MW-063	3/5/2018	TRICHLOROETHENE	0.0001	U	MG/L
MW-063	3/5/2018	TRICHLOROFLUOROMETHANE	0.0001	U	MG/L
MW-063	3/5/2018	TURBIDITY	7		NTU
MW-063	3/5/2018	VANADIUM	0.0016	U	MG/L
MW-063	3/5/2018	VINYL ACETATE	0.0002	U	MG/L
MW-063	3/5/2018	VINYL CHLORIDE	0.0001	U	MG/L
MW-063	3/5/2018	ZINC	0.0039	U	MG/L
MW-063	9/24/2018	FLUORIDE	0.1200		MG/L
MW-063	3/6/2019	FLUORIDE	0.14		MG/L
MW-063	8/27/2019	ALKALINITY	150		MG/L
MW-063	8/27/2019	AMMONIA-N	3.2		MG/L
MW-063	8/27/2019	ANTIMONY	0.001	J	MG/L
MW-063	8/27/2019	ARSENIC	0.00091	J	MG/L
MW-063	8/27/2019	BARIUM	0.0528		MG/L
MW-063	8/27/2019	BERYLLIUM	0.00038	J	MG/L
MW-063	8/27/2019	CADMIUM	0.00027	J	MG/L
MW-063	8/27/2019	CALCIUM	60.9		MG/L
MW-063	8/27/2019	CHEMICAL OXYGEN DEMAND	18.8		MG/L
MW-063	8/27/2019	CHLORIDE	6.2		MG/L
MW-063	8/27/2019	CHROMIUM	0.0054		MG/L
MW-063	8/27/2019	COBALT	0.0024		MG/L
MW-063	8/27/2019	COPPER	0.0099	U	MG/L
MW-063	8/27/2019	CYANIDE	0.023		MG/L
MW-063	8/27/2019	FLUORIDE	1.2		MG/L
MW-063	8/27/2019	FREE CYANIDE	0.0025	J	MG/L
MW-063	8/27/2019	HARDNESS AS CaCO3	215		MG/L
MW-063	8/27/2019	IRON	2.73		MG/L
MW-063	8/27/2019	LEAD	0.0014	J	MG/L
MW-063	8/27/2019	MAGNESIUM	15.2		MG/L
MW-063	8/27/2019	MANGANESE	0.411		MG/L
MW-063	8/27/2019	MERCURY	0.00005	U	MG/L
MW-063	8/27/2019	NICKEL	0.0054		MG/L
MW-063	8/27/2019	NITRATE-N	6.4		MG/L
MW-063	8/27/2019	PH	7.3		S.U.
MW-063	8/27/2019	POTASSIUM	4.11		MG/L
MW-063	8/27/2019	SELENIUM	0.00065	U	MG/L
MW-063	8/27/2019	SILVER	0.00017	U	MG/L
MW-063	8/27/2019	SODIUM	4.31		MG/L
MW-063	8/27/2019	SPECIFIC CONDUCTANCE	408		UMHOS/CM
MW-063	8/27/2019	SULFATE	15.1		MG/L
MW-063	8/27/2019	TEMPERATURE	23.7		C
MW-063	8/27/2019	THALLIUM	0.00011	U	MG/L
MW-063	8/27/2019	TOTAL DISSOLVED SOLIDS	218		MG/L
MW-063	8/27/2019	TURBIDITY	13		NTU
MW-063	8/27/2019	VANADIUM	0.0056		MG/L
MW-063	8/27/2019	ZINC	0.0301		MG/L
MW-063	3/9/2020	ALKALINITY	48.5		MG/L
MW-063	3/9/2020	AMMONIA-N	2.3		MG/L
MW-063	3/9/2020	ANTIMONY	0.00041	U	MG/L
MW-063	3/9/2020	ARSENIC	0.00068	U	MG/L
MW-063	3/9/2020	BARIUM	0.0261		MG/L
MW-063	3/9/2020	BERYLLIUM	0.00012	U	MG/L
MW-063	3/9/2020	CADMIUM	0.00015	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-063	3/9/2020	CALCIUM	32.1		MG/L
MW-063	3/9/2020	CHEMICAL OXYGEN DEMAND	38		MG/L
MW-063	3/9/2020	CHLORIDE	9.4		MG/L
MW-063	3/9/2020	CHROMIUM	0.0014	J	MG/L
MW-063	3/9/2020	COBALT	0.00021	J	MG/L
MW-063	3/9/2020	COPPER	0.0021		MG/L
MW-063	3/9/2020	CYANIDE	0.005	U	MG/L
MW-063	3/9/2020	FLUORIDE	1.3		MG/L
MW-063	3/9/2020	FREE CYANIDE	0.0021	J	MG/L
MW-063	3/9/2020	HARDNESS AS CaCO3	114		MG/L
MW-063	3/9/2020	IRON	0.131		MG/L
MW-063	3/9/2020	LEAD	0.000071	U	MG/L
MW-063	3/9/2020	MAGNESIUM	8.13		MG/L
MW-063	3/9/2020	MANGANESE	0.069		MG/L
MW-063	3/9/2020	MERCURY	0.00005	U	MG/L
MW-063	3/9/2020	NICKEL	0.0014		MG/L
MW-063	3/9/2020	NITRATE-N	17.8	E	MG/L
MW-063	3/9/2020	POTASSIUM	2.68		MG/L
MW-063	3/9/2020	SELENIUM	0.00028	U	MG/L
MW-063	3/9/2020	SILVER	0.00017	U	MG/L
MW-063	3/9/2020	SODIUM	2.55		MG/L
MW-063	3/9/2020	SPECIFIC CONDUCTANCE	288		UMHOS/CM
MW-063	3/9/2020	SULFATE	13.6		MG/L
MW-063	3/9/2020	THALLIUM	0.00013	U	MG/L
MW-063	3/9/2020	TOTAL DISSOLVED SOLIDS	177		MG/L
MW-063	3/9/2020	TURBIDITY	12		NTU
MW-063	3/9/2020	VANADIUM	0.00088		MG/L
MW-063	3/9/2020	ZINC	0.0105		MG/L
MW-064	11/9/1993	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-064	11/9/1993	ALKALINITY	7		MG/L
MW-064	11/9/1993	BICARBONATE ALKALINITY	7		MG/L
MW-064	11/9/1993	CALCIUM	8		MG/L
MW-064	11/9/1993	CARBONATE ALKALINITY	1	U	MG/L
MW-064	11/9/1993	CHLORIDE	10		MG/L
MW-064	11/9/1993	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-064	11/9/1993	CYANIDE	9.42	U	MG/L
MW-064	11/9/1993	FLUORIDE	0.07		MG/L
MW-064	11/9/1993	FREE CYANIDE	0.0081	U	MG/L
MW-064	11/9/1993	IRON	21		MG/L
MW-064	11/9/1993	SULFATE	2		MG/L
MW-064	11/9/1993	TETRACHLOROETHENE	0.001	U	MG/L
MW-064	11/9/1993	TOTAL DISSOLVED SOLIDS	80		MG/L
MW-064	11/9/1993	TRICHLOROETHENE	0.001	U	MG/L
MW-064	11/9/1993	VINYL CHLORIDE	0.001	U	MG/L
MW-064	3/15/1994	CYANIDE	8.94	U	MG/L
MW-064	3/15/1994	FLUORIDE	0.08		MG/L
MW-064	3/15/1994	FREE CYANIDE	0.0085	U	MG/L
MW-064	7/15/1994	ALKALINITY	11.6		MG/L
MW-064	7/15/1994	BICARBONATE ALKALINITY	11.6		MG/L
MW-064	7/15/1994	CALCIUM	14.8		MG/L
MW-064	7/15/1994	CARBONATE ALKALINITY	0.00	U	MG/L
MW-064	7/15/1994	CHLORIDE	8.19		MG/L
MW-064	7/15/1994	CYANIDE	9.01	U	MG/L
MW-064	7/15/1994	FLUORIDE	0.07		MG/L
MW-064	7/15/1994	IRON	1.08		MG/L
MW-064	7/15/1994	SULFATE	10.3		MG/L
MW-064	7/15/1994	TOTAL DISSOLVED SOLIDS	117		MG/L
MW-064	7/29/1994	FREE CYANIDE	0.0075	U	MG/L
MW-064	1/23/1995	CYANIDE	10.4	U	MG/L
MW-064	1/23/1995	FLUORIDE	0.07		MG/L
MW-064	1/23/1995	FREE CYANIDE	0.0087	U	MG/L
MW-064	7/17/1995	ALKALINITY	2		MG/L
MW-064	7/17/1995	BICARBONATE ALKALINITY	2		MG/L
MW-064	7/17/1995	CALCIUM	6.2		MG/L
MW-064	7/17/1995	CARBONATE ALKALINITY	0.00	U	MG/L
MW-064	7/17/1995	CHLORIDE	8.69		MG/L
MW-064	7/17/1995	CYANIDE	9.86	U	MG/L
MW-064	7/17/1995	FLUORIDE	0.08		MG/L
MW-064	7/17/1995	IRON	2.58		MG/L
MW-064	7/17/1995	SULFATE	5.76		MG/L
MW-064	7/17/1995	TOTAL DISSOLVED SOLIDS	143		MG/L
MW-064	7/31/1995	FREE CYANIDE	0.0077	U	MG/L
MW-064	1/23/1996	CYANIDE	11	U	MG/L
MW-064	1/23/1996	FLUORIDE	0.07		MG/L
MW-064	1/23/1996	FREE CYANIDE	0.0081	U	MG/L
MW-064	7/2/1996	ALKALINITY	3.8		MG/L
MW-064	7/2/1996	BICARBONATE ALKALINITY	3.8		MG/L
MW-064	7/2/1996	CALCIUM	5.4		MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-064	7/2/1996	CARBONATE ALKALINITY	0.00	U	MG/L
MW-064	7/2/1996	CHLORIDE	7		MG/L
MW-064	7/2/1996	CYANIDE	9.32	U	MG/L
MW-064	7/2/1996	FLUORIDE	0.07		MG/L
MW-064	7/2/1996	FLUORINE	0.10	U	MG/L
MW-064	7/2/1996	FREE CYANIDE	0.0083	U	MG/L
MW-064	7/2/1996	IRON	1.1		MG/L
MW-064	7/2/1996	SODIUM	5.8		MG/L
MW-064	7/2/1996	SULFATE	10.3		MG/L
MW-064	7/2/1996	TOTAL DISSOLVED SOLIDS	94		MG/L
MW-064	1/28/1997	CYANIDE	6.18	U	MG/L
MW-064	1/28/1997	FLUORIDE	0.10	U	MG/L
MW-064	1/28/1997	FLUORINE	0.10		MG/L
MW-064	1/28/1997	FREE CYANIDE	0.008	U	MG/L
MW-064	1/28/1997	SODIUM	7.3		MG/L
MW-064	7/8/1997	ALKALINITY	4		MG/L
MW-064	7/8/1997	BICARBONATE ALKALINITY	4		MG/L
MW-064	7/8/1997	CALCIUM	12		MG/L
MW-064	7/8/1997	CARBONATE ALKALINITY	1	U	MG/L
MW-064	7/8/1997	CHLORIDE	8		MG/L
MW-064	7/8/1997	CYANIDE	6.18	U	MG/L
MW-064	7/8/1997	FLUORIDE	0.10	U	MG/L
MW-064	7/8/1997	FLUORINE	0.10	U	MG/L
MW-064	7/8/1997	FREE CYANIDE	0.008	U	MG/L
MW-064	7/8/1997	IRON	0.60		MG/L
MW-064	7/8/1997	SODIUM	3.8		MG/L
MW-064	7/8/1997	SULFATE	8		MG/L
MW-064	7/8/1997	TOTAL DISSOLVED SOLIDS	44		MG/L
MW-064	1/26/1998	CYANIDE	0.001		MG/L
MW-064	1/26/1998	FLUORIDE	0.10	U	MG/L
MW-064	1/26/1998	FLUORINE	0.10	U	MG/L
MW-064	1/26/1998	FREE CYANIDE	0.00823	U	MG/L
MW-064	1/26/1998	SODIUM	3.8		MG/L
MW-064	7/1/1998	ALKALINITY	4.75	U	MG/L
MW-064	7/1/1998	BICARBONATE ALKALINITY	4.75	U	MG/L
MW-064	7/1/1998	CALCIUM	5.7		MG/L
MW-064	7/1/1998	CARBONATE ALKALINITY	4.75	U	MG/L
MW-064	7/1/1998	CHLORIDE	6		MG/L
MW-064	7/1/1998	CYANIDE	10.98	U	MG/L
MW-064	7/1/1998	FLUORIDE	0.10	U	MG/L
MW-064	7/1/1998	FREE CYANIDE	0.00823	U	MG/L
MW-064	7/1/1998	IRON	1.7		MG/L
MW-064	7/1/1998	SILICON DIOXIDE	22		MG/L
MW-064	7/1/1998	SODIUM	4		MG/L
MW-064	7/1/1998	SULFATE	10		MG/L
MW-064	7/20/1998	TOTAL DISSOLVED SOLIDS	79.4		MG/L
MW-064	1/13/1999	CYANIDE	10.98	U	MG/L
MW-064	1/13/1999	FLUORIDE	0.10	U	MG/L
MW-064	1/13/1999	FREE CYANIDE	0.0134	U	MG/L
MW-064	7/6/1999	ALKALINITY	2.5		MG/L
MW-064	7/6/1999	BICARBONATE ALKALINITY	2.5		MG/L
MW-064	7/6/1999	CARBONATE ALKALINITY	1	U	MG/L
MW-064	7/6/1999	FREE CYANIDE	0.0134	U	MG/L
MW-064	7/7/1999	CALCIUM	5.2		MG/L
MW-064	7/7/1999	CHLORIDE	9		MG/L
MW-064	7/7/1999	CYANIDE	1	U	MG/L
MW-064	7/7/1999	FLUORIDE	0.10	U	MG/L
MW-064	7/7/1999	IRON	2.2		MG/L
MW-064	7/7/1999	SULFATE	5		MG/L
MW-064	7/7/1999	TOTAL DISSOLVED SOLIDS	80		MG/L
MW-064	1/28/2000	CYANIDE	0.001	U	MG/L
MW-064	1/28/2000	FLUORIDE	0.10	U	MG/L
MW-064	1/28/2000	FREE CYANIDE	0.005		MG/L
MW-064	7/18/2000	ALKALINITY	1	U	MG/L
MW-064	7/18/2000	BICARBONATE ALKALINITY	1	U	MG/L
MW-064	7/18/2000	CALCIUM	4.2		MG/L
MW-064	7/18/2000	CARBONATE ALKALINITY	1	U	MG/L
MW-064	7/18/2000	CHLORIDE	6		MG/L
MW-064	7/18/2000	CYANIDE	0.001		MG/L
MW-064	7/18/2000	FLUORIDE	0.09		MG/L
MW-064	7/18/2000	FREE CYANIDE	0.004		MG/L
MW-064	7/18/2000	IRON	0.50		MG/L
MW-064	7/18/2000	SULFATE	6		MG/L
MW-064	7/18/2000	TOTAL DISSOLVED SOLIDS	49		MG/L
MW-064	1/26/2001	CYANIDE	0.001	U	MG/L
MW-064	1/26/2001	FLUORIDE	0.10	U	MG/L
MW-064	1/26/2001	FREE CYANIDE	0.0026	U	MG/L
MW-064	7/31/2001	ALKALINITY	5	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-064	7/31/2001	BICARBONATE ALKALINITY	5	U	MG/L
MW-064	7/31/2001	CALCIUM	5	U	MG/L
MW-064	7/31/2001	CARBONATE ALKALINITY	5	U	MG/L
MW-064	7/31/2001	CHLORIDE	4.8		MG/L
MW-064	7/31/2001	CYANIDE	0.001	U	MG/L
MW-064	7/31/2001	FLUORIDE	0.04		MG/L
MW-064	7/31/2001	FREE CYANIDE	0.005		MG/L
MW-064	7/31/2001	IRON	1.53		MG/L
MW-064	7/31/2001	SULFATE	7.4		MG/L
MW-064	7/31/2001	TOTAL DISSOLVED SOLIDS	58		MG/L
MW-064	1/28/2002	CYANIDE	0.01	U	MG/L
MW-064	1/28/2002	FLUORIDE	0.10	U	MG/L
MW-064	1/28/2002	FREE CYANIDE	0.0009		MG/L
MW-064	7/30/2002	ALKALINITY	3		MG/L
MW-064	7/30/2002	BICARBONATE ALKALINITY	3		MG/L
MW-064	7/30/2002	CALCIUM	4.5		MG/L
MW-064	7/30/2002	CARBONATE ALKALINITY	1	U	MG/L
MW-064	7/30/2002	CHLORIDE	3.7		MG/L
MW-064	7/30/2002	CYANIDE	0.001		MG/L
MW-064	7/30/2002	FLUORIDE	0.09		MG/L
MW-064	7/30/2002	FREE CYANIDE	0.0035		MG/L
MW-064	7/30/2002	IRON	1		MG/L
MW-064	7/30/2002	SULFATE	4.9		MG/L
MW-064	7/30/2002	TOTAL DISSOLVED SOLIDS	75		MG/L
MW-064	1/30/2003	CYANIDE	0.0028		MG/L
MW-064	1/30/2003	FLUORIDE	0.10	U	MG/L
MW-064	1/30/2003	FREE CYANIDE	0.004		MG/L
MW-064	7/21/2003	ALKALINITY	4.5		MG/L
MW-064	7/21/2003	BICARBONATE ALKALINITY	4.5		MG/L
MW-064	7/21/2003	CALCIUM	6.5		MG/L
MW-064	7/21/2003	CARBONATE ALKALINITY	1	U	MG/L
MW-064	7/21/2003	CHLORIDE	10		MG/L
MW-064	7/21/2003	CYANIDE	0.003		MG/L
MW-064	7/21/2003	FLUORIDE	0.08		MG/L
MW-064	7/21/2003	FREE CYANIDE	0.005		MG/L
MW-064	7/21/2003	IRON	32		MG/L
MW-064	7/21/2003	SULFATE	38		MG/L
MW-064	7/21/2003	TOTAL DISSOLVED SOLIDS	79		MG/L
MW-064	1/28/2004	CYANIDE	0.002		MG/L
MW-064	1/28/2004	FLUORIDE	0.14		MG/L
MW-064	1/28/2004	FREE CYANIDE	0.002		MG/L
MW-064	7/28/2004	ALKALINITY	2.5		MG/L
MW-064	7/28/2004	BICARBONATE ALKALINITY	2.5		MG/L
MW-064	7/28/2004	CALCIUM	4.55		MG/L
MW-064	7/28/2004	CARBONATE ALKALINITY	1	U	MG/L
MW-064	7/28/2004	CHLORIDE	5.5		MG/L
MW-064	7/28/2004	CYANIDE	0.001	U	MG/L
MW-064	7/28/2004	FLUORIDE	0.08		MG/L
MW-064	7/28/2004	FREE CYANIDE	0.007		MG/L
MW-064	7/28/2004	IRON	26		MG/L
MW-064	7/28/2004	SULFATE	10.5		MG/L
MW-064	7/28/2004	TOTAL DISSOLVED SOLIDS	67.5		MG/L
MW-064	9/27/2004	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-064	9/27/2004	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-064	9/27/2004	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-064	9/27/2004	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-064	9/27/2004	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-064	9/27/2004	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-064	9/27/2004	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-064	9/27/2004	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-064	9/27/2004	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-064	9/27/2004	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-064	9/27/2004	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-064	9/27/2004	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-064	9/27/2004	1,4-DICHLOROBENZENE	0.001	U	MG/L
MW-064	9/27/2004	2-BUTANONE	0.005	U	MG/L
MW-064	9/27/2004	2-HEXANONE	0.005	U	MG/L
MW-064	9/27/2004	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-064	9/27/2004	ACETONE	0.044		MG/L
MW-064	9/27/2004	ACRYLONITRILE	0.005	U	MG/L
MW-064	9/27/2004	AMMONIA	0.10	U	MG/L
MW-064	9/27/2004	ANTIMONY	0.005		MG/L
MW-064	9/27/2004	ARSENIC	0.0076		MG/L
MW-064	9/27/2004	BARIUM	0.73		MG/L
MW-064	9/27/2004	BENZENE	0.001	U	MG/L
MW-064	9/27/2004	BERYLLIUM	0.0075		MG/L
MW-064	9/27/2004	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-064	9/27/2004	BROMODICHLOROMETHANE	0.001	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-064	9/27/2004	BROMOFORM	0.001	U	MG/L
MW-064	9/27/2004	BROMOMETHANE	0.001	U	MG/L
MW-064	9/27/2004	CADMIUM	0.0024		MG/L
MW-064	9/27/2004	CARBON DISULFIDE	0.001	U	MG/L
MW-064	9/27/2004	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-064	9/27/2004	CHEMICAL OXYGEN DEMAND	68		MG/L
MW-064	9/27/2004	CHLOROBENZENE	0.001	U	MG/L
MW-064	9/27/2004	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-064	9/27/2004	CHLOROETHANE	0.001	U	MG/L
MW-064	9/27/2004	CHLOROFORM	0.001	U	MG/L
MW-064	9/27/2004	CHLOROMETHANE	0.001	U	MG/L
MW-064	9/27/2004	CHROMIUM	0.25		MG/L
MW-064	9/27/2004	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-064	9/27/2004	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-064	9/27/2004	COBALT	0.25		MG/L
MW-064	9/27/2004	COPPER	0.17		MG/L
MW-064	9/27/2004	DIBROMOMETHANE	0.001	U	MG/L
MW-064	9/27/2004	ETHYLBENZENE	0.001	U	MG/L
MW-064	9/27/2004	GALLIUM	0.15		MG/L
MW-064	9/27/2004	HARDNESS	200		MG/L
MW-064	9/27/2004	IRON	190		MG/L
MW-064	9/27/2004	LEAD	0.072		MG/L
MW-064	9/27/2004	M+P-XYLENES	0.001	U	MG/L
MW-064	9/27/2004	MANGANESE	9.4		MG/L
MW-064	9/27/2004	MERCURY	0.0002	U	MG/L
MW-064	9/27/2004	METHYL IODIDE	0.001	U	MG/L
MW-064	9/27/2004	METHYLENE CHLORIDE	0.001	U	MG/L
MW-064	9/27/2004	NICKEL	0.086		MG/L
MW-064	9/27/2004	NITRATE	6.1		MG/L
MW-064	9/27/2004	NITRITE	0.005	U	MG/L
MW-064	9/27/2004	O-XYLENE	0.001	U	MG/L
MW-064	9/27/2004	SELENIUM	0.005	U	MG/L
MW-064	9/27/2004	SILVER	0.005	U	MG/L
MW-064	9/27/2004	SODIUM	2.8		MG/L
MW-064	9/27/2004	STYRENE	0.001	U	MG/L
MW-064	9/27/2004	TETRACHLOROETHENE	0.001	U	MG/L
MW-064	9/27/2004	THALLIUM	0.002		MG/L
MW-064	9/27/2004	TOTAL XYLENES	0.001	U	MG/L
MW-064	9/27/2004	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-064	9/27/2004	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-064	9/27/2004	TRANS-1,4-DICHLORO-2-BUTENE	0.005	U	MG/L
MW-064	9/27/2004	TRICHLOROETHENE	0.001	U	MG/L
MW-064	9/27/2004	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-064	9/27/2004	TURBIDITY	1500		NTU
MW-064	9/27/2004	VANADIUM	0.31		MG/L
MW-064	9/27/2004	VINYL ACETATE	0.001	U	MG/L
MW-064	9/27/2004	VINYL CHLORIDE	0.001	U	MG/L
MW-064	9/27/2004	ZINC	0.49		MG/L
MW-064	1/5/2005	BERYLLIUM	0.002	U	MG/L
MW-064	1/5/2005	CHROMIUM	0.019		MG/L
MW-064	3/17/2005	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-064	3/17/2005	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-064	3/17/2005	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-064	3/17/2005	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-064	3/17/2005	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-064	3/17/2005	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-064	3/17/2005	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-064	3/17/2005	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-064	3/17/2005	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-064	3/17/2005	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-064	3/17/2005	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-064	3/17/2005	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-064	3/17/2005	1,4-DICHLOROBENZENE	0.0014		MG/L
MW-064	3/17/2005	2-BUTANONE	0.005	U	MG/L
MW-064	3/17/2005	2-HEXANONE	0.005	U	MG/L
MW-064	3/17/2005	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-064	3/17/2005	ACETONE	0.011		MG/L
MW-064	3/17/2005	ACRYLONITRILE	0.005	U	MG/L
MW-064	3/17/2005	ALKALINITY	4		MG/L
MW-064	3/17/2005	AMMONIA	1	U	MG/L
MW-064	3/17/2005	ANTIMONY	0.002	U	MG/L
MW-064	3/17/2005	ARSENIC	0.002		MG/L
MW-064	3/17/2005	BARIUM	0.0052		MG/L
MW-064	3/17/2005	BENZENE	0.001	U	MG/L
MW-064	3/17/2005	BERYLLIUM	0.002	U	MG/L
MW-064	3/17/2005	BICARBONATE ALKALINITY	4		MG/L
MW-064	3/17/2005	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-064	3/17/2005	BROMODICHLOROMETHANE	0.001	U	MG/L



Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-064	3/17/2005	BROMOFORM	0.001	U	MG/L
MW-064	3/17/2005	BROMOMETHANE	0.001	U	MG/L
MW-064	3/17/2005	CADMIUM	0.0005	U	MG/L
MW-064	3/17/2005	CALCIUM	0.50	U	MG/L
MW-064	3/17/2005	CARBON DISULFIDE	0.001	U	MG/L
MW-064	3/17/2005	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-064	3/17/2005	CARBONATE ALKALINITY	1	U	MG/L
MW-064	3/17/2005	CHEMICAL OXYGEN DEMAND	9		MG/L
MW-064	3/17/2005	CHLORIDE	5.5		MG/L
MW-064	3/17/2005	CHLOROENZENE	0.001	U	MG/L
MW-064	3/17/2005	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-064	3/17/2005	CHLOROETHANE	0.001	U	MG/L
MW-064	3/17/2005	CHLOROFORM	0.00056		MG/L
MW-064	3/17/2005	CHLOROMETHANE	0.001	U	MG/L
MW-064	3/17/2005	CHROMIUM	0.01		MG/L
MW-064	3/17/2005	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-064	3/17/2005	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-064	3/17/2005	COBALT	0.005	U	MG/L
MW-064	3/17/2005	COPPER	0.002	U	MG/L
MW-064	3/17/2005	CYANIDE	0.0011		MG/L
MW-064	3/17/2005	DIBROMOMETHANE	0.001	U	MG/L
MW-064	3/17/2005	ETHYLBENZENE	0.001	U	MG/L
MW-064	3/17/2005	FLUORIDE	0.08		MG/L
MW-064	3/17/2005	FREE CYANIDE	0.0008		MG/L
MW-064	3/17/2005	GALLIUM	0.05	U	MG/L
MW-064	3/17/2005	HARDNESS	1.7		MG/L
MW-064	3/17/2005	IRON	0.57		MG/L
MW-064	3/17/2005	LEAD	0.002	U	MG/L
MW-064	3/17/2005	M+P-XYLENES	0.001	U	MG/L
MW-064	3/17/2005	MAGNESIUM	0.37		MG/L
MW-064	3/17/2005	MANGANESE	0.027		MG/L
MW-064	3/17/2005	MERCURY	0.0002	U	MG/L
MW-064	3/17/2005	METHYL IODIDE	0.001	U	MG/L
MW-064	3/17/2005	METHYLENE CHLORIDE	0.001	U	MG/L
MW-064	3/17/2005	NICKEL	0.005	U	MG/L
MW-064	3/17/2005	NITRATE	4.5		MG/L
MW-064	3/17/2005	O-XYLENE	0.001	U	MG/L
MW-064	3/17/2005	SELENIUM	0.005	U	MG/L
MW-064	3/17/2005	SILVER	0.001	U	MG/L
MW-064	3/17/2005	SODIUM	0.10		MG/L
MW-064	3/17/2005	STYRENE	0.001	U	MG/L
MW-064	3/17/2005	SULFATE	29		MG/L
MW-064	3/17/2005	TETRACHLOROETHENE	0.001	U	MG/L
MW-064	3/17/2005	THALLIUM	0.002	U	MG/L
MW-064	3/17/2005	TOLUENE	0.001	U	MG/L
MW-064	3/17/2005	TOTAL DISSOLVED SOLIDS	58		MG/L
MW-064	3/17/2005	TOTAL XYLENES	0.001	U	MG/L
MW-064	3/17/2005	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-064	3/17/2005	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-064	3/17/2005	TRANS-1,4-DICHLORO-2-BUTENE	0.005	U	MG/L
MW-064	3/17/2005	TRICHLOROETHENE	0.001	U	MG/L
MW-064	3/17/2005	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-064	3/17/2005	TURBIDITY	1100		NTU
MW-064	3/17/2005	VANADIUM	0.005	U	MG/L
MW-064	3/17/2005	VINYL ACETATE	0.001	U	MG/L
MW-064	3/17/2005	VINYL CHLORIDE	0.001	U	MG/L
MW-064	3/17/2005	ZINC	0.01	U	MG/L
MW-064	6/16/2005	FLUORIDE	0.11		MG/L
MW-064	6/16/2005	FREE CYANIDE	0.0016		MG/L
MW-064	9/21/2005	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-064	9/21/2005	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-064	9/21/2005	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-064	9/21/2005	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-064	9/21/2005	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-064	9/21/2005	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-064	9/21/2005	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-064	9/21/2005	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-064	9/21/2005	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-064	9/21/2005	1,2-DICHLOROENZENE	0.001	U	MG/L
MW-064	9/21/2005	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-064	9/21/2005	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-064	9/21/2005	1,4-DICHLOROENZENE	0.001	U	MG/L
MW-064	9/21/2005	2-BUTANONE	0.005	U	MG/L
MW-064	9/21/2005	2-HEXANONE	0.005	U	MG/L
MW-064	9/21/2005	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-064	9/21/2005	ACETONE	0.005	U	MG/L
MW-064	9/21/2005	ACRYLONITRILE	0.004	U	MG/L
MW-064	9/21/2005	ALKALINITY	3		MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-064	9/21/2005	AMMONIA	1	U	MG/L
MW-064	9/21/2005	ANTIMONY	0.002		MG/L
MW-064	9/21/2005	ARSENIC	0.002	U	MG/L
MW-064	9/21/2005	BARIUM	0.079		MG/L
MW-064	9/21/2005	BENZENE	0.001	U	MG/L
MW-064	9/21/2005	BERYLLIUM	0.002	U	MG/L
MW-064	9/21/2005	BICARBONATE ALKALINITY	3		MG/L
MW-064	9/21/2005	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-064	9/21/2005	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-064	9/21/2005	BROMOFORM	0.001	U	MG/L
MW-064	9/21/2005	BROMOMETHANE	0.001	U	MG/L
MW-064	9/21/2005	CADMIUM	0.0005	U	MG/L
MW-064	9/21/2005	CALCIUM	4.1		MG/L
MW-064	9/21/2005	CARBON DISULFIDE	0.001	U	MG/L
MW-064	9/21/2005	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-064	9/21/2005	CARBONATE ALKALINITY	1	U	MG/L
MW-064	9/21/2005	CHEMICAL OXYGEN DEMAND	10	U	MG/L
MW-064	9/21/2005	CHLORIDE	7		MG/L
MW-064	9/21/2005	CHLORO BENZENE	0.001	U	MG/L
MW-064	9/21/2005	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-064	9/21/2005	CHLOROETHANE	0.001	U	MG/L
MW-064	9/21/2005	CHLOROFORM	0.001	U	MG/L
MW-064	9/21/2005	CHLOROMETHANE	0.001	U	MG/L
MW-064	9/21/2005	CHROMIUM	0.0068		MG/L
MW-064	9/21/2005	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-064	9/21/2005	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-064	9/21/2005	COBALT	0.005		MG/L
MW-064	9/21/2005	COPPER	0.018		MG/L
MW-064	9/21/2005	CYANIDE	0.0011		MG/L
MW-064	9/21/2005	DIBROMOMETHANE	0.001	U	MG/L
MW-064	9/21/2005	ETHYLBENZENE	0.001	U	MG/L
MW-064	9/21/2005	FLUORIDE	0.07		MG/L
MW-064	9/21/2005	FREE CYANIDE	0.01	U	MG/L
MW-064	9/21/2005	GALLIUM	0.005	U	MG/L
MW-064	9/21/2005	HARDNESS	38		MG/L
MW-064	9/21/2005	IRON	3.6		MG/L
MW-064	9/21/2005	LEAD	0.002	U	MG/L
MW-064	9/21/2005	M+P-XYLENES	0.001	U	MG/L
MW-064	9/21/2005	MAGNESIUM	6.8		MG/L
MW-064	9/21/2005	MANGANESE	0.28		MG/L
MW-064	9/21/2005	MERCURY	0.001	U	MG/L
MW-064	9/21/2005	METHYL IODIDE	0.001	U	MG/L
MW-064	9/21/2005	METHYLENE CHLORIDE	0.0043		MG/L
MW-064	9/21/2005	NICKEL	0.013		MG/L
MW-064	9/21/2005	NITRATE	5.1		MG/L
MW-064	9/21/2005	NITRITE	0.005	U	MG/L
MW-064	9/21/2005	O-XYLENE	0.001	U	MG/L
MW-064	9/21/2005	SELENIUM	0.01	U	MG/L
MW-064	9/21/2005	SILVER	0.001	U	MG/L
MW-064	9/21/2005	SODIUM	2.6		MG/L
MW-064	9/21/2005	STYRENE	0.001	U	MG/L
MW-064	9/21/2005	SULFATE	8.4		MG/L
MW-064	9/21/2005	TETRACHLOROETHENE	0.001	U	MG/L
MW-064	9/21/2005	THALLIUM	0.002		MG/L
MW-064	9/21/2005	TOLUENE	0.001	U	MG/L
MW-064	9/21/2005	TOTAL DISSOLVED SOLIDS	61		MG/L
MW-064	9/21/2005	TOTAL XYLENES	0.001	U	MG/L
MW-064	9/21/2005	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-064	9/21/2005	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-064	9/21/2005	TRANS-1,4-DICHLORO-2-BUTENE	0.005	U	MG/L
MW-064	9/21/2005	TRICHLOROETHENE	0.001	U	MG/L
MW-064	9/21/2005	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-064	9/21/2005	VANADIUM	0.007		MG/L
MW-064	9/21/2005	VINYL ACETATE	0.005	U	MG/L
MW-064	9/21/2005	VINYL CHLORIDE	0.001	U	MG/L
MW-064	9/21/2005	ZINC	0.045		MG/L
MW-064	11/22/2005	TURBIDITY	3.8		NTU
MW-064	3/9/2006	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-064	3/9/2006	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-064	3/9/2006	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-064	3/9/2006	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-064	3/9/2006	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-064	3/9/2006	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-064	3/9/2006	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-064	3/9/2006	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-064	3/9/2006	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-064	3/9/2006	1,2-DICHLORO BENZENE	0.001	U	MG/L
MW-064	3/9/2006	1,2-DICHLOROETHANE	0.001	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-064	3/9/2006	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-064	3/9/2006	1,4-DICHLOROBENZENE	0.001	U	MG/L
MW-064	3/9/2006	2-BUTANONE	0.005	U	MG/L
MW-064	3/9/2006	2-HEXANONE	0.005	U	MG/L
MW-064	3/9/2006	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-064	3/9/2006	ACETONE	0.005	U	MG/L
MW-064	3/9/2006	ACRYLONITRILE	0.005	U	MG/L
MW-064	3/9/2006	ALKALINITY	8.5		MG/L
MW-064	3/9/2006	AMMONIA	1	U	MG/L
MW-064	3/9/2006	ANTIMONY	0.0025		MG/L
MW-064	3/9/2006	ARSENIC	0.002	U	MG/L
MW-064	3/9/2006	BARIUM	0.15		MG/L
MW-064	3/9/2006	BENZENE	0.001	U	MG/L
MW-064	3/9/2006	BERYLLIUM	0.002		MG/L
MW-064	3/9/2006	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-064	3/9/2006	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-064	3/9/2006	BROMOFORM	0.001	U	MG/L
MW-064	3/9/2006	BROMOMETHANE	0.001	U	MG/L
MW-064	3/9/2006	CADMIUM	0.0005	U	MG/L
MW-064	3/9/2006	CALCIUM	4		MG/L
MW-064	3/9/2006	CARBON DISULFIDE	0.001	U	MG/L
MW-064	3/9/2006	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-064	3/9/2006	CHEMICAL OXYGEN DEMAND	12		MG/L
MW-064	3/9/2006	CHLORIDE	4		MG/L
MW-064	3/9/2006	CHLOROBENZENE	0.001	U	MG/L
MW-064	3/9/2006	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-064	3/9/2006	CHLOROETHANE	0.001	U	MG/L
MW-064	3/9/2006	CHLOROFORM	0.001	U	MG/L
MW-064	3/9/2006	CHLOROMETHANE	0.001	U	MG/L
MW-064	3/9/2006	CHROMIUM	0.034		MG/L
MW-064	3/9/2006	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-064	3/9/2006	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-064	3/9/2006	COBALT	0.027		MG/L
MW-064	3/9/2006	COPPER	0.052		MG/L
MW-064	3/9/2006	CYANIDE	0.0012		MG/L
MW-064	3/9/2006	DIBROMOMETHANE	0.001	U	MG/L
MW-064	3/9/2006	ETHYLBENZENE	0.001	U	MG/L
MW-064	3/9/2006	FLUORIDE	0.20	U	MG/L
MW-064	3/9/2006	FREE CYANIDE	0.005	U	MG/L
MW-064	3/9/2006	GALLIUM	0.0093		MG/L
MW-064	3/9/2006	HARDNESS	58		MG/L
MW-064	3/9/2006	IRON	13		MG/L
MW-064	3/9/2006	LEAD	0.0066		MG/L
MW-064	3/9/2006	M+P-XYLENES	0.001	U	MG/L
MW-064	3/9/2006	MAGNESIUM	12		MG/L
MW-064	3/9/2006	MANGANESE	0.99		MG/L
MW-064	3/9/2006	MERCURY	0.0002	U	MG/L
MW-064	3/9/2006	METHYL IODIDE	0.001	U	MG/L
MW-064	3/9/2006	METHYLENE CHLORIDE	0.001	U	MG/L
MW-064	3/9/2006	NICKEL	0.039		MG/L
MW-064	3/9/2006	NITRATE	4.6		MG/L
MW-064	3/9/2006	O-XYLENE	0.001	U	MG/L
MW-064	3/9/2006	SELENIUM	0.005	U	MG/L
MW-064	3/9/2006	SILVER	0.001	U	MG/L
MW-064	3/9/2006	SODIUM	3.8		MG/L
MW-064	3/9/2006	STYRENE	0.001	U	MG/L
MW-064	3/9/2006	SULFATE	11		MG/L
MW-064	3/9/2006	TETRACHLOROETHENE	0.001	U	MG/L
MW-064	3/9/2006	THALLIUM	0.002	U	MG/L
MW-064	3/9/2006	TOLUENE	0.001	U	MG/L
MW-064	3/9/2006	TOTAL DISSOLVED SOLIDS	66		MG/L
MW-064	3/9/2006	TOTAL XYLENES	0.001	U	MG/L
MW-064	3/9/2006	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-064	3/9/2006	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-064	3/9/2006	TRANS-1,4-DICHLORO-2-BUTENE	0.005	U	MG/L
MW-064	3/9/2006	TRICHLOROETHENE	0.001	U	MG/L
MW-064	3/9/2006	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-064	3/9/2006	TURBIDITY	516		NTU
MW-064	3/9/2006	VANADIUM	0.03		MG/L
MW-064	3/9/2006	VINYL ACETATE	0.001	U	MG/L
MW-064	3/9/2006	VINYL CHLORIDE	0.001	U	MG/L
MW-064	3/9/2006	ZINC	0.071		MG/L
MW-064	8/22/2006	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-064	8/22/2006	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-064	8/22/2006	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-064	8/22/2006	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-064	8/22/2006	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-064	8/22/2006	1,1-DICHLOROETHENE	0.001	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-064	8/22/2006	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-064	8/22/2006	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-064	8/22/2006	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-064	8/22/2006	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-064	8/22/2006	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-064	8/22/2006	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-064	8/22/2006	1,4-DICHLOROBENZENE	0.0013		MG/L
MW-064	8/22/2006	2-BUTANONE	0.005	U	MG/L
MW-064	8/22/2006	2-HEXANONE	0.005	U	MG/L
MW-064	8/22/2006	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-064	8/22/2006	ACETONE	0.0052		MG/L
MW-064	8/22/2006	ACRYLONITRILE	0.005	U	MG/L
MW-064	8/22/2006	ALKALINITY	5		MG/L
MW-064	8/22/2006	AMMONIA	1	U	MG/L
MW-064	8/22/2006	ANTIMONY	0.002	U	MG/L
MW-064	8/22/2006	ARSENIC	0.002	U	MG/L
MW-064	8/22/2006	BARIUM	0.087		MG/L
MW-064	8/22/2006	BENZENE	0.001	U	MG/L
MW-064	8/22/2006	BERYLLIUM	0.002	U	MG/L
MW-064	8/22/2006	BICARBONATE ALKALINITY	5		MG/L
MW-064	8/22/2006	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-064	8/22/2006	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-064	8/22/2006	BROMOFORM	0.001	U	MG/L
MW-064	8/22/2006	BROMOMETHANE	0.001	U	MG/L
MW-064	8/22/2006	CADMIUM	0.0005	U	MG/L
MW-064	8/22/2006	CALCIUM	3.5		MG/L
MW-064	8/22/2006	CARBON DISULFIDE	0.001	U	MG/L
MW-064	8/22/2006	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-064	8/22/2006	CARBONATE ALKALINITY	1	U	MG/L
MW-064	8/22/2006	CHEMICAL OXYGEN DEMAND	10		MG/L
MW-064	8/22/2006	CHLORIDE	2.5		MG/L
MW-064	8/22/2006	CHLOROBENZENE	0.001	U	MG/L
MW-064	8/22/2006	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-064	8/22/2006	CHLOROETHANE	0.001	U	MG/L
MW-064	8/22/2006	CHLOROFORM	0.001	U	MG/L
MW-064	8/22/2006	CHLOROMETHANE	0.001	U	MG/L
MW-064	8/22/2006	CHROMIUM	0.015		MG/L
MW-064	8/22/2006	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-064	8/22/2006	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-064	8/22/2006	COBALT	0.0099		MG/L
MW-064	8/22/2006	COPPER	0.0085		MG/L
MW-064	8/22/2006	CYANIDE	0.0013		MG/L
MW-064	8/22/2006	DIBROMOMETHANE	0.001	U	MG/L
MW-064	8/22/2006	ETHYLBENZENE	0.001	U	MG/L
MW-064	8/22/2006	FLUORIDE	0.20	U	MG/L
MW-064	8/22/2006	FREE CYANIDE	0.005	U	MG/L
MW-064	8/22/2006	GALLIUM	0.005	U	MG/L
MW-064	8/22/2006	HARDNESS	40		MG/L
MW-064	8/22/2006	IRON	7.4		MG/L
MW-064	8/22/2006	LEAD	0.0023		MG/L
MW-064	8/22/2006	M+P-XYLENES	0.001	U	MG/L
MW-064	8/22/2006	MAGNESIUM	7.7		MG/L
MW-064	8/22/2006	MANGANESE	0.46		MG/L
MW-064	8/22/2006	MERCURY	0.0002	U	MG/L
MW-064	8/22/2006	METHYL IODIDE	0.001	U	MG/L
MW-064	8/22/2006	METHYLENE CHLORIDE	0.0034		MG/L
MW-064	8/22/2006	NICKEL	0.023		MG/L
MW-064	8/22/2006	NITRATE	4.5		MG/L
MW-064	8/22/2006	NITRITE	0.003		MG/L
MW-064	8/22/2006	O-XYLENE	0.001	U	MG/L
MW-064	8/22/2006	SELENIUM	0.005	U	MG/L
MW-064	8/22/2006	SILVER	0.001	U	MG/L
MW-064	8/22/2006	SODIUM	2.8		MG/L
MW-064	8/22/2006	STYRENE	0.001	U	MG/L
MW-064	8/22/2006	SULFATE	10		MG/L
MW-064	8/22/2006	TETRACHLOROETHENE	0.001	U	MG/L
MW-064	8/22/2006	THALLIUM	0.002	U	MG/L
MW-064	8/22/2006	TOLUENE	0.001	U	MG/L
MW-064	8/22/2006	TOTAL DISSOLVED SOLIDS	72		MG/L
MW-064	8/22/2006	TOTAL XYLENES	0.001	U	MG/L
MW-064	8/22/2006	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-064	8/22/2006	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-064	8/22/2006	TRANS-1,4-DICHLORO-2-BUTENE	0.005	U	MG/L
MW-064	8/22/2006	TRICHLOROETHENE	0.001	U	MG/L
MW-064	8/22/2006	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-064	8/22/2006	TURBIDITY	340		NTU
MW-064	8/22/2006	VANADIUM	0.008		MG/L
MW-064	8/22/2006	VINYL ACETATE	0.001	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-064	8/22/2006	VINYL CHLORIDE	0.001	U	MG/L
MW-064	8/22/2006	ZINC	0.037		MG/L
MW-064	3/13/2007	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-064	3/13/2007	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-064	3/13/2007	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-064	3/13/2007	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-064	3/13/2007	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-064	3/13/2007	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-064	3/13/2007	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-064	3/13/2007	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-064	3/13/2007	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-064	3/13/2007	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-064	3/13/2007	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-064	3/13/2007	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-064	3/13/2007	1,4-DICHLOROBENZENE	0.001	U	MG/L
MW-064	3/13/2007	2-BUTANONE	0.005	U	MG/L
MW-064	3/13/2007	2-HEXANONE	0.005	U	MG/L
MW-064	3/13/2007	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-064	3/13/2007	ACETONE	0.005	U	MG/L
MW-064	3/13/2007	ACRYLONITRILE	0.005	U	MG/L
MW-064	3/13/2007	ALKALINITY	5.5		MG/L
MW-064	3/13/2007	AMMONIA	1	U	MG/L
MW-064	3/13/2007	ANTIMONY	0.002	U	MG/L
MW-064	3/13/2007	ARSENIC	0.05	U	MG/L
MW-064	3/13/2007	BARIUM	0.13		MG/L
MW-064	3/13/2007	BENZENE	0.001	U	MG/L
MW-064	3/13/2007	BERYLLIUM	0.001		MG/L
MW-064	3/13/2007	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-064	3/13/2007	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-064	3/13/2007	BROMOFORM	0.001	U	MG/L
MW-064	3/13/2007	BROMOMETHANE	0.001	U	MG/L
MW-064	3/13/2007	CADMIUM	0.0005	U	MG/L
MW-064	3/13/2007	CALCIUM	3.6		MG/L
MW-064	3/13/2007	CARBON DISULFIDE	0.001	U	MG/L
MW-064	3/13/2007	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-064	3/13/2007	CHEMICAL OXYGEN DEMAND	10	U	MG/L
MW-064	3/13/2007	CHLORIDE	4.5		MG/L
MW-064	3/13/2007	CHLOROBENZENE	0.001	U	MG/L
MW-064	3/13/2007	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-064	3/13/2007	CHLOROETHANE	0.001	U	MG/L
MW-064	3/13/2007	CHLOROFORM	0.001	U	MG/L
MW-064	3/13/2007	CHLOROMETHANE	0.001	U	MG/L
MW-064	3/13/2007	CHROMIUM	0.03		MG/L
MW-064	3/13/2007	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-064	3/13/2007	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-064	3/13/2007	COBALT	0.027		MG/L
MW-064	3/13/2007	COPPER	0.017		MG/L
MW-064	3/13/2007	CYANIDE	0.0018		MG/L
MW-064	3/13/2007	DIBROMOMETHANE	0.001	U	MG/L
MW-064	3/13/2007	ETHYLBENZENE	0.001	U	MG/L
MW-064	3/13/2007	FLUORIDE	0.23		MG/L
MW-064	3/13/2007	FREE CYANIDE	0.005	U	MG/L
MW-064	3/13/2007	GALLIUM	0.005	U	MG/L
MW-064	3/13/2007	HARDNESS	58		MG/L
MW-064	3/13/2007	IRON	18		MG/L
MW-064	3/13/2007	LEAD	0.0079		MG/L
MW-064	3/13/2007	M+P-XYLENES	0.001	U	MG/L
MW-064	3/13/2007	MAGNESIUM	12		MG/L
MW-064	3/13/2007	MANGANESE	1		MG/L
MW-064	3/13/2007	MERCURY	0.0002	U	MG/L
MW-064	3/13/2007	METHYL IODIDE	0.001	U	MG/L
MW-064	3/13/2007	METHYLENE CHLORIDE	0.001	U	MG/L
MW-064	3/13/2007	MOLYBDENUM	0.005	U	MG/L
MW-064	3/13/2007	NICKEL	0.027		MG/L
MW-064	3/13/2007	NITRATE	4		MG/L
MW-064	3/13/2007	NITRITE	0.005	U	MG/L
MW-064	3/13/2007	O-XYLENE	0.001	U	MG/L
MW-064	3/13/2007	SELENIUM	0.005	U	MG/L
MW-064	3/13/2007	SILVER	0.001	U	MG/L
MW-064	3/13/2007	SODIUM	2.8		MG/L
MW-064	3/13/2007	STYRENE	0.001	U	MG/L
MW-064	3/13/2007	SULFATE	7.4		MG/L
MW-064	3/13/2007	TETRACHLOROETHENE	0.001	U	MG/L
MW-064	3/13/2007	THALLIUM	0.002	U	MG/L
MW-064	3/13/2007	TOLUENE	0.001	U	MG/L
MW-064	3/13/2007	TOTAL DISSOLVED SOLIDS	55		MG/L
MW-064	3/13/2007	TOTAL XYLENES	0.001	U	MG/L
MW-064	3/13/2007	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-064	3/13/2007	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-064	3/13/2007	TRANS-1,4-DICHLORO-2-BUTENE	0.005	U	MG/L
MW-064	3/13/2007	TRICHLOROETHENE	0.001	U	MG/L
MW-064	3/13/2007	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-064	3/13/2007	TURBIDITY	8.5		NTU
MW-064	3/13/2007	VANADIUM	0.035		MG/L
MW-064	3/13/2007	VINYL ACETATE	0.001	U	MG/L
MW-064	3/13/2007	VINYL CHLORIDE	0.001	U	MG/L
MW-064	3/13/2007	ZINC	0.057		MG/L
MW-064	9/12/2007	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-064	9/12/2007	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-064	9/12/2007	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-064	9/12/2007	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-064	9/12/2007	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-064	9/12/2007	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-064	9/12/2007	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-064	9/12/2007	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-064	9/12/2007	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-064	9/12/2007	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-064	9/12/2007	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-064	9/12/2007	1,4-DICHLOROETHANE	0.001	U	MG/L
MW-064	9/12/2007	2-BUTANONE	0.005	U	MG/L
MW-064	9/12/2007	2-HEXANONE	0.005	U	MG/L
MW-064	9/12/2007	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-064	9/12/2007	ACETONE	0.005	U	MG/L
MW-064	9/12/2007	ACRYLONITRILE	0.005	U	MG/L
MW-064	9/12/2007	ALKALINITY	4.5		MG/L
MW-064	9/12/2007	AMMONIA	0.25		MG/L
MW-064	9/12/2007	ANTIMONY	0.002	U	MG/L
MW-064	9/12/2007	ARSENIC	0.008	U	MG/L
MW-064	9/12/2007	BARIUM	0.28		MG/L
MW-064	9/12/2007	BENZENE	0.001	U	MG/L
MW-064	9/12/2007	BERYLLIUM	0.008	U	MG/L
MW-064	9/12/2007	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-064	9/12/2007	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-064	9/12/2007	BROMOFORM	0.001	U	MG/L
MW-064	9/12/2007	BROMOMETHANE	0.001	U	MG/L
MW-064	9/12/2007	CADMIUM	0.002	U	MG/L
MW-064	9/12/2007	CALCIUM	4		MG/L
MW-064	9/12/2007	CARBON DISULFIDE	0.001	U	MG/L
MW-064	9/12/2007	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-064	9/12/2007	CHEMICAL OXYGEN DEMAND	10	U	MG/L
MW-064	9/12/2007	CHLORIDE	3		MG/L
MW-064	9/12/2007	CHLOROBENZENE	0.001	U	MG/L
MW-064	9/12/2007	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-064	9/12/2007	CHLOROETHANE	0.001	U	MG/L
MW-064	9/12/2007	CHLOROFORM	0.001	U	MG/L
MW-064	9/12/2007	CHLOROMETHANE	0.001	U	MG/L
MW-064	9/12/2007	CHROMIUM	0.008		MG/L
MW-064	9/12/2007	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-064	9/12/2007	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-064	9/12/2007	COBALT	0.027		MG/L
MW-064	9/12/2007	COPPER	0.014		MG/L
MW-064	9/12/2007	CYANIDE	0.005	U	MG/L
MW-064	9/12/2007	DIBROMOMETHANE	0.001	U	MG/L
MW-064	9/12/2007	ETHYLBENZENE	0.001	U	MG/L
MW-064	9/12/2007	FLUORIDE	0.10	U	MG/L
MW-064	9/12/2007	FREE CYANIDE	0.005	U	MG/L
MW-064	9/12/2007	GALLIUM	0.005	U	MG/L
MW-064	9/12/2007	HARDNESS	37		MG/L
MW-064	9/12/2007	IRON	3.2		MG/L
MW-064	9/12/2007	LEAD	0.009		MG/L
MW-064	9/12/2007	M+P-XYLENES	0.001	U	MG/L
MW-064	9/12/2007	MAGNESIUM	6.5		MG/L
MW-064	9/12/2007	MANGANESE	1.2		MG/L
MW-064	9/12/2007	MERCURY	0.0002	U	MG/L
MW-064	9/12/2007	METHYL IODIDE	0.001	U	MG/L
MW-064	9/12/2007	METHYLENE CHLORIDE	0.001	U	MG/L
MW-064	9/12/2007	NICKEL	0.055		MG/L
MW-064	9/12/2007	NITRATE	4.4		MG/L
MW-064	9/12/2007	NITRITE	0.012	U	MG/L
MW-064	9/12/2007	O-XYLENE	0.001	U	MG/L
MW-064	9/12/2007	SELENIUM	0.02	U	MG/L
MW-064	9/12/2007	SILVER	0.003		MG/L
MW-064	9/12/2007	SODIUM	2.8		MG/L
MW-064	9/12/2007	STYRENE	0.001	U	MG/L
MW-064	9/12/2007	SULFATE	9.8		MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-064	9/12/2007	TETRACHLOROETHENE	0.001	U	MG/L
MW-064	9/12/2007	THALLIUM	0.008	U	MG/L
MW-064	9/12/2007	TOLUENE	0.00055		MG/L
MW-064	9/12/2007	TOTAL DISSOLVED SOLIDS	45		MG/L
MW-064	9/12/2007	TOTAL XYLENES	0.001	U	MG/L
MW-064	9/12/2007	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-064	9/12/2007	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-064	9/12/2007	TRANS-1,4-DICHLORO-2-BUTENE	0.005	U	MG/L
MW-064	9/12/2007	TRICHLOROETHENE	0.001	U	MG/L
MW-064	9/12/2007	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-064	9/12/2007	TURBIDITY	6.5		NTU
MW-064	9/12/2007	VANADIUM	0.02	U	MG/L
MW-064	9/12/2007	VINYL ACETATE	0.001	U	MG/L
MW-064	9/12/2007	VINYL CHLORIDE	0.001	U	MG/L
MW-064	9/12/2007	ZINC	0.11		MG/L
MW-064	3/18/2008	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-064	3/18/2008	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-064	3/18/2008	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-064	3/18/2008	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-064	3/18/2008	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-064	3/18/2008	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-064	3/18/2008	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-064	3/18/2008	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-064	3/18/2008	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-064	3/18/2008	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-064	3/18/2008	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-064	3/18/2008	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-064	3/18/2008	1,4-DICHLOROBENZENE	0.001	U	MG/L
MW-064	3/18/2008	2-BUTANONE	0.005	U	MG/L
MW-064	3/18/2008	2-HEXANONE	0.005	U	MG/L
MW-064	3/18/2008	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-064	3/18/2008	ACETONE	0.005	U	MG/L
MW-064	3/18/2008	ACRYLONITRILE	0.005	U	MG/L
MW-064	3/18/2008	ALKALINITY	1	U	MG/L
MW-064	3/18/2008	AMMONIA	0.10	U	MG/L
MW-064	3/18/2008	ANTIMONY	0.0053		MG/L
MW-064	3/18/2008	ARSENIC	0.002	U	MG/L
MW-064	3/18/2008	BARIUM	0.10		MG/L
MW-064	3/18/2008	BENZENE	0.001	U	MG/L
MW-064	3/18/2008	BERYLLIUM	0.0025	U	MG/L
MW-064	3/18/2008	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-064	3/18/2008	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-064	3/18/2008	BROMOFORM	0.001	U	MG/L
MW-064	3/18/2008	BROMOMETHANE	0.001	U	MG/L
MW-064	3/18/2008	CADMIUM	0.0005	U	MG/L
MW-064	3/18/2008	CALCIUM	5		MG/L
MW-064	3/18/2008	CARBON DISULFIDE	0.001	U	MG/L
MW-064	3/18/2008	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-064	3/18/2008	CHEMICAL OXYGEN DEMAND	12		MG/L
MW-064	3/18/2008	CHLORIDE	12		MG/L
MW-064	3/18/2008	CHLOROBENZENE	0.001	U	MG/L
MW-064	3/18/2008	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-064	3/18/2008	CHLOROETHANE	0.001	U	MG/L
MW-064	3/18/2008	CHLOROFORM	0.001	U	MG/L
MW-064	3/18/2008	CHLOROMETHANE	0.001	U	MG/L
MW-064	3/18/2008	CHROMIUM	0.018		MG/L
MW-064	3/18/2008	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-064	3/18/2008	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-064	3/18/2008	COBALT	0.0095		MG/L
MW-064	3/18/2008	COPPER	0.0068		MG/L
MW-064	3/18/2008	CYANIDE	0.018		MG/L
MW-064	3/18/2008	DIBROMOMETHANE	0.001	U	MG/L
MW-064	3/18/2008	ETHYLBENZENE	0.001	U	MG/L
MW-064	3/18/2008	FLUORIDE	0.10	U	MG/L
MW-064	3/18/2008	FREE CYANIDE	0.005	U	MG/L
MW-064	3/18/2008	GALLIUM	0.009		MG/L
MW-064	3/18/2008	HARDNESS	45		MG/L
MW-064	3/18/2008	IRON	5.5		MG/L
MW-064	3/18/2008	LEAD	0.0038		MG/L
MW-064	3/18/2008	M+P-XYLENES	0.001	U	MG/L
MW-064	3/18/2008	MAGNESIUM	7.8		MG/L
MW-064	3/18/2008	MANGANESE	0.45		MG/L
MW-064	3/18/2008	MERCURY	0.0002	U	MG/L
MW-064	3/18/2008	METHYL IODIDE	0.001	U	MG/L
MW-064	3/18/2008	METHYLENE CHLORIDE	0.001	U	MG/L
MW-064	3/18/2008	NICKEL	0.02		MG/L
MW-064	3/18/2008	NITRATE	0.091		MG/L
MW-064	3/18/2008	NITRITE	0.088		MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-064	3/18/2008	O-XYLENE	0.001	U	MG/L
MW-064	3/18/2008	SELENIUM	0.003		MG/L
MW-064	3/18/2008	SILVER	0.001	U	MG/L
MW-064	3/18/2008	SODIUM	2.7		MG/L
MW-064	3/18/2008	STYRENE	0.001	U	MG/L
MW-064	3/18/2008	SULFATE	9.3		MG/L
MW-064	3/18/2008	TETRACHLOROETHENE	0.001	U	MG/L
MW-064	3/18/2008	THALLIUM	0.002	U	MG/L
MW-064	3/18/2008	TOLUENE	0.001	U	MG/L
MW-064	3/18/2008	TOTAL DISSOLVED SOLIDS	52		MG/L
MW-064	3/18/2008	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-064	3/18/2008	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-064	3/18/2008	TRANS-1,4-DICHLORO-2-BUTENE	0.005	U	MG/L
MW-064	3/18/2008	TRICHLOROETHENE	0.001	U	MG/L
MW-064	3/18/2008	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-064	3/18/2008	TURBIDITY	78		NTU
MW-064	3/18/2008	VANADIUM	0.017		MG/L
MW-064	3/18/2008	VINYL ACETATE	0.005	U	MG/L
MW-064	3/18/2008	VINYL CHLORIDE	0.001	U	MG/L
MW-064	3/18/2008	ZINC	0.044		MG/L
MW-064	9/25/2008	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-064	9/25/2008	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-064	9/25/2008	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-064	9/25/2008	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-064	9/25/2008	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-064	9/25/2008	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-064	9/25/2008	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-064	9/25/2008	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-064	9/25/2008	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-064	9/25/2008	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-064	9/25/2008	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-064	9/25/2008	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-064	9/25/2008	1,4-DICHLOROBENZENE	0.001	U	MG/L
MW-064	9/25/2008	2-BUTANONE	0.017		MG/L
MW-064	9/25/2008	2-HEXANONE	0.005	U	MG/L
MW-064	9/25/2008	4-BROMOFLUOROBENZENE	0.0295		MG/L
MW-064	9/25/2008	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-064	9/25/2008	ACETONE	0.011		MG/L
MW-064	9/25/2008	ACRYLONITRILE	0.005	U	MG/L
MW-064	9/25/2008	ALKALINITY	1	U	MG/L
MW-064	9/25/2008	AMMONIA	0.21		MG/L
MW-064	9/25/2008	ANTIMONY	0.005	U	MG/L
MW-064	9/25/2008	ARSENIC	0.005	U	MG/L
MW-064	9/25/2008	BARIUM	0.051		MG/L
MW-064	9/25/2008	BENZENE	0.001	U	MG/L
MW-064	9/25/2008	BERYLLIUM	0.002	U	MG/L
MW-064	9/25/2008	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-064	9/25/2008	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-064	9/25/2008	BROMOFORM	0.001	U	MG/L
MW-064	9/25/2008	BROMOMETHANE	0.001	U	MG/L
MW-064	9/25/2008	CADMIUM	0.0005	U	MG/L
MW-064	9/25/2008	CALCIUM	3.4		MG/L
MW-064	9/25/2008	CARBON DISULFIDE	0.001	U	MG/L
MW-064	9/25/2008	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-064	9/25/2008	CHEMICAL OXYGEN DEMAND	10	U	MG/L
MW-064	9/25/2008	CHLORIDE	5		MG/L
MW-064	9/25/2008	CHLOROBENZENE	0.001	U	MG/L
MW-064	9/25/2008	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-064	9/25/2008	CHLOROETHANE	0.001	U	MG/L
MW-064	9/25/2008	CHLOROFORM	0.001	U	MG/L
MW-064	9/25/2008	CHLOROMETHANE	0.001	U	MG/L
MW-064	9/25/2008	CHROMIUM	0.0055		MG/L
MW-064	9/25/2008	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-064	9/25/2008	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-064	9/25/2008	COBALT	0.005	U	MG/L
MW-064	9/25/2008	COPPER	0.002	U	MG/L
MW-064	9/25/2008	CYANIDE	0.01	U	MG/L
MW-064	9/25/2008	DIBROMOMETHANE	0.001	U	MG/L
MW-064	9/25/2008	ETHYLBENZENE	0.001	U	MG/L
MW-064	9/25/2008	FLUORIDE	0.10	U	MG/L
MW-064	9/25/2008	FLUORODIBROMOMETHANE	0.0241		MG/L
MW-064	9/25/2008	FREE CYANIDE	0.01	U	MG/L
MW-064	9/25/2008	GALLIUM	0.005	U	MG/L
MW-064	9/25/2008	HARDNESS	28		MG/L
MW-064	9/25/2008	IRON	0.83		MG/L
MW-064	9/25/2008	LEAD	0.002	U	MG/L
MW-064	9/25/2008	M+P-XYLENES	0.002	U	MG/L
MW-064	9/25/2008	MAGNESIUM	4.7		MG/L



Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-064	9/25/2008	MANGANESE	0.24		MG/L
MW-064	9/25/2008	MERCURY	0.0002	U	MG/L
MW-064	9/25/2008	METHYL IODIDE	0.001	U	MG/L
MW-064	9/25/2008	METHYLENE CHLORIDE	0.001	U	MG/L
MW-064	9/25/2008	NICKEL	0.0085		MG/L
MW-064	9/25/2008	NITRATE	4.1		MG/L
MW-064	9/25/2008	NITRITE	0.021		MG/L
MW-064	9/25/2008	NITRITE/NITRATE-N	4.2		MG/L
MW-064	9/25/2008	O-XYLENE	0.001	U	MG/L
MW-064	9/25/2008	SELENIUM	0.005	U	MG/L
MW-064	9/25/2008	SILVER	0.002	U	MG/L
MW-064	9/25/2008	SODIUM	2.4		MG/L
MW-064	9/25/2008	STYRENE	0.001	U	MG/L
MW-064	9/25/2008	SULFATE	7.9		MG/L
MW-064	9/25/2008	TETRACHLOROETHENE	0.001	U	MG/L
MW-064	9/25/2008	THALLIUM	0.002	U	MG/L
MW-064	9/25/2008	TOLUENE	0.001	U	MG/L
MW-064	9/25/2008	TOTAL DISSOLVED SOLIDS	46		MG/L
MW-064	9/25/2008	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-064	9/25/2008	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-064	9/25/2008	TRANS-1,4-DICHLORO-2-BUTENE	0.005	U	MG/L
MW-064	9/25/2008	TRICHLOROETHENE	0.001	U	MG/L
MW-064	9/25/2008	TRICHLOROFUOROMETHANE	0.001	U	MG/L
MW-064	9/25/2008	TURBIDITY	31		NTU
MW-064	9/25/2008	VANADIUM	0.005	U	MG/L
MW-064	9/25/2008	VINYL ACETATE	0.001	U	MG/L
MW-064	9/25/2008	VINYL CHLORIDE	0.001	U	MG/L
MW-064	9/25/2008	ZINC	0.026		MG/L
MW-064	2/24/2009	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-064	2/24/2009	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-064	2/24/2009	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-064	2/24/2009	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-064	2/24/2009	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-064	2/24/2009	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-064	2/24/2009	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-064	2/24/2009	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-064	2/24/2009	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-064	2/24/2009	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-064	2/24/2009	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-064	2/24/2009	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-064	2/24/2009	1,4-DICHLOROBENZENE	0.001	U	MG/L
MW-064	2/24/2009	2-BUTANONE	0.005	U	MG/L
MW-064	2/24/2009	2-HEXANONE	0.005	U	MG/L
MW-064	2/24/2009	4-BROMOFUOROBENZENE	0.0239		MG/L
MW-064	2/24/2009	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-064	2/24/2009	ACETONE	0.005	U	MG/L
MW-064	2/24/2009	ACRYLONITRILE	0.005	U	MG/L
MW-064	2/24/2009	ALKALINITY	4.5		MG/L
MW-064	2/24/2009	AMMONIA	0.17		MG/L
MW-064	2/24/2009	ANTIMONY	0.0014		MG/L
MW-064	2/24/2009	ARSENIC	0.005	U	MG/L
MW-064	2/24/2009	BARIUM	0.077		MG/L
MW-064	2/24/2009	BENZENE	0.001	U	MG/L
MW-064	2/24/2009	BERYLLIUM	0.002	U	MG/L
MW-064	2/24/2009	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-064	2/24/2009	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-064	2/24/2009	BROMOFORM	0.001	U	MG/L
MW-064	2/24/2009	BROMOMETHANE	0.001	U	MG/L
MW-064	2/24/2009	CADMIUM	0.00066		MG/L
MW-064	2/24/2009	CARBON DISULFIDE	0.001	U	MG/L
MW-064	2/24/2009	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-064	2/24/2009	CHEMICAL OXYGEN DEMAND	10	U	MG/L
MW-064	2/24/2009	CHLORIDE	2		MG/L
MW-064	2/24/2009	CHLOROBENZENE	0.001	U	MG/L
MW-064	2/24/2009	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-064	2/24/2009	CHLOROETHANE	0.001	U	MG/L
MW-064	2/24/2009	CHLOROFORM	0.001	U	MG/L
MW-064	2/24/2009	CHLOROMETHANE	0.001	U	MG/L
MW-064	2/24/2009	CHROMIUM	0.0093		MG/L
MW-064	2/24/2009	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-064	2/24/2009	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-064	2/24/2009	COBALT	0.0078		MG/L
MW-064	2/24/2009	COPPER	0.0096		MG/L
MW-064	2/24/2009	CYANIDE	0.0056		MG/L
MW-064	2/24/2009	DIBROMOMETHANE	0.001	U	MG/L
MW-064	2/24/2009	ETHYLBENZENE	0.001	U	MG/L
MW-064	2/24/2009	FLUORIDE	0.05	U	MG/L
MW-064	2/24/2009	FLUORODIBROMOMETHANE	0.0229		MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-064	2/24/2009	FREE CYANIDE	0.0017	U	MG/L
MW-064	2/24/2009	GALLIUM	0.005	U	MG/L
MW-064	2/24/2009	HARDNESS	33		MG/L
MW-064	2/24/2009	IRON	2.8		MG/L
MW-064	2/24/2009	LEAD	0.0027		MG/L
MW-064	2/24/2009	M+P-XYLENES	0.00095	U	MG/L
MW-064	2/24/2009	MANGANESE	0.34		MG/L
MW-064	2/24/2009	MERCURY	0.0002	U	MG/L
MW-064	2/24/2009	METHYL IODIDE	0.001	U	MG/L
MW-064	2/24/2009	METHYLENE CHLORIDE	0.001	U	MG/L
MW-064	2/24/2009	NICKEL	0.013		MG/L
MW-064	2/24/2009	NITRATE	0.17		MG/L
MW-064	2/24/2009	NITRITE	0.005	U	MG/L
MW-064	2/24/2009	NITRITE/NITRATE-N	0.17		MG/L
MW-064	2/24/2009	O-XYLENE	0.001	U	MG/L
MW-064	2/24/2009	SELENIUM	0.005	U	MG/L
MW-064	2/24/2009	SILVER	0.002	U	MG/L
MW-064	2/24/2009	SODIUM	2.7		MG/L
MW-064	2/24/2009	STYRENE	0.001	U	MG/L
MW-064	2/24/2009	SULFATE	4.9		MG/L
MW-064	2/24/2009	TETRACHLOROETHENE	0.001	U	MG/L
MW-064	2/24/2009	THALLIUM	0.002	U	MG/L
MW-064	2/24/2009	TOLUENE	0.001	U	MG/L
MW-064	2/24/2009	TOTAL DISSOLVED SOLIDS	78		MG/L
MW-064	2/24/2009	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-064	2/24/2009	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-064	2/24/2009	TRANS-1,4-DICHLORO-2-BUTENE	0.001	U	MG/L
MW-064	2/24/2009	TRICHLOROETHENE	0.001	U	MG/L
MW-064	2/24/2009	TRICHLOROFUOROMETHANE	0.001	U	MG/L
MW-064	2/24/2009	TURBIDITY	8		NTU
MW-064	2/24/2009	VANADIUM	0.0084		MG/L
MW-064	2/24/2009	VINYL ACETATE	0.001	U	MG/L
MW-064	2/24/2009	VINYL CHLORIDE	0.001	U	MG/L
MW-064	2/24/2009	ZINC	0.054		MG/L
MW-064	8/27/2009	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-064	8/27/2009	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-064	8/27/2009	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-064	8/27/2009	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-064	8/27/2009	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-064	8/27/2009	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-064	8/27/2009	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-064	8/27/2009	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-064	8/27/2009	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-064	8/27/2009	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-064	8/27/2009	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-064	8/27/2009	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-064	8/27/2009	1,4-DICHLOROBENZENE	0.001	U	MG/L
MW-064	8/27/2009	2-BUTANONE	0.005	U	MG/L
MW-064	8/27/2009	2-HEXANONE	0.005	U	MG/L
MW-064	8/27/2009	4-BROMOFUOROBENZENE	0.021		MG/L
MW-064	8/27/2009	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-064	8/27/2009	ACETONE	0.005	U	MG/L
MW-064	8/27/2009	ACRYLONITRILE	0.005	U	MG/L
MW-064	8/27/2009	ALKALINITY	10		MG/L
MW-064	8/27/2009	AMMONIA	1.8		MG/L
MW-064	8/27/2009	ANTIMONY	0.002	U	MG/L
MW-064	8/27/2009	ARSENIC	0.005	U	MG/L
MW-064	8/27/2009	BARIIUM	0.047		MG/L
MW-064	8/27/2009	BENZENE	0.001	U	MG/L
MW-064	8/27/2009	BERYLLIUM	0.001	U	MG/L
MW-064	8/27/2009	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-064	8/27/2009	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-064	8/27/2009	BROMOFORM	0.001	U	MG/L
MW-064	8/27/2009	BROMOMETHANE	0.001	U	MG/L
MW-064	8/27/2009	CADMIUM	0.0005	U	MG/L
MW-064	8/27/2009	CARBON DISULFIDE	0.001	U	MG/L
MW-064	8/27/2009	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-064	8/27/2009	CHEMICAL OXYGEN DEMAND	10		MG/L
MW-064	8/27/2009	CHLORIDE	6		MG/L
MW-064	8/27/2009	CHLOROBENZENE	0.001	U	MG/L
MW-064	8/27/2009	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-064	8/27/2009	CHLOROETHANE	0.001	U	MG/L
MW-064	8/27/2009	CHLOROFORM	0.001	U	MG/L
MW-064	8/27/2009	CHLOROMETHANE	0.001	U	MG/L
MW-064	8/27/2009	CHROMIUM	0.0025	U	MG/L
MW-064	8/27/2009	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-064	8/27/2009	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-064	8/27/2009	COBALT	0.0094		MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-064	8/27/2009	COPPER	0.0055		MG/L
MW-064	8/27/2009	CYANIDE	0.005	U	MG/L
MW-064	8/27/2009	DIBROMOMETHANE	0.001	U	MG/L
MW-064	8/27/2009	ETHYLBENZENE	0.001	U	MG/L
MW-064	8/27/2009	FLUORIDE	0.05	U	MG/L
MW-064	8/27/2009	FLUORODIBROMOMETHANE	0.0223		MG/L
MW-064	8/27/2009	FREE CYANIDE	0.0017	U	MG/L
MW-064	8/27/2009	GALLIUM	0.0051		MG/L
MW-064	8/27/2009	HARDNESS	22		MG/L
MW-064	8/27/2009	IRON	0.05		MG/L
MW-064	8/27/2009	LEAD	0.002	U	MG/L
MW-064	8/27/2009	M+P-XYLENES	0.001	U	MG/L
MW-064	8/27/2009	MANGANESE	0.51		MG/L
MW-064	8/27/2009	MERCURY	0.0002	U	MG/L
MW-064	8/27/2009	METHYL IODIDE	0.001	U	MG/L
MW-064	8/27/2009	METHYLENE CHLORIDE	0.001	U	MG/L
MW-064	8/27/2009	NICKEL	0.0078		MG/L
MW-064	8/27/2009	NITRITE	0.005	U	MG/L
MW-064	8/27/2009	NITRITE/NITRATE-N	0.12		MG/L
MW-064	8/27/2009	O-XYLENE	0.001	U	MG/L
MW-064	8/27/2009	SELENIUM	0.005	U	MG/L
MW-064	8/27/2009	SILVER	0.002	U	MG/L
MW-064	8/27/2009	SODIUM	2.4		MG/L
MW-064	8/27/2009	STYRENE	0.001	U	MG/L
MW-064	8/27/2009	SULFATE	5		MG/L
MW-064	8/27/2009	TETRACHLOROETHENE	0.001	U	MG/L
MW-064	8/27/2009	THALLIUM	0.002	U	MG/L
MW-064	8/27/2009	TOLUENE	0.001	U	MG/L
MW-064	8/27/2009	TOTAL DISSOLVED SOLIDS	10	U	MG/L
MW-064	8/27/2009	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-064	8/27/2009	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-064	8/27/2009	TRANS-1,4-DICHLORO-2-BUTENE	0.001	U	MG/L
MW-064	8/27/2009	TRICHLOROETHENE	0.001	U	MG/L
MW-064	8/27/2009	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-064	8/27/2009	TURBIDITY	2		NTU
MW-064	8/27/2009	VANADIUM	0.005	U	MG/L
MW-064	8/27/2009	VINYL ACETATE	0.001	U	MG/L
MW-064	8/27/2009	VINYL CHLORIDE	0.001	U	MG/L
MW-064	8/27/2009	ZINC	0.015	U	MG/L
MW-064	3/17/2010	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-064	3/17/2010	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-064	3/17/2010	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-064	3/17/2010	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-064	3/17/2010	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-064	3/17/2010	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-064	3/17/2010	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-064	3/17/2010	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-064	3/17/2010	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-064	3/17/2010	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-064	3/17/2010	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-064	3/17/2010	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-064	3/17/2010	1,4-DICHLOROBENZENE	0.001	U	MG/L
MW-064	3/17/2010	2-BUTANONE	0.005	U	MG/L
MW-064	3/17/2010	2-HEXANONE	0.005	U	MG/L
MW-064	3/17/2010	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-064	3/17/2010	ACETONE	0.0083		MG/L
MW-064	3/17/2010	ACRYLONITRILE	0.005	U	MG/L
MW-064	3/17/2010	ALKALINITY	56		MG/L
MW-064	3/17/2010	AMMONIA	4.1		MG/L
MW-064	3/17/2010	ANTIMONY	0.0026		MG/L
MW-064	3/17/2010	ARSENIC	0.004		MG/L
MW-064	3/17/2010	BARIUM	0.10		MG/L
MW-064	3/17/2010	BENZENE	0.001	U	MG/L
MW-064	3/17/2010	BERYLLIUM	0.001	U	MG/L
MW-064	3/17/2010	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-064	3/17/2010	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-064	3/17/2010	BROMOFORM	0.001	U	MG/L
MW-064	3/17/2010	BROMOMETHANE	0.001	U	MG/L
MW-064	3/17/2010	CADMIUM	0.0005	U	MG/L
MW-064	3/17/2010	CALCIUM	5.8		MG/L
MW-064	3/17/2010	CARBON DISULFIDE	0.001	U	MG/L
MW-064	3/17/2010	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-064	3/17/2010	CHEMICAL OXYGEN DEMAND	11		MG/L
MW-064	3/17/2010	CHLORIDE	3		MG/L
MW-064	3/17/2010	CHLOROETHANE	0.001	U	MG/L
MW-064	3/17/2010	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-064	3/17/2010	CHLOROETHANE	0.001	U	MG/L
MW-064	3/17/2010	CHLOROFORM	0.001	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-064	3/17/2010	CHLOROMETHANE	0.001	U	MG/L
MW-064	3/17/2010	CHROMIUM	0.0059		MG/L
MW-064	3/17/2010	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-064	3/17/2010	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-064	3/17/2010	COBALT	0.034		MG/L
MW-064	3/17/2010	COPPER	0.0083		MG/L
MW-064	3/17/2010	CYANIDE	0.005	U	MG/L
MW-064	3/17/2010	DIBROMOMETHANE	0.001	U	MG/L
MW-064	3/17/2010	ETHYLBENZENE	0.001	U	MG/L
MW-064	3/17/2010	FLUORIDE	0.10	U	MG/L
MW-064	3/17/2010	FREE CYANIDE	0.0034	U	MG/L
MW-064	3/17/2010	HARDNESS	33		MG/L
MW-064	3/17/2010	IRON	10		MG/L
MW-064	3/17/2010	LEAD	0.002	U	MG/L
MW-064	3/17/2010	MAGNESIUM	4.5		MG/L
MW-064	3/17/2010	MANGANESE	5.2		MG/L
MW-064	3/17/2010	MERCURY	0.0002	U	MG/L
MW-064	3/17/2010	METHYL IODIDE	0.001	U	MG/L
MW-064	3/17/2010	METHYL TERT-BUTYL ETHER	0.001	U	MG/L
MW-064	3/17/2010	METHYLENE CHLORIDE	0.001	U	MG/L
MW-064	3/17/2010	NICKEL	0.093		MG/L
MW-064	3/17/2010	NITRATE	0.059		MG/L
MW-064	3/17/2010	O-XYLENE	0.001	U	MG/L
MW-064	3/17/2010	POTASSIUM	3.4		MG/L
MW-064	3/17/2010	SELENIUM	0.005	U	MG/L
MW-064	3/17/2010	SILVER	0.002	U	MG/L
MW-064	3/17/2010	SODIUM	3.2		MG/L
MW-064	3/17/2010	STYRENE	0.001	U	MG/L
MW-064	3/17/2010	SULFATE	8.5		MG/L
MW-064	3/17/2010	TETRACHLOROETHENE	0.001	U	MG/L
MW-064	3/17/2010	THALLIUM	0.002	U	MG/L
MW-064	3/17/2010	TOLUENE	0.001	U	MG/L
MW-064	3/17/2010	TOTAL DISSOLVED SOLIDS	90		MG/L
MW-064	3/17/2010	TOTAL XYLENES	0.001	U	MG/L
MW-064	3/17/2010	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-064	3/17/2010	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-064	3/17/2010	TRANS-1,4-DICHLORO-2-BUTENE	0.001	U	MG/L
MW-064	3/17/2010	TRICHLOROETHENE	0.001	U	MG/L
MW-064	3/17/2010	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-064	3/17/2010	TURBIDITY	46		NTU
MW-064	3/17/2010	VANADIUM	0.0069		MG/L
MW-064	3/17/2010	VINYL ACETATE	0.001	U	MG/L
MW-064	3/17/2010	VINYL CHLORIDE	0.001	U	MG/L
MW-064	3/17/2010	ZINC	0.012		MG/L
MW-064	8/26/2010	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-064	8/26/2010	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-064	8/26/2010	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-064	8/26/2010	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-064	8/26/2010	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-064	8/26/2010	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-064	8/26/2010	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-064	8/26/2010	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-064	8/26/2010	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-064	8/26/2010	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-064	8/26/2010	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-064	8/26/2010	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-064	8/26/2010	1,4-DICHLOROBENZENE	0.001	U	MG/L
MW-064	8/26/2010	2-BUTANONE	0.005	U	MG/L
MW-064	8/26/2010	2-HEXANONE	0.005	U	MG/L
MW-064	8/26/2010	4-BROMOFLUOROBENZENE	0.0234		MG/L
MW-064	8/26/2010	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-064	8/26/2010	ACETONE	0.005	U	MG/L
MW-064	8/26/2010	ACRYLONITRILE	0.005	U	MG/L
MW-064	8/26/2010	ALKALINITY	24		MG/L
MW-064	8/26/2010	AMMONIA	1.5		MG/L
MW-064	8/26/2010	ANTIMONY	0.0025		MG/L
MW-064	8/26/2010	ARSENIC	0.001	U	MG/L
MW-064	8/26/2010	BARIUM	0.15		MG/L
MW-064	8/26/2010	BENZENE	0.001	U	MG/L
MW-064	8/26/2010	BERYLLIUM	0.001	U	MG/L
MW-064	8/26/2010	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-064	8/26/2010	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-064	8/26/2010	BROMOFORM	0.001	U	MG/L
MW-064	8/26/2010	BROMOMETHANE	0.001	U	MG/L
MW-064	8/26/2010	CADMIUM	0.0012		MG/L
MW-064	8/26/2010	CALCIUM	6.1		MG/L
MW-064	8/26/2010	CARBON DISULFIDE	0.001	U	MG/L
MW-064	8/26/2010	CARBON TETRACHLORIDE	0.001	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-064	8/26/2010	CHEMICAL OXYGEN DEMAND	150		MG/L
MW-064	8/26/2010	CHLORIDE	6		MG/L
MW-064	8/26/2010	CHLOROBENZENE	0.001	U	MG/L
MW-064	8/26/2010	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-064	8/26/2010	CHLOROETHANE	0.001	U	MG/L
MW-064	8/26/2010	CHLOROFORM	0.001	U	MG/L
MW-064	8/26/2010	CHLOROMETHANE	0.001	U	MG/L
MW-064	8/26/2010	CHROMIUM	0.0079		MG/L
MW-064	8/26/2010	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-064	8/26/2010	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-064	8/26/2010	COBALT	0.048		MG/L
MW-064	8/26/2010	COPPER	0.08		MG/L
MW-064	8/26/2010	CYANIDE	0.0016		MG/L
MW-064	8/26/2010	DIBROMOMETHANE	0.001	U	MG/L
MW-064	8/26/2010	ETHYLBENZENE	0.001	U	MG/L
MW-064	8/26/2010	FLUORIDE	0.10	U	MG/L
MW-064	8/26/2010	FLUORODIBROMOMETHANE	0.0251		MG/L
MW-064	8/26/2010	FREE CYANIDE	0.0034	U	MG/L
MW-064	8/26/2010	HARDNESS	34		MG/L
MW-064	8/26/2010	IRON	3.6		MG/L
MW-064	8/26/2010	LEAD	0.0042		MG/L
MW-064	8/26/2010	M+P-XYLENES	0.001	U	MG/L
MW-064	8/26/2010	MAGNESIUM	4.5		MG/L
MW-064	8/26/2010	MANGANESE	3.6		MG/L
MW-064	8/26/2010	MERCURY	0.0002	U	MG/L
MW-064	8/26/2010	METHYL IODIDE	0.001	U	MG/L
MW-064	8/26/2010	METHYL TERT-BUTYL ETHER	0.001	U	MG/L
MW-064	8/26/2010	METHYLENE CHLORIDE	0.001	U	MG/L
MW-064	8/26/2010	NICKEL	0.058		MG/L
MW-064	8/26/2010	NITRATE	1.9		MG/L
MW-064	8/26/2010	NITRITE	0.11		MG/L
MW-064	8/26/2010	NITRITE/NITRATE-N	2		MG/L
MW-064	8/26/2010	O-XYLENE	0.001	U	MG/L
MW-064	8/26/2010	POTASSIUM	2.2		MG/L
MW-064	8/26/2010	SELENIUM	0.0025	U	MG/L
MW-064	8/26/2010	SILVER	0.0014		MG/L
MW-064	8/26/2010	SODIUM	2.5		MG/L
MW-064	8/26/2010	STYRENE	0.001	U	MG/L
MW-064	8/26/2010	SULFATE	9.3		MG/L
MW-064	8/26/2010	TETRACHLOROETHENE	0.001	U	MG/L
MW-064	8/26/2010	THALLIUM	0.001	U	MG/L
MW-064	8/26/2010	TOLUENE	0.0096		MG/L
MW-064	8/26/2010	TOTAL DISSOLVED SOLIDS	73		MG/L
MW-064	8/26/2010	TOTAL XYLENES	0.0014	U	MG/L
MW-064	8/26/2010	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-064	8/26/2010	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-064	8/26/2010	TRANS-1,4-DICHLORO-2-BUTENE	0.001	U	MG/L
MW-064	8/26/2010	TRICHLOROETHENE	0.001	U	MG/L
MW-064	8/26/2010	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-064	8/26/2010	TURBIDITY	71		NTU
MW-064	8/26/2010	VANADIUM	0.0054		MG/L
MW-064	8/26/2010	VINYL ACETATE	0.001	U	MG/L
MW-064	8/26/2010	VINYL CHLORIDE	0.001	U	MG/L
MW-064	8/26/2010	ZINC	0.13		MG/L
MW-064	2/23/2011	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-064	2/23/2011	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-064	2/23/2011	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-064	2/23/2011	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-064	2/23/2011	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-064	2/23/2011	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-064	2/23/2011	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-064	2/23/2011	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-064	2/23/2011	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-064	2/23/2011	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-064	2/23/2011	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-064	2/23/2011	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-064	2/23/2011	1,4-DICHLOROBENZENE	0.001	U	MG/L
MW-064	2/23/2011	2-BUTANONE	0.005	U	MG/L
MW-064	2/23/2011	2-HEXANONE	0.005	U	MG/L
MW-064	2/23/2011	4-BROMOFLUOROBENZENE	0.0246		MG/L
MW-064	2/23/2011	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-064	2/23/2011	ACETONE	0.005	U	MG/L
MW-064	2/23/2011	ACRYLONITRILE	0.005	U	MG/L
MW-064	2/23/2011	ALKALINITY	10		MG/L
MW-064	2/23/2011	AMMONIA	0.13		MG/L
MW-064	2/23/2011	ANTIMONY	0.0022		MG/L
MW-064	2/23/2011	ARSENIC	0.002	U	MG/L
MW-064	2/23/2011	BARIUM	0.15		MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-064	2/23/2011	BENZENE	0.001	U	MG/L
MW-064	2/23/2011	BERYLLIUM	0.001	U	MG/L
MW-064	2/23/2011	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-064	2/23/2011	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-064	2/23/2011	BROMOFORM	0.001	U	MG/L
MW-064	2/23/2011	BROMOMETHANE	0.001	U	MG/L
MW-064	2/23/2011	CADMIUM	0.00089		MG/L
MW-064	2/23/2011	CALCIUM	6.7		MG/L
MW-064	2/23/2011	CARBON DISULFIDE	0.001	U	MG/L
MW-064	2/23/2011	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-064	2/23/2011	CHEMICAL OXYGEN DEMAND	25		MG/L
MW-064	2/23/2011	CHLORIDE	4		MG/L
MW-064	2/23/2011	CHLOROENZENE	0.001	U	MG/L
MW-064	2/23/2011	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-064	2/23/2011	CHLOROETHANE	0.001	U	MG/L
MW-064	2/23/2011	CHLOROFORM	0.001	U	MG/L
MW-064	2/23/2011	CHLOROMETHANE	0.001	U	MG/L
MW-064	2/23/2011	CHROMIUM	0.0067		MG/L
MW-064	2/23/2011	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-064	2/23/2011	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-064	2/23/2011	COBALT	0.045		MG/L
MW-064	2/23/2011	COPPER	0.079		MG/L
MW-064	2/23/2011	CYANIDE	0.0017		MG/L
MW-064	2/23/2011	DIBROMOMETHANE	0.001	U	MG/L
MW-064	2/23/2011	ETHYLBENZENE	0.001	U	MG/L
MW-064	2/23/2011	FLUORIDE	0.10	U	MG/L
MW-064	2/23/2011	FLUORODIBROMOMETHANE	0.0256		MG/L
MW-064	2/23/2011	FREE CYANIDE	0.009		MG/L
MW-064	2/23/2011	HARDNESS	39		MG/L
MW-064	2/23/2011	IRON	3.7		MG/L
MW-064	2/23/2011	LEAD	0.0049		MG/L
MW-064	2/23/2011	M+P-XYLENES	0.001	U	MG/L
MW-064	2/23/2011	MAGNESIUM	5.4		MG/L
MW-064	2/23/2011	MANGANESE	3.6		MG/L
MW-064	2/23/2011	MERCURY	0.0002	U	MG/L
MW-064	2/23/2011	METHYL IODIDE	0.001	U	MG/L
MW-064	2/23/2011	METHYL TERT-BUTYL ETHER	0.001	U	MG/L
MW-064	2/23/2011	METHYLENE CHLORIDE	0.001	U	MG/L
MW-064	2/23/2011	NICKEL	0.023		MG/L
MW-064	2/23/2011	NITRATE	2.7		MG/L
MW-064	2/23/2011	O-XYLENE	0.001	U	MG/L
MW-064	2/23/2011	POTASSIUM	2.8		MG/L
MW-064	2/23/2011	SELENIUM	0.005	U	MG/L
MW-064	2/23/2011	SILVER	0.001	U	MG/L
MW-064	2/23/2011	SODIUM	3.1		MG/L
MW-064	2/23/2011	STYRENE	0.001	U	MG/L
MW-064	2/23/2011	SULFATE	18		MG/L
MW-064	2/23/2011	TETRACHLOROETHENE	0.001	U	MG/L
MW-064	2/23/2011	THALLIUM	0.001	U	MG/L
MW-064	2/23/2011	TOLUENE	0.0047		MG/L
MW-064	2/23/2011	TOTAL DISSOLVED SOLIDS	59		MG/L
MW-064	2/23/2011	TOTAL XYLENES	0.0014	U	MG/L
MW-064	2/23/2011	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-064	2/23/2011	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-064	2/23/2011	TRANS-1,4-DICHLORO-2-BUTENE	0.001	U	MG/L
MW-064	2/23/2011	TRICHLOROETHENE	0.001	U	MG/L
MW-064	2/23/2011	TRICHLOROFUOROMETHANE	0.001	U	MG/L
MW-064	2/23/2011	TURBIDITY	120		NTU
MW-064	2/23/2011	VANADIUM	0.0071		MG/L
MW-064	2/23/2011	VINYL ACETATE	0.001	U	MG/L
MW-064	2/23/2011	VINYL CHLORIDE	0.001	U	MG/L
MW-064	2/23/2011	ZINC	0.07		MG/L
MW-064	8/25/2011	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-064	8/25/2011	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-064	8/25/2011	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-064	8/25/2011	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-064	8/25/2011	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-064	8/25/2011	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-064	8/25/2011	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-064	8/25/2011	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-064	8/25/2011	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-064	8/25/2011	1,2-DICHLOROENZENE	0.001	U	MG/L
MW-064	8/25/2011	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-064	8/25/2011	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-064	8/25/2011	1,4-DICHLOROENZENE	0.001	U	MG/L
MW-064	8/25/2011	2-BUTANONE	0.005	U	MG/L
MW-064	8/25/2011	2-HEXANONE	0.005	U	MG/L
MW-064	8/25/2011	4-METHYL-2-PENTANONE	0.005	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-064	8/25/2011	ACETONE	0.025	U	MG/L
MW-064	8/25/2011	ACRYLONITRILE	0.005	U	MG/L
MW-064	8/25/2011	ALKALINITY	8.5		MG/L
MW-064	8/25/2011	AMMONIA	0.45		MG/L
MW-064	8/25/2011	ANTIMONY	0.00055	J	MG/L
MW-064	8/25/2011	ARSENIC	0.00077	J	MG/L
MW-064	8/25/2011	BARIUM	0.076		MG/L
MW-064	8/25/2011	BENZENE	0.001	U	MG/L
MW-064	8/25/2011	BERYLLIUM	0.00027	J	MG/L
MW-064	8/25/2011	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-064	8/25/2011	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-064	8/25/2011	BROMOFORM	0.001	U	MG/L
MW-064	8/25/2011	BROMOMETHANE	0.001	U	MG/L
MW-064	8/25/2011	CADMIUM	0.00026	J	MG/L
MW-064	8/25/2011	CALCIUM	4.7		MG/L
MW-064	8/25/2011	CARBON DISULFIDE	0.001	U	MG/L
MW-064	8/25/2011	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-064	8/25/2011	CHEMICAL OXYGEN DEMAND	10		MG/L
MW-064	8/25/2011	CHLORIDE	7.5		MG/L
MW-064	8/25/2011	CHLOROBENZENE	0.001	U	MG/L
MW-064	8/25/2011	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-064	8/25/2011	CHLOROETHANE	0.001	U	MG/L
MW-064	8/25/2011	CHLOROFORM	0.001	U	MG/L
MW-064	8/25/2011	CHLOROMETHANE	0.001	U	MG/L
MW-064	8/25/2011	CHROMIUM	0.01	U	MG/L
MW-064	8/25/2011	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-064	8/25/2011	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-064	8/25/2011	COBALT	0.016		MG/L
MW-064	8/25/2011	COPPER	0.0047	J	MG/L
MW-064	8/25/2011	CYANIDE	0.005	U	MG/L
MW-064	8/25/2011	DIBROMOMETHANE	0.001	U	MG/L
MW-064	8/25/2011	ETHYLBENZENE	0.001	U	MG/L
MW-064	8/25/2011	FLUORIDE	0.015	J	MG/L
MW-064	8/25/2011	FREE CYANIDE	0.005	U	MG/L
MW-064	8/25/2011	HARDNESS	27		MG/L
MW-064	8/25/2011	IRON	0.50		MG/L
MW-064	8/25/2011	LEAD	0.002	U	MG/L
MW-064	8/25/2011	MAGNESIUM	3.8	B	MG/L
MW-064	8/25/2011	MANGANESE	1.7		MG/L
MW-064	8/25/2011	MERCURY	0.0002	U	MG/L
MW-064	8/25/2011	METHYL IODIDE	0.001	U	MG/L
MW-064	8/25/2011	METHYL TERT-BUTYL ETHER	0.001	U	MG/L
MW-064	8/25/2011	METHYLENE CHLORIDE	0.001	U	MG/L
MW-064	8/25/2011	NICKEL	0.0084	J	MG/L
MW-064	8/25/2011	NITRATE	4.7		MG/L
MW-064	8/25/2011	POTASSIUM	2.6		MG/L
MW-064	8/25/2011	SELENIUM	0.00086	J	MG/L
MW-064	8/25/2011	SILVER	0.01	U	MG/L
MW-064	8/25/2011	SODIUM	3.1		MG/L
MW-064	8/25/2011	STYRENE	0.001	U	MG/L
MW-064	8/25/2011	SULFATE	5.7		MG/L
MW-064	8/25/2011	TETRACHLOROETHENE	0.001	U	MG/L
MW-064	8/25/2011	THALLIUM	0.002	U	MG/L
MW-064	8/25/2011	TOLUENE	0.00063	J	MG/L
MW-064	8/25/2011	TOTAL DISSOLVED SOLIDS	56		MG/L
MW-064	8/25/2011	TOTAL XYLENES	0.0014	U	MG/L
MW-064	8/25/2011	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-064	8/25/2011	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-064	8/25/2011	TRANS-1,4-DICHLORO-2-BUTENE	0.001	U	MG/L
MW-064	8/25/2011	TRICHLOROETHENE	0.001	U	MG/L
MW-064	8/25/2011	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-064	8/25/2011	TURBIDITY	5.9		NTU
MW-064	8/25/2011	VANADIUM	0.0013	J	MG/L
MW-064	8/25/2011	VINYL ACETATE	0.001	U	MG/L
MW-064	8/25/2011	VINYL CHLORIDE	0.001	U	MG/L
MW-064	8/25/2011	ZINC	0.018		MG/L
MW-064	2/29/2012	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-064	2/29/2012	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-064	2/29/2012	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-064	2/29/2012	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-064	2/29/2012	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-064	2/29/2012	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-064	2/29/2012	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-064	2/29/2012	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-064	2/29/2012	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-064	2/29/2012	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-064	2/29/2012	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-064	2/29/2012	1,2-DICHLOROPROPANE	0.001	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-064	2/29/2012	1,4-DICHLOROBENZENE	0.001	U	MG/L
MW-064	2/29/2012	2-BUTANONE	0.005	U	MG/L
MW-064	2/29/2012	2-HEXANONE	0.005	U	MG/L
MW-064	2/29/2012	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-064	2/29/2012	ACETONE	0.005	U	MG/L
MW-064	2/29/2012	ACRYLONITRILE	0.005	U	MG/L
MW-064	2/29/2012	ALKALINITY	76		MG/L
MW-064	2/29/2012	AMMONIA	8		MG/L
MW-064	2/29/2012	ANTIMONY	0.0034	J	MG/L
MW-064	2/29/2012	ARSENIC	0.002	U	MG/L
MW-064	2/29/2012	BARIUM	0.086		MG/L
MW-064	2/29/2012	BENZENE	0.001	U	MG/L
MW-064	2/29/2012	BERYLLIUM	0.002	U	MG/L
MW-064	2/29/2012	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-064	2/29/2012	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-064	2/29/2012	BROMOFORM	0.001	U	MG/L
MW-064	2/29/2012	BROMOMETHANE	0.001	U	MG/L
MW-064	2/29/2012	CADMIUM	0.004	U	MG/L
MW-064	2/29/2012	CALCIUM	9.1		MG/L
MW-064	2/29/2012	CARBON DISULFIDE	0.001	U	MG/L
MW-064	2/29/2012	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-064	2/29/2012	CHEMICAL OXYGEN DEMAND	10	U	MG/L
MW-064	2/29/2012	CHLORIDE	6		MG/L
MW-064	2/29/2012	CHLOROBENZENE	0.001	U	MG/L
MW-064	2/29/2012	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-064	2/29/2012	CHLOROETHANE	0.001	U	MG/L
MW-064	2/29/2012	CHLOROFORM	0.001	U	MG/L
MW-064	2/29/2012	CHLOROMETHANE	0.001	U	MG/L
MW-064	2/29/2012	CHROMIUM	0.01	U	MG/L
MW-064	2/29/2012	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-064	2/29/2012	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-064	2/29/2012	COBALT	0.018		MG/L
MW-064	2/29/2012	COPPER	0.012		MG/L
MW-064	2/29/2012	CYANIDE	0.0019	J	MG/L
MW-064	2/29/2012	DIBROMOMETHANE	0.001	U	MG/L
MW-064	2/29/2012	ETHYLBENZENE	0.001	U	MG/L
MW-064	2/29/2012	FLUORIDE	0.12		MG/L
MW-064	2/29/2012	FREE CYANIDE	0.005	U	MG/L
MW-064	2/29/2012	HARDNESS	46		MG/L
MW-064	2/29/2012	IRON	1.6		MG/L
MW-064	2/29/2012	LEAD	0.0005	J	MG/L
MW-064	2/29/2012	MAGNESIUM	5.5		MG/L
MW-064	2/29/2012	MANGANESE	1.8		MG/L
MW-064	2/29/2012	MERCURY	0.0002	U	MG/L
MW-064	2/29/2012	METHYL IODIDE	0.001	U	MG/L
MW-064	2/29/2012	METHYL TERT-BUTYL ETHER	0.001	U	MG/L
MW-064	2/29/2012	METHYLENE CHLORIDE	0.001	U	MG/L
MW-064	2/29/2012	NICKEL	0.0098	J	MG/L
MW-064	2/29/2012	NITRATE	0.05	U	MG/L
MW-064	2/29/2012	NITRITE	0.015		MG/L
MW-064	2/29/2012	NITRITE/NITRATE-N	0.056		MG/L
MW-064	2/29/2012	POTASSIUM	6.6		MG/L
MW-064	2/29/2012	SELENIUM	0.035	U	MG/L
MW-064	2/29/2012	SILVER	0.01	U	MG/L
MW-064	2/29/2012	SODIUM	5.7	B	MG/L
MW-064	2/29/2012	STYRENE	0.001	U	MG/L
MW-064	2/29/2012	SULFATE	9	B	MG/L
MW-064	2/29/2012	TETRACHLOROETHENE	0.001	U	MG/L
MW-064	2/29/2012	THALLIUM	0.002	U	MG/L
MW-064	2/29/2012	TOLUENE	0.099		MG/L
MW-064	2/29/2012	TOTAL DISSOLVED SOLIDS	49		MG/L
MW-064	2/29/2012	TOTAL XYLENES	0.001	U	MG/L
MW-064	2/29/2012	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-064	2/29/2012	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-064	2/29/2012	TRANS-1,4-DICHLORO-2-BUTENE	0.005	U	MG/L
MW-064	2/29/2012	TRICHLOROETHENE	0.001	U	MG/L
MW-064	2/29/2012	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-064	2/29/2012	TURBIDITY	32		NTU
MW-064	2/29/2012	VINYL ACETATE	0.001	U	MG/L
MW-064	2/29/2012	VINYL CHLORIDE	0.001	U	MG/L
MW-064	2/29/2012	ZINC	0.012		MG/L
MW-064	8/23/2012	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-064	8/23/2012	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-064	8/23/2012	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-064	8/23/2012	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-064	8/23/2012	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-064	8/23/2012	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-064	8/23/2012	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L



Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-064	8/23/2012	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-064	8/23/2012	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-064	8/23/2012	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-064	8/23/2012	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-064	8/23/2012	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-064	8/23/2012	1,4-DICHLOROBENZENE	0.001	U	MG/L
MW-064	8/23/2012	2-BUTANONE	0.005	U	MG/L
MW-064	8/23/2012	2-HEXANONE	0.005	U	MG/L
MW-064	8/23/2012	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-064	8/23/2012	ACETONE	0.005	U	MG/L
MW-064	8/23/2012	ACRYLONITRILE	0.005	U	MG/L
MW-064	8/23/2012	ALKALINITY	32		MG/L
MW-064	8/23/2012	AMMONIA	1.4		MG/L
MW-064	8/23/2012	ANTIMONY	0.0038	J	MG/L
MW-064	8/23/2012	ARSENIC	0.002	U	MG/L
MW-064	8/23/2012	BARIUM	0.064		MG/L
MW-064	8/23/2012	BENZENE	0.001	U	MG/L
MW-064	8/23/2012	BERYLLIUM	0.00039	J	MG/L
MW-064	8/23/2012	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-064	8/23/2012	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-064	8/23/2012	BROMOFORM	0.001	U	MG/L
MW-064	8/23/2012	BROMOMETHANE	0.001	U	MG/L
MW-064	8/23/2012	CADMIUM	0.0003	J	MG/L
MW-064	8/23/2012	CALCIUM	8.8		MG/L
MW-064	8/23/2012	CARBON DISULFIDE	0.001	U	MG/L
MW-064	8/23/2012	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-064	8/23/2012	CHEMICAL OXYGEN DEMAND	49		MG/L
MW-064	8/23/2012	CHLORIDE	7		MG/L
MW-064	8/23/2012	CHLOROBENZENE	0.001	U	MG/L
MW-064	8/23/2012	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-064	8/23/2012	CHLOROETHANE	0.001	U	MG/L
MW-064	8/23/2012	CHLOROFORM	0.001	U	MG/L
MW-064	8/23/2012	CHLOROMETHANE	0.001	U	MG/L
MW-064	8/23/2012	CHROMIUM	0.0016	J	MG/L
MW-064	8/23/2012	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-064	8/23/2012	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-064	8/23/2012	COBALT	0.011		MG/L
MW-064	8/23/2012	COPPER	0.024		MG/L
MW-064	8/23/2012	CYANIDE	0.0024	J	MG/L
MW-064	8/23/2012	DIBROMOMETHANE	0.001	U	MG/L
MW-064	8/23/2012	ETHYLBENZENE	0.001	U	MG/L
MW-064	8/23/2012	FLUORIDE	0.13		MG/L
MW-064	8/23/2012	FREE CYANIDE	0.005	U	MG/L
MW-064	8/23/2012	HARDNESS	37		MG/L
MW-064	8/23/2012	IRON	0.55		MG/L
MW-064	8/23/2012	LEAD	0.001	J	MG/L
MW-064	8/23/2012	MAGNESIUM	3.6		MG/L
MW-064	8/23/2012	MANGANESE	1		MG/L
MW-064	8/23/2012	MERCURY	0.0002	U	MG/L
MW-064	8/23/2012	METHYL IODIDE	0.001	U	MG/L
MW-064	8/23/2012	METHYL TERT-BUTYL ETHER	0.001	U	MG/L
MW-064	8/23/2012	METHYLENE CHLORIDE	0.001	U	MG/L
MW-064	8/23/2012	NICKEL	0.0096	J	MG/L
MW-064	8/23/2012	NITRATE	0.78		MG/L
MW-064	8/23/2012	POTASSIUM	2.1		MG/L
MW-064	8/23/2012	SELENIUM	0.035	U	MG/L
MW-064	8/23/2012	SILVER	0.01	U	MG/L
MW-064	8/23/2012	SODIUM	2.4		MG/L
MW-064	8/23/2012	STYRENE	0.001	U	MG/L
MW-064	8/23/2012	SULFATE	7		MG/L
MW-064	8/23/2012	TETRACHLOROETHENE	0.001	U	MG/L
MW-064	8/23/2012	THALLIUM	0.002	U	MG/L
MW-064	8/23/2012	TOLUENE	0.001	U	MG/L
MW-064	8/23/2012	TOTAL DISSOLVED SOLIDS	70		MG/L
MW-064	8/23/2012	TOTAL XYLENES	0.001	U	MG/L
MW-064	8/23/2012	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-064	8/23/2012	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-064	8/23/2012	TRANS-1,4-DICHLORO-2-BUTENE	0.005	U	MG/L
MW-064	8/23/2012	TRICHLOROETHENE	0.001	U	MG/L
MW-064	8/23/2012	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-064	8/23/2012	TURBIDITY	13		NTU
MW-064	8/23/2012	VANADIUM	0.00074	J	MG/L
MW-064	8/23/2012	VINYL ACETATE	0.001	U	MG/L
MW-064	8/23/2012	VINYL CHLORIDE	0.001	U	MG/L
MW-064	8/23/2012	ZINC	0.025		MG/L
MW-064	2/27/2013	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-064	2/27/2013	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-064	2/27/2013	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-064	2/27/2013	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-064	2/27/2013	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-064	2/27/2013	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-064	2/27/2013	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-064	2/27/2013	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-064	2/27/2013	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-064	2/27/2013	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-064	2/27/2013	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-064	2/27/2013	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-064	2/27/2013	1,4-DICHLOROBENZENE	0.001	U	MG/L
MW-064	2/27/2013	2-BUTANONE	0.005	U	MG/L
MW-064	2/27/2013	2-HEXANONE	0.005	U	MG/L
MW-064	2/27/2013	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-064	2/27/2013	ACETONE	0.005	U	MG/L
MW-064	2/27/2013	ACRYLONITRILE	0.005	U	MG/L
MW-064	2/27/2013	ALKALINITY	7		MG/L
MW-064	2/27/2013	AMMONIA	0.92	J	MG/L
MW-064	2/27/2013	ANTIMONY	0.0024		MG/L
MW-064	2/27/2013	ARSENIC	0.002	U	MG/L
MW-064	2/27/2013	BARIUM	0.065		MG/L
MW-064	2/27/2013	BENZENE	0.001	U	MG/L
MW-064	2/27/2013	BERYLLIUM	0.002	U	MG/L
MW-064	2/27/2013	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-064	2/27/2013	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-064	2/27/2013	BROMOFORM	0.001	U	MG/L
MW-064	2/27/2013	BROMOMETHANE	0.001	U	MG/L
MW-064	2/27/2013	CADMIUM	0.004	U	MG/L
MW-064	2/27/2013	CALCIUM	6.5		MG/L
MW-064	2/27/2013	CARBON DISULFIDE	0.001	U	MG/L
MW-064	2/27/2013	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-064	2/27/2013	CHEMICAL OXYGEN DEMAND	10	U	MG/L
MW-064	2/27/2013	CHLORIDE	4.2		MG/L
MW-064	2/27/2013	CHLOROBENZENE	0.001	U	MG/L
MW-064	2/27/2013	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-064	2/27/2013	CHLOROETHANE	0.001	U	MG/L
MW-064	2/27/2013	CHLOROFORM	0.001	U	MG/L
MW-064	2/27/2013	CHLOROMETHANE	0.001	U	MG/L
MW-064	2/27/2013	CHROMIUM	0.01	U	MG/L
MW-064	2/27/2013	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-064	2/27/2013	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-064	2/27/2013	COBALT	0.0049	J	MG/L
MW-064	2/27/2013	COPPER	0.0029	J	MG/L
MW-064	2/27/2013	CYANIDE	0.0028	J	MG/L
MW-064	2/27/2013	DIBROMOMETHANE	0.001	U	MG/L
MW-064	2/27/2013	ETHYLBENZENE	0.001	U	MG/L
MW-064	2/27/2013	FLUORIDE	0.12		MG/L
MW-064	2/27/2013	FREE CYANIDE	0.005	U	MG/L
MW-064	2/27/2013	HARDNESS	36		MG/L
MW-064	2/27/2013	IRON	0.25		MG/L
MW-064	2/27/2013	LEAD	0.002	U	MG/L
MW-064	2/27/2013	MAGNESIUM	4.7		MG/L
MW-064	2/27/2013	MANGANESE	0.79		MG/L
MW-064	2/27/2013	MERCURY	0.0002	U	MG/L
MW-064	2/27/2013	METHYL IODIDE	0.001	U	MG/L
MW-064	2/27/2013	METHYL TERT-BUTYL ETHER	0.001	U	MG/L
MW-064	2/27/2013	METHYLENE CHLORIDE	0.001	U	MG/L
MW-064	2/27/2013	NICKEL	0.0053	J	MG/L
MW-064	2/27/2013	NITRATE	0.19		MG/L
MW-064	2/27/2013	POTASSIUM	7	B	MG/L
MW-064	2/27/2013	SELENIUM	0.035	U	MG/L
MW-064	2/27/2013	SILVER	0.01	U	MG/L
MW-064	2/27/2013	SODIUM	5.6	B	MG/L
MW-064	2/27/2013	STYRENE	0.001	U	MG/L
MW-064	2/27/2013	SULFATE	13		MG/L
MW-064	2/27/2013	TETRACHLOROETHENE	0.001	U	MG/L
MW-064	2/27/2013	THALLIUM	0.002	U	MG/L
MW-064	2/27/2013	TOLUENE	0.00065	J	MG/L
MW-064	2/27/2013	TOTAL DISSOLVED SOLIDS	96		MG/L
MW-064	2/27/2013	TOTAL XYLENES	0.001	U	MG/L
MW-064	2/27/2013	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-064	2/27/2013	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-064	2/27/2013	TRANS-1,4-DICHLORO-2-BUTENE	0.005	U	MG/L
MW-064	2/27/2013	TRICHLOROETHENE	0.001	U	MG/L
MW-064	2/27/2013	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-064	2/27/2013	TURBIDITY	1.9		NTU
MW-064	2/27/2013	VANADIUM	0.0013	J	MG/L
MW-064	2/27/2013	VINYL ACETATE	0.001	U	MG/L
MW-064	2/27/2013	VINYL CHLORIDE	0.001	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-064	2/27/2013	ZINC	0.015		MG/L
MW-064	8/29/2013	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-064	8/29/2013	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-064	8/29/2013	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-064	8/29/2013	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-064	8/29/2013	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-064	8/29/2013	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-064	8/29/2013	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-064	8/29/2013	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-064	8/29/2013	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-064	8/29/2013	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-064	8/29/2013	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-064	8/29/2013	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-064	8/29/2013	1,4-DICHLOROBENZENE	0.001	U	MG/L
MW-064	8/29/2013	2-BUTANONE	0.005	U	MG/L
MW-064	8/29/2013	2-HEXANONE	0.005	U	MG/L
MW-064	8/29/2013	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-064	8/29/2013	ACETONE	0.0044	J	MG/L
MW-064	8/29/2013	ACRYLONITRILE	0.01	U	MG/L
MW-064	8/29/2013	ALKALINITY	3.5		MG/L
MW-064	8/29/2013	AMMONIA	0.20	J	MG/L
MW-064	8/29/2013	ANTIMONY	0.0015	JB	MG/L
MW-064	8/29/2013	ARSENIC	0.002	U	MG/L
MW-064	8/29/2013	BARIUM	0.05		MG/L
MW-064	8/29/2013	BENZENE	0.001	U	MG/L
MW-064	8/29/2013	BERYLLIUM	0.00034	J	MG/L
MW-064	8/29/2013	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-064	8/29/2013	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-064	8/29/2013	BROMOFORM	0.001	U	MG/L
MW-064	8/29/2013	BROMOMETHANE	0.001	U	MG/L
MW-064	8/29/2013	CADMIUM	0.004	U	MG/L
MW-064	8/29/2013	CALCIUM	3.2		MG/L
MW-064	8/29/2013	CARBON DISULFIDE	0.001	U	MG/L
MW-064	8/29/2013	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-064	8/29/2013	CHEMICAL OXYGEN DEMAND	10	U	MG/L
MW-064	8/29/2013	CHLORIDE	4.7	B	MG/L
MW-064	8/29/2013	CHLOROENZENE	0.001	U	MG/L
MW-064	8/29/2013	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-064	8/29/2013	CHLOROETHANE	0.001	U	MG/L
MW-064	8/29/2013	CHLOROFORM	0.001	U	MG/L
MW-064	8/29/2013	CHLOROMETHANE	0.001	U	MG/L
MW-064	8/29/2013	CHROMIUM	0.00095	J	MG/L
MW-064	8/29/2013	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-064	8/29/2013	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-064	8/29/2013	COBALT	0.0058	J	MG/L
MW-064	8/29/2013	COPPER	0.0027	J	MG/L
MW-064	8/29/2013	CYANIDE	0.005	U	MG/L
MW-064	8/29/2013	DIBROMOMETHANE	0.001	U	MG/L
MW-064	8/29/2013	ETHYLBENZENE	0.001	U	MG/L
MW-064	8/29/2013	FLUORIDE	0.031	J	MG/L
MW-064	8/29/2013	FREE CYANIDE	0.005	U	MG/L
MW-064	8/29/2013	HARDNESS	22		MG/L
MW-064	8/29/2013	IRON	0.21		MG/L
MW-064	8/29/2013	LEAD	0.002	U	MG/L
MW-064	8/29/2013	MAGNESIUM	3.4		MG/L
MW-064	8/29/2013	MANGANESE	0.49		MG/L
MW-064	8/29/2013	MERCURY	0.0002	U	MG/L
MW-064	8/29/2013	METHYL IODIDE	0.002	U	MG/L
MW-064	8/29/2013	METHYL TERT-BUTYL ETHER	0.002	U	MG/L
MW-064	8/29/2013	METHYLENE CHLORIDE	0.001	U	MG/L
MW-064	8/29/2013	NICKEL	0.0053	J	MG/L
MW-064	8/29/2013	NITRATE	3.5		MG/L
MW-064	8/29/2013	POTASSIUM	1.2		MG/L
MW-064	8/29/2013	SELENIUM	0.0005	J	MG/L
MW-064	8/29/2013	SILVER	0.01	U	MG/L
MW-064	8/29/2013	SODIUM	2.6	B	MG/L
MW-064	8/29/2013	STYRENE	0.001	U	MG/L
MW-064	8/29/2013	SULFATE	4.2		MG/L
MW-064	8/29/2013	TETRACHLOROETHENE	0.001	U	MG/L
MW-064	8/29/2013	THALLIUM	0.002	U	MG/L
MW-064	8/29/2013	TOLUENE	0.001	U	MG/L
MW-064	8/29/2013	TOTAL DISSOLVED SOLIDS	77		MG/L
MW-064	8/29/2013	TOTAL XYLENES	0.001	U	MG/L
MW-064	8/29/2013	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-064	8/29/2013	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-064	8/29/2013	TRANS-1,4-DICHLORO-2-BUTENE	0.005	U	MG/L
MW-064	8/29/2013	TRICHLOROETHENE	0.001	U	MG/L
MW-064	8/29/2013	TRICHLOROFLUOROMETHANE	0.001	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-064	8/29/2013	TURBIDITY	2.7		NTU
MW-064	8/29/2013	VANADIUM	0.01	U	MG/L
MW-064	8/29/2013	VINYL ACETATE	0.001	U	MG/L
MW-064	8/29/2013	VINYL CHLORIDE	0.001	U	MG/L
MW-064	8/29/2013	ZINC	0.021		MG/L
MW-064	3/12/2014	1,1,1,2-TETRACHLOROETHANE	0.01	U	MG/L
MW-064	3/12/2014	1,1,1-TRICHLOROETHANE	0.005	U	MG/L
MW-064	3/12/2014	1,1,2,2-TETRACHLOROETHANE	0.005	U	MG/L
MW-064	3/12/2014	1,1,2-TRICHLOROETHANE	0.005	U	MG/L
MW-064	3/12/2014	1,1-DICHLOROETHANE	0.005	U	MG/L
MW-064	3/12/2014	1,1-DICHLOROETHENE	0.005	U	MG/L
MW-064	3/12/2014	1,2,3-TRICHLOROPROPANE	0.005	U	MG/L
MW-064	3/12/2014	1,2-DIBROMO-3-CHLOROPROPANE	0.01	U	MG/L
MW-064	3/12/2014	1,2-DIBROMOETHANE	0.005	U	MG/L
MW-064	3/12/2014	1,2-DICHLOROBENZENE	0.005	U	MG/L
MW-064	3/12/2014	1,2-DICHLOROETHANE	0.005	U	MG/L
MW-064	3/12/2014	1,2-DICHLOROPROPANE	0.005	U	MG/L
MW-064	3/12/2014	1,4-DICHLOROBENZENE	0.01	U	MG/L
MW-064	3/12/2014	2-BUTANONE	0.01	U	MG/L
MW-064	3/12/2014	2-HEXANONE	0.01	U	MG/L
MW-064	3/12/2014	4-METHYL-2-PENTANONE	0.01	U	MG/L
MW-064	3/12/2014	ACETONE	0.05	U	MG/L
MW-064	3/12/2014	ACRYLONITRILE	0.10	U	MG/L
MW-064	3/12/2014	ALKALINITY	4		MG/L
MW-064	3/12/2014	AMMONIA	0.065	J	MG/L
MW-064	3/12/2014	ANTIMONY	0.002	U	MG/L
MW-064	3/12/2014	ARSENIC	0.002	U	MG/L
MW-064	3/12/2014	BARIUM	0.056		MG/L
MW-064	3/12/2014	BENZENE	0.005	U	MG/L
MW-064	3/12/2014	BERYLLIUM	0.00036	J	MG/L
MW-064	3/12/2014	BROMOCHLOROMETHANE	0.005	U	MG/L
MW-064	3/12/2014	BROMODICHLOROMETHANE	0.005	U	MG/L
MW-064	3/12/2014	BROMOFORM	0.005	U	MG/L
MW-064	3/12/2014	BROMOMETHANE	0.01	U	MG/L
MW-064	3/12/2014	CADMIUM	0.004	U	MG/L
MW-064	3/12/2014	CALCIUM	4.2		MG/L
MW-064	3/12/2014	CARBON DISULFIDE	0.01	U	MG/L
MW-064	3/12/2014	CARBON TETRACHLORIDE	0.005	U	MG/L
MW-064	3/12/2014	CHEMICAL OXYGEN DEMAND	7.5	J	MG/L
MW-064	3/12/2014	CHLORIDE	4.1		MG/L
MW-064	3/12/2014	CHLOROBENZENE	0.005	U	MG/L
MW-064	3/12/2014	CHLORODIBROMOMETHANE	0.005	U	MG/L
MW-064	3/12/2014	CHLOROETHANE	0.01	U	MG/L
MW-064	3/12/2014	CHLOROFORM	0.005	U	MG/L
MW-064	3/12/2014	CHLOROMETHANE	0.01	U	MG/L
MW-064	3/12/2014	CHROMIUM	0.0017	J	MG/L
MW-064	3/12/2014	CIS-1,2-DICHLOROETHENE	0.005	U	MG/L
MW-064	3/12/2014	CIS-1,3-DICHLOROPROPENE	0.005	U	MG/L
MW-064	3/12/2014	COBALT	0.0096	J	MG/L
MW-064	3/12/2014	COPPER	0.0036	J	MG/L
MW-064	3/12/2014	CYANIDE	0.005	U	MG/L
MW-064	3/12/2014	DIBROMOMETHANE	0.005	U	MG/L
MW-064	3/12/2014	ETHYLBENZENE	0.005	U	MG/L
MW-064	3/12/2014	FLUORIDE	0.19		MG/L
MW-064	3/12/2014	FREE CYANIDE	0.005	U	MG/L
MW-064	3/12/2014	HARDNESS	28		MG/L
MW-064	3/12/2014	IRON	0.052		MG/L
MW-064	3/12/2014	LEAD	0.002	U	MG/L
MW-064	3/12/2014	MAGNESIUM	4.2		MG/L
MW-064	3/12/2014	MANGANESE	0.28		MG/L
MW-064	3/12/2014	MERCURY	0.0002	U	MG/L
MW-064	3/12/2014	METHYL IODIDE	0.005	U	MG/L
MW-064	3/12/2014	METHYL TERT-BUTYL ETHER	0.005	U	MG/L
MW-064	3/12/2014	METHYLENE CHLORIDE	0.01	U	MG/L
MW-064	3/12/2014	NICKEL	0.0087	J	MG/L
MW-064	3/12/2014	NITRATE	4.2		MG/L
MW-064	3/12/2014	POTASSIUM	2.2		MG/L
MW-064	3/12/2014	SELENIUM	0.00059	J	MG/L
MW-064	3/12/2014	SILVER	0.01	U	MG/L
MW-064	3/12/2014	SODIUM	4.7	B	MG/L
MW-064	3/12/2014	STYRENE	0.005	U	MG/L
MW-064	3/12/2014	SULFATE	10		MG/L
MW-064	3/12/2014	TETRACHLOROETHENE	0.005	U	MG/L
MW-064	3/12/2014	THALLIUM	0.00031	J	MG/L
MW-064	3/12/2014	TOLUENE	0.005	U	MG/L
MW-064	3/12/2014	TOTAL DISSOLVED SOLIDS	73		MG/L
MW-064	3/12/2014	TOTAL XYLENES	0.005	U	MG/L
MW-064	3/12/2014	TRANS-1,2-DICHLOROETHENE	0.005	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-064	3/12/2014	TRANS-1,3-DICHLOROPROPENE	0.005	U	MG/L
MW-064	3/12/2014	TRANS-1,4-DICHLORO-2-BUTENE	0.005	U	MG/L
MW-064	3/12/2014	TRICHLOROETHENE	0.005	U	MG/L
MW-064	3/12/2014	TRICHLOROFLUOROMETHANE	0.01	U	MG/L
MW-064	3/12/2014	TURBIDITY	0.58		NTU
MW-064	3/12/2014	VANADIUM	0.01	U	MG/L
MW-064	3/12/2014	VINYL ACETATE	0.01	U	MG/L
MW-064	3/12/2014	VINYL CHLORIDE	0.002	U	MG/L
MW-064	3/12/2014	ZINC	0.023		MG/L
MW-064	3/12/2015	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-064	3/12/2015	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-064	3/12/2015	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-064	3/12/2015	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-064	3/12/2015	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-064	3/12/2015	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-064	3/12/2015	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-064	3/12/2015	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-064	3/12/2015	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-064	3/12/2015	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-064	3/12/2015	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-064	3/12/2015	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-064	3/12/2015	1,4-DICHLOROBENZENE	0.001	U	MG/L
MW-064	3/12/2015	2-BUTANONE	0.005	U	MG/L
MW-064	3/12/2015	2-HEXANONE	0.005	U	MG/L
MW-064	3/12/2015	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-064	3/12/2015	ACETONE	0.0021	J	MG/L
MW-064	3/12/2015	ACRYLONITRILE	0.005	U	MG/L
MW-064	3/12/2015	ALKALINITY	11		MG/L
MW-064	3/12/2015	AMMONIA	1	U	MG/L
MW-064	3/12/2015	ANTIMONY	0.000657	JB	MG/L
MW-064	3/12/2015	ARSENIC	0.002	U	MG/L
MW-064	3/12/2015	BARIUM	0.041		MG/L
MW-064	3/12/2015	BENZENE	0.001	U	MG/L
MW-064	3/12/2015	BERYLLIUM	0.00027	J	MG/L
MW-064	3/12/2015	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-064	3/12/2015	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-064	3/12/2015	BROMOFORM	0.001	U	MG/L
MW-064	3/12/2015	BROMOMETHANE	0.001	U	MG/L
MW-064	3/12/2015	CADMIUM	0.000066	J	MG/L
MW-064	3/12/2015	CALCIUM	2.9		MG/L
MW-064	3/12/2015	CARBON DISULFIDE	0.001	U	MG/L
MW-064	3/12/2015	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-064	3/12/2015	CHEMICAL OXYGEN DEMAND	10	U	MG/L
MW-064	3/12/2015	CHLORIDE	4.1		MG/L
MW-064	3/12/2015	CHLOROBENZENE	0.001	U	MG/L
MW-064	3/12/2015	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-064	3/12/2015	CHLOROETHANE	0.001	U	MG/L
MW-064	3/12/2015	CHLOROFORM	0.001	U	MG/L
MW-064	3/12/2015	CHLOROMETHANE	0.001	U	MG/L
MW-064	3/12/2015	CHROMIUM	0.001	J	MG/L
MW-064	3/12/2015	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-064	3/12/2015	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-064	3/12/2015	COBALT	0.0015	J	MG/L
MW-064	3/12/2015	COPPER	0.0028	J	MG/L
MW-064	3/12/2015	CYANIDE	0.005	U	MG/L
MW-064	3/12/2015	DIBROMOMETHANE	0.001	U	MG/L
MW-064	3/12/2015	ETHYLBENZENE	0.001	U	MG/L
MW-064	3/12/2015	FLUORIDE	0.07	J	MG/L
MW-064	3/12/2015	FREE CYANIDE	0.005	U	MG/L
MW-064	3/12/2015	GALLIUM	0.005	U	MG/L
MW-064	3/12/2015	HARDNESS	20		MG/L
MW-064	3/12/2015	IRON	0.093	B	MG/L
MW-064	3/12/2015	LEAD	0.002	U	MG/L
MW-064	3/12/2015	MAGNESIUM	3.1		MG/L
MW-064	3/12/2015	MANGANESE	0.031		MG/L
MW-064	3/12/2015	MERCURY	0.0002	U	MG/L
MW-064	3/12/2015	METHYL IODIDE	0.001	U	MG/L
MW-064	3/12/2015	METHYL TERT-BUTYL ETHER	0.002	U	MG/L
MW-064	3/12/2015	METHYLENE CHLORIDE	0.001	U	MG/L
MW-064	3/12/2015	NICKEL	0.007	J	MG/L
MW-064	3/12/2015	NITRATE	2.8		MG/L
MW-064	3/12/2015	NITRITE	0.012	U	MG/L
MW-064	3/12/2015	NITRITE/NITRATE-N	2.8		MG/L
MW-064	3/12/2015	POTASSIUM	1.1		MG/L
MW-064	3/12/2015	SELENIUM	0.035	U	MG/L
MW-064	3/12/2015	SILVER	0.01	U	MG/L
MW-064	3/12/2015	SODIUM	3.5		MG/L
MW-064	3/12/2015	STYRENE	0.001	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-064	3/12/2015	SULFATE	8		MG/L
MW-064	3/12/2015	TETRACHLOROETHENE	0.001	U	MG/L
MW-064	3/12/2015	THALLIUM	0.002	U	MG/L
MW-064	3/12/2015	TOLUENE	0.001	U	MG/L
MW-064	3/12/2015	TOTAL DISSOLVED SOLIDS	40		MG/L
MW-064	3/12/2015	TOTAL XYLENES	0.001	U	MG/L
MW-064	3/12/2015	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-064	3/12/2015	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-064	3/12/2015	TRANS-1,4-DICHLORO-2-BUTENE	0.001	U	MG/L
MW-064	3/12/2015	TRICHLOROETHENE	0.001	U	MG/L
MW-064	3/12/2015	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-064	3/12/2015	TURBIDITY	0.49		NTU
MW-064	3/12/2015	VANADIUM	0.01	U	MG/L
MW-064	3/12/2015	VINYL ACETATE	0.001	U	MG/L
MW-064	3/12/2015	VINYL CHLORIDE	0.001	U	MG/L
MW-064	3/12/2015	ZINC	0.018		MG/L
MW-064	8/20/2015	1,1,1,2-TETRACHLOROETHANE	0.002	U	MG/L
MW-064	8/20/2015	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-064	8/20/2015	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-064	8/20/2015	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-064	8/20/2015	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-064	8/20/2015	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-064	8/20/2015	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-064	8/20/2015	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-064	8/20/2015	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-064	8/20/2015	1,2-DICHLOROBENZENE	0.005	U	MG/L
MW-064	8/20/2015	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-064	8/20/2015	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-064	8/20/2015	1,4-DICHLOROBENZENE	0.001	U	MG/L
MW-064	8/20/2015	2-BUTANONE	0.002	U	MG/L
MW-064	8/20/2015	2-HEXANONE	0.002	U	MG/L
MW-064	8/20/2015	4-METHYL-2-PENTANONE	0.001	U	MG/L
MW-064	8/20/2015	ACETONE	0.005	U	MG/L
MW-064	8/20/2015	ACRYLONITRILE	0.01	U	MG/L
MW-064	8/20/2015	ALKALINITY	20		MG/L
MW-064	8/20/2015	AMMONIA	0.35	J	MG/L
MW-064	8/20/2015	ANTIMONY	0.0018		MG/L
MW-064	8/20/2015	ARSENIC	0.001	U	MG/L
MW-064	8/20/2015	BARIUM	0.042		MG/L
MW-064	8/20/2015	BENZENE	0.001	U	MG/L
MW-064	8/20/2015	BERYLLIUM	0.001	U	MG/L
MW-064	8/20/2015	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-064	8/20/2015	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-064	8/20/2015	BROMOFORM	0.001	U	MG/L
MW-064	8/20/2015	BROMOMETHANE	0.002	U	MG/L
MW-064	8/20/2015	CADMIUM	0.0005	U	MG/L
MW-064	8/20/2015	CALCIUM	2.4		MG/L
MW-064	8/20/2015	CARBON DISULFIDE	0.002	U	MG/L
MW-064	8/20/2015	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-064	8/20/2015	CHEMICAL OXYGEN DEMAND	1.7	J	MG/L
MW-064	8/20/2015	CHLORIDE	4.2		MG/L
MW-064	8/20/2015	CHLOROBENZENE	0.001	U	MG/L
MW-064	8/20/2015	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-064	8/20/2015	CHLOROETHANE	0.002	U	MG/L
MW-064	8/20/2015	CHLOROFORM	0.001	U	MG/L
MW-064	8/20/2015	CHLOROMETHANE	0.002	U	MG/L
MW-064	8/20/2015	CHROMIUM	0.002	U	MG/L
MW-064	8/20/2015	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-064	8/20/2015	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-064	8/20/2015	COBALT	0.011		MG/L
MW-064	8/20/2015	COPPER	0.0031		MG/L
MW-064	8/20/2015	CYANIDE	0.005	U	MG/L
MW-064	8/20/2015	DIBROMOMETHANE	0.001	U	MG/L
MW-064	8/20/2015	ETHYLBENZENE	0.001	U	MG/L
MW-064	8/20/2015	FLUORIDE	0.13	B	MG/L
MW-064	8/20/2015	FREE CYANIDE	0.005	U	MG/L
MW-064	8/20/2015	HARDNESS	20		MG/L
MW-064	8/20/2015	IRON	0.081		MG/L
MW-064	8/20/2015	LEAD	0.001	U	MG/L
MW-064	8/20/2015	M+P-XYLENES	0.001	U	MG/L
MW-064	8/20/2015	MAGNESIUM	3.3		MG/L
MW-064	8/20/2015	MANGANESE	0.30		MG/L
MW-064	8/20/2015	MERCURY	0.0002	U	MG/L
MW-064	8/20/2015	METHYL IODIDE	0.01	U	MG/L
MW-064	8/20/2015	METHYL TERT-BUTYL ETHER	0.002	U	MG/L
MW-064	8/20/2015	METHYLENE CHLORIDE	0.002	U	MG/L
MW-064	8/20/2015	NICKEL	0.01		MG/L
MW-064	8/20/2015	NITRATE	2.1	B	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-064	8/20/2015	O-XYLENE	0.001	U	MG/L
MW-064	8/20/2015	POTASSIUM	0.98		MG/L
MW-064	8/20/2015	SELENIUM	0.005	U	MG/L
MW-064	8/20/2015	SILVER	0.001	U	MG/L
MW-064	8/20/2015	SODIUM	5.9		MG/L
MW-064	8/20/2015	STYRENE	0.001	U	MG/L
MW-064	8/20/2015	SULFATE	15		MG/L
MW-064	8/20/2015	TETRACHLOROETHENE	0.001	U	MG/L
MW-064	8/20/2015	THALLIUM	0.001	U	MG/L
MW-064	8/20/2015	TOLUENE	0.006		MG/L
MW-064	8/20/2015	TOTAL DISSOLVED SOLIDS	100		MG/L
MW-064	8/20/2015	TOTAL XYLENES	0.001	U	MG/L
MW-064	8/20/2015	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-064	8/20/2015	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-064	8/20/2015	TRANS-1,4-DICHLORO-2-BUTENE	0.001	U	MG/L
MW-064	8/20/2015	TRICHLOROETHENE	0.001	U	MG/L
MW-064	8/20/2015	TRICHLOROFUOROMETHANE	0.002	U	MG/L
MW-064	8/20/2015	TURBIDITY	0.80		NTU
MW-064	8/20/2015	VANADIUM	0.005	U	MG/L
MW-064	8/20/2015	VINYL ACETATE	0.002	U	MG/L
MW-064	8/20/2015	VINYL CHLORIDE	0.002	U	MG/L
MW-064	8/20/2015	ZINC	0.019		MG/L
MW-064	3/16/2016	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-064	3/16/2016	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-064	3/16/2016	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-064	3/16/2016	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-064	3/16/2016	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-064	3/16/2016	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-064	3/16/2016	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-064	3/16/2016	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-064	3/16/2016	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-064	3/16/2016	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-064	3/16/2016	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-064	3/16/2016	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-064	3/16/2016	1,4-DICHLOROBENZENE	0.001	U	MG/L
MW-064	3/16/2016	2-BUTANONE	0.005	U	MG/L
MW-064	3/16/2016	2-HEXANONE	0.005	U	MG/L
MW-064	3/16/2016	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-064	3/16/2016	ACETONE	0.005	U	MG/L
MW-064	3/16/2016	ACRYLONITRILE	0.005	U	MG/L
MW-064	3/16/2016	ALKALINITY	11		MG/L
MW-064	3/16/2016	AMMONIA	1	U	MG/L
MW-064	3/16/2016	ANTIMONY	0.001	U	MG/L
MW-064	3/16/2016	ARSENIC	0.001	U	MG/L
MW-064	3/16/2016	BARIUM	0.0502		MG/L
MW-064	3/16/2016	BENZENE	0.001	U	MG/L
MW-064	3/16/2016	BERYLLIUM	0.001	U	MG/L
MW-064	3/16/2016	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-064	3/16/2016	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-064	3/16/2016	BROMOFORM	0.001	U	MG/L
MW-064	3/16/2016	BROMOMETHANE	0.001	U	MG/L
MW-064	3/16/2016	CADMIUM	0.0005	U	MG/L
MW-064	3/16/2016	CALCIUM	4.48		MG/L
MW-064	3/16/2016	CARBON DISULFIDE	0.001	U	MG/L
MW-064	3/16/2016	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-064	3/16/2016	CHEMICAL OXYGEN DEMAND	1.5	J	MG/L
MW-064	3/16/2016	CHLORIDE	3.5		MG/L
MW-064	3/16/2016	CHLOROETHENE	0.001	U	MG/L
MW-064	3/16/2016	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-064	3/16/2016	CHLOROETHANE	0.001	U	MG/L
MW-064	3/16/2016	CHLOROFORM	0.001	U	MG/L
MW-064	3/16/2016	CHLOROMETHANE	0.001	U	MG/L
MW-064	3/16/2016	CHROMIUM	0.002	U	MG/L
MW-064	3/16/2016	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-064	3/16/2016	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-064	3/16/2016	COBALT	0.0098		MG/L
MW-064	3/16/2016	COPPER	0.0022	B	MG/L
MW-064	3/16/2016	CYANIDE	0.005	U	MG/L
MW-064	3/16/2016	DIBROMOMETHANE	0.001	U	MG/L
MW-064	3/16/2016	ETHYLBENZENE	0.001	U	MG/L
MW-064	3/16/2016	FLUORIDE	0.076	J	MG/L
MW-064	3/16/2016	FREE CYANIDE	0.005	U	MG/L
MW-064	3/16/2016	HARDNESS	24.1		MG/L
MW-064	3/16/2016	IRON	0.0716		MG/L
MW-064	3/16/2016	LEAD	0.001	U	MG/L
MW-064	3/16/2016	MAGNESIUM	3.14		MG/L
MW-064	3/16/2016	MANGANESE	0.0455		MG/L
MW-064	3/16/2016	MERCURY	0.0002	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-064	3/16/2016	METHYL IODIDE	0.001	U	MG/L
MW-064	3/16/2016	METHYL TERT-BUTYL ETHER	0.002	U	MG/L
MW-064	3/16/2016	METHYLENE CHLORIDE	0.001	U	MG/L
MW-064	3/16/2016	NICKEL	0.0077		MG/L
MW-064	3/16/2016	NITRATE	2.2		MG/L
MW-064	3/16/2016	NITRITE	0.012	U	MG/L
MW-064	3/16/2016	NITRITE/NITRATE-N	2.2		MG/L
MW-064	3/16/2016	POTASSIUM	0.858		MG/L
MW-064	3/16/2016	SELENIUM	0.005	U	MG/L
MW-064	3/16/2016	SILVER	0.001	U	MG/L
MW-064	3/16/2016	SODIUM	7.19		MG/L
MW-064	3/16/2016	STYRENE	0.001	U	MG/L
MW-064	3/16/2016	SULFATE	15		MG/L
MW-064	3/16/2016	TETRACHLOROETHENE	0.001	U	MG/L
MW-064	3/16/2016	THALLIUM	0.001	U	MG/L
MW-064	3/16/2016	TOLUENE	0.001	U	MG/L
MW-064	3/16/2016	TOTAL DISSOLVED SOLIDS	91		MG/L
MW-064	3/16/2016	TOTAL XYLENES	0.001	U	MG/L
MW-064	3/16/2016	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-064	3/16/2016	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-064	3/16/2016	TRANS-1,4-DICHLORO-2-BUTENE	0.001	U	MG/L
MW-064	3/16/2016	TRICHLOROETHENE	0.001	U	MG/L
MW-064	3/16/2016	TRICHLOROFUOROMETHANE	0.002	U	MG/L
MW-064	3/16/2016	TURBIDITY	0.34		NTU
MW-064	3/16/2016	VANADIUM	0.005	U	MG/L
MW-064	3/16/2016	VINYL ACETATE	0.001	U	MG/L
MW-064	3/16/2016	VINYL CHLORIDE	0.001	U	MG/L
MW-064	3/16/2016	ZINC	0.0188		MG/L
MW-064	3/22/2017	1,1,1,2-TETRACHLOROETHANE	0.0001	U	MG/L
MW-064	3/22/2017	1,1,1-TRICHLOROETHANE	0.0001	U	MG/L
MW-064	3/22/2017	1,1,2,2-TETRACHLOROETHANE	0.0001	U	MG/L
MW-064	3/22/2017	1,1,2-TRICHLOROETHANE	0.0001	U	MG/L
MW-064	3/22/2017	1,1-DICHLOROETHANE	0.0001	U	MG/L
MW-064	3/22/2017	1,1-DICHLOROETHENE	0.0001	U	MG/L
MW-064	3/22/2017	1,2,3-TRICHLOROPROPANE	0.0003	U	MG/L
MW-064	3/22/2017	1,2-DIBROMO-3-CHLOROPROPANE	0.0002	U	MG/L
MW-064	3/22/2017	1,2-DIBROMOETHANE	0.0001	U	MG/L
MW-064	3/22/2017	1,2-DICHLOROBENZENE	0.0001	U	MG/L
MW-064	3/22/2017	1,2-DICHLOROETHANE	0.0001	U	MG/L
MW-064	3/22/2017	1,2-DICHLOROPROPANE	0.0001	U	MG/L
MW-064	3/22/2017	1,4-DICHLOROBENZENE	0.0001	U	MG/L
MW-064	3/22/2017	2-BUTANONE	0.001	U	MG/L
MW-064	3/22/2017	2-HEXANONE	0.001	U	MG/L
MW-064	3/22/2017	4-METHYL-2-PENTANONE	0.001	U	MG/L
MW-064	3/22/2017	ACETONE	0.003	U	MG/L
MW-064	3/22/2017	ACRYLONITRILE	0.001	U	MG/L
MW-064	3/22/2017	ALKALINITY	3.9	J	MG/L
MW-064	3/22/2017	AMMONIA-N	0.20	U	MG/L
MW-064	3/22/2017	ANTIMONY	0.0011		MG/L
MW-064	3/22/2017	ARSENIC	0.00068	U	MG/L
MW-064	3/22/2017	BARIUM	0.0531		MG/L
MW-064	3/22/2017	BENZENE	0.0001	U	MG/L
MW-064	3/22/2017	BERYLLIUM	0.00039	J	MG/L
MW-064	3/22/2017	BROMOCHLOROMETHANE	0.0001	U	MG/L
MW-064	3/22/2017	BROMODICHLOROMETHANE	0.0001	U	MG/L
MW-064	3/22/2017	BROMOFORM	0.0001	U	MG/L
MW-064	3/22/2017	BROMOMETHANE	0.0001	U	MG/L
MW-064	3/22/2017	CADMIUM	0.00019	U	MG/L
MW-064	3/22/2017	CALCIUM	2.88		MG/L
MW-064	3/22/2017	CARBON DISULFIDE	0.0004	U	MG/L
MW-064	3/22/2017	CARBON TETRACHLORIDE	0.0001	U	MG/L
MW-064	3/22/2017	CHEMICAL OXYGEN DEMAND	3.0	U	MG/L
MW-064	3/22/2017	CHLORIDE	5.3		MG/L
MW-064	3/22/2017	CHLOROBENZENE	0.0001	U	MG/L
MW-064	3/22/2017	CHLORODIBROMOMETHANE	0.0001	U	MG/L
MW-064	3/22/2017	CHLOROETHANE	0.0001	U	MG/L
MW-064	3/22/2017	CHLOROFORM	0.0001	U	MG/L
MW-064	3/22/2017	CHLOROMETHANE	0.0002	U	MG/L
MW-064	3/22/2017	CHROMIUM	0.0016	J	MG/L
MW-064	3/22/2017	CIS-1,2-DICHLOROETHENE	0.0001	U	MG/L
MW-064	3/22/2017	CIS-1,3-DICHLOROPROPENE	0.0001	U	MG/L
MW-064	3/22/2017	COBALT	0.0036	J	MG/L
MW-064	3/22/2017	COPPER	0.0041	U	MG/L
MW-064	3/22/2017	CYANIDE	0.0050	U	MG/L
MW-064	3/22/2017	DIBROMOMETHANE	0.0001	U	MG/L
MW-064	3/22/2017	ETHYLBENZENE	0.0001	U	MG/L
MW-064	3/22/2017	FLUORIDE	0.050	U	MG/L
MW-064	3/22/2017	FREE CYANIDE	0.0020	U	MG/L



Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-064	3/22/2017	HARDNESS AS CaCO3	20.3		MG/L
MW-064	3/22/2017	IRON	0.0990	J	MG/L
MW-064	3/22/2017	LEAD	0.00017	J	MG/L
MW-064	3/22/2017	MAGNESIUM	3.17		MG/L
MW-064	3/22/2017	MAGNESIUM	3.23		MG/L
MW-064	3/22/2017	MANGANESE	0.166		MG/L
MW-064	3/22/2017	MERCURY	0.000050	U	MG/L
MW-064	3/22/2017	METHYL IODIDE	0.0001	U	MG/L
MW-064	3/22/2017	METHYL TERT-BUTYL ETHER	0.0001	U	MG/L
MW-064	3/22/2017	METHYLENE CHLORIDE	0.0002	U	MG/L
MW-064	3/22/2017	NICKEL	0.0079	J	MG/L
MW-064	3/22/2017	NITRATE-N	4.1		MG/L
MW-064	3/22/2017	PH	6.0		S.U.
MW-064	3/22/2017	POTASSIUM	0.930		MG/L
MW-064	3/22/2017	SELENIUM	0.0097	U	MG/L
MW-064	3/22/2017	SILVER	0.0019	U	MG/L
MW-064	3/22/2017	SODIUM	2.36		MG/L
MW-064	3/22/2017	SPECIFIC CONDUCTANCE	63.0		UMHOS/CM
MW-064	3/22/2017	STYRENE	0.0001	U	MG/L
MW-064	3/22/2017	SULFATE	3.2		MG/L
MW-064	3/22/2017	TEMPERATURE	22.3		C
MW-064	3/22/2017	TETRACHLOROETHENE	0.0001	U	MG/L
MW-064	3/22/2017	THALLIUM	0.00016	U	MG/L
MW-064	3/22/2017	TOLUENE	0.0001	U	MG/L
MW-064	3/22/2017	TOTAL DISSOLVED SOLIDS	53.5		MG/L
MW-064	3/22/2017	TOTAL XYLENES	0.0001	U	MG/L
MW-064	3/22/2017	TRANS-1,2-DICHLOROETHENE	0.0001	U	MG/L
MW-064	3/22/2017	TRANS-1,3-DICHLOROPROPENE	0.0001	U	MG/L
MW-064	3/22/2017	TRANS-1,4-DICHLORO-2-BUTENE	0.001	U	MG/L
MW-064	3/22/2017	TRICHLOROETHENE	0.0001	U	MG/L
MW-064	3/22/2017	TRICHLOROFLUOROMETHANE	0.0001	U	MG/L
MW-064	3/22/2017	TURBIDITY	0.20	J	NTU
MW-064	3/22/2017	VANADIUM	0.0016	U	MG/L
MW-064	3/22/2017	VINYL ACETATE	0.0002	U	MG/L
MW-064	3/22/2017	VINYL CHLORIDE	0.0001	U	MG/L
MW-064	3/22/2017	ZINC	0.0248		MG/L
MW-064	9/5/2017	1,1,1,2-TETRACHLOROETHANE	0.10	U	UG/L
MW-064	9/5/2017	1,1,1-TRICHLOROETHANE	0.10	U	UG/L
MW-064	9/5/2017	1,1,2,2-TETRACHLOROETHANE	0.10	U	UG/L
MW-064	9/5/2017	1,1,2-TRICHLOROETHANE	0.10	U	UG/L
MW-064	9/5/2017	1,1-DICHLOROETHANE	0.10	U	UG/L
MW-064	9/5/2017	1,1-DICHLOROETHENE	0.10	U	UG/L
MW-064	9/5/2017	1,2,3-TRICHLOROPROPANE	0.30	U	UG/L
MW-064	9/5/2017	1,2-DIBROMO-3-CHLOROPROPANE	0.20	U	UG/L
MW-064	9/5/2017	1,2-DIBROMOETHANE	0.10	U	UG/L
MW-064	9/5/2017	1,2-DICHLOROBENZENE	0.10	U	UG/L
MW-064	9/5/2017	1,2-DICHLOROETHANE	0.10	U	UG/L
MW-064	9/5/2017	1,2-DICHLOROPROPANE	0.10	U	UG/L
MW-064	9/5/2017	1,4-DICHLOROBENZENE	0.10	U	UG/L
MW-064	9/5/2017	2-BUTANONE	1	U	UG/L
MW-064	9/5/2017	2-HEXANONE	1	U	UG/L
MW-064	9/5/2017	4-METHYL-2-PENTANONE	1	U	UG/L
MW-064	9/5/2017	ACETONE	3	U	UG/L
MW-064	9/5/2017	ACRYLONITRILE	1	U	UG/L
MW-064	9/5/2017	ALKALINITY	4	J	MG/L
MW-064	9/5/2017	AMMONIA	0.25	U	MG/L
MW-064	9/5/2017	ANTIMONY	0.00065	J	MG/L
MW-064	9/5/2017	ARSENIC	0.00072	U	MG/L
MW-064	9/5/2017	BARIUM	0.0369		MG/L
MW-064	9/5/2017	BENZENE	0.10	U	UG/L
MW-064	9/5/2017	BERYLLIUM	0.00034	J	MG/L
MW-064	9/5/2017	BROMOCHLOROMETHANE	0.10	U	UG/L
MW-064	9/5/2017	BROMODICHLOROMETHANE	0.10	U	UG/L
MW-064	9/5/2017	BROMOFORM	0.10	U	UG/L
MW-064	9/5/2017	BROMOMETHANE	0.10	U	UG/L
MW-064	9/5/2017	CADMIUM	0.00018	J	MG/L
MW-064	9/5/2017	CALCIUM	2.12		MG/L
MW-064	9/5/2017	CARBON DISULFIDE	0.40	U	UG/L
MW-064	9/5/2017	CARBON TETRACHLORIDE	0.10	U	UG/L
MW-064	9/5/2017	CHEMICAL OXYGEN DEMAND	3	U	MG/L
MW-064	9/5/2017	CHLORIDE	4.4		MG/L
MW-064	9/5/2017	CHLOROETHENE	0.10	U	UG/L
MW-064	9/5/2017	CHLORODIBROMOMETHANE	0.10	U	UG/L
MW-064	9/5/2017	CHLOROETHANE	0.10	U	UG/L
MW-064	9/5/2017	CHLOROFORM	0.10	U	UG/L
MW-064	9/5/2017	CHLOROMETHANE	0.20	U	UG/L
MW-064	9/5/2017	CHROMIUM	0.0012	J	MG/L
MW-064	9/5/2017	CIS-1,2-DICHLOROETHENE	0.10	U	UG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-064	9/5/2017	CIS-1,3-DICHLOROPROPENE	0.10	U	UG/L
MW-064	9/5/2017	COBALT	0.0036	J	MG/L
MW-064	9/5/2017	COPPER	0.0054	J	MG/L
MW-064	9/5/2017	CYANIDE	0.005	U	MG/L
MW-064	9/5/2017	DIBROMOMETHANE	0.10	U	UG/L
MW-064	9/5/2017	ETHYLBENZENE	0.10	U	UG/L
MW-064	9/5/2017	FLUORIDE	0.05	U	MG/L
MW-064	9/5/2017	FREE CYANIDE	0.002	U	MG/L
MW-064	9/5/2017	HARDNESS AS CaCO3	16.3		MG/L
MW-064	9/5/2017	IRON	0.0374	U	MG/L
MW-064	9/5/2017	LEAD	0.00013	J	MG/L
MW-064	9/5/2017	MAGNESIUM	2.68		MG/L
MW-064	9/5/2017	MAGNESIUM	2.75		MG/L
MW-064	9/5/2017	MANGANESE	0.157		MG/L
MW-064	9/5/2017	MERCURY	0.00005	U	MG/L
MW-064	9/5/2017	METHYL IODIDE	0.10	U	UG/L
MW-064	9/5/2017	METHYL TERT-BUTYL ETHER	0.10	U	UG/L
MW-064	9/5/2017	METHYLENE CHLORIDE	0.20	U	UG/L
MW-064	9/5/2017	NICKEL	0.0067	J	MG/L
MW-064	9/5/2017	NITRATE-N	2.5		MG/L
MW-064	9/5/2017	PH	5.8		S.U.
MW-064	9/5/2017	POTASSIUM	0.736		MG/L
MW-064	9/5/2017	SELENIUM	0.0093	U	MG/L
MW-064	9/5/2017	SILVER	0.0024	U	MG/L
MW-064	9/5/2017	SODIUM	2.29		MG/L
MW-064	9/5/2017	SPECIFIC CONDUCTANCE	59.2		UMHOS/CM
MW-064	9/5/2017	STYRENE	0.10	U	UG/L
MW-064	9/5/2017	SULFATE	5.5		MG/L
MW-064	9/5/2017	TEMPERATURE	23.8		C
MW-064	9/5/2017	TETRACHLOROETHENE	0.10	U	UG/L
MW-064	9/5/2017	THALLIUM	0.00012	U	MG/L
MW-064	9/5/2017	TOLUENE	0.10	U	UG/L
MW-064	9/5/2017	TOTAL DISSOLVED SOLIDS	38		MG/L
MW-064	9/5/2017	TOTAL XYLENES	0.10	U	UG/L
MW-064	9/5/2017	TRANS-1,2-DICHLOROETHENE	0.10	U	UG/L
MW-064	9/5/2017	TRANS-1,3-DICHLOROPROPENE	0.10	U	UG/L
MW-064	9/5/2017	TRANS-1,4-DICHLORO-2-BUTENE	1	U	UG/L
MW-064	9/5/2017	TRICHLOROETHENE	0.10	U	UG/L
MW-064	9/5/2017	TRICHLOROFLUOROMETHANE	0.10	U	UG/L
MW-064	9/5/2017	TURBIDITY	0.20	J	NTU
MW-064	9/5/2017	VANADIUM	0.0016	U	MG/L
MW-064	9/5/2017	VINYL ACETATE	0.20	U	UG/L
MW-064	9/5/2017	VINYL CHLORIDE	0.10	U	UG/L
MW-064	9/5/2017	ZINC	0.019		MG/L
MW-064	3/5/2018	1,1,1,2-TETRACHLOROETHANE	0.0001	U	MG/L
MW-064	3/5/2018	1,1,1-TRICHLOROETHANE	0.0001	U	MG/L
MW-064	3/5/2018	1,1,2,2-TETRACHLOROETHANE	0.0001	U	MG/L
MW-064	3/5/2018	1,1,2-TRICHLOROETHANE	0.0001	U	MG/L
MW-064	3/5/2018	1,1-DICHLOROETHANE	0.0001	U	MG/L
MW-064	3/5/2018	1,1-DICHLOROETHENE	0.0001	U	MG/L
MW-064	3/5/2018	1,2,3-TRICHLOROPROPANE	0.0003	U	MG/L
MW-064	3/5/2018	1,2-DIBROMO-3-CHLOROPROPANE	0.0002	U	MG/L
MW-064	3/5/2018	1,2-DIBROMOETHANE	0.0001	U	MG/L
MW-064	3/5/2018	1,2-DICHLOROBENZENE	0.0001	U	MG/L
MW-064	3/5/2018	1,2-DICHLOROETHANE	0.0001	U	MG/L
MW-064	3/5/2018	1,2-DICHLOROPROPANE	0.0001	U	MG/L
MW-064	3/5/2018	1,4-DICHLOROBENZENE	0.0001	U	MG/L
MW-064	3/5/2018	2-BUTANONE	0.001	U	MG/L
MW-064	3/5/2018	2-HEXANONE	0.001	U	MG/L
MW-064	3/5/2018	4-METHYL-2-PENTANONE	0.001	U	MG/L
MW-064	3/5/2018	ACETONE	0.003	U	MG/L
MW-064	3/5/2018	ACRYLONITRILE	0.001	U	MG/L
MW-064	3/5/2018	ALKALINITY	3.3	J	MG/L
MW-064	3/5/2018	AMMONIA-N	0.25	U	MG/L
MW-064	3/5/2018	ANTIMONY	0.00085	J	MG/L
MW-064	3/5/2018	ARSENIC	0.00072	U	MG/L
MW-064	3/5/2018	BARIUM	0.0537		MG/L
MW-064	3/5/2018	BENZENE	0.0001	U	MG/L
MW-064	3/5/2018	BERYLLIUM	0.00038	J	MG/L
MW-064	3/5/2018	BROMOCHLOROMETHANE	0.0001	U	MG/L
MW-064	3/5/2018	BROMODICHLOROMETHANE	0.0001	U	MG/L
MW-064	3/5/2018	BROMOFORM	0.0001	U	MG/L
MW-064	3/5/2018	BROMOMETHANE	0.0001	U	MG/L
MW-064	3/5/2018	CADMIUM	0.00018	J	MG/L
MW-064	3/5/2018	CALCIUM	3.16		MG/L
MW-064	3/5/2018	CARBON DISULFIDE	0.0004	U	MG/L
MW-064	3/5/2018	CARBON TETRACHLORIDE	0.0001	U	MG/L
MW-064	3/5/2018	CHEMICAL OXYGEN DEMAND	3	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-064	3/5/2018	CHLORIDE	4.4		MG/L
MW-064	3/5/2018	CHLOROBENZENE	0.0001	U	MG/L
MW-064	3/5/2018	CHLORODIBROMOMETHANE	0.0001	U	MG/L
MW-064	3/5/2018	CHLOROETHANE	0.0001	U	MG/L
MW-064	3/5/2018	CHLOROFORM	0.0001	U	MG/L
MW-064	3/5/2018	CHLOROMETHANE	0.0002	U	MG/L
MW-064	3/5/2018	CHROMIUM	0.0013	J	MG/L
MW-064	3/5/2018	CIS-1,2-DICHLOROETHENE	0.0001	U	MG/L
MW-064	3/5/2018	CIS-1,3-DICHLOROPROPENE	0.0001	U	MG/L
MW-064	3/5/2018	COBALT	0.0017	U	MG/L
MW-064	3/5/2018	COPPER	0.004	U	MG/L
MW-064	3/5/2018	CYANIDE	0.005	U	MG/L
MW-064	3/5/2018	DIBROMOMETHANE	0.0001	U	MG/L
MW-064	3/5/2018	ETHYLBENZENE	0.0001	U	MG/L
MW-064	3/5/2018	FLUORIDE	0.056	J	MG/L
MW-064	3/5/2018	FREE CYANIDE	0.002	U	MG/L
MW-064	3/5/2018	HARDNESS AS CaCO3	23.8		MG/L
MW-064	3/5/2018	IRON	0.0374	U	MG/L
MW-064	3/5/2018	LEAD	0.00011	U	MG/L
MW-064	3/5/2018	MAGNESIUM	3.86		MG/L
MW-064	3/5/2018	MANGANESE	0.196		MG/L
MW-064	3/5/2018	MERCURY	0.00005	U	MG/L
MW-064	3/5/2018	METHYL IODIDE	0.0001	U	MG/L
MW-064	3/5/2018	METHYL TERT-BUTYL ETHER	0.0001	U	MG/L
MW-064	3/5/2018	METHYLENE CHLORIDE	0.0002	U	MG/L
MW-064	3/5/2018	NICKEL	0.0081	J	MG/L
MW-064	3/5/2018	NITRATE-N	4.9		MG/L
MW-064	3/5/2018	PH	5.6		S.U.
MW-064	3/5/2018	POTASSIUM	1.13		MG/L
MW-064	3/5/2018	SELENIUM	0.0093	U	MG/L
MW-064	3/5/2018	SILVER	0.0024	U	MG/L
MW-064	3/5/2018	SODIUM	2.06		MG/L
MW-064	3/5/2018	SPECIFIC CONDUCTANCE	74.8		UMHOS/CM
MW-064	3/5/2018	STYRENE	0.0001	U	MG/L
MW-064	3/5/2018	SULFATE	5.1		MG/L
MW-064	3/5/2018	TEMPERATURE	21.8		C
MW-064	3/5/2018	TETRACHLOROETHENE	0.0001	U	MG/L
MW-064	3/5/2018	THALLIUM	0.00012	U	MG/L
MW-064	3/5/2018	TOLUENE	0.0001	U	MG/L
MW-064	3/5/2018	TOTAL DISSOLVED SOLIDS	64		MG/L
MW-064	3/5/2018	TOTAL XYLENES	0.0001	U	MG/L
MW-064	3/5/2018	TRANS-1,2-DICHLOROETHENE	0.0001	U	MG/L
MW-064	3/5/2018	TRANS-1,3-DICHLOROPROPENE	0.0001	U	MG/L
MW-064	3/5/2018	TRANS-1,4-DICHLORO-2-BUTENE	0.001	U	MG/L
MW-064	3/5/2018	TRICHLOROETHENE	0.0001	U	MG/L
MW-064	3/5/2018	TRICHLOROFLUOROMETHANE	0.0001	U	MG/L
MW-064	3/5/2018	TURBIDITY	0.75	J	NTU
MW-064	3/5/2018	VANADIUM	0.0016	U	MG/L
MW-064	3/5/2018	VINYL ACETATE	0.0002	U	MG/L
MW-064	3/5/2018	VINYL CHLORIDE	0.0001	U	MG/L
MW-064	3/5/2018	ZINC	0.0254		MG/L
MW-064	9/24/2018	FLUORIDE	0.0500	U	MG/L
MW-064	3/6/2019	FLUORIDE	0.05	U	MG/L
MW-064	8/27/2019	ALKALINITY	4.9	J	MG/L
MW-064	8/27/2019	AMMONIA-N	0.25	U	MG/L
MW-064	8/27/2019	ANTIMONY	0.00054	J	MG/L
MW-064	8/27/2019	ARSENIC	0.00068	U	MG/L
MW-064	8/27/2019	BARIUM	0.0398		MG/L
MW-064	8/27/2019	BERYLLIUM	0.0003	J	MG/L
MW-064	8/27/2019	CADMIUM	0.00024	J	MG/L
MW-064	8/27/2019	CALCIUM	2.13		MG/L
MW-064	8/27/2019	CHEMICAL OXYGEN DEMAND	7	J	MG/L
MW-064	8/27/2019	CHLORIDE	4.3		MG/L
MW-064	8/27/2019	CHROMIUM	0.0016	J	MG/L
MW-064	8/27/2019	COBALT	0.0026		MG/L
MW-064	8/27/2019	COPPER	0.0099	U	MG/L
MW-064	8/27/2019	CYANIDE	0.005	U	MG/L
MW-064	8/27/2019	FLUORIDE	0.25	U	MG/L
MW-064	8/27/2019	FREE CYANIDE	0.002	U	MG/L
MW-064	8/27/2019	HARDNESS AS CaCO3	16.7		MG/L
MW-064	8/27/2019	IRON	0.0297	J	MG/L
MW-064	8/27/2019	LEAD	0.0011	U	MG/L
MW-064	8/27/2019	MAGNESIUM	2.77		MG/L
MW-064	8/27/2019	MANGANESE	0.136		MG/L
MW-064	8/27/2019	MERCURY	0.00005	U	MG/L
MW-064	8/27/2019	NICKEL	0.0083		MG/L
MW-064	8/27/2019	NITRATE-N	2.7		MG/L
MW-064	8/27/2019	PH	5.6		S.U.

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-064	8/27/2019	POTASSIUM	0.805		MG/L
MW-064	8/27/2019	SELENIUM	0.00065	U	MG/L
MW-064	8/27/2019	SILVER	0.00017	U	MG/L
MW-064	8/27/2019	SODIUM	3.59		MG/L
MW-064	8/27/2019	SPECIFIC CONDUCTANCE	68.7		UMHOS/CM
MW-064	8/27/2019	SULFATE	8.4		MG/L
MW-064	8/27/2019	TEMPERATURE	23.8		C
MW-064	8/27/2019	THALLIUM	0.00011	U	MG/L
MW-064	8/27/2019	TOTAL DISSOLVED SOLIDS	40.5		MG/L
MW-064	8/27/2019	TURBIDITY	2.9		NTU
MW-064	8/27/2019	VANADIUM	0.00024	U	MG/L
MW-064	8/27/2019	ZINC	0.0245		MG/L
MW-064	3/11/2020	ALKALINITY	3.8	J	MG/L
MW-064	3/11/2020	AMMONIA-N	0.25	U	MG/L
MW-064	3/11/2020	ANTIMONY	0.00091	J	MG/L
MW-064	3/11/2020	ARSENIC	0.00068	U	MG/L
MW-064	3/11/2020	BARIUM	0.0502		MG/L
MW-064	3/11/2020	BERYLLIUM	0.00036	J	MG/L
MW-064	3/11/2020	CADMIUM	0.00015	U	MG/L
MW-064	3/11/2020	CALCIUM	2.93		MG/L
MW-064	3/11/2020	CHEMICAL OXYGEN DEMAND	5	U	MG/L
MW-064	3/11/2020	CHLORIDE	4.2		MG/L
MW-064	3/11/2020	CHROMIUM	0.0016	J	MG/L
MW-064	3/11/2020	COBALT	0.0019		MG/L
MW-064	3/11/2020	COPPER	0.0022		MG/L
MW-064	3/11/2020	CYANIDE	0.005	U	MG/L
MW-064	3/11/2020	FLUORIDE	0.05	U	MG/L
MW-064	3/11/2020	FREE CYANIDE	0.002	U	MG/L
MW-064	3/11/2020	HARDNESS AS CaCO3	21.6		MG/L
MW-064	3/11/2020	IRON	0.0228	U	MG/L
MW-064	3/11/2020	LEAD	0.000071	U	MG/L
MW-064	3/11/2020	MAGNESIUM	3.46		MG/L
MW-064	3/11/2020	MANGANESE	0.11		MG/L
MW-064	3/11/2020	MERCURY	0.00005	U	MG/L
MW-064	3/11/2020	NICKEL	0.0086		MG/L
MW-064	3/11/2020	NITRATE-N	4.2		MG/L
MW-064	3/11/2020	POTASSIUM	0.844		MG/L
MW-064	3/11/2020	SELENIUM	0.00028	U	MG/L
MW-064	3/11/2020	SILVER	0.00017	U	MG/L
MW-064	3/11/2020	SODIUM	3.25		MG/L
MW-064	3/11/2020	SPECIFIC CONDUCTANCE	76		UMHOS/CM
MW-064	3/11/2020	SULFATE	7.1		MG/L
MW-064	3/11/2020	THALLIUM	0.00013	U	MG/L
MW-064	3/11/2020	TOTAL DISSOLVED SOLIDS	57		MG/L
MW-064	3/11/2020	TURBIDITY	4.3		NTU
MW-064	3/11/2020	VANADIUM	0.00024	U	MG/L
MW-064	3/11/2020	ZINC	0.0226		MG/L
MW-064	9/15/2020	ALKALINITY	8	U	MG/L
MW-064	9/15/2020	AMMONIA-N	0.75	U	MG/L
MW-064	9/15/2020	ANTIMONY	0.00086	J	MG/L
MW-064	9/15/2020	ARSENIC	0.002	U	MG/L
MW-064	9/15/2020	BARIUM	0.043		MG/L
MW-064	9/15/2020	BERYLLIUM	0.00038	J	MG/L
MW-064	9/15/2020	CADMIUM	0.00015	J	MG/L
MW-064	9/15/2020	CALCIUM	2.1		MG/L
MW-064	9/15/2020	CHEMICAL OXYGEN DEMAND	15	U	MG/L
MW-064	9/15/2020	CHLORIDE	4.2		MG/L
MW-064	9/15/2020	CHROMIUM	0.0011	J	MG/L
MW-064	9/15/2020	COBALT	0.0013		MG/L
MW-064	9/15/2020	COPPER	0.0022		MG/L
MW-064	9/15/2020	CYANIDE	0.01	U	MG/L
MW-064	9/15/2020	FLUORIDE	0.50	UF1	MG/L
MW-064	9/15/2020	FREE CYANIDE	0.006	U	MG/L
MW-064	9/15/2020	HARDNESS AS CaCO3	18		MG/L
MW-064	9/15/2020	IRON	0.05	U	MG/L
MW-064	9/15/2020	LEAD	0.000088	J	MG/L
MW-064	9/15/2020	MAGNESIUM	3.1		MG/L
MW-064	9/15/2020	MANGANESE	0.13		MG/L
MW-064	9/15/2020	MERCURY	0.0002	U	MG/L
MW-064	9/15/2020	NICKEL	0.0078		MG/L
MW-064	9/15/2020	NITRATE-N	3.8		MG/L
MW-064	9/15/2020	PH	5.6	HF	S.U.
MW-064	9/15/2020	POTASSIUM	0.76		MG/L
MW-064	9/15/2020	SELENIUM	0.001	U	MG/L
MW-064	9/15/2020	SILVER	0.0005	U	MG/L
MW-064	9/15/2020	SODIUM	5	*	MG/L
MW-064	9/15/2020	SPECIFIC CONDUCTANCE	67		US/CM
MW-064	9/15/2020	SULFATE	26	F1	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-064	9/15/2020	TEMPERATURE	21.9	HF	C
MW-064	9/15/2020	THALLIUM	0.0005	U	MG/L
MW-064	9/15/2020	TOTAL DISSOLVED SOLIDS	42		MG/L
MW-064	9/15/2020	TURBIDITY	4.7		NTU
MW-064	9/15/2020	VANADIUM	0.0005	U	MG/L
MW-064	9/15/2020	ZINC	0.02		MG/L
MW-064	3/30/2021	ALKALINITY	8	U	MG/L
MW-064	3/30/2021	ALUMINUM	0.12		MG/L
MW-064	3/30/2021	ARSENIC	0.002	U	MG/L
MW-064	3/30/2021	BARIUM	0.049		MG/L
MW-064	3/30/2021	BERYLLIUM	0.00038	J	MG/L
MW-064	3/30/2021	CADMIUM	0.0005	U	MG/L
MW-064	3/30/2021	CHLORIDE	4.7		MG/L
MW-064	3/30/2021	CHROMIUM	0.0015	J	MG/L
MW-064	3/30/2021	FLUORIDE	0.068	J	MG/L
MW-064	3/30/2021	LEAD	0.00019	JB	MG/L
MW-064	3/30/2021	MERCURY	0.002	U	MG/L
MW-064	3/30/2021	NICKEL	0.0077		MG/L
MW-064	3/30/2021	NITRATE-N	3.9	H	MG/L
MW-064	3/30/2021	PH	5.7	HF	S.U.
MW-064	3/30/2021	SELENIUM	0.001	U	MG/L
MW-064	3/30/2021	SODIUM	6.5		MG/L
MW-064	3/30/2021	SPECIFIC CONDUCTANCE	85		US/CM
MW-064	3/30/2021	SULFATE	12		MG/L
MW-064	3/30/2021	TEMPERATURE	22.6	HF	C
MW-064	3/30/2021	TOTAL DISSOLVED SOLIDS	58		MG/L
MW-064	3/30/2021	TURBIDITY	2.3		NTU
MW-064	9/21/2021	ALKALINITY	8	U	MG/L
MW-064	9/21/2021	ALUMINUM	0.14		MG/L
MW-064	9/21/2021	ARSENIC	0.002	U	MG/L
MW-064	9/21/2021	BARIUM	0.041		MG/L
MW-064	9/21/2021	BERYLLIUM	0.00036	J	MG/L
MW-064	9/21/2021	CADMIUM	0.0005	U	MG/L
MW-064	9/21/2021	CHLORIDE	4		MG/L
MW-064	9/21/2021	CHROMIUM	0.0014	J	MG/L
MW-064	9/21/2021	FLUORIDE	0.50	U**	MG/L
MW-064	9/21/2021	LEAD	0.00025	J	MG/L
MW-064	9/21/2021	MERCURY	0.0002	U	MG/L
MW-064	9/21/2021	NICKEL	0.0077		MG/L
MW-064	9/21/2021	NITRATE-N	2.7		MG/L
MW-064	9/21/2021	PH	5.7	HF	S.U.
MW-064	9/21/2021	SELENIUM	0.001	U	MG/L
MW-064	9/21/2021	SODIUM	3.4		MG/L
MW-064	9/21/2021	SPECIFIC CONDUCTANCE	69		US/CM
MW-064	9/21/2021	SULFATE	7.2		MG/L
MW-064	9/21/2021	TEMPERATURE	22.6	HF	C
MW-064	9/21/2021	TOTAL DISSOLVED SOLIDS	46		MG/L
MW-064	9/21/2021	TURBIDITY	2.2		NTU
MW-064	3/29/2022	ALKALINITY	8	U	MG/L
MW-064	3/29/2022	ALUMINUM	340		UG/L
MW-064	3/29/2022	ARSENIC	0.002	U	MG/L
MW-064	3/29/2022	BARIUM	0.037		MG/L
MW-064	3/29/2022	BERYLLIUM	0.00032	J	MG/L
MW-064	3/29/2022	CADMIUM	0.0005	U	MG/L
MW-064	3/29/2022	CHLORIDE	4.5	F1	MG/L
MW-064	3/29/2022	CHROMIUM	0.0014	J	MG/L
MW-064	3/29/2022	FLUORIDE	0.10	U	MG/L
MW-064	3/29/2022	LEAD	0.0003	J	MG/L
MW-064	3/29/2022	MERCURY	0.000081	J	MG/L
MW-064	3/29/2022	NICKEL	0.0067		MG/L
MW-064	3/29/2022	NITRATE-N	2.2	HF1cn	MG/L
MW-064	3/29/2022	PH	5.7	HF	S.U.
MW-064	3/29/2022	SELENIUM	0.001	U	MG/L
MW-064	3/29/2022	SODIUM	2.5		MG/L
MW-064	3/29/2022	SPECIFIC CONDUCTANCE	61		US/CM
MW-064	3/29/2022	SULFATE	6.3	F1	MG/L
MW-064	3/29/2022	TEMPERATURE	22.3	HF	C
MW-064	3/29/2022	TOTAL DISSOLVED SOLIDS	36		MG/L
MW-064	3/29/2022	TURBIDITY	8.6		NTU
MW-074	10/22/1993	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-074	10/22/1993	ALKALINITY	172		MG/L
MW-074	10/22/1993	BICARBONATE ALKALINITY	172		MG/L
MW-074	10/22/1993	CALCIUM	83.5		MG/L
MW-074	10/22/1993	CARBONATE ALKALINITY	0.00	U	MG/L
MW-074	10/22/1993	CHLORIDE	21.5		MG/L
MW-074	10/22/1993	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-074	10/22/1993	CYANIDE	9.45	U	MG/L
MW-074	10/22/1993	FLUORIDE	0.37		MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-074	10/22/1993	FREE CYANIDE	0.0082	U	MG/L
MW-074	10/22/1993	IRON	2.44		MG/L
MW-074	10/22/1993	SULFATE	57.6		MG/L
MW-074	10/22/1993	TETRACHLOROETHENE	0.001		MG/L
MW-074	10/22/1993	TOTAL DISSOLVED SOLIDS	302		MG/L
MW-074	10/22/1993	TRICHLOROETHENE	0.001	U	MG/L
MW-074	10/22/1993	VINYL CHLORIDE	0.001	U	MG/L
MW-074	3/14/1994	CYANIDE	8.94	U	MG/L
MW-074	3/14/1994	FLUORIDE	0.70		MG/L
MW-074	3/14/1994	FREE CYANIDE	0.0085	U	MG/L
MW-074	7/14/1994	ALKALINITY	198		MG/L
MW-074	7/14/1994	BICARBONATE ALKALINITY	198		MG/L
MW-074	7/14/1994	CALCIUM	73.7		MG/L
MW-074	7/14/1994	CARBONATE ALKALINITY	0.00	U	MG/L
MW-074	7/14/1994	CHLORIDE	16.4		MG/L
MW-074	7/14/1994	CYANIDE	9.01	U	MG/L
MW-074	7/14/1994	FLUORIDE	0.50		MG/L
MW-074	7/14/1994	IRON	0.36		MG/L
MW-074	7/14/1994	SULFATE	52.3		MG/L
MW-074	7/14/1994	TOTAL DISSOLVED SOLIDS	327		MG/L
MW-074	7/29/1994	FREE CYANIDE	0.0075	U	MG/L
MW-074	1/23/1995	CYANIDE	10.4	U	MG/L
MW-074	1/23/1995	FLUORIDE	0.58		MG/L
MW-074	1/23/1995	FREE CYANIDE	0.0087	U	MG/L
MW-074	7/17/1995	ALKALINITY	202		MG/L
MW-074	7/17/1995	BICARBONATE ALKALINITY	202		MG/L
MW-074	7/17/1995	CALCIUM	90		MG/L
MW-074	7/17/1995	CARBONATE ALKALINITY	0.00	U	MG/L
MW-074	7/17/1995	CHLORIDE	17		MG/L
MW-074	7/17/1995	CYANIDE	9.86	U	MG/L
MW-074	7/17/1995	FLUORIDE	0.52		MG/L
MW-074	7/17/1995	IRON	1.78		MG/L
MW-074	7/17/1995	SULFATE	97.5		MG/L
MW-074	7/17/1995	TOTAL DISSOLVED SOLIDS	336		MG/L
MW-074	7/31/1995	FREE CYANIDE	0.0077	U	MG/L
MW-074	1/23/1996	CYANIDE	11	U	MG/L
MW-074	1/23/1996	FLUORIDE	0.62		MG/L
MW-074	1/23/1996	FREE CYANIDE	0.0081	U	MG/L
MW-074	7/2/1996	ALKALINITY	148		MG/L
MW-074	7/2/1996	BICARBONATE ALKALINITY	148		MG/L
MW-074	7/2/1996	CALCIUM	72		MG/L
MW-074	7/2/1996	CARBONATE ALKALINITY	0.00	U	MG/L
MW-074	7/2/1996	CHLORIDE	18		MG/L
MW-074	7/2/1996	CYANIDE	9.32	U	MG/L
MW-074	7/2/1996	FLUORIDE	0.48		MG/L
MW-074	7/2/1996	FLUORINE	0.50		MG/L
MW-074	7/2/1996	FREE CYANIDE	0.0083	U	MG/L
MW-074	7/2/1996	IRON	0.40		MG/L
MW-074	7/2/1996	SODIUM	7.6		MG/L
MW-074	7/2/1996	SULFATE	33.8		MG/L
MW-074	7/2/1996	TOTAL DISSOLVED SOLIDS	288		MG/L
MW-074	1/28/1997	CYANIDE	6.18	U	MG/L
MW-074	1/28/1997	FLUORIDE	0.45		MG/L
MW-074	1/28/1997	FLUORINE	0.60		MG/L
MW-074	1/28/1997	FREE CYANIDE	0.008	U	MG/L
MW-074	1/28/1997	SODIUM	6.8		MG/L
MW-074	7/8/1997	ALKALINITY	190		MG/L
MW-074	7/8/1997	BICARBONATE ALKALINITY	190		MG/L
MW-074	7/8/1997	CALCIUM	93		MG/L
MW-074	7/8/1997	CARBONATE ALKALINITY	1	U	MG/L
MW-074	7/8/1997	CHLORIDE	18		MG/L
MW-074	7/8/1997	CYANIDE	6.18	U	MG/L
MW-074	7/8/1997	FLUORIDE	0.51		MG/L
MW-074	7/8/1997	FLUORINE	0.50		MG/L
MW-074	7/8/1997	FREE CYANIDE	0.008	U	MG/L
MW-074	7/8/1997	IRON	1.1		MG/L
MW-074	7/8/1997	SODIUM	7.8		MG/L
MW-074	7/8/1997	SULFATE	60		MG/L
MW-074	7/8/1997	TOTAL DISSOLVED SOLIDS	318		MG/L
MW-074	1/26/1998	CYANIDE	0.001		MG/L
MW-074	1/26/1998	FLUORIDE	0.40		MG/L
MW-074	1/26/1998	FLUORINE	0.40		MG/L
MW-074	1/26/1998	FREE CYANIDE	0.00823	U	MG/L
MW-074	1/26/1998	SODIUM	15		MG/L
MW-074	7/1/1998	ALKALINITY	179		MG/L
MW-074	7/1/1998	BICARBONATE ALKALINITY	179		MG/L
MW-074	7/1/1998	CALCIUM	88		MG/L
MW-074	7/1/1998	CARBONATE ALKALINITY	4.75	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-074	7/1/1998	CHLORIDE	10		MG/L
MW-074	7/1/1998	CYANIDE	10.98	U	MG/L
MW-074	7/1/1998	FLUORIDE	0.43		MG/L
MW-074	7/1/1998	FREE CYANIDE	0.00823	U	MG/L
MW-074	7/1/1998	IRON	1.7		MG/L
MW-074	7/1/1998	SILICON DIOXIDE	11		MG/L
MW-074	7/1/1998	SODIUM	7.1		MG/L
MW-074	7/1/1998	SULFATE	45		MG/L
MW-074	7/1/1998	TOTAL DISSOLVED SOLIDS	305		MG/L
MW-074	1/13/1999	CYANIDE	10.98	U	MG/L
MW-074	1/13/1999	FLUORIDE	0.55		MG/L
MW-074	1/13/1999	FREE CYANIDE	0.0134	U	MG/L
MW-074	7/6/1999	ALKALINITY	190		MG/L
MW-074	7/6/1999	BICARBONATE ALKALINITY	190		MG/L
MW-074	7/6/1999	CALCIUM	95		MG/L
MW-074	7/6/1999	CARBONATE ALKALINITY	2	U	MG/L
MW-074	7/6/1999	CHLORIDE	13		MG/L
MW-074	7/6/1999	CYANIDE	1	U	MG/L
MW-074	7/6/1999	FLUORIDE	0.54		MG/L
MW-074	7/6/1999	FREE CYANIDE	0.0134	U	MG/L
MW-074	7/6/1999	IRON	3.4		MG/L
MW-074	7/6/1999	SULFATE	39		MG/L
MW-074	7/6/1999	TOTAL DISSOLVED SOLIDS	340		MG/L
MW-074	1/28/2000	CYANIDE	0.001	U	MG/L
MW-074	1/28/2000	FLUORIDE	0.46		MG/L
MW-074	1/28/2000	FREE CYANIDE	0.00342	U	MG/L
MW-074	7/18/2000	ALKALINITY	170		MG/L
MW-074	7/18/2000	BICARBONATE ALKALINITY	170		MG/L
MW-074	7/18/2000	CALCIUM	91		MG/L
MW-074	7/18/2000	CARBONATE ALKALINITY	2	U	MG/L
MW-074	7/18/2000	CHLORIDE	18		MG/L
MW-074	7/18/2000	CYANIDE	0.001	U	MG/L
MW-074	7/18/2000	FLUORIDE	0.55		MG/L
MW-074	7/18/2000	FREE CYANIDE	0.004		MG/L
MW-074	7/18/2000	IRON	1.5		MG/L
MW-074	7/18/2000	SULFATE	54		MG/L
MW-074	7/18/2000	TOTAL DISSOLVED SOLIDS	300		MG/L
MW-074	1/26/2001	CYANIDE	0.001	U	MG/L
MW-074	1/26/2001	FLUORIDE	0.43		MG/L
MW-074	1/26/2001	FREE CYANIDE	0.003		MG/L
MW-074	7/31/2001	ALKALINITY	190		MG/L
MW-074	7/31/2001	BICARBONATE ALKALINITY	190		MG/L
MW-074	7/31/2001	CALCIUM	95.9		MG/L
MW-074	7/31/2001	CARBONATE ALKALINITY	5	U	MG/L
MW-074	7/31/2001	CHLORIDE	18.8		MG/L
MW-074	7/31/2001	CYANIDE	0.001	U	MG/L
MW-074	7/31/2001	FLUORIDE	0.41		MG/L
MW-074	7/31/2001	FREE CYANIDE	0.007		MG/L
MW-074	7/31/2001	IRON	2.29		MG/L
MW-074	7/31/2001	SULFATE	52.4		MG/L
MW-074	7/31/2001	TOTAL DISSOLVED SOLIDS	339		MG/L
MW-074	1/28/2002	CYANIDE	0.01	U	MG/L
MW-074	1/28/2002	FLUORIDE	0.51		MG/L
MW-074	1/28/2002	FREE CYANIDE	0.0009		MG/L
MW-074	7/30/2002	ALKALINITY	170		MG/L
MW-074	7/30/2002	BICARBONATE ALKALINITY	170		MG/L
MW-074	7/30/2002	CALCIUM	95		MG/L
MW-074	7/30/2002	CARBONATE ALKALINITY	2	U	MG/L
MW-074	7/30/2002	CHLORIDE	21		MG/L
MW-074	7/30/2002	CYANIDE	0.0026		MG/L
MW-074	7/30/2002	FLUORIDE	0.53		MG/L
MW-074	7/30/2002	FREE CYANIDE	0.0024		MG/L
MW-074	7/30/2002	IRON	8.2		MG/L
MW-074	7/30/2002	SULFATE	42		MG/L
MW-074	7/30/2002	TOTAL DISSOLVED SOLIDS	390		MG/L
MW-074	1/31/2003	CYANIDE	0.0043		MG/L
MW-074	1/31/2003	FLUORIDE	0.61		MG/L
MW-074	1/31/2003	FREE CYANIDE	0.003		MG/L
MW-074	7/21/2003	ALKALINITY	180		MG/L
MW-074	7/21/2003	BICARBONATE ALKALINITY	180		MG/L
MW-074	7/21/2003	CALCIUM	78		MG/L
MW-074	7/21/2003	CARBONATE ALKALINITY	2	U	MG/L
MW-074	7/21/2003	CHLORIDE	17		MG/L
MW-074	7/21/2003	CYANIDE	0.0025		MG/L
MW-074	7/21/2003	FLUORIDE	0.38		MG/L
MW-074	7/21/2003	FREE CYANIDE	0.006		MG/L
MW-074	7/21/2003	IRON	2.8		MG/L
MW-074	7/21/2003	SULFATE	52		MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-074	7/21/2003	TOTAL DISSOLVED SOLIDS	330		MG/L
MW-074	1/28/2004	CYANIDE	0.0012		MG/L
MW-074	1/28/2004	FLUORIDE	0.44		MG/L
MW-074	1/28/2004	FREE CYANIDE	0.002		MG/L
MW-074	7/28/2004	ALKALINITY	260		MG/L
MW-074	7/28/2004	BICARBONATE ALKALINITY	260		MG/L
MW-074	7/28/2004	CALCIUM	380		MG/L
MW-074	7/28/2004	CARBONATE ALKALINITY	4	U	MG/L
MW-074	7/28/2004	CHLORIDE	15		MG/L
MW-074	7/28/2004	CYANIDE	0.001	U	MG/L
MW-074	7/28/2004	FLUORIDE	0.42		MG/L
MW-074	7/28/2004	FREE CYANIDE	0.011		MG/L
MW-074	7/28/2004	IRON	320		MG/L
MW-074	7/28/2004	SULFATE	41		MG/L
MW-074	7/28/2004	TOTAL DISSOLVED SOLIDS	360		MG/L
MW-074	9/27/2004	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-074	9/27/2004	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-074	9/27/2004	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-074	9/27/2004	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-074	9/27/2004	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-074	9/27/2004	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-074	9/27/2004	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-074	9/27/2004	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-074	9/27/2004	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-074	9/27/2004	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-074	9/27/2004	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-074	9/27/2004	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-074	9/27/2004	1,4-DICHLOROBENZENE	0.0008		MG/L
MW-074	9/27/2004	2-BUTANONE	0.005	U	MG/L
MW-074	9/27/2004	2-HEXANONE	0.005	U	MG/L
MW-074	9/27/2004	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-074	9/27/2004	ACETONE	0.021		MG/L
MW-074	9/27/2004	ACRYLONITRILE	0.005	U	MG/L
MW-074	9/27/2004	AMMONIA	0.10	U	MG/L
MW-074	9/27/2004	ANTIMONY	0.002		MG/L
MW-074	9/27/2004	ARSENIC	0.027		MG/L
MW-074	9/27/2004	BARIIUM	0.25		MG/L
MW-074	9/27/2004	BENZENE	0.001	U	MG/L
MW-074	9/27/2004	BERYLLIUM	0.0052		MG/L
MW-074	9/27/2004	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-074	9/27/2004	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-074	9/27/2004	BROMOFORM	0.001	U	MG/L
MW-074	9/27/2004	BROMOMETHANE	0.001	U	MG/L
MW-074	9/27/2004	CADMIUM	0.0017		MG/L
MW-074	9/27/2004	CARBON DISULFIDE	0.001	U	MG/L
MW-074	9/27/2004	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-074	9/27/2004	CHEMICAL OXYGEN DEMAND	15		MG/L
MW-074	9/27/2004	CHLOROBENZENE	0.001	U	MG/L
MW-074	9/27/2004	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-074	9/27/2004	CHLOROETHANE	0.001	U	MG/L
MW-074	9/27/2004	CHLOROFORM	0.001	U	MG/L
MW-074	9/27/2004	CHLOROMETHANE	0.001	U	MG/L
MW-074	9/27/2004	CHROMIUM	0.081		MG/L
MW-074	9/27/2004	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-074	9/27/2004	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-074	9/27/2004	COBALT	0.027		MG/L
MW-074	9/27/2004	COPPER	0.30		MG/L
MW-074	9/27/2004	DIBROMOMETHANE	0.001	U	MG/L
MW-074	9/27/2004	ETHYLBENZENE	0.001	U	MG/L
MW-074	9/27/2004	GALLIUM	0.066		MG/L
MW-074	9/27/2004	HARDNESS	450		MG/L
MW-074	9/27/2004	IRON	72		MG/L
MW-074	9/27/2004	LEAD	0.13		MG/L
MW-074	9/27/2004	M+P-XYLENES	0.001	U	MG/L
MW-074	9/27/2004	MANGANESE	1.5		MG/L
MW-074	9/27/2004	MERCURY	0.00021		MG/L
MW-074	9/27/2004	METHYL IODIDE	0.001	U	MG/L
MW-074	9/27/2004	METHYLENE CHLORIDE	0.0011		MG/L
MW-074	9/27/2004	NICKEL	0.02		MG/L
MW-074	9/27/2004	NITRATE	3.8		MG/L
MW-074	9/27/2004	NITRITE	0.005	U	MG/L
MW-074	9/27/2004	O-XYLENE	0.001	U	MG/L
MW-074	9/27/2004	SELENIUM	0.005	U	MG/L
MW-074	9/27/2004	SILVER	0.005	U	MG/L
MW-074	9/27/2004	SODIUM	9.3		MG/L
MW-074	9/27/2004	STYRENE	0.001	U	MG/L
MW-074	9/27/2004	TETRACHLOROETHENE	0.0012		MG/L
MW-074	9/27/2004	THALLIUM	0.002		MG/L



Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-074	9/27/2004	TOTAL XYLENES	0.001	U	MG/L
MW-074	9/27/2004	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-074	9/27/2004	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-074	9/27/2004	TRANS-1,4-DICHLORO-2-BUTENE	0.005	U	MG/L
MW-074	9/27/2004	TRICHLOROETHENE	0.001	U	MG/L
MW-074	9/27/2004	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-074	9/27/2004	TURBIDITY	1800		NTU
MW-074	9/27/2004	VANADIUM	0.12		MG/L
MW-074	9/27/2004	VINYL ACETATE	0.001	U	MG/L
MW-074	9/27/2004	VINYL CHLORIDE	0.001	U	MG/L
MW-074	9/27/2004	ZINC	0.17		MG/L
MW-074	1/4/2005	ARSENIC	0.003		MG/L
MW-074	1/4/2005	BERYLLIUM	0.002	U	MG/L
MW-074	3/21/2005	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-074	3/21/2005	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-074	3/21/2005	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-074	3/21/2005	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-074	3/21/2005	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-074	3/21/2005	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-074	3/21/2005	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-074	3/21/2005	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-074	3/21/2005	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-074	3/21/2005	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-074	3/21/2005	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-074	3/21/2005	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-074	3/21/2005	1,4-DICHLOROBENZENE	0.0006		MG/L
MW-074	3/21/2005	2-BUTANONE	0.005	U	MG/L
MW-074	3/21/2005	2-HEXANONE	0.005	U	MG/L
MW-074	3/21/2005	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-074	3/21/2005	ACETONE	0.005	U	MG/L
MW-074	3/21/2005	ACRYLONITRILE	0.005	U	MG/L
MW-074	3/21/2005	ALKALINITY	190		MG/L
MW-074	3/21/2005	AMMONIA	0.43		MG/L
MW-074	3/21/2005	ANTIMONY	0.004		MG/L
MW-074	3/21/2005	ARSENIC	0.01	U	MG/L
MW-074	3/21/2005	BARIUM	0.054		MG/L
MW-074	3/21/2005	BENZENE	0.001	U	MG/L
MW-074	3/21/2005	BERYLLIUM	0.002	U	MG/L
MW-074	3/21/2005	BICARBONATE ALKALINITY	190		MG/L
MW-074	3/21/2005	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-074	3/21/2005	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-074	3/21/2005	BROMOFORM	0.001	U	MG/L
MW-074	3/21/2005	BROMOMETHANE	0.001	U	MG/L
MW-074	3/21/2005	CADMIUM	0.0005	U	MG/L
MW-074	3/21/2005	CALCIUM	92		MG/L
MW-074	3/21/2005	CARBON DISULFIDE	0.001	U	MG/L
MW-074	3/21/2005	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-074	3/21/2005	CARBONATE ALKALINITY	4	U	MG/L
MW-074	3/21/2005	CHEMICAL OXYGEN DEMAND	27		MG/L
MW-074	3/21/2005	CHLORIDE	11		MG/L
MW-074	3/21/2005	CHLOROBENZENE	0.001	U	MG/L
MW-074	3/21/2005	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-074	3/21/2005	CHLOROETHANE	0.001	U	MG/L
MW-074	3/21/2005	CHLOROFORM	0.00089		MG/L
MW-074	3/21/2005	CHLOROMETHANE	0.001	U	MG/L
MW-074	3/21/2005	CHROMIUM	0.021		MG/L
MW-074	3/21/2005	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-074	3/21/2005	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-074	3/21/2005	COBALT	0.005	U	MG/L
MW-074	3/21/2005	COPPER	0.015		MG/L
MW-074	3/21/2005	CYANIDE	0.0028		MG/L
MW-074	3/21/2005	DIBROMOMETHANE	0.001	U	MG/L
MW-074	3/21/2005	ETHYLBENZENE	0.001	U	MG/L
MW-074	3/21/2005	FLUORIDE	0.72		MG/L
MW-074	3/21/2005	FREE CYANIDE	0.0037		MG/L
MW-074	3/21/2005	GALLIUM	0.05	U	MG/L
MW-074	3/21/2005	HARDNESS	230		MG/L
MW-074	3/21/2005	IRON	4.8		MG/L
MW-074	3/21/2005	LEAD	0.0072		MG/L
MW-074	3/21/2005	M+P-XYLENES	0.001	U	MG/L
MW-074	3/21/2005	MANGANESE	0.079		MG/L
MW-074	3/21/2005	MERCURY	0.0002	U	MG/L
MW-074	3/21/2005	METHYL IODIDE	0.001	U	MG/L
MW-074	3/21/2005	METHYLENE CHLORIDE	0.001	U	MG/L
MW-074	3/21/2005	NICKEL	0.0091		MG/L
MW-074	3/21/2005	NITRATE	4.1		MG/L
MW-074	3/21/2005	O-XYLENE	0.001	U	MG/L
MW-074	3/21/2005	SELENIUM	0.005	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-074	3/21/2005	SILVER	0.001	U	MG/L
MW-074	3/21/2005	SODIUM	9		MG/L
MW-074	3/21/2005	STYRENE	0.001	U	MG/L
MW-074	3/21/2005	SULFATE	46		MG/L
MW-074	3/21/2005	TETRACHLOROETHENE	0.00093		MG/L
MW-074	3/21/2005	THALLIUM	0.002	U	MG/L
MW-074	3/21/2005	TOLUENE	0.001	U	MG/L
MW-074	3/21/2005	TOTAL DISSOLVED SOLIDS	370		MG/L
MW-074	3/21/2005	TOTAL XYLENES	0.001	U	MG/L
MW-074	3/21/2005	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-074	3/21/2005	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-074	3/21/2005	TRANS-1,4-DICHLORO-2-BUTENE	0.005	U	MG/L
MW-074	3/21/2005	TRICHLOROETHENE	0.001	U	MG/L
MW-074	3/21/2005	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-074	3/21/2005	TURBIDITY	87		NTU
MW-074	3/21/2005	VANADIUM	0.005	U	MG/L
MW-074	3/21/2005	VINYL ACETATE	0.001	U	MG/L
MW-074	3/21/2005	VINYL CHLORIDE	0.001	U	MG/L
MW-074	3/21/2005	ZINC	0.022		MG/L
MW-074	6/20/2005	FLUORIDE	0.50		MG/L
MW-074	6/20/2005	FREE CYANIDE	0.0004		MG/L
MW-074	9/20/2005	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-074	9/20/2005	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-074	9/20/2005	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-074	9/20/2005	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-074	9/20/2005	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-074	9/20/2005	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-074	9/20/2005	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-074	9/20/2005	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-074	9/20/2005	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-074	9/20/2005	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-074	9/20/2005	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-074	9/20/2005	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-074	9/20/2005	1,4-DICHLOROBENZENE	0.0006		MG/L
MW-074	9/20/2005	2-BUTANONE	0.005	U	MG/L
MW-074	9/20/2005	2-HEXANONE	0.005	U	MG/L
MW-074	9/20/2005	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-074	9/20/2005	ACETONE	0.0051		MG/L
MW-074	9/20/2005	ACRYLONITRILE	0.004	U	MG/L
MW-074	9/20/2005	ALKALINITY	190		MG/L
MW-074	9/20/2005	AMMONIA	1	U	MG/L
MW-074	9/20/2005	ANTIMONY	0.002		MG/L
MW-074	9/20/2005	ARSENIC	0.002	U	MG/L
MW-074	9/20/2005	BARIIUM	0.045		MG/L
MW-074	9/20/2005	BENZENE	0.001	U	MG/L
MW-074	9/20/2005	BERYLLIUM	0.002	U	MG/L
MW-074	9/20/2005	BICARBONATE ALKALINITY	190		MG/L
MW-074	9/20/2005	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-074	9/20/2005	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-074	9/20/2005	BROMOFORM	0.001	U	MG/L
MW-074	9/20/2005	BROMOMETHANE	0.001	U	MG/L
MW-074	9/20/2005	CADMIUM	0.0005	U	MG/L
MW-074	9/20/2005	CALCIUM	95		MG/L
MW-074	9/20/2005	CARBON DISULFIDE	0.001	U	MG/L
MW-074	9/20/2005	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-074	9/20/2005	CARBONATE ALKALINITY	2	U	MG/L
MW-074	9/20/2005	CHEMICAL OXYGEN DEMAND	10		MG/L
MW-074	9/20/2005	CHLORIDE	17		MG/L
MW-074	9/20/2005	CHLOROBENZENE	0.001	U	MG/L
MW-074	9/20/2005	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-074	9/20/2005	CHLOROETHANE	0.001	U	MG/L
MW-074	9/20/2005	CHLOROFORM	0.001	U	MG/L
MW-074	9/20/2005	CHLOROMETHANE	0.001	U	MG/L
MW-074	9/20/2005	CHROMIUM	0.001	U	MG/L
MW-074	9/20/2005	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-074	9/20/2005	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-074	9/20/2005	COBALT	0.005	U	MG/L
MW-074	9/20/2005	COPPER	0.0054		MG/L
MW-074	9/20/2005	CYANIDE	0.0017		MG/L
MW-074	9/20/2005	DIBROMOMETHANE	0.001	U	MG/L
MW-074	9/20/2005	ETHYLBENZENE	0.001	U	MG/L
MW-074	9/20/2005	FLUORIDE	0.52		MG/L
MW-074	9/20/2005	FREE CYANIDE	0.01	U	MG/L
MW-074	9/20/2005	GALLIUM	0.005	U	MG/L
MW-074	9/20/2005	HARDNESS	280		MG/L
MW-074	9/20/2005	IRON	1.2		MG/L
MW-074	9/20/2005	LEAD	0.002	U	MG/L
MW-074	9/20/2005	M+P-XYLENES	0.001	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-074	9/20/2005	MAGNESIUM	10		MG/L
MW-074	9/20/2005	MANGANESE	0.023		MG/L
MW-074	9/20/2005	MERCURY	0.001	U	MG/L
MW-074	9/20/2005	METHYL IODIDE	0.001	U	MG/L
MW-074	9/20/2005	METHYLENE CHLORIDE	0.0049		MG/L
MW-074	9/20/2005	NICKEL	0.002	U	MG/L
MW-074	9/20/2005	NITRATE	3.7		MG/L
MW-074	9/20/2005	NITRITE	0.005	U	MG/L
MW-074	9/20/2005	O-XYLENE	0.001	U	MG/L
MW-074	9/20/2005	SELENIUM	0.01	U	MG/L
MW-074	9/20/2005	SILVER	0.001	U	MG/L
MW-074	9/20/2005	SODIUM	10		MG/L
MW-074	9/20/2005	STYRENE	0.001	U	MG/L
MW-074	9/20/2005	SULFATE	45		MG/L
MW-074	9/20/2005	TETRACHLOROETHENE	0.0013		MG/L
MW-074	9/20/2005	THALLIUM	0.002		MG/L
MW-074	9/20/2005	TOLUENE	0.001	U	MG/L
MW-074	9/20/2005	TOTAL DISSOLVED SOLIDS	360		MG/L
MW-074	9/20/2005	TOTAL XYLENES	0.001	U	MG/L
MW-074	9/20/2005	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-074	9/20/2005	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-074	9/20/2005	TRANS-1,4-DICHLORO-2-BUTENE	0.005	U	MG/L
MW-074	9/20/2005	TRICHLOROETHENE	0.001	U	MG/L
MW-074	9/20/2005	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-074	9/20/2005	VANADIUM	0.005	U	MG/L
MW-074	9/20/2005	VINYL ACETATE	0.001	U	MG/L
MW-074	9/20/2005	VINYL CHLORIDE	0.001	U	MG/L
MW-074	9/20/2005	ZINC	0.013		MG/L
MW-074	11/22/2005	TURBIDITY	38		NTU
MW-074	3/9/2006	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-074	3/9/2006	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-074	3/9/2006	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-074	3/9/2006	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-074	3/9/2006	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-074	3/9/2006	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-074	3/9/2006	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-074	3/9/2006	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-074	3/9/2006	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-074	3/9/2006	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-074	3/9/2006	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-074	3/9/2006	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-074	3/9/2006	1,4-DICHLOROBENZENE	0.001	U	MG/L
MW-074	3/9/2006	2-BUTANONE	0.005	U	MG/L
MW-074	3/9/2006	2-HEXANONE	0.005	U	MG/L
MW-074	3/9/2006	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-074	3/9/2006	ACETONE	0.005	U	MG/L
MW-074	3/9/2006	ACRYLONITRILE	0.005	U	MG/L
MW-074	3/9/2006	ALKALINITY	180		MG/L
MW-074	3/9/2006	AMMONIA	1	U	MG/L
MW-074	3/9/2006	ANTIMONY	0.002		MG/L
MW-074	3/9/2006	ARSENIC	0.002	U	MG/L
MW-074	3/9/2006	BARIUM	0.04		MG/L
MW-074	3/9/2006	BENZENE	0.001	U	MG/L
MW-074	3/9/2006	BERYLLIUM	0.002	U	MG/L
MW-074	3/9/2006	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-074	3/9/2006	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-074	3/9/2006	BROMOFORM	0.001	U	MG/L
MW-074	3/9/2006	BROMOMETHANE	0.001	U	MG/L
MW-074	3/9/2006	CADMIUM	0.0005	U	MG/L
MW-074	3/9/2006	CALCIUM	87		MG/L
MW-074	3/9/2006	CARBON DISULFIDE	0.001	U	MG/L
MW-074	3/9/2006	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-074	3/9/2006	CHEMICAL OXYGEN DEMAND	10	U	MG/L
MW-074	3/9/2006	CHLORIDE	20		MG/L
MW-074	3/9/2006	CHLOROBENZENE	0.001	U	MG/L
MW-074	3/9/2006	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-074	3/9/2006	CHLOROETHANE	0.001	U	MG/L
MW-074	3/9/2006	CHLOROFORM	0.003		MG/L
MW-074	3/9/2006	CHLOROMETHANE	0.001	U	MG/L
MW-074	3/9/2006	CHROMIUM	0.011		MG/L
MW-074	3/9/2006	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-074	3/9/2006	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-074	3/9/2006	COBALT	0.005	U	MG/L
MW-074	3/9/2006	COPPER	0.0035		MG/L
MW-074	3/9/2006	CYANIDE	0.0009		MG/L
MW-074	3/9/2006	DIBROMOMETHANE	0.001	U	MG/L
MW-074	3/9/2006	ETHYLBENZENE	0.001	U	MG/L
MW-074	3/9/2006	FLUORIDE	0.37		MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-074	3/9/2006	FREE CYANIDE	0.005	U	MG/L
MW-074	3/9/2006	GALLIUM	0.005	U	MG/L
MW-074	3/9/2006	HARDNESS	250		MG/L
MW-074	3/9/2006	IRON	0.18		MG/L
MW-074	3/9/2006	LEAD	0.002	U	MG/L
MW-074	3/9/2006	M+P-XYLENES	0.001	U	MG/L
MW-074	3/9/2006	MAGNESIUM	9		MG/L
MW-074	3/9/2006	MANGANESE	0.013		MG/L
MW-074	3/9/2006	MERCURY	0.0002	U	MG/L
MW-074	3/9/2006	METHYL IODIDE	0.001	U	MG/L
MW-074	3/9/2006	METHYLENE CHLORIDE	0.001	U	MG/L
MW-074	3/9/2006	NICKEL	0.002	U	MG/L
MW-074	3/9/2006	NITRATE	3.6		MG/L
MW-074	3/9/2006	O-XYLENE	0.001	U	MG/L
MW-074	3/9/2006	SELENIUM	0.005	U	MG/L
MW-074	3/9/2006	SILVER	0.001	U	MG/L
MW-074	3/9/2006	SODIUM	9.6		MG/L
MW-074	3/9/2006	STYRENE	0.001	U	MG/L
MW-074	3/9/2006	SULFATE	42		MG/L
MW-074	3/9/2006	TETRACHLOROETHENE	0.0012		MG/L
MW-074	3/9/2006	THALLIUM	0.002	U	MG/L
MW-074	3/9/2006	TOLUENE	0.001	U	MG/L
MW-074	3/9/2006	TOTAL DISSOLVED SOLIDS	380		MG/L
MW-074	3/9/2006	TOTAL XYLENES	0.001	U	MG/L
MW-074	3/9/2006	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-074	3/9/2006	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-074	3/9/2006	TRANS-1,4-DICHLORO-2-BUTENE	0.005	U	MG/L
MW-074	3/9/2006	TRICHLOROETHENE	0.001	U	MG/L
MW-074	3/9/2006	TRICHLOROFUOROMETHANE	0.001	U	MG/L
MW-074	3/9/2006	TURBIDITY	8.3		NTU
MW-074	3/9/2006	VANADIUM	0.001	U	MG/L
MW-074	3/9/2006	VINYL ACETATE	0.001	U	MG/L
MW-074	3/9/2006	VINYL CHLORIDE	0.001	U	MG/L
MW-074	3/9/2006	ZINC	0.008		MG/L
MW-074	8/22/2006	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-074	8/22/2006	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-074	8/22/2006	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-074	8/22/2006	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-074	8/22/2006	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-074	8/22/2006	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-074	8/22/2006	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-074	8/22/2006	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-074	8/22/2006	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-074	8/22/2006	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-074	8/22/2006	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-074	8/22/2006	1,4-DICHLOROETHANE	0.001	U	MG/L
MW-074	8/22/2006	2-BUTANONE	0.005	U	MG/L
MW-074	8/22/2006	2-HEXANONE	0.005	U	MG/L
MW-074	8/22/2006	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-074	8/22/2006	ACETONE	0.0043		MG/L
MW-074	8/22/2006	ACRYLONITRILE	0.005	U	MG/L
MW-074	8/22/2006	ALKALINITY	200		MG/L
MW-074	8/22/2006	AMMONIA	1	U	MG/L
MW-074	8/22/2006	ANTIMONY	0.002	U	MG/L
MW-074	8/22/2006	ARSENIC	0.002	U	MG/L
MW-074	8/22/2006	BARIUM	0.044		MG/L
MW-074	8/22/2006	BENZENE	0.001	U	MG/L
MW-074	8/22/2006	BERYLLIUM	0.002	U	MG/L
MW-074	8/22/2006	BICARBONATE ALKALINITY	200		MG/L
MW-074	8/22/2006	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-074	8/22/2006	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-074	8/22/2006	BROMOFORM	0.001	U	MG/L
MW-074	8/22/2006	BROMOMETHANE	0.001	U	MG/L
MW-074	8/22/2006	CADMIUM	0.0005	U	MG/L
MW-074	8/22/2006	CALCIUM	87		MG/L
MW-074	8/22/2006	CARBON DISULFIDE	0.001	U	MG/L
MW-074	8/22/2006	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-074	8/22/2006	CARBONATE ALKALINITY	4	U	MG/L
MW-074	8/22/2006	CHEMICAL OXYGEN DEMAND	10	U	MG/L
MW-074	8/22/2006	CHLORIDE	18		MG/L
MW-074	8/22/2006	CHLOROBENZENE	0.001	U	MG/L
MW-074	8/22/2006	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-074	8/22/2006	CHLOROETHANE	0.001	U	MG/L
MW-074	8/22/2006	CHLOROFORM	0.0024		MG/L
MW-074	8/22/2006	CHLOROMETHANE	0.001	U	MG/L
MW-074	8/22/2006	CHROMIUM	0.006		MG/L
MW-074	8/22/2006	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-074	8/22/2006	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-074	8/22/2006	COBALT	0.005	U	MG/L
MW-074	8/22/2006	COPPER	0.005		MG/L
MW-074	8/22/2006	CYANIDE	0.0014		MG/L
MW-074	8/22/2006	DIBROMOMETHANE	0.001	U	MG/L
MW-074	8/22/2006	ETHYLBENZENE	0.001	U	MG/L
MW-074	8/22/2006	FLUORIDE	0.51		MG/L
MW-074	8/22/2006	FREE CYANIDE	0.055		MG/L
MW-074	8/22/2006	GALLIUM	0.005	U	MG/L
MW-074	8/22/2006	HARDNESS	260		MG/L
MW-074	8/22/2006	IRON	1.4		MG/L
MW-074	8/22/2006	LEAD	0.0021		MG/L
MW-074	8/22/2006	M+P-XYLENES	0.001	U	MG/L
MW-074	8/22/2006	MAGNESIUM	9.1		MG/L
MW-074	8/22/2006	MANGANESE	0.028		MG/L
MW-074	8/22/2006	MERCURY	0.0002	U	MG/L
MW-074	8/22/2006	METHYL IODIDE	0.001	U	MG/L
MW-074	8/22/2006	METHYLENE CHLORIDE	0.001	U	MG/L
MW-074	8/22/2006	NICKEL	0.001		MG/L
MW-074	8/22/2006	NITRATE	2.8		MG/L
MW-074	8/22/2006	NITRITE	0.005	U	MG/L
MW-074	8/22/2006	O-XYLENE	0.001	U	MG/L
MW-074	8/22/2006	SELENIUM	0.005	U	MG/L
MW-074	8/22/2006	SILVER	0.001	U	MG/L
MW-074	8/22/2006	SODIUM	10		MG/L
MW-074	8/22/2006	STYRENE	0.001	U	MG/L
MW-074	8/22/2006	SULFATE	37		MG/L
MW-074	8/22/2006	TETRACHLOROETHENE	0.00073		MG/L
MW-074	8/22/2006	THALLIUM	0.002	U	MG/L
MW-074	8/22/2006	TOLUENE	0.001	U	MG/L
MW-074	8/22/2006	TOTAL DISSOLVED SOLIDS	270		MG/L
MW-074	8/22/2006	TOTAL XYLENES	0.001	U	MG/L
MW-074	8/22/2006	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-074	8/22/2006	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-074	8/22/2006	TRANS-1,4-DICHLORO-2-BUTENE	0.005	U	MG/L
MW-074	8/22/2006	TRICHLOROETHENE	0.001	U	MG/L
MW-074	8/22/2006	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-074	8/22/2006	TURBIDITY	12		NTU
MW-074	8/22/2006	VANADIUM	0.005	U	MG/L
MW-074	8/22/2006	VINYL ACETATE	0.001	U	MG/L
MW-074	8/22/2006	VINYL CHLORIDE	0.001	U	MG/L
MW-074	8/22/2006	ZINC	0.01	U	MG/L
MW-074	3/13/2007	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-074	3/13/2007	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-074	3/13/2007	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-074	3/13/2007	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-074	3/13/2007	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-074	3/13/2007	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-074	3/13/2007	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-074	3/13/2007	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-074	3/13/2007	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-074	3/13/2007	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-074	3/13/2007	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-074	3/13/2007	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-074	3/13/2007	1,4-DICHLOROBENZENE	0.001	U	MG/L
MW-074	3/13/2007	2-BUTANONE	0.005	U	MG/L
MW-074	3/13/2007	2-HEXANONE	0.005	U	MG/L
MW-074	3/13/2007	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-074	3/13/2007	ACETONE	0.005	U	MG/L
MW-074	3/13/2007	ACRYLONITRILE	0.005	U	MG/L
MW-074	3/13/2007	ALKALINITY	160		MG/L
MW-074	3/13/2007	AMMONIA	1	U	MG/L
MW-074	3/13/2007	ANTIMONY	0.002	U	MG/L
MW-074	3/13/2007	ARSENIC	0.03		MG/L
MW-074	3/13/2007	BARIUM	0.033		MG/L
MW-074	3/13/2007	BENZENE	0.001	U	MG/L
MW-074	3/13/2007	BERYLLIUM	0.002	U	MG/L
MW-074	3/13/2007	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-074	3/13/2007	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-074	3/13/2007	BROMOFORM	0.001	U	MG/L
MW-074	3/13/2007	BROMOMETHANE	0.001	U	MG/L
MW-074	3/13/2007	CADMIUM	0.0005	U	MG/L
MW-074	3/13/2007	CALCIUM	75		MG/L
MW-074	3/13/2007	CARBON DISULFIDE	0.001	U	MG/L
MW-074	3/13/2007	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-074	3/13/2007	CHEMICAL OXYGEN DEMAND	10	U	MG/L
MW-074	3/13/2007	CHLORIDE	21		MG/L
MW-074	3/13/2007	CHLOROBENZENE	0.001	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-074	3/13/2007	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-074	3/13/2007	CHLOROETHANE	0.001	U	MG/L
MW-074	3/13/2007	CHLOROFORM	0.0014		MG/L
MW-074	3/13/2007	CHLOROMETHANE	0.001	U	MG/L
MW-074	3/13/2007	CHROMIUM	0.01	U	MG/L
MW-074	3/13/2007	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-074	3/13/2007	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-074	3/13/2007	COBALT	0.005	U	MG/L
MW-074	3/13/2007	COPPER	0.002	U	MG/L
MW-074	3/13/2007	CYANIDE	0.001	U	MG/L
MW-074	3/13/2007	DIBROMOMETHANE	0.001	U	MG/L
MW-074	3/13/2007	ETHYLBENZENE	0.001	U	MG/L
MW-074	3/13/2007	FLUORIDE	0.44		MG/L
MW-074	3/13/2007	FREE CYANIDE	0.005	U	MG/L
MW-074	3/13/2007	GALLIUM	0.005	U	MG/L
MW-074	3/13/2007	HARDNESS	220		MG/L
MW-074	3/13/2007	IRON	0.015		MG/L
MW-074	3/13/2007	LEAD	0.002	U	MG/L
MW-074	3/13/2007	M+P-XYLENES	0.001	U	MG/L
MW-074	3/13/2007	MAGNESIUM	7.8		MG/L
MW-074	3/13/2007	MANGANESE	0.005	U	MG/L
MW-074	3/13/2007	MERCURY	0.0002	U	MG/L
MW-074	3/13/2007	METHYL IODIDE	0.001	U	MG/L
MW-074	3/13/2007	METHYLENE CHLORIDE	0.001	U	MG/L
MW-074	3/13/2007	MOLYBDENUM	0.005	U	MG/L
MW-074	3/13/2007	NICKEL	0.005	U	MG/L
MW-074	3/13/2007	NITRATE	3.3		MG/L
MW-074	3/13/2007	NITRITE	0.005	U	MG/L
MW-074	3/13/2007	O-XYLENE	0.001	U	MG/L
MW-074	3/13/2007	SELENIUM	0.005	U	MG/L
MW-074	3/13/2007	SILVER	0.001	U	MG/L
MW-074	3/13/2007	SODIUM	9.6		MG/L
MW-074	3/13/2007	STYRENE	0.001	U	MG/L
MW-074	3/13/2007	SULFATE	37		MG/L
MW-074	3/13/2007	TETRACHLOROETHENE	0.00073		MG/L
MW-074	3/13/2007	THALLIUM	0.002	U	MG/L
MW-074	3/13/2007	TOLUENE	0.001	U	MG/L
MW-074	3/13/2007	TOTAL DISSOLVED SOLIDS	240		MG/L
MW-074	3/13/2007	TOTAL XYLENES	0.001	U	MG/L
MW-074	3/13/2007	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-074	3/13/2007	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-074	3/13/2007	TRANS-1,4-DICHLORO-2-BUTENE	0.005	U	MG/L
MW-074	3/13/2007	TRICHLOROETHENE	0.001	U	MG/L
MW-074	3/13/2007	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-074	3/13/2007	TURBIDITY	0.10	U	NTU
MW-074	3/13/2007	VANADIUM	0.01	U	MG/L
MW-074	3/13/2007	VINYL ACETATE	0.001	U	MG/L
MW-074	3/13/2007	VINYL CHLORIDE	0.001	U	MG/L
MW-074	3/13/2007	ZINC	0.01	U	MG/L
MW-074	9/11/2007	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-074	9/11/2007	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-074	9/11/2007	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-074	9/11/2007	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-074	9/11/2007	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-074	9/11/2007	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-074	9/11/2007	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-074	9/11/2007	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-074	9/11/2007	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-074	9/11/2007	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-074	9/11/2007	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-074	9/11/2007	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-074	9/11/2007	1,4-DICHLOROBENZENE	0.001	U	MG/L
MW-074	9/11/2007	2-BUTANONE	0.005	U	MG/L
MW-074	9/11/2007	2-HEXANONE	0.005	U	MG/L
MW-074	9/11/2007	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-074	9/11/2007	ACETONE	0.005	U	MG/L
MW-074	9/11/2007	ACRYLONITRILE	0.005	U	MG/L
MW-074	9/11/2007	ALKALINITY	180		MG/L
MW-074	9/11/2007	AMMONIA	0.27		MG/L
MW-074	9/11/2007	ANTIMONY	0.002	U	MG/L
MW-074	9/11/2007	ARSENIC	0.002	U	MG/L
MW-074	9/11/2007	BARIIUM	0.041		MG/L
MW-074	9/11/2007	BENZENE	0.001	U	MG/L
MW-074	9/11/2007	BERYLLIUM	0.002	U	MG/L
MW-074	9/11/2007	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-074	9/11/2007	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-074	9/11/2007	BROMOFORM	0.001	U	MG/L
MW-074	9/11/2007	BROMOMETHANE	0.001	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-074	9/11/2007	CADIUM	0.0005	U	MG/L
MW-074	9/11/2007	CALCIUM	91		MG/L
MW-074	9/11/2007	CARBON DISULFIDE	0.001	U	MG/L
MW-074	9/11/2007	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-074	9/11/2007	CHEMICAL OXYGEN DEMAND	10	U	MG/L
MW-074	9/11/2007	CHLORIDE	10		MG/L
MW-074	9/11/2007	CHLOROENZENE	0.001	U	MG/L
MW-074	9/11/2007	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-074	9/11/2007	CHLOROETHANE	0.001	U	MG/L
MW-074	9/11/2007	CHLOROFORM	0.00077		MG/L
MW-074	9/11/2007	CHLOROMETHANE	0.001	U	MG/L
MW-074	9/11/2007	CHROMIUM	0.005		MG/L
MW-074	9/11/2007	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-074	9/11/2007	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-074	9/11/2007	COBALT	0.005	U	MG/L
MW-074	9/11/2007	COPPER	0.0028		MG/L
MW-074	9/11/2007	CYANIDE	0.005	U	MG/L
MW-074	9/11/2007	DIBROMOMETHANE	0.001	U	MG/L
MW-074	9/11/2007	ETHYLBENZENE	0.001	U	MG/L
MW-074	9/11/2007	FLUORIDE	0.48		MG/L
MW-074	9/11/2007	FREE CYANIDE	0.005	U	MG/L
MW-074	9/11/2007	GALLIUM	0.005	U	MG/L
MW-074	9/11/2007	HARDNESS	250		MG/L
MW-074	9/11/2007	IRON	0.68		MG/L
MW-074	9/11/2007	LEAD	0.0022		MG/L
MW-074	9/11/2007	M+P-XYLENES	0.001	U	MG/L
MW-074	9/11/2007	MAGNESIUM	9.6		MG/L
MW-074	9/11/2007	MANGANESE	0.013		MG/L
MW-074	9/11/2007	MERCURY	0.0002	U	MG/L
MW-074	9/11/2007	METHYL IODIDE	0.001	U	MG/L
MW-074	9/11/2007	METHYLENE CHLORIDE	0.001	U	MG/L
MW-074	9/11/2007	NICKEL	0.003		MG/L
MW-074	9/11/2007	NITRATE	3.1		MG/L
MW-074	9/11/2007	NITRITE	0.012	U	MG/L
MW-074	9/11/2007	O-XYLENE	0.001	U	MG/L
MW-074	9/11/2007	SELENIUM	0.005	U	MG/L
MW-074	9/11/2007	SILVER	0.001	U	MG/L
MW-074	9/11/2007	SODIUM	10		MG/L
MW-074	9/11/2007	STYRENE	0.001	U	MG/L
MW-074	9/11/2007	SULFATE	52		MG/L
MW-074	9/11/2007	TETRACHLOROETHENE	0.00091		MG/L
MW-074	9/11/2007	THALLIUM	0.002	U	MG/L
MW-074	9/11/2007	TOLUENE	0.001	U	MG/L
MW-074	9/11/2007	TOTAL DISSOLVED SOLIDS	260		MG/L
MW-074	9/11/2007	TOTAL XYLENES	0.001	U	MG/L
MW-074	9/11/2007	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-074	9/11/2007	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-074	9/11/2007	TRANS-1,4-DICHLORO-2-BUTENE	0.005	U	MG/L
MW-074	9/11/2007	TRICHLOROETHENE	0.001	U	MG/L
MW-074	9/11/2007	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-074	9/11/2007	TURBIDITY	3.1		NTU
MW-074	9/11/2007	VANADIUM	0.005	U	MG/L
MW-074	9/11/2007	VINYL ACETATE	0.001	U	MG/L
MW-074	9/11/2007	VINYL CHLORIDE	0.001	U	MG/L
MW-074	9/11/2007	ZINC	0.01	U	MG/L
MW-074	3/18/2008	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-074	3/18/2008	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-074	3/18/2008	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-074	3/18/2008	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-074	3/18/2008	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-074	3/18/2008	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-074	3/18/2008	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-074	3/18/2008	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-074	3/18/2008	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-074	3/18/2008	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-074	3/18/2008	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-074	3/18/2008	1,4-DICHLOROETHANE	0.001	U	MG/L
MW-074	3/18/2008	2-BUTANONE	0.005	U	MG/L
MW-074	3/18/2008	2-HEXANONE	0.005	U	MG/L
MW-074	3/18/2008	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-074	3/18/2008	ACETONE	0.005	U	MG/L
MW-074	3/18/2008	ACRYLONITRILE	0.005	U	MG/L
MW-074	3/18/2008	ALKALINITY	170		MG/L
MW-074	3/18/2008	AMMONIA	0.10	U	MG/L
MW-074	3/18/2008	ANTIMONY	0.004		MG/L
MW-074	3/18/2008	ARSENIC	0.002	U	MG/L
MW-074	3/18/2008	BARIUM	0.044		MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-074	3/18/2008	BENZENE	0.001	U	MG/L
MW-074	3/18/2008	BERYLLIUM	0.0025	U	MG/L
MW-074	3/18/2008	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-074	3/18/2008	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-074	3/18/2008	BROMOFORM	0.001	U	MG/L
MW-074	3/18/2008	BROMOMETHANE	0.001	U	MG/L
MW-074	3/18/2008	CADMIUM	0.0005	U	MG/L
MW-074	3/18/2008	CALCIUM	85		MG/L
MW-074	3/18/2008	CARBON DISULFIDE	0.001	U	MG/L
MW-074	3/18/2008	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-074	3/18/2008	CHEMICAL OXYGEN DEMAND	15		MG/L
MW-074	3/18/2008	CHLORIDE	32		MG/L
MW-074	3/18/2008	CHLOROENZENE	0.001	U	MG/L
MW-074	3/18/2008	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-074	3/18/2008	CHLOROETHANE	0.001	U	MG/L
MW-074	3/18/2008	CHLOROFORM	0.0009		MG/L
MW-074	3/18/2008	CHLOROMETHANE	0.001	U	MG/L
MW-074	3/18/2008	CHROMIUM	0.011		MG/L
MW-074	3/18/2008	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-074	3/18/2008	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-074	3/18/2008	COBALT	0.005	U	MG/L
MW-074	3/18/2008	COPPER	0.002	U	MG/L
MW-074	3/18/2008	CYANIDE	0.01	U	MG/L
MW-074	3/18/2008	DIBROMOMETHANE	0.001	U	MG/L
MW-074	3/18/2008	ETHYLBENZENE	0.001	U	MG/L
MW-074	3/18/2008	FLUORIDE	0.38		MG/L
MW-074	3/18/2008	FREE CYANIDE	0.005	U	MG/L
MW-074	3/18/2008	GALLIUM	0.01	U	MG/L
MW-074	3/18/2008	HARDNESS	250		MG/L
MW-074	3/18/2008	IRON	0.08		MG/L
MW-074	3/18/2008	LEAD	0.0028		MG/L
MW-074	3/18/2008	M+P-XYLENES	0.001	U	MG/L
MW-074	3/18/2008	MAGNESIUM	8.2		MG/L
MW-074	3/18/2008	MANGANESE	0.003		MG/L
MW-074	3/18/2008	MERCURY	0.0002	U	MG/L
MW-074	3/18/2008	METHYL IODIDE	0.001	U	MG/L
MW-074	3/18/2008	METHYLENE CHLORIDE	0.001	U	MG/L
MW-074	3/18/2008	NICKEL	0.004		MG/L
MW-074	3/18/2008	NITRATE	0.05	U	MG/L
MW-074	3/18/2008	NITRITE	0.012	U	MG/L
MW-074	3/18/2008	O-XYLENE	0.001	U	MG/L
MW-074	3/18/2008	SELENIUM	0.005	U	MG/L
MW-074	3/18/2008	SILVER	0.001	U	MG/L
MW-074	3/18/2008	SODIUM	13		MG/L
MW-074	3/18/2008	STYRENE	0.001	U	MG/L
MW-074	3/18/2008	SULFATE	46		MG/L
MW-074	3/18/2008	TETRACHLOROETHENE	0.0012		MG/L
MW-074	3/18/2008	THALLIUM	0.002	U	MG/L
MW-074	3/18/2008	TOLUENE	0.001	U	MG/L
MW-074	3/18/2008	TOTAL DISSOLVED SOLIDS	230		MG/L
MW-074	3/18/2008	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-074	3/18/2008	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-074	3/18/2008	TRANS-1,4-DICHLORO-2-BUTENE	0.005	U	MG/L
MW-074	3/18/2008	TRICHLOROETHENE	0.001	U	MG/L
MW-074	3/18/2008	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-074	3/18/2008	TURBIDITY	1.7		NTU
MW-074	3/18/2008	VANADIUM	0.011		MG/L
MW-074	3/18/2008	VINYL ACETATE	0.005	U	MG/L
MW-074	3/18/2008	VINYL CHLORIDE	0.001	U	MG/L
MW-074	3/18/2008	ZINC	0.02	U	MG/L
MW-074	9/25/2008	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-074	9/25/2008	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-074	9/25/2008	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-074	9/25/2008	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-074	9/25/2008	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-074	9/25/2008	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-074	9/25/2008	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-074	9/25/2008	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-074	9/25/2008	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-074	9/25/2008	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-074	9/25/2008	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-074	9/25/2008	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-074	9/25/2008	1,4-DICHLOROBENZENE	0.001	U	MG/L
MW-074	9/25/2008	2-BUTANONE	0.018		MG/L
MW-074	9/25/2008	2-HEXANONE	0.005	U	MG/L
MW-074	9/25/2008	4-BROMOFLUOROBENZENE	0.0292		MG/L
MW-074	9/25/2008	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-074	9/25/2008	ACETONE	0.011		MG/L



Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-074	9/25/2008	ACRYLONITRILE	0.005	U	MG/L
MW-074	9/25/2008	ALKALINITY	200		MG/L
MW-074	9/25/2008	AMMONIA	0.14		MG/L
MW-074	9/25/2008	ANTIMONY	0.005	U	MG/L
MW-074	9/25/2008	ARSENIC	0.005	U	MG/L
MW-074	9/25/2008	BARIUM	0.046		MG/L
MW-074	9/25/2008	BENZENE	0.001	U	MG/L
MW-074	9/25/2008	BERYLLIUM	0.002	U	MG/L
MW-074	9/25/2008	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-074	9/25/2008	BROMODIBROMOMETHANE	0.001	U	MG/L
MW-074	9/25/2008	BROMOFORM	0.001	U	MG/L
MW-074	9/25/2008	BROMOMETHANE	0.001	U	MG/L
MW-074	9/25/2008	CADMIUM	0.0005	U	MG/L
MW-074	9/25/2008	CALCIUM	98		MG/L
MW-074	9/25/2008	CARBON DISULFIDE	0.001	U	MG/L
MW-074	9/25/2008	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-074	9/25/2008	CHEMICAL OXYGEN DEMAND	10	U	MG/L
MW-074	9/25/2008	CHLORIDE	20		MG/L
MW-074	9/25/2008	CHLORO BENZENE	0.001	U	MG/L
MW-074	9/25/2008	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-074	9/25/2008	CHLOROETHANE	0.001	U	MG/L
MW-074	9/25/2008	CHLOROFORM	0.001	U	MG/L
MW-074	9/25/2008	CHLOROMETHANE	0.001	U	MG/L
MW-074	9/25/2008	CHROMIUM	0.0039		MG/L
MW-074	9/25/2008	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-074	9/25/2008	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-074	9/25/2008	COBALT	0.005	U	MG/L
MW-074	9/25/2008	COPPER	0.002	U	MG/L
MW-074	9/25/2008	CYANIDE	0.01	U	MG/L
MW-074	9/25/2008	DIBROMOMETHANE	0.001	U	MG/L
MW-074	9/25/2008	ETHYLBENZENE	0.001	U	MG/L
MW-074	9/25/2008	FLUORIDE	0.50		MG/L
MW-074	9/25/2008	FLUORODIBROMOMETHANE	0.0242		MG/L
MW-074	9/25/2008	FREE CYANIDE	0.002		MG/L
MW-074	9/25/2008	GALLIUM	0.005	U	MG/L
MW-074	9/25/2008	HARDNESS	290		MG/L
MW-074	9/25/2008	IRON	0.081		MG/L
MW-074	9/25/2008	LEAD	0.002	U	MG/L
MW-074	9/25/2008	M+P-XYLENES	0.002	U	MG/L
MW-074	9/25/2008	MAGNESIUM	10		MG/L
MW-074	9/25/2008	MANGANESE	0.005	U	MG/L
MW-074	9/25/2008	MERCURY	0.0002	U	MG/L
MW-074	9/25/2008	METHYL IODIDE	0.001	U	MG/L
MW-074	9/25/2008	METHYLENE CHLORIDE	0.001	U	MG/L
MW-074	9/25/2008	NICKEL	0.005	U	MG/L
MW-074	9/25/2008	NITRATE	2.8		MG/L
MW-074	9/25/2008	NITRITE	0.005	U	MG/L
MW-074	9/25/2008	NITRITE/NITRATE-N	2.8		MG/L
MW-074	9/25/2008	O-XYLENE	0.001	U	MG/L
MW-074	9/25/2008	SELENIUM	0.005	U	MG/L
MW-074	9/25/2008	SILVER	0.002	U	MG/L
MW-074	9/25/2008	SODIUM	12		MG/L
MW-074	9/25/2008	STYRENE	0.001	U	MG/L
MW-074	9/25/2008	SULFATE	49		MG/L
MW-074	9/25/2008	TETRACHLOROETHENE	0.001	U	MG/L
MW-074	9/25/2008	THALLIUM	0.002	U	MG/L
MW-074	9/25/2008	TOLUENE	0.001	U	MG/L
MW-074	9/25/2008	TOTAL DISSOLVED SOLIDS	200		MG/L
MW-074	9/25/2008	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-074	9/25/2008	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-074	9/25/2008	TRANS-1,4-DICHLORO-2-BUTENE	0.005	U	MG/L
MW-074	9/25/2008	TRICHLOROETHENE	0.001	U	MG/L
MW-074	9/25/2008	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-074	9/25/2008	TURBIDITY	1.6		NTU
MW-074	9/25/2008	VANADIUM	0.005	U	MG/L
MW-074	9/25/2008	VINYL ACETATE	0.001	U	MG/L
MW-074	9/25/2008	VINYL CHLORIDE	0.001	U	MG/L
MW-074	9/25/2008	ZINC	0.01		MG/L
MW-074	2/24/2009	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-074	2/24/2009	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-074	2/24/2009	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-074	2/24/2009	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-074	2/24/2009	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-074	2/24/2009	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-074	2/24/2009	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-074	2/24/2009	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-074	2/24/2009	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-074	2/24/2009	1,2-DICHLOROBENZENE	0.001	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-074	2/24/2009	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-074	2/24/2009	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-074	2/24/2009	1,4-DICHLOROBENZENE	0.001	U	MG/L
MW-074	2/24/2009	2-BUTANONE	0.005	U	MG/L
MW-074	2/24/2009	2-HEXANONE	0.005	U	MG/L
MW-074	2/24/2009	4-BROMOFLUOROBENZENE	0.0236		MG/L
MW-074	2/24/2009	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-074	2/24/2009	ACETONE	0.005	U	MG/L
MW-074	2/24/2009	ACRYLONITRILE	0.005	U	MG/L
MW-074	2/24/2009	ALKALINITY	200		MG/L
MW-074	2/24/2009	AMMONIA	0.10	U	MG/L
MW-074	2/24/2009	ANTIMONY	0.0011		MG/L
MW-074	2/24/2009	ARSENIC	0.005	U	MG/L
MW-074	2/24/2009	BARIUM	0.042		MG/L
MW-074	2/24/2009	BENZENE	0.001	U	MG/L
MW-074	2/24/2009	BERYLLIUM	0.002	U	MG/L
MW-074	2/24/2009	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-074	2/24/2009	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-074	2/24/2009	BROMOFORM	0.001	U	MG/L
MW-074	2/24/2009	BROMOMETHANE	0.001	U	MG/L
MW-074	2/24/2009	CADMIUM	0.0005		MG/L
MW-074	2/24/2009	CARBON DISULFIDE	0.001	U	MG/L
MW-074	2/24/2009	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-074	2/24/2009	CHEMICAL OXYGEN DEMAND	10	U	MG/L
MW-074	2/24/2009	CHLORIDE	14		MG/L
MW-074	2/24/2009	CHLOROBENZENE	0.001	U	MG/L
MW-074	2/24/2009	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-074	2/24/2009	CHLOROETHANE	0.001	U	MG/L
MW-074	2/24/2009	CHLOROFORM	0.001	U	MG/L
MW-074	2/24/2009	CHLOROMETHANE	0.001	U	MG/L
MW-074	2/24/2009	CHROMIUM	0.0027		MG/L
MW-074	2/24/2009	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-074	2/24/2009	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-074	2/24/2009	COBALT	0.005	U	MG/L
MW-074	2/24/2009	COPPER	0.009		MG/L
MW-074	2/24/2009	CYANIDE	0.003	U	MG/L
MW-074	2/24/2009	DIBROMOMETHANE	0.001	U	MG/L
MW-074	2/24/2009	ETHYLBENZENE	0.001	U	MG/L
MW-074	2/24/2009	FLUORIDE	0.42		MG/L
MW-074	2/24/2009	FLUORODIBROMOMETHANE	0.0239		MG/L
MW-074	2/24/2009	FREE CYANIDE	0.0017	U	MG/L
MW-074	2/24/2009	GALLIUM	0.005	U	MG/L
MW-074	2/24/2009	HARDNESS	270		MG/L
MW-074	2/24/2009	IRON	0.16		MG/L
MW-074	2/24/2009	LEAD	0.002	U	MG/L
MW-074	2/24/2009	M+P-XYLENES	0.00095	U	MG/L
MW-074	2/24/2009	MANGANESE	0.0068		MG/L
MW-074	2/24/2009	MERCURY	0.0002	U	MG/L
MW-074	2/24/2009	METHYL IODIDE	0.001	U	MG/L
MW-074	2/24/2009	METHYLENE CHLORIDE	0.001	U	MG/L
MW-074	2/24/2009	NICKEL	0.005	U	MG/L
MW-074	2/24/2009	NITRATE	0.05	U	MG/L
MW-074	2/24/2009	NITRITE	0.005	U	MG/L
MW-074	2/24/2009	NITRITE/NITRATE-N	0.05	U	MG/L
MW-074	2/24/2009	O-XYLENE	0.001	U	MG/L
MW-074	2/24/2009	SELENIUM	0.005	U	MG/L
MW-074	2/24/2009	SILVER	0.002	U	MG/L
MW-074	2/24/2009	SODIUM	10		MG/L
MW-074	2/24/2009	STYRENE	0.001	U	MG/L
MW-074	2/24/2009	SULFATE	37		MG/L
MW-074	2/24/2009	TETRACHLOROETHENE	0.001		MG/L
MW-074	2/24/2009	THALLIUM	0.002	U	MG/L
MW-074	2/24/2009	TOLUENE	0.001	U	MG/L
MW-074	2/24/2009	TOTAL DISSOLVED SOLIDS	180		MG/L
MW-074	2/24/2009	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-074	2/24/2009	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-074	2/24/2009	TRANS-1,4-DICHLORO-2-BUTENE	0.001	U	MG/L
MW-074	2/24/2009	TRICHLOROETHENE	0.001	U	MG/L
MW-074	2/24/2009	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-074	2/24/2009	TURBIDITY	2.8		NTU
MW-074	2/24/2009	VANADIUM	0.005	U	MG/L
MW-074	2/24/2009	VINYL ACETATE	0.001	U	MG/L
MW-074	2/24/2009	VINYL CHLORIDE	0.001	U	MG/L
MW-074	2/24/2009	ZINC	0.01	U	MG/L
MW-074	8/27/2009	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-074	8/27/2009	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-074	8/27/2009	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-074	8/27/2009	1,1,2-TRICHLOROETHANE	0.001	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-074	8/27/2009	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-074	8/27/2009	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-074	8/27/2009	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-074	8/27/2009	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-074	8/27/2009	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-074	8/27/2009	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-074	8/27/2009	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-074	8/27/2009	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-074	8/27/2009	1,4-DICHLOROBENZENE	0.001	U	MG/L
MW-074	8/27/2009	2-BUTANONE	0.005	U	MG/L
MW-074	8/27/2009	2-HEXANONE	0.005	U	MG/L
MW-074	8/27/2009	4-BROMOFLUOROBENZENE	0.0224		MG/L
MW-074	8/27/2009	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-074	8/27/2009	ACETONE	0.005	U	MG/L
MW-074	8/27/2009	ACRYLONITRILE	0.005	U	MG/L
MW-074	8/27/2009	ALKALINITY	180		MG/L
MW-074	8/27/2009	AMMONIA	0.10	U	MG/L
MW-074	8/27/2009	ANTIMONY	0.002	U	MG/L
MW-074	8/27/2009	ARSENIC	0.005	U	MG/L
MW-074	8/27/2009	BARIUM	0.044		MG/L
MW-074	8/27/2009	BENZENE	0.001	U	MG/L
MW-074	8/27/2009	BERYLLIUM	0.001	U	MG/L
MW-074	8/27/2009	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-074	8/27/2009	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-074	8/27/2009	BROMOFORM	0.001	U	MG/L
MW-074	8/27/2009	BROMOMETHANE	0.001	U	MG/L
MW-074	8/27/2009	CADMIUM	0.0005	U	MG/L
MW-074	8/27/2009	CARBON DISULFIDE	0.001	U	MG/L
MW-074	8/27/2009	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-074	8/27/2009	CHEMICAL OXYGEN DEMAND	10		MG/L
MW-074	8/27/2009	CHLORIDE	20		MG/L
MW-074	8/27/2009	CHLOROBENZENE	0.001	U	MG/L
MW-074	8/27/2009	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-074	8/27/2009	CHLOROETHANE	0.001	U	MG/L
MW-074	8/27/2009	CHLOROFORM	0.001	U	MG/L
MW-074	8/27/2009	CHLOROMETHANE	0.001	U	MG/L
MW-074	8/27/2009	CHROMIUM	0.0025	U	MG/L
MW-074	8/27/2009	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-074	8/27/2009	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-074	8/27/2009	COBALT	0.005	U	MG/L
MW-074	8/27/2009	COPPER	0.002	U	MG/L
MW-074	8/27/2009	CYANIDE	0.005	U	MG/L
MW-074	8/27/2009	DIBROMOMETHANE	0.001	U	MG/L
MW-074	8/27/2009	ETHYLBENZENE	0.001	U	MG/L
MW-074	8/27/2009	FLUORIDE	0.42		MG/L
MW-074	8/27/2009	FLUORODIBROMOMETHANE	0.0225		MG/L
MW-074	8/27/2009	FREE CYANIDE	0.0017	U	MG/L
MW-074	8/27/2009	GALLIUM	0.0058		MG/L
MW-074	8/27/2009	HARDNESS	260		MG/L
MW-074	8/27/2009	IRON	0.005	U	MG/L
MW-074	8/27/2009	LEAD	0.002	U	MG/L
MW-074	8/27/2009	M+P-XYLENES	0.001	U	MG/L
MW-074	8/27/2009	MANGANESE	0.005	U	MG/L
MW-074	8/27/2009	MERCURY	0.0002	U	MG/L
MW-074	8/27/2009	METHYL IODIDE	0.001	U	MG/L
MW-074	8/27/2009	METHYLENE CHLORIDE	0.001	U	MG/L
MW-074	8/27/2009	NICKEL	0.005	U	MG/L
MW-074	8/27/2009	NITRITE	0.005	U	MG/L
MW-074	8/27/2009	NITRITE/NITRATE-N	0.18		MG/L
MW-074	8/27/2009	O-XYLENE	0.001	U	MG/L
MW-074	8/27/2009	SELENIUM	0.005	U	MG/L
MW-074	8/27/2009	SILVER	0.002	U	MG/L
MW-074	8/27/2009	SODIUM	12		MG/L
MW-074	8/27/2009	STYRENE	0.001	U	MG/L
MW-074	8/27/2009	SULFATE	32		MG/L
MW-074	8/27/2009	TETRACHLOROETHENE	0.001	U	MG/L
MW-074	8/27/2009	THALLIUM	0.002	U	MG/L
MW-074	8/27/2009	TOLUENE	0.001	U	MG/L
MW-074	8/27/2009	TOTAL DISSOLVED SOLIDS	76		MG/L
MW-074	8/27/2009	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-074	8/27/2009	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-074	8/27/2009	TRANS-1,4-DICHLORO-2-BUTENE	0.001	U	MG/L
MW-074	8/27/2009	TRICHLOROETHENE	0.001	U	MG/L
MW-074	8/27/2009	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-074	8/27/2009	TURBIDITY	0.18		NTU
MW-074	8/27/2009	VANADIUM	0.005	U	MG/L
MW-074	8/27/2009	VINYL ACETATE	0.001	U	MG/L
MW-074	8/27/2009	VINYL CHLORIDE	0.001	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-074	8/27/2009	ZINC	0.015	U	MG/L
MW-074	3/18/2010	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-074	3/18/2010	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-074	3/18/2010	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-074	3/18/2010	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-074	3/18/2010	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-074	3/18/2010	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-074	3/18/2010	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-074	3/18/2010	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-074	3/18/2010	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-074	3/18/2010	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-074	3/18/2010	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-074	3/18/2010	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-074	3/18/2010	1,4-DICHLOROBENZENE	0.001	U	MG/L
MW-074	3/18/2010	2-BUTANONE	0.005	U	MG/L
MW-074	3/18/2010	2-HEXANONE	0.005	U	MG/L
MW-074	3/18/2010	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-074	3/18/2010	ACETONE	0.005	U	MG/L
MW-074	3/18/2010	ACRYLONITRILE	0.005	U	MG/L
MW-074	3/18/2010	ALKALINITY	190		MG/L
MW-074	3/18/2010	AMMONIA	0.15		MG/L
MW-074	3/18/2010	ANTIMONY	0.002	U	MG/L
MW-074	3/18/2010	ARSENIC	0.002	U	MG/L
MW-074	3/18/2010	BARIUM	0.037		MG/L
MW-074	3/18/2010	BENZENE	0.001	U	MG/L
MW-074	3/18/2010	BERYLLIUM	0.001	U	MG/L
MW-074	3/18/2010	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-074	3/18/2010	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-074	3/18/2010	BROMOFORM	0.001	U	MG/L
MW-074	3/18/2010	BROMOMETHANE	0.001	U	MG/L
MW-074	3/18/2010	CADMIUM	0.0005	U	MG/L
MW-074	3/18/2010	CALCIUM	86		MG/L
MW-074	3/18/2010	CARBON DISULFIDE	0.001	U	MG/L
MW-074	3/18/2010	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-074	3/18/2010	CHEMICAL OXYGEN DEMAND	10	U	MG/L
MW-074	3/18/2010	CHLORIDE	22		MG/L
MW-074	3/18/2010	CHLOROETHANE	0.001	U	MG/L
MW-074	3/18/2010	CHLOROBENZENE	0.001	U	MG/L
MW-074	3/18/2010	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-074	3/18/2010	CHLOROETHANE	0.001	U	MG/L
MW-074	3/18/2010	CHLOROFORM	0.001	U	MG/L
MW-074	3/18/2010	CHLOROMETHANE	0.001	U	MG/L
MW-074	3/18/2010	CHROMIUM	0.0025	U	MG/L
MW-074	3/18/2010	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-074	3/18/2010	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-074	3/18/2010	COBALT	0.005	U	MG/L
MW-074	3/18/2010	COPPER	0.002	U	MG/L
MW-074	3/18/2010	CYANIDE	0.005	U	MG/L
MW-074	3/18/2010	DIBROMOMETHANE	0.001	U	MG/L
MW-074	3/18/2010	ETHYLBENZENE	0.001	U	MG/L
MW-074	3/18/2010	FLUORIDE	0.50		MG/L
MW-074	3/18/2010	FREE CYANIDE	0.0034	U	MG/L
MW-074	3/18/2010	HARDNESS	250		MG/L
MW-074	3/18/2010	IRON	0.06		MG/L
MW-074	3/18/2010	LEAD	0.002	U	MG/L
MW-074	3/18/2010	MAGNESIUM	9.4		MG/L
MW-074	3/18/2010	MANGANESE	0.005	U	MG/L
MW-074	3/18/2010	MERCURY	0.0002	U	MG/L
MW-074	3/18/2010	METHYL IODIDE	0.001	U	MG/L
MW-074	3/18/2010	METHYL TERT-BUTYL ETHER	0.001	U	MG/L
MW-074	3/18/2010	METHYLENE CHLORIDE	0.001	U	MG/L
MW-074	3/18/2010	NICKEL	0.005	U	MG/L
MW-074	3/18/2010	NITRATE	0.70		MG/L
MW-074	3/18/2010	O-XYLENE	0.001	U	MG/L
MW-074	3/18/2010	POTASSIUM	1.7		MG/L
MW-074	3/18/2010	SELENIUM	0.005	U	MG/L
MW-074	3/18/2010	SILVER	0.002	U	MG/L
MW-074	3/18/2010	SODIUM	12		MG/L
MW-074	3/18/2010	STYRENE	0.001	U	MG/L
MW-074	3/18/2010	SULFATE	48		MG/L
MW-074	3/18/2010	TETRACHLOROETHENE	0.001	U	MG/L
MW-074	3/18/2010	THALLIUM	0.002	U	MG/L
MW-074	3/18/2010	TOLUENE	0.001	U	MG/L
MW-074	3/18/2010	TOTAL DISSOLVED SOLIDS	310		MG/L
MW-074	3/18/2010	TOTAL XYLENES	0.001	U	MG/L
MW-074	3/18/2010	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-074	3/18/2010	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-074	3/18/2010	TRANS-1,4-DICHLORO-2-BUTENE	0.001	U	MG/L
MW-074	3/18/2010	TRICHLOROETHENE	0.001	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-074	3/18/2010	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-074	3/18/2010	TURBIDITY	0.78		NTU
MW-074	3/18/2010	VANADIUM	0.005	U	MG/L
MW-074	3/18/2010	VINYL ACETATE	0.001	U	MG/L
MW-074	3/18/2010	VINYL CHLORIDE	0.001	U	MG/L
MW-074	3/18/2010	ZINC	0.01	U	MG/L
MW-074	8/26/2010	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-074	8/26/2010	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-074	8/26/2010	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-074	8/26/2010	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-074	8/26/2010	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-074	8/26/2010	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-074	8/26/2010	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-074	8/26/2010	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-074	8/26/2010	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-074	8/26/2010	1,2-DICHLOROETHENE	0.001	U	MG/L
MW-074	8/26/2010	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-074	8/26/2010	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-074	8/26/2010	1,4-DICHLOROETHANE	0.001	U	MG/L
MW-074	8/26/2010	2-BUTANONE	0.005	U	MG/L
MW-074	8/26/2010	2-HEXANONE	0.005	U	MG/L
MW-074	8/26/2010	4-BROMOFLUOROBENZENE	0.0257		MG/L
MW-074	8/26/2010	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-074	8/26/2010	ACETONE	0.005	U	MG/L
MW-074	8/26/2010	ACRYLONITRILE	0.005	U	MG/L
MW-074	8/26/2010	ALKALINITY	110		MG/L
MW-074	8/26/2010	AMMONIA	0.10	U	MG/L
MW-074	8/26/2010	ANTIMONY	0.001	U	MG/L
MW-074	8/26/2010	ARSENIC	0.001	U	MG/L
MW-074	8/26/2010	BARIUM	0.044		MG/L
MW-074	8/26/2010	BENZENE	0.001	U	MG/L
MW-074	8/26/2010	BERYLLIUM	0.001	U	MG/L
MW-074	8/26/2010	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-074	8/26/2010	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-074	8/26/2010	BROMOFORM	0.001	U	MG/L
MW-074	8/26/2010	BROMOMETHANE	0.001	U	MG/L
MW-074	8/26/2010	CADMIUM	0.0005	U	MG/L
MW-074	8/26/2010	CALCIUM	92		MG/L
MW-074	8/26/2010	CARBON DISULFIDE	0.001	U	MG/L
MW-074	8/26/2010	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-074	8/26/2010	CHEMICAL OXYGEN DEMAND	10	U	MG/L
MW-074	8/26/2010	CHLORIDE	9		MG/L
MW-074	8/26/2010	CHLOROETHANE	0.001	U	MG/L
MW-074	8/26/2010	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-074	8/26/2010	CHLOROETHANE	0.001	U	MG/L
MW-074	8/26/2010	CHLOROFORM	0.001	U	MG/L
MW-074	8/26/2010	CHLOROMETHANE	0.001	U	MG/L
MW-074	8/26/2010	CHROMIUM	0.0013		MG/L
MW-074	8/26/2010	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-074	8/26/2010	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-074	8/26/2010	COBALT	0.0025	U	MG/L
MW-074	8/26/2010	COPPER	0.001	U	MG/L
MW-074	8/26/2010	CYANIDE	0.0012		MG/L
MW-074	8/26/2010	DIBROMOMETHANE	0.001	U	MG/L
MW-074	8/26/2010	ETHYLBENZENE	0.001	U	MG/L
MW-074	8/26/2010	FLUORIDE	0.45		MG/L
MW-074	8/26/2010	FLUORODIBROMOMETHANE	0.0248		MG/L
MW-074	8/26/2010	FREE CYANIDE	0.0034	U	MG/L
MW-074	8/26/2010	HARDNESS	270		MG/L
MW-074	8/26/2010	IRON	0.015		MG/L
MW-074	8/26/2010	LEAD	0.001	U	MG/L
MW-074	8/26/2010	M+P-XYLENES	0.001	U	MG/L
MW-074	8/26/2010	MAGNESIUM	9.5		MG/L
MW-074	8/26/2010	MANGANESE	0.0025	U	MG/L
MW-074	8/26/2010	MERCURY	0.0002	U	MG/L
MW-074	8/26/2010	METHYL IODIDE	0.001	U	MG/L
MW-074	8/26/2010	METHYL TERT-BUTYL ETHER	0.001	U	MG/L
MW-074	8/26/2010	METHYLENE CHLORIDE	0.001	U	MG/L
MW-074	8/26/2010	NICKEL	0.0025	U	MG/L
MW-074	8/26/2010	NITRATE	0.05	U	MG/L
MW-074	8/26/2010	NITRITE	0.012	U	MG/L
MW-074	8/26/2010	NITRITE/NITRATE-N	0.05	U	MG/L
MW-074	8/26/2010	O-XYLENE	0.001	U	MG/L
MW-074	8/26/2010	POTASSIUM	1.9		MG/L
MW-074	8/26/2010	SELENIUM	0.0025	U	MG/L
MW-074	8/26/2010	SILVER	0.0012		MG/L
MW-074	8/26/2010	SODIUM	12		MG/L
MW-074	8/26/2010	STYRENE	0.001	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-074	8/26/2010	SULFATE	41		MG/L
MW-074	8/26/2010	TETRACHLOROETHENE	0.001	U	MG/L
MW-074	8/26/2010	THALLIUM	0.001	U	MG/L
MW-074	8/26/2010	TOLUENE	0.001	U	MG/L
MW-074	8/26/2010	TOTAL DISSOLVED SOLIDS	350		MG/L
MW-074	8/26/2010	TOTAL XYLENES	0.0014	U	MG/L
MW-074	8/26/2010	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-074	8/26/2010	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-074	8/26/2010	TRANS-1,4-DICHLORO-2-BUTENE	0.001	U	MG/L
MW-074	8/26/2010	TRICHLOROETHENE	0.001	U	MG/L
MW-074	8/26/2010	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-074	8/26/2010	TURBIDITY	1.2		NTU
MW-074	8/26/2010	VANADIUM	0.0025	U	MG/L
MW-074	8/26/2010	VINYL ACETATE	0.001	U	MG/L
MW-074	8/26/2010	VINYL CHLORIDE	0.001	U	MG/L
MW-074	8/26/2010	ZINC	0.005	U	MG/L
MW-074	2/23/2011	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-074	2/23/2011	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-074	2/23/2011	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-074	2/23/2011	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-074	2/23/2011	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-074	2/23/2011	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-074	2/23/2011	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-074	2/23/2011	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-074	2/23/2011	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-074	2/23/2011	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-074	2/23/2011	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-074	2/23/2011	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-074	2/23/2011	1,4-DICHLOROBENZENE	0.001	U	MG/L
MW-074	2/23/2011	2-BUTANONE	0.005	U	MG/L
MW-074	2/23/2011	2-HEXANONE	0.005	U	MG/L
MW-074	2/23/2011	4-BROMOFLUOROBENZENE	0.0245		MG/L
MW-074	2/23/2011	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-074	2/23/2011	ACETONE	0.005	U	MG/L
MW-074	2/23/2011	ACRYLONITRILE	0.005	U	MG/L
MW-074	2/23/2011	ALKALINITY	210		MG/L
MW-074	2/23/2011	AMMONIA	1.9		MG/L
MW-074	2/23/2011	ANTIMONY	0.002	U	MG/L
MW-074	2/23/2011	ARSENIC	0.002	U	MG/L
MW-074	2/23/2011	BARIUM	0.039		MG/L
MW-074	2/23/2011	BENZENE	0.001	U	MG/L
MW-074	2/23/2011	BERYLLIUM	0.001	U	MG/L
MW-074	2/23/2011	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-074	2/23/2011	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-074	2/23/2011	BROMOFORM	0.001	U	MG/L
MW-074	2/23/2011	BROMOMETHANE	0.001	U	MG/L
MW-074	2/23/2011	CADMIUM	0.0005	U	MG/L
MW-074	2/23/2011	CALCIUM	93		MG/L
MW-074	2/23/2011	CARBON DISULFIDE	0.001	U	MG/L
MW-074	2/23/2011	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-074	2/23/2011	CHEMICAL OXYGEN DEMAND	17		MG/L
MW-074	2/23/2011	CHLORIDE	19		MG/L
MW-074	2/23/2011	CHLOROBENZENE	0.001	U	MG/L
MW-074	2/23/2011	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-074	2/23/2011	CHLOROETHANE	0.001	U	MG/L
MW-074	2/23/2011	CHLOROFORM	0.001	U	MG/L
MW-074	2/23/2011	CHLOROMETHANE	0.001	U	MG/L
MW-074	2/23/2011	CHROMIUM	0.002	U	MG/L
MW-074	2/23/2011	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-074	2/23/2011	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-074	2/23/2011	COBALT	0.005	U	MG/L
MW-074	2/23/2011	COPPER	0.001	U	MG/L
MW-074	2/23/2011	CYANIDE	0.001		MG/L
MW-074	2/23/2011	DIBROMOMETHANE	0.001	U	MG/L
MW-074	2/23/2011	ETHYLBENZENE	0.001	U	MG/L
MW-074	2/23/2011	FLUORIDE	0.41		MG/L
MW-074	2/23/2011	FLUORODIBROMOMETHANE	0.026		MG/L
MW-074	2/23/2011	FREE CYANIDE	0.0034	U	MG/L
MW-074	2/23/2011	HARDNESS	270		MG/L
MW-074	2/23/2011	IRON	0.043		MG/L
MW-074	2/23/2011	LEAD	0.001	U	MG/L
MW-074	2/23/2011	M+P-XYLENES	0.001	U	MG/L
MW-074	2/23/2011	MAGNESIUM	8.8		MG/L
MW-074	2/23/2011	MANGANESE	0.0023		MG/L
MW-074	2/23/2011	MERCURY	0.0002	U	MG/L
MW-074	2/23/2011	METHYL IODIDE	0.001	U	MG/L
MW-074	2/23/2011	METHYL TERT-BUTYL ETHER	0.001	U	MG/L
MW-074	2/23/2011	METHYLENE CHLORIDE	0.001	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-074	2/23/2011	NICKEL	0.005	U	MG/L
MW-074	2/23/2011	NITRATE	0.06		MG/L
MW-074	2/23/2011	O-XYLENE	0.001	U	MG/L
MW-074	2/23/2011	POTASSIUM	1.6		MG/L
MW-074	2/23/2011	SELENIUM	0.005	U	MG/L
MW-074	2/23/2011	SILVER	0.001	U	MG/L
MW-074	2/23/2011	SODIUM	10		MG/L
MW-074	2/23/2011	STYRENE	0.001	U	MG/L
MW-074	2/23/2011	SULFATE	38		MG/L
MW-074	2/23/2011	TETRACHLOROETHENE	0.0011		MG/L
MW-074	2/23/2011	THALLIUM	0.001	U	MG/L
MW-074	2/23/2011	TOLUENE	0.001	U	MG/L
MW-074	2/23/2011	TOTAL DISSOLVED SOLIDS	310		MG/L
MW-074	2/23/2011	TOTAL XYLENES	0.0014	U	MG/L
MW-074	2/23/2011	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-074	2/23/2011	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-074	2/23/2011	TRANS-1,4-DICHLORO-2-BUTENE	0.001	U	MG/L
MW-074	2/23/2011	TRICHLOROETHENE	0.001	U	MG/L
MW-074	2/23/2011	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-074	2/23/2011	TURBIDITY	4.3		NTU
MW-074	2/23/2011	VANADIUM	0.005	U	MG/L
MW-074	2/23/2011	VINYL ACETATE	0.001	U	MG/L
MW-074	2/23/2011	VINYL CHLORIDE	0.001	U	MG/L
MW-074	2/23/2011	ZINC	0.005	U	MG/L
MW-074	8/25/2011	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-074	8/25/2011	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-074	8/25/2011	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-074	8/25/2011	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-074	8/25/2011	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-074	8/25/2011	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-074	8/25/2011	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-074	8/25/2011	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-074	8/25/2011	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-074	8/25/2011	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-074	8/25/2011	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-074	8/25/2011	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-074	8/25/2011	1,4-DICHLOROBENZENE	0.001	U	MG/L
MW-074	8/25/2011	2-BUTANONE	0.005	U	MG/L
MW-074	8/25/2011	2-HEXANONE	0.005	U	MG/L
MW-074	8/25/2011	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-074	8/25/2011	ACETONE	0.025	U	MG/L
MW-074	8/25/2011	ACRYLONITRILE	0.005	U	MG/L
MW-074	8/25/2011	ALKALINITY	210		MG/L
MW-074	8/25/2011	AMMONIA	0.025	J	MG/L
MW-074	8/25/2011	ANTIMONY	0.002	U	MG/L
MW-074	8/25/2011	ARSENIC	0.0013	J	MG/L
MW-074	8/25/2011	BARIUM	0.048		MG/L
MW-074	8/25/2011	BENZENE	0.001	U	MG/L
MW-074	8/25/2011	BERYLLIUM	0.00031	J	MG/L
MW-074	8/25/2011	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-074	8/25/2011	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-074	8/25/2011	BROMOFORM	0.001	U	MG/L
MW-074	8/25/2011	BROMOMETHANE	0.001	U	MG/L
MW-074	8/25/2011	CADMIUM	0.004	U	MG/L
MW-074	8/25/2011	CALCIUM	120		MG/L
MW-074	8/25/2011	CARBON DISULFIDE	0.001	U	MG/L
MW-074	8/25/2011	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-074	8/25/2011	CHEMICAL OXYGEN DEMAND	10		MG/L
MW-074	8/25/2011	CHLORIDE	25		MG/L
MW-074	8/25/2011	CHLOROBENZENE	0.001	U	MG/L
MW-074	8/25/2011	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-074	8/25/2011	CHLOROETHANE	0.001	U	MG/L
MW-074	8/25/2011	CHLOROFORM	0.001	U	MG/L
MW-074	8/25/2011	CHLOROMETHANE	0.001	U	MG/L
MW-074	8/25/2011	CHROMIUM	0.0016	J	MG/L
MW-074	8/25/2011	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-074	8/25/2011	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-074	8/25/2011	COBALT	0.00093	J	MG/L
MW-074	8/25/2011	COPPER	0.013		MG/L
MW-074	8/25/2011	CYANIDE	0.005	U	MG/L
MW-074	8/25/2011	DIBROMOMETHANE	0.001	U	MG/L
MW-074	8/25/2011	ETHYLBENZENE	0.001	U	MG/L
MW-074	8/25/2011	FLUORIDE	0.38		MG/L
MW-074	8/25/2011	FREE CYANIDE	0.005	U	MG/L
MW-074	8/25/2011	HARDNESS	330		MG/L
MW-074	8/25/2011	IRON	2.3		MG/L
MW-074	8/25/2011	LEAD	0.0063		MG/L
MW-074	8/25/2011	MAGNESIUM	10		MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-074	8/25/2011	MANGANESE	0.048		MG/L
MW-074	8/25/2011	MERCURY	0.0002	U	MG/L
MW-074	8/25/2011	METHYL IODIDE	0.001	U	MG/L
MW-074	8/25/2011	METHYL TERT-BUTYL ETHER	0.001	U	MG/L
MW-074	8/25/2011	METHYLENE CHLORIDE	0.001	U	MG/L
MW-074	8/25/2011	NICKEL	0.0055	J	MG/L
MW-074	8/25/2011	NITRATE	4		MG/L
MW-074	8/25/2011	POTASSIUM	2.3		MG/L
MW-074	8/25/2011	SELENIUM	0.00048	J	MG/L
MW-074	8/25/2011	SILVER	0.01	U	MG/L
MW-074	8/25/2011	SODIUM	11		MG/L
MW-074	8/25/2011	STYRENE	0.001	U	MG/L
MW-074	8/25/2011	SULFATE	35		MG/L
MW-074	8/25/2011	TETRACHLOROETHENE	0.0013		MG/L
MW-074	8/25/2011	THALLIUM	0.002	U	MG/L
MW-074	8/25/2011	TOLUENE	0.001	U	MG/L
MW-074	8/25/2011	TOTAL DISSOLVED SOLIDS	300		MG/L
MW-074	8/25/2011	TOTAL XYLENES	0.0014	U	MG/L
MW-074	8/25/2011	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-074	8/25/2011	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-074	8/25/2011	TRANS-1,4-DICHLORO-2-BUTENE	0.001	U	MG/L
MW-074	8/25/2011	TRICHLOROETHENE	0.001	U	MG/L
MW-074	8/25/2011	TRICHLOROFUOROMETHANE	0.001	U	MG/L
MW-074	8/25/2011	TURBIDITY	25		NTU
MW-074	8/25/2011	VANADIUM	0.0056	J	MG/L
MW-074	8/25/2011	VINYL ACETATE	0.001	U	MG/L
MW-074	8/25/2011	VINYL CHLORIDE	0.001	U	MG/L
MW-074	8/25/2011	ZINC	0.0067	J	MG/L
MW-074	2/29/2012	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-074	2/29/2012	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-074	2/29/2012	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-074	2/29/2012	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-074	2/29/2012	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-074	2/29/2012	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-074	2/29/2012	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-074	2/29/2012	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-074	2/29/2012	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-074	2/29/2012	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-074	2/29/2012	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-074	2/29/2012	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-074	2/29/2012	1,4-DICHLOROBENZENE	0.001	U	MG/L
MW-074	2/29/2012	2-BUTANONE	0.005	U	MG/L
MW-074	2/29/2012	2-HEXANONE	0.005	U	MG/L
MW-074	2/29/2012	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-074	2/29/2012	ACETONE	0.005	U	MG/L
MW-074	2/29/2012	ACRYLONITRILE	0.005	U	MG/L
MW-074	2/29/2012	ALKALINITY	230		MG/L
MW-074	2/29/2012	AMMONIA	0.043	J	MG/L
MW-074	2/29/2012	ANTIMONY	0.001	J	MG/L
MW-074	2/29/2012	ARSENIC	0.002	U	MG/L
MW-074	2/29/2012	BARIUM	0.038		MG/L
MW-074	2/29/2012	BENZENE	0.00072	J	MG/L
MW-074	2/29/2012	BERYLLIUM	0.002	U	MG/L
MW-074	2/29/2012	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-074	2/29/2012	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-074	2/29/2012	BROMOFORM	0.001	U	MG/L
MW-074	2/29/2012	BROMOMETHANE	0.001	U	MG/L
MW-074	2/29/2012	CADMIUM	0.004	U	MG/L
MW-074	2/29/2012	CALCIUM	95		MG/L
MW-074	2/29/2012	CARBON DISULFIDE	0.001	U	MG/L
MW-074	2/29/2012	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-074	2/29/2012	CHEMICAL OXYGEN DEMAND	10	U	MG/L
MW-074	2/29/2012	CHLORIDE	20		MG/L
MW-074	2/29/2012	CHLOROBENZENE	0.001	U	MG/L
MW-074	2/29/2012	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-074	2/29/2012	CHLOROETHANE	0.001	U	MG/L
MW-074	2/29/2012	CHLOROFORM	0.001	U	MG/L
MW-074	2/29/2012	CHLOROMETHANE	0.001	U	MG/L
MW-074	2/29/2012	CHROMIUM	0.01	U	MG/L
MW-074	2/29/2012	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-074	2/29/2012	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-074	2/29/2012	COBALT	0.01	U	MG/L
MW-074	2/29/2012	COPPER	0.0022	J	MG/L
MW-074	2/29/2012	CYANIDE	0.005	U	MG/L
MW-074	2/29/2012	DIBROMOMETHANE	0.001	U	MG/L
MW-074	2/29/2012	ETHYLBENZENE	0.001	U	MG/L
MW-074	2/29/2012	FLUORIDE	0.39		MG/L
MW-074	2/29/2012	FREE CYANIDE	0.005	U	MG/L



Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-074	2/29/2012	HARDNESS	280		MG/L
MW-074	2/29/2012	IRON	0.37		MG/L
MW-074	2/29/2012	LEAD	0.00064	J	MG/L
MW-074	2/29/2012	MAGNESIUM	9.5		MG/L
MW-074	2/29/2012	MANGANESE	0.012		MG/L
MW-074	2/29/2012	MERCURY	0.0002	U	MG/L
MW-074	2/29/2012	METHYL IODIDE	0.001	U	MG/L
MW-074	2/29/2012	METHYL TERT-BUTYL ETHER	0.001	U	MG/L
MW-074	2/29/2012	METHYLENE CHLORIDE	0.001	U	MG/L
MW-074	2/29/2012	NICKEL	0.0038	J	MG/L
MW-074	2/29/2012	NITRATE	3.3		MG/L
MW-074	2/29/2012	NITRITE	0.012	U	MG/L
MW-074	2/29/2012	NITRITE/NITRATE-N	3.3		MG/L
MW-074	2/29/2012	POTASSIUM	1.5		MG/L
MW-074	2/29/2012	SELENIUM	0.035	U	MG/L
MW-074	2/29/2012	SILVER	0.01	U	MG/L
MW-074	2/29/2012	SODIUM	12	B	MG/L
MW-074	2/29/2012	STYRENE	0.001	U	MG/L
MW-074	2/29/2012	SULFATE	30	B	MG/L
MW-074	2/29/2012	TETRACHLOROETHENE	0.001	U	MG/L
MW-074	2/29/2012	THALLIUM	0.002	U	MG/L
MW-074	2/29/2012	TOLUENE	0.001	U	MG/L
MW-074	2/29/2012	TOTAL DISSOLVED SOLIDS	250		MG/L
MW-074	2/29/2012	TOTAL XYLENES	0.001	U	MG/L
MW-074	2/29/2012	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-074	2/29/2012	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-074	2/29/2012	TRANS-1,4-DICHLORO-2-BUTENE	0.005	U	MG/L
MW-074	2/29/2012	TRICHLOROETHENE	0.001	U	MG/L
MW-074	2/29/2012	TRICHLOROFUOROMETHANE	0.001	U	MG/L
MW-074	2/29/2012	TURBIDITY	16		NTU
MW-074	2/29/2012	VINYL ACETATE	0.001	U	MG/L
MW-074	2/29/2012	VINYL CHLORIDE	0.001	U	MG/L
MW-074	2/29/2012	ZINC	0.0019	J	MG/L
MW-074	8/23/2012	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-074	8/23/2012	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-074	8/23/2012	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-074	8/23/2012	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-074	8/23/2012	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-074	8/23/2012	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-074	8/23/2012	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-074	8/23/2012	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-074	8/23/2012	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-074	8/23/2012	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-074	8/23/2012	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-074	8/23/2012	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-074	8/23/2012	1,4-DICHLOROBENZENE	0.001	U	MG/L
MW-074	8/23/2012	2-BUTANONE	0.005	U	MG/L
MW-074	8/23/2012	2-HEXANONE	0.005	U	MG/L
MW-074	8/23/2012	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-074	8/23/2012	ACETONE	0.005	U	MG/L
MW-074	8/23/2012	ACRYLONITRILE	0.005	U	MG/L
MW-074	8/23/2012	ALKALINITY	200		MG/L
MW-074	8/23/2012	AMMONIA	1	U	MG/L
MW-074	8/23/2012	ANTIMONY	0.002	U	MG/L
MW-074	8/23/2012	ARSENIC	0.002	U	MG/L
MW-074	8/23/2012	BARIUM	0.041		MG/L
MW-074	8/23/2012	BENZENE	0.001	U	MG/L
MW-074	8/23/2012	BERYLLIUM	0.002	U	MG/L
MW-074	8/23/2012	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-074	8/23/2012	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-074	8/23/2012	BROMOFORM	0.001	U	MG/L
MW-074	8/23/2012	BROMOMETHANE	0.001	U	MG/L
MW-074	8/23/2012	CADMIUM	0.004	U	MG/L
MW-074	8/23/2012	CALCIUM	92		MG/L
MW-074	8/23/2012	CARBON DISULFIDE	0.001	U	MG/L
MW-074	8/23/2012	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-074	8/23/2012	CHEMICAL OXYGEN DEMAND	10	U	MG/L
MW-074	8/23/2012	CHLORIDE	25		MG/L
MW-074	8/23/2012	CHLOROBENZENE	0.001	U	MG/L
MW-074	8/23/2012	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-074	8/23/2012	CHLOROETHANE	0.001	U	MG/L
MW-074	8/23/2012	CHLOROFORM	0.001	U	MG/L
MW-074	8/23/2012	CHLOROMETHANE	0.001	U	MG/L
MW-074	8/23/2012	CHROMIUM	0.0011	J	MG/L
MW-074	8/23/2012	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-074	8/23/2012	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-074	8/23/2012	COBALT	0.00036	J	MG/L
MW-074	8/23/2012	COPPER	0.0043	J	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-074	8/23/2012	CYANIDE	0.0031	J	MG/L
MW-074	8/23/2012	DIBROMOMETHANE	0.001	U	MG/L
MW-074	8/23/2012	ETHYLBENZENE	0.001	U	MG/L
MW-074	8/23/2012	FLUORIDE	0.51		MG/L
MW-074	8/23/2012	FREE CYANIDE	0.005	U	MG/L
MW-074	8/23/2012	HARDNESS	270		MG/L
MW-074	8/23/2012	IRON	0.83		MG/L
MW-074	8/23/2012	LEAD	0.0022		MG/L
MW-074	8/23/2012	MAGNESIUM	9.7		MG/L
MW-074	8/23/2012	MANGANESE	0.031		MG/L
MW-074	8/23/2012	MERCURY	0.0002	U	MG/L
MW-074	8/23/2012	METHYL IODIDE	0.001	U	MG/L
MW-074	8/23/2012	METHYL TERT-BUTYL ETHER	0.001	U	MG/L
MW-074	8/23/2012	METHYLENE CHLORIDE	0.001	U	MG/L
MW-074	8/23/2012	NICKEL	0.0034	J	MG/L
MW-074	8/23/2012	NITRATE	3.4		MG/L
MW-074	8/23/2012	POTASSIUM	1.8		MG/L
MW-074	8/23/2012	SELENIUM	0.035	U	MG/L
MW-074	8/23/2012	SILVER	0.01	U	MG/L
MW-074	8/23/2012	SODIUM	13		MG/L
MW-074	8/23/2012	STYRENE	0.001	U	MG/L
MW-074	8/23/2012	SULFATE	36		MG/L
MW-074	8/23/2012	TETRACHLOROETHENE	0.001	U	MG/L
MW-074	8/23/2012	THALLIUM	0.002	U	MG/L
MW-074	8/23/2012	TOLUENE	0.001	U	MG/L
MW-074	8/23/2012	TOTAL DISSOLVED SOLIDS	340		MG/L
MW-074	8/23/2012	TOTAL XYLENES	0.001	U	MG/L
MW-074	8/23/2012	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-074	8/23/2012	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-074	8/23/2012	TRANS-1,4-DICHLORO-2-BUTENE	0.005	U	MG/L
MW-074	8/23/2012	TRICHLOROETHENE	0.001	U	MG/L
MW-074	8/23/2012	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-074	8/23/2012	TURBIDITY	4.5		NTU
MW-074	8/23/2012	VANADIUM	0.00046	J	MG/L
MW-074	8/23/2012	VINYL ACETATE	0.001	U	MG/L
MW-074	8/23/2012	VINYL CHLORIDE	0.001	U	MG/L
MW-074	8/23/2012	ZINC	0.0034	J	MG/L
MW-074	2/27/2013	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-074	2/27/2013	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-074	2/27/2013	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-074	2/27/2013	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-074	2/27/2013	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-074	2/27/2013	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-074	2/27/2013	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-074	2/27/2013	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-074	2/27/2013	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-074	2/27/2013	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-074	2/27/2013	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-074	2/27/2013	1,4-DICHLOROETHANE	0.001	U	MG/L
MW-074	2/27/2013	2-BUTANONE	0.005	U	MG/L
MW-074	2/27/2013	2-HEXANONE	0.005	U	MG/L
MW-074	2/27/2013	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-074	2/27/2013	ACETONE	0.005	U	MG/L
MW-074	2/27/2013	ACRYLONITRILE	0.005	U	MG/L
MW-074	2/27/2013	ALKALINITY	140		MG/L
MW-074	2/27/2013	AMMONIA	0.041	J	MG/L
MW-074	2/27/2013	ANTIMONY	0.0011	J	MG/L
MW-074	2/27/2013	ARSENIC	0.002	U	MG/L
MW-074	2/27/2013	BARIUM	0.041		MG/L
MW-074	2/27/2013	BENZENE	0.001	U	MG/L
MW-074	2/27/2013	BERYLLIUM	0.002	U	MG/L
MW-074	2/27/2013	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-074	2/27/2013	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-074	2/27/2013	BROMOFORM	0.001	U	MG/L
MW-074	2/27/2013	BROMOMETHANE	0.001	U	MG/L
MW-074	2/27/2013	CADMIUM	0.004	U	MG/L
MW-074	2/27/2013	CALCIUM	73		MG/L
MW-074	2/27/2013	CARBON DISULFIDE	0.001	U	MG/L
MW-074	2/27/2013	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-074	2/27/2013	CHEMICAL OXYGEN DEMAND	11		MG/L
MW-074	2/27/2013	CHLORIDE	31		MG/L
MW-074	2/27/2013	CHLOROBENZENE	0.001	U	MG/L
MW-074	2/27/2013	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-074	2/27/2013	CHLOROETHANE	0.001	U	MG/L
MW-074	2/27/2013	CHLOROFORM	0.001	U	MG/L
MW-074	2/27/2013	CHLOROMETHANE	0.001	U	MG/L
MW-074	2/27/2013	CHROMIUM	0.0017	J	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-074	2/27/2013	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-074	2/27/2013	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-074	2/27/2013	COBALT	0.0015	J	MG/L
MW-074	2/27/2013	COPPER	0.0023	J	MG/L
MW-074	2/27/2013	CYANIDE	0.002	J	MG/L
MW-074	2/27/2013	DIBROMOMETHANE	0.001	U	MG/L
MW-074	2/27/2013	ETHYLBENZENE	0.001	U	MG/L
MW-074	2/27/2013	FLUORIDE	2		MG/L
MW-074	2/27/2013	FREE CYANIDE	0.005	U	MG/L
MW-074	2/27/2013	HARDNESS	210		MG/L
MW-074	2/27/2013	IRON	1.6		MG/L
MW-074	2/27/2013	LEAD	0.0013	J	MG/L
MW-074	2/27/2013	MAGNESIUM	7.5		MG/L
MW-074	2/27/2013	MANGANESE	0.082		MG/L
MW-074	2/27/2013	MERCURY	0.0002	U	MG/L
MW-074	2/27/2013	METHYL IODIDE	0.001	U	MG/L
MW-074	2/27/2013	METHYL TERT-BUTYL ETHER	0.001	U	MG/L
MW-074	2/27/2013	METHYLENE CHLORIDE	0.001	U	MG/L
MW-074	2/27/2013	NICKEL	0.0068	J	MG/L
MW-074	2/27/2013	NITRATE	0.06	U	MG/L
MW-074	2/27/2013	POTASSIUM	2.3	B	MG/L
MW-074	2/27/2013	SELENIUM	0.00043	J	MG/L
MW-074	2/27/2013	SILVER	0.01	U	MG/L
MW-074	2/27/2013	SODIUM	16	B	MG/L
MW-074	2/27/2013	STYRENE	0.001	U	MG/L
MW-074	2/27/2013	SULFATE	24		MG/L
MW-074	2/27/2013	TETRACHLOROETHENE	0.001	U	MG/L
MW-074	2/27/2013	THALLIUM	0.002	U	MG/L
MW-074	2/27/2013	TOLUENE	0.001	U	MG/L
MW-074	2/27/2013	TOTAL DISSOLVED SOLIDS	270		MG/L
MW-074	2/27/2013	TOTAL XYLENES	0.001	U	MG/L
MW-074	2/27/2013	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-074	2/27/2013	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-074	2/27/2013	TRANS-1,4-DICHLORO-2-BUTENE	0.005	U	MG/L
MW-074	2/27/2013	TRICHLOROETHENE	0.001	U	MG/L
MW-074	2/27/2013	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-074	2/27/2013	TURBIDITY	40		NTU
MW-074	2/27/2013	VANADIUM	0.0011	J	MG/L
MW-074	2/27/2013	VINYL ACETATE	0.001	U	MG/L
MW-074	2/27/2013	VINYL CHLORIDE	0.001	U	MG/L
MW-074	2/27/2013	ZINC	0.013		MG/L
MW-074	8/29/2013	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-074	8/29/2013	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-074	8/29/2013	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-074	8/29/2013	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-074	8/29/2013	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-074	8/29/2013	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-074	8/29/2013	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-074	8/29/2013	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-074	8/29/2013	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-074	8/29/2013	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-074	8/29/2013	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-074	8/29/2013	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-074	8/29/2013	1,4-DICHLOROBENZENE	0.001	U	MG/L
MW-074	8/29/2013	2-BUTANONE	0.005	U	MG/L
MW-074	8/29/2013	2-HEXANONE	0.005	U	MG/L
MW-074	8/29/2013	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-074	8/29/2013	ACETONE	0.00069	J	MG/L
MW-074	8/29/2013	ACRYLONITRILE	0.01	U	MG/L
MW-074	8/29/2013	ALKALINITY	180		MG/L
MW-074	8/29/2013	AMMONIA	0.10	J	MG/L
MW-074	8/29/2013	ANTIMONY	0.00078	JB	MG/L
MW-074	8/29/2013	ARSENIC	0.002	U	MG/L
MW-074	8/29/2013	BARIUM	0.043		MG/L
MW-074	8/29/2013	BENZENE	0.001	U	MG/L
MW-074	8/29/2013	BERYLLIUM	0.002	U	MG/L
MW-074	8/29/2013	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-074	8/29/2013	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-074	8/29/2013	BROMOFORM	0.001	U	MG/L
MW-074	8/29/2013	BROMOMETHANE	0.001	U	MG/L
MW-074	8/29/2013	CADMIUM	0.004	U	MG/L
MW-074	8/29/2013	CALCIUM	92		MG/L
MW-074	8/29/2013	CARBON DISULFIDE	0.001	U	MG/L
MW-074	8/29/2013	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-074	8/29/2013	CHEMICAL OXYGEN DEMAND	10	U	MG/L
MW-074	8/29/2013	CHLORIDE	23	B	MG/L
MW-074	8/29/2013	CHLOROBENZENE	0.001	U	MG/L
MW-074	8/29/2013	CHLORODIBROMOMETHANE	0.001	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-074	8/29/2013	CHLOROETHANE	0.001	U	MG/L
MW-074	8/29/2013	CHLOROFORM	0.001	U	MG/L
MW-074	8/29/2013	CHLOROMETHANE	0.001	U	MG/L
MW-074	8/29/2013	CHROMIUM	0.00091	J	MG/L
MW-074	8/29/2013	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-074	8/29/2013	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-074	8/29/2013	COBALT	0.00026	J	MG/L
MW-074	8/29/2013	COPPER	0.00084	J	MG/L
MW-074	8/29/2013	CYANIDE	0.005	U	MG/L
MW-074	8/29/2013	DIBROMOMETHANE	0.001	U	MG/L
MW-074	8/29/2013	ETHYLBENZENE	0.001	U	MG/L
MW-074	8/29/2013	FLUORIDE	0.65		MG/L
MW-074	8/29/2013	FREE CYANIDE	0.005	U	MG/L
MW-074	8/29/2013	HARDNESS	270		MG/L
MW-074	8/29/2013	IRON	0.67		MG/L
MW-074	8/29/2013	LEAD	0.00044	J	MG/L
MW-074	8/29/2013	MAGNESIUM	9.5		MG/L
MW-074	8/29/2013	MANGANESE	0.031		MG/L
MW-074	8/29/2013	MERCURY	0.0002	U	MG/L
MW-074	8/29/2013	METHYL IODIDE	0.002	U	MG/L
MW-074	8/29/2013	METHYL TERT-BUTYL ETHER	0.002	U	MG/L
MW-074	8/29/2013	METHYLENE CHLORIDE	0.001	U	MG/L
MW-074	8/29/2013	NICKEL	0.0019	J	MG/L
MW-074	8/29/2013	NITRATE	2.5		MG/L
MW-074	8/29/2013	POTASSIUM	2		MG/L
MW-074	8/29/2013	SELENIUM	0.035	U	MG/L
MW-074	8/29/2013	SILVER	0.01	U	MG/L
MW-074	8/29/2013	SODIUM	13	B	MG/L
MW-074	8/29/2013	STYRENE	0.001	U	MG/L
MW-074	8/29/2013	SULFATE	28		MG/L
MW-074	8/29/2013	TETRACHLOROETHENE	0.001	U	MG/L
MW-074	8/29/2013	THALLIUM	0.002	U	MG/L
MW-074	8/29/2013	TOLUENE	0.001	U	MG/L
MW-074	8/29/2013	TOTAL DISSOLVED SOLIDS	360		MG/L
MW-074	8/29/2013	TOTAL XYLENES	0.001	U	MG/L
MW-074	8/29/2013	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-074	8/29/2013	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-074	8/29/2013	TRANS-1,4-DICHLORO-2-BUTENE	0.005	U	MG/L
MW-074	8/29/2013	TRICHLOROETHENE	0.001	U	MG/L
MW-074	8/29/2013	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-074	8/29/2013	TURBIDITY	13		NTU
MW-074	8/29/2013	VANADIUM	0.01	U	MG/L
MW-074	8/29/2013	VINYL ACETATE	0.001	U	MG/L
MW-074	8/29/2013	VINYL CHLORIDE	0.001	U	MG/L
MW-074	8/29/2013	ZINC	0.0043	J	MG/L
MW-074	3/12/2014	1,1,1,2-TETRACHLOROETHANE	0.01	U	MG/L
MW-074	3/12/2014	1,1,1-TRICHLOROETHANE	0.005	U	MG/L
MW-074	3/12/2014	1,1,2,2-TETRACHLOROETHANE	0.005	U	MG/L
MW-074	3/12/2014	1,1,2-TRICHLOROETHANE	0.005	U	MG/L
MW-074	3/12/2014	1,1-DICHLOROETHANE	0.005	U	MG/L
MW-074	3/12/2014	1,1-DICHLOROETHENE	0.005	U	MG/L
MW-074	3/12/2014	1,2,3-TRICHLOROPROPANE	0.005	U	MG/L
MW-074	3/12/2014	1,2-DIBROMO-3-CHLOROPROPANE	0.01	U	MG/L
MW-074	3/12/2014	1,2-DIBROMOETHANE	0.005	U	MG/L
MW-074	3/12/2014	1,2-DICHLOROBENZENE	0.005	U	MG/L
MW-074	3/12/2014	1,2-DICHLOROETHANE	0.005	U	MG/L
MW-074	3/12/2014	1,2-DICHLOROPROPANE	0.005	U	MG/L
MW-074	3/12/2014	1,4-DICHLOROBENZENE	0.01	U	MG/L
MW-074	3/12/2014	2-BUTANONE	0.01	U	MG/L
MW-074	3/12/2014	2-HEXANONE	0.01	U	MG/L
MW-074	3/12/2014	4-METHYL-2-PENTANONE	0.01	U	MG/L
MW-074	3/12/2014	ACETONE	0.0033	J	MG/L
MW-074	3/12/2014	ACRYLONITRILE	0.10	U	MG/L
MW-074	3/12/2014	ALKALINITY	110		MG/L
MW-074	3/12/2014	AMMONIA	0.09	J	MG/L
MW-074	3/12/2014	ANTIMONY	0.002	U	MG/L
MW-074	3/12/2014	ARSENIC	0.00048	J	MG/L
MW-074	3/12/2014	BARIUM	0.027		MG/L
MW-074	3/12/2014	BENZENE	0.005	U	MG/L
MW-074	3/12/2014	BERYLLIUM	0.002	U	MG/L
MW-074	3/12/2014	BROMOCHLOROMETHANE	0.005	U	MG/L
MW-074	3/12/2014	BROMODICHLOROMETHANE	0.005	U	MG/L
MW-074	3/12/2014	BROMOFORM	0.005	U	MG/L
MW-074	3/12/2014	BROMOMETHANE	0.01	U	MG/L
MW-074	3/12/2014	CADIUM	0.004	U	MG/L
MW-074	3/12/2014	CALCIUM	66		MG/L
MW-074	3/12/2014	CARBON DISULFIDE	0.01	U	MG/L
MW-074	3/12/2014	CARBON TETRACHLORIDE	0.005	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-074	3/12/2014	CHEMICAL OXYGEN DEMAND	10	U	MG/L
MW-074	3/12/2014	CHLORIDE	32		MG/L
MW-074	3/12/2014	CHLOROBENZENE	0.005	U	MG/L
MW-074	3/12/2014	CHLORODIBROMOMETHANE	0.005	U	MG/L
MW-074	3/12/2014	CHLOROETHANE	0.01	U	MG/L
MW-074	3/12/2014	CHLOROFORM	0.005	U	MG/L
MW-074	3/12/2014	CHLOROMETHANE	0.01	U	MG/L
MW-074	3/12/2014	CHROMIUM	0.0011	J	MG/L
MW-074	3/12/2014	CIS-1,2-DICHLOROETHENE	0.005	U	MG/L
MW-074	3/12/2014	CIS-1,3-DICHLOROPROPENE	0.005	U	MG/L
MW-074	3/12/2014	COBALT	0.00042	J	MG/L
MW-074	3/12/2014	COPPER	0.0011	J	MG/L
MW-074	3/12/2014	CYANIDE	0.005	U	MG/L
MW-074	3/12/2014	DIBROMOMETHANE	0.005	U	MG/L
MW-074	3/12/2014	ETHYLBENZENE	0.005	U	MG/L
MW-074	3/12/2014	FLUORIDE	1.1		MG/L
MW-074	3/12/2014	FREE CYANIDE	0.005	U	MG/L
MW-074	3/12/2014	HARDNESS	190		MG/L
MW-074	3/12/2014	IRON	0.50		MG/L
MW-074	3/12/2014	LEAD	0.00048	J	MG/L
MW-074	3/12/2014	MAGNESIUM	5.9		MG/L
MW-074	3/12/2014	MANGANESE	0.021		MG/L
MW-074	3/12/2014	MERCURY	0.0002	U	MG/L
MW-074	3/12/2014	METHYL IODIDE	0.005	U	MG/L
MW-074	3/12/2014	METHYL TERT-BUTYL ETHER	0.005	U	MG/L
MW-074	3/12/2014	METHYLENE CHLORIDE	0.01	U	MG/L
MW-074	3/12/2014	NICKEL	0.0025	J	MG/L
MW-074	3/12/2014	NITRATE	1.9		MG/L
MW-074	3/12/2014	POTASSIUM	1.8		MG/L
MW-074	3/12/2014	SELENIUM	0.0009	J	MG/L
MW-074	3/12/2014	SILVER	0.01	U	MG/L
MW-074	3/12/2014	SODIUM	14	B	MG/L
MW-074	3/12/2014	STYRENE	0.005	U	MG/L
MW-074	3/12/2014	SULFATE	21		MG/L
MW-074	3/12/2014	TETRACHLOROETHENE	0.005	U	MG/L
MW-074	3/12/2014	THALLIUM	0.00049	J	MG/L
MW-074	3/12/2014	TOLUENE	0.005	U	MG/L
MW-074	3/12/2014	TOTAL DISSOLVED SOLIDS	240		MG/L
MW-074	3/12/2014	TOTAL XYLENES	0.005	U	MG/L
MW-074	3/12/2014	TRANS-1,2-DICHLOROETHENE	0.005	U	MG/L
MW-074	3/12/2014	TRANS-1,3-DICHLOROPROPENE	0.005	U	MG/L
MW-074	3/12/2014	TRANS-1,4-DICHLORO-2-BUTENE	0.005	U	MG/L
MW-074	3/12/2014	TRICHLOROETHENE	0.005	U	MG/L
MW-074	3/12/2014	TRICHLOROFLUOROMETHANE	0.01	U	MG/L
MW-074	3/12/2014	TURBIDITY	33		NTU
MW-074	3/12/2014	VANADIUM	0.01	U	MG/L
MW-074	3/12/2014	VINYL ACETATE	0.01	U	MG/L
MW-074	3/12/2014	VINYL CHLORIDE	0.002	U	MG/L
MW-074	3/12/2014	ZINC	0.004	J	MG/L
MW-074	3/12/2015	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-074	3/12/2015	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-074	3/12/2015	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-074	3/12/2015	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-074	3/12/2015	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-074	3/12/2015	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-074	3/12/2015	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-074	3/12/2015	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-074	3/12/2015	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-074	3/12/2015	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-074	3/12/2015	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-074	3/12/2015	1,4-DICHLOROETHANE	0.001	U	MG/L
MW-074	3/12/2015	2-BUTANONE	0.005	U	MG/L
MW-074	3/12/2015	2-HEXANONE	0.005	U	MG/L
MW-074	3/12/2015	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-074	3/12/2015	ACETONE	0.005	U	MG/L
MW-074	3/12/2015	ACRYLONITRILE	0.005	U	MG/L
MW-074	3/12/2015	ALKALINITY	160		MG/L
MW-074	3/12/2015	AMMONIA	1	U	MG/L
MW-074	3/12/2015	ANTIMONY	0.001	U	MG/L
MW-074	3/12/2015	ARSENIC	0.002	U	MG/L
MW-074	3/12/2015	BARIUM	0.033		MG/L
MW-074	3/12/2015	BENZENE	0.001	U	MG/L
MW-074	3/12/2015	BERYLLIUM	0.002	U	MG/L
MW-074	3/12/2015	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-074	3/12/2015	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-074	3/12/2015	BROMOFORM	0.001	U	MG/L
MW-074	3/12/2015	BROMOMETHANE	0.001	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-074	3/12/2015	CADIUM	0.004	U	MG/L
MW-074	3/12/2015	CALCIUM	67		MG/L
MW-074	3/12/2015	CARBON DISULFIDE	0.001	U	MG/L
MW-074	3/12/2015	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-074	3/12/2015	CHEMICAL OXYGEN DEMAND	10	U	MG/L
MW-074	3/12/2015	CHLORIDE	22		MG/L
MW-074	3/12/2015	CHLOROENZENE	0.001	U	MG/L
MW-074	3/12/2015	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-074	3/12/2015	CHLOROETHANE	0.001	U	MG/L
MW-074	3/12/2015	CHLOROFORM	0.001	U	MG/L
MW-074	3/12/2015	CHLOROMETHANE	0.001	U	MG/L
MW-074	3/12/2015	CHROMIUM	0.01	U	MG/L
MW-074	3/12/2015	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-074	3/12/2015	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-074	3/12/2015	COBALT	0.00025	J	MG/L
MW-074	3/12/2015	COPPER	0.0016	J	MG/L
MW-074	3/12/2015	CYANIDE	0.005	U	MG/L
MW-074	3/12/2015	DIBROMOMETHANE	0.001	U	MG/L
MW-074	3/12/2015	ETHYLBENZENE	0.001	U	MG/L
MW-074	3/12/2015	FLUORIDE	0.72		MG/L
MW-074	3/12/2015	FREE CYANIDE	0.005	U	MG/L
MW-074	3/12/2015	GALLIUM	0.005	U	MG/L
MW-074	3/12/2015	HARDNESS	190		MG/L
MW-074	3/12/2015	IRON	0.22	B	MG/L
MW-074	3/12/2015	LEAD	0.00026	J	MG/L
MW-074	3/12/2015	MAGNESIUM	5.9		MG/L
MW-074	3/12/2015	MANGANESE	0.018		MG/L
MW-074	3/12/2015	MERCURY	0.0002	U	MG/L
MW-074	3/12/2015	METHYL IODIDE	0.001	U	MG/L
MW-074	3/12/2015	METHYL TERT-BUTYL ETHER	0.002	U	MG/L
MW-074	3/12/2015	METHYLENE CHLORIDE	0.001	U	MG/L
MW-074	3/12/2015	NICKEL	0.0026	J	MG/L
MW-074	3/12/2015	NITRATE	1.5		MG/L
MW-074	3/12/2015	NITRITE	0.0041	J	MG/L
MW-074	3/12/2015	NITRITE/NITRATE-N	1.5		MG/L
MW-074	3/12/2015	POTASSIUM	1.8		MG/L
MW-074	3/12/2015	SELENIUM	0.00046	J	MG/L
MW-074	3/12/2015	SILVER	0.01	U	MG/L
MW-074	3/12/2015	SODIUM	12		MG/L
MW-074	3/12/2015	STYRENE	0.001	U	MG/L
MW-074	3/12/2015	SULFATE	19		MG/L
MW-074	3/12/2015	TETRACHLOROETHENE	0.001	U	MG/L
MW-074	3/12/2015	THALLIUM	0.002	U	MG/L
MW-074	3/12/2015	TOLUENE	0.001	U	MG/L
MW-074	3/12/2015	TOTAL DISSOLVED SOLIDS	190		MG/L
MW-074	3/12/2015	TOTAL XYLENES	0.001	U	MG/L
MW-074	3/12/2015	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-074	3/12/2015	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-074	3/12/2015	TRANS-1,4-DICHLORO-2-BUTENE	0.001	U	MG/L
MW-074	3/12/2015	TRICHLOROETHENE	0.001	U	MG/L
MW-074	3/12/2015	TRICHLOROFUOROMETHANE	0.001	U	MG/L
MW-074	3/12/2015	TURBIDITY	14		NTU
MW-074	3/12/2015	VANADIUM	0.0017	J	MG/L
MW-074	3/12/2015	VINYL ACETATE	0.001	U	MG/L
MW-074	3/12/2015	VINYL CHLORIDE	0.001	U	MG/L
MW-074	3/12/2015	ZINC	0.0031	J	MG/L
MW-074	8/20/2015	1,1,1,2-TETRACHLOROETHANE	0.002	U	MG/L
MW-074	8/20/2015	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-074	8/20/2015	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-074	8/20/2015	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-074	8/20/2015	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-074	8/20/2015	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-074	8/20/2015	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-074	8/20/2015	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-074	8/20/2015	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-074	8/20/2015	1,2-DICHLOROENZENE	0.005	U	MG/L
MW-074	8/20/2015	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-074	8/20/2015	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-074	8/20/2015	1,4-DICHLOROENZENE	0.001	U	MG/L
MW-074	8/20/2015	2-BUTANONE	0.002	U	MG/L
MW-074	8/20/2015	2-HEXANONE	0.002	U	MG/L
MW-074	8/20/2015	4-METHYL-2-PENTANONE	0.001	U	MG/L
MW-074	8/20/2015	ACETONE	0.005	U	MG/L
MW-074	8/20/2015	ACRYLONITRILE	0.01	U	MG/L
MW-074	8/20/2015	ALKALINITY	190		MG/L
MW-074	8/20/2015	AMMONIA	1	U	MG/L
MW-074	8/20/2015	ANTIMONY	0.001	U	MG/L
MW-074	8/20/2015	ARSENIC	0.001	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-074	8/20/2015	BARIUM	0.044		MG/L
MW-074	8/20/2015	BENZENE	0.001	U	MG/L
MW-074	8/20/2015	BERYLLIUM	0.001	U	MG/L
MW-074	8/20/2015	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-074	8/20/2015	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-074	8/20/2015	BROMOFORM	0.001	U	MG/L
MW-074	8/20/2015	BROMOMETHANE	0.002	U	MG/L
MW-074	8/20/2015	CADMIUM	0.0005	U	MG/L
MW-074	8/20/2015	CALCIUM	96		MG/L
MW-074	8/20/2015	CARBON DISULFIDE	0.002	U	MG/L
MW-074	8/20/2015	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-074	8/20/2015	CHEMICAL OXYGEN DEMAND	10	U	MG/L
MW-074	8/20/2015	CHLORIDE	31		MG/L
MW-074	8/20/2015	CHLOROENZENE	0.001	U	MG/L
MW-074	8/20/2015	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-074	8/20/2015	CHLOROETHANE	0.002	U	MG/L
MW-074	8/20/2015	CHLOROFORM	0.001	U	MG/L
MW-074	8/20/2015	CHLOROMETHANE	0.002	U	MG/L
MW-074	8/20/2015	CHROMIUM	0.002	U	MG/L
MW-074	8/20/2015	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-074	8/20/2015	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-074	8/20/2015	COBALT	0.005	U	MG/L
MW-074	8/20/2015	COPPER	0.0011		MG/L
MW-074	8/20/2015	CYANIDE	0.005	U	MG/L
MW-074	8/20/2015	DIBROMOMETHANE	0.001	U	MG/L
MW-074	8/20/2015	ETHYLBENZENE	0.001	U	MG/L
MW-074	8/20/2015	FLUORIDE	0.66	B	MG/L
MW-074	8/20/2015	FREE CYANIDE	0.005	U	MG/L
MW-074	8/20/2015	HARDNESS	280		MG/L
MW-074	8/20/2015	IRON	0.25		MG/L
MW-074	8/20/2015	LEAD	0.001	U	MG/L
MW-074	8/20/2015	M+P-XYLENES	0.001	U	MG/L
MW-074	8/20/2015	MAGNESIUM	8.9		MG/L
MW-074	8/20/2015	MANGANESE	0.049		MG/L
MW-074	8/20/2015	MERCURY	0.0002	U	MG/L
MW-074	8/20/2015	METHYL IODIDE	0.01	U	MG/L
MW-074	8/20/2015	METHYL TERT-BUTYL ETHER	0.002	U	MG/L
MW-074	8/20/2015	METHYLENE CHLORIDE	0.002	U	MG/L
MW-074	8/20/2015	NICKEL	0.005	U	MG/L
MW-074	8/20/2015	NITRATE	2.5		MG/L
MW-074	8/20/2015	O-XYLENE	0.001	U	MG/L
MW-074	8/20/2015	POTASSIUM	1.9		MG/L
MW-074	8/20/2015	SELENIUM	0.005	U	MG/L
MW-074	8/20/2015	SILVER	0.001	U	MG/L
MW-074	8/20/2015	SODIUM	16		MG/L
MW-074	8/20/2015	STYRENE	0.001	U	MG/L
MW-074	8/20/2015	SULFATE	42		MG/L
MW-074	8/20/2015	TETRACHLOROETHENE	0.001	U	MG/L
MW-074	8/20/2015	THALLIUM	0.001	U	MG/L
MW-074	8/20/2015	TOLUENE	0.001	U	MG/L
MW-074	8/20/2015	TOTAL DISSOLVED SOLIDS	380		MG/L
MW-074	8/20/2015	TOTAL XYLENES	0.001	U	MG/L
MW-074	8/20/2015	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-074	8/20/2015	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-074	8/20/2015	TRANS-1,4-DICHLORO-2-BUTENE	0.001	U	MG/L
MW-074	8/20/2015	TRICHLOROETHENE	0.001	U	MG/L
MW-074	8/20/2015	TRICHLOROFLUOROMETHANE	0.002	U	MG/L
MW-074	8/20/2015	TURBIDITY	6.4		NTU
MW-074	8/20/2015	VANADIUM	0.005	U	MG/L
MW-074	8/20/2015	VINYL ACETATE	0.002	U	MG/L
MW-074	8/20/2015	VINYL CHLORIDE	0.002	U	MG/L
MW-074	8/20/2015	ZINC	0.005	U	MG/L
MW-074	3/17/2016	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-074	3/17/2016	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-074	3/17/2016	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-074	3/17/2016	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-074	3/17/2016	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-074	3/17/2016	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-074	3/17/2016	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-074	3/17/2016	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-074	3/17/2016	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-074	3/17/2016	1,2-DICHLOROENZENE	0.001	U	MG/L
MW-074	3/17/2016	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-074	3/17/2016	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-074	3/17/2016	1,4-DICHLOROBENZENE	0.001	U	MG/L
MW-074	3/17/2016	2-BUTANONE	0.005	U	MG/L
MW-074	3/17/2016	2-HEXANONE	0.005	U	MG/L
MW-074	3/17/2016	4-METHYL-2-PENTANONE	0.005	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-074	3/17/2016	ACETONE	0.005	U	MG/L
MW-074	3/17/2016	ACRYLONITRILE	0.005	U	MG/L
MW-074	3/17/2016	ALKALINITY	180		MG/L
MW-074	3/17/2016	AMMONIA	1.8		MG/L
MW-074	3/17/2016	ANTIMONY	0.001	U	MG/L
MW-074	3/17/2016	ARSENIC	0.001	U	MG/L
MW-074	3/17/2016	BARIUM	0.045		MG/L
MW-074	3/17/2016	BENZENE	0.001	U	MG/L
MW-074	3/17/2016	BERYLLIUM	0.001	U	MG/L
MW-074	3/17/2016	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-074	3/17/2016	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-074	3/17/2016	BROMOFORM	0.001	U	MG/L
MW-074	3/17/2016	BROMOMETHANE	0.001	U	MG/L
MW-074	3/17/2016	CADMIUM	0.0005	U	MG/L
MW-074	3/17/2016	CALCIUM	86.3		MG/L
MW-074	3/17/2016	CARBON DISULFIDE	0.001	U	MG/L
MW-074	3/17/2016	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-074	3/17/2016	CHEMICAL OXYGEN DEMAND	13		MG/L
MW-074	3/17/2016	CHLORIDE	25		MG/L
MW-074	3/17/2016	CHLOROBENZENE	0.001	U	MG/L
MW-074	3/17/2016	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-074	3/17/2016	CHLOROETHANE	0.001	U	MG/L
MW-074	3/17/2016	CHLOROFORM	0.001	U	MG/L
MW-074	3/17/2016	CHLOROMETHANE	0.001	U	MG/L
MW-074	3/17/2016	CHROMIUM	0.0026		MG/L
MW-074	3/17/2016	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-074	3/17/2016	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-074	3/17/2016	COBALT	0.005	U	MG/L
MW-074	3/17/2016	COPPER	0.0039	B	MG/L
MW-074	3/17/2016	CYANIDE	0.005	U	MG/L
MW-074	3/17/2016	DIBROMOMETHANE	0.001	U	MG/L
MW-074	3/17/2016	ETHYLBENZENE	0.001	U	MG/L
MW-074	3/17/2016	FLUORIDE	0.69		MG/L
MW-074	3/17/2016	FREE CYANIDE	0.005	U	MG/L
MW-074	3/17/2016	HARDNESS	247		MG/L
MW-074	3/17/2016	IRON	0.333		MG/L
MW-074	3/17/2016	LEAD	0.0016		MG/L
MW-074	3/17/2016	MAGNESIUM	7.62		MG/L
MW-074	3/17/2016	MANGANESE	0.0435		MG/L
MW-074	3/17/2016	MERCURY	0.0002	U	MG/L
MW-074	3/17/2016	METHYL IODIDE	0.001	U	MG/L
MW-074	3/17/2016	METHYL TERT-BUTYL ETHER	0.002	U	MG/L
MW-074	3/17/2016	METHYLENE CHLORIDE	0.001	U	MG/L
MW-074	3/17/2016	NICKEL	0.005	U	MG/L
MW-074	3/17/2016	NITRATE	0.06	U	MG/L
MW-074	3/17/2016	NITRITE	0.015	B	MG/L
MW-074	3/17/2016	NITRITE/NITRATE-N	0.06	U	MG/L
MW-074	3/17/2016	POTASSIUM	2.32		MG/L
MW-074	3/17/2016	SELENIUM	0.005	U	MG/L
MW-074	3/17/2016	SILVER	0.001	U	MG/L
MW-074	3/17/2016	SODIUM	13.7		MG/L
MW-074	3/17/2016	STYRENE	0.001	U	MG/L
MW-074	3/17/2016	SULFATE	26		MG/L
MW-074	3/17/2016	TETRACHLOROETHENE	0.001	U	MG/L
MW-074	3/17/2016	THALLIUM	0.001	U	MG/L
MW-074	3/17/2016	TOLUENE	0.001	U	MG/L
MW-074	3/17/2016	TOTAL DISSOLVED SOLIDS	320		MG/L
MW-074	3/17/2016	TOTAL XYLENES	0.001	U	MG/L
MW-074	3/17/2016	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-074	3/17/2016	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-074	3/17/2016	TRANS-1,4-DICHLORO-2-BUTENE	0.001	U	MG/L
MW-074	3/17/2016	TRICHLOROETHENE	0.001	U	MG/L
MW-074	3/17/2016	TRICHLOROFLUOROMETHANE	0.002	U	MG/L
MW-074	3/17/2016	TURBIDITY	32		NTU
MW-074	3/17/2016	VANADIUM	0.005	U	MG/L
MW-074	3/17/2016	VINYL ACETATE	0.001	U	MG/L
MW-074	3/17/2016	VINYL CHLORIDE	0.001	U	MG/L
MW-074	3/17/2016	ZINC	0.0116		MG/L
MW-074	3/23/2017	1,1,1,2-TETRACHLOROETHANE	0.0001	U	MG/L
MW-074	3/23/2017	1,1,1-TRICHLOROETHANE	0.0001	U	MG/L
MW-074	3/23/2017	1,1,2,2-TETRACHLOROETHANE	0.0001	U	MG/L
MW-074	3/23/2017	1,1,2-TRICHLOROETHANE	0.0001	U	MG/L
MW-074	3/23/2017	1,1-DICHLOROETHANE	0.0001	U	MG/L
MW-074	3/23/2017	1,1-DICHLOROETHENE	0.0001	U	MG/L
MW-074	3/23/2017	1,2,3-TRICHLOROPROPANE	0.0003	U	MG/L
MW-074	3/23/2017	1,2-DIBROMO-3-CHLOROPROPANE	0.0002	U	MG/L
MW-074	3/23/2017	1,2-DIBROMOETHANE	0.0001	U	MG/L
MW-074	3/23/2017	1,2-DICHLOROBENZENE	0.0001	U	MG/L



Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-074	3/23/2017	1,2-DICHLOROETHANE	0.0001	U	MG/L
MW-074	3/23/2017	1,2-DICHLOROPROPANE	0.0001	U	MG/L
MW-074	3/23/2017	1,4-DICHLOROBENZENE	0.0001	U	MG/L
MW-074	3/23/2017	2-BUTANONE	0.001	U	MG/L
MW-074	3/23/2017	2-HEXANONE	0.001	U	MG/L
MW-074	3/23/2017	4-METHYL-2-PENTANONE	0.001	U	MG/L
MW-074	3/23/2017	ACETONE	0.003	U	MG/L
MW-074	3/23/2017	ACRYLONITRILE	0.001	U	MG/L
MW-074	3/23/2017	ALKALINITY	181		MG/L
MW-074	3/23/2017	AMMONIA-N	0.20	U	MG/L
MW-074	3/23/2017	ANTIMONY	0.00048	U	MG/L
MW-074	3/23/2017	ARSENIC	0.0010	J	MG/L
MW-074	3/23/2017	BARIUM	0.0372		MG/L
MW-074	3/23/2017	BENZENE	0.0001	U	MG/L
MW-074	3/23/2017	BERYLLIUM	0.00011	U	MG/L
MW-074	3/23/2017	BROMOCHLOROMETHANE	0.0001	U	MG/L
MW-074	3/23/2017	BROMODICHLOROMETHANE	0.0001	U	MG/L
MW-074	3/23/2017	BROMOFORM	0.0001	U	MG/L
MW-074	3/23/2017	BROMOMETHANE	0.0001	U	MG/L
MW-074	3/23/2017	CADMIUM	0.00019	U	MG/L
MW-074	3/23/2017	CALCIUM	76.5		MG/L
MW-074	3/23/2017	CARBON DISULFIDE	0.0004	U	MG/L
MW-074	3/23/2017	CARBON TETRACHLORIDE	0.0001	U	MG/L
MW-074	3/23/2017	CHEMICAL OXYGEN DEMAND	3.0	U	MG/L
MW-074	3/23/2017	CHLORIDE	18.5		MG/L
MW-074	3/23/2017	CHLOROBENZENE	0.0001	U	MG/L
MW-074	3/23/2017	CHLORODIBROMOMETHANE	0.0001	U	MG/L
MW-074	3/23/2017	CHLOROETHANE	0.0001	U	MG/L
MW-074	3/23/2017	CHLOROFORM	0.0001	U	MG/L
MW-074	3/23/2017	CHLOROMETHANE	0.0002	U	MG/L
MW-074	3/23/2017	CHROMIUM	0.0016	J	MG/L
MW-074	3/23/2017	CIS-1,2-DICHLOROETHENE	0.0001	U	MG/L
MW-074	3/23/2017	CIS-1,3-DICHLOROPROPENE	0.0001	U	MG/L
MW-074	3/23/2017	COBALT	0.0019	U	MG/L
MW-074	3/23/2017	COPPER	0.0041	U	MG/L
MW-074	3/23/2017	CYANIDE	0.0050	U	MG/L
MW-074	3/23/2017	DIBROMOMETHANE	0.0001	U	MG/L
MW-074	3/23/2017	ETHYLBENZENE	0.0001	U	MG/L
MW-074	3/23/2017	FLUORIDE	0.73		MG/L
MW-074	3/23/2017	FREE CYANIDE	0.0020	U	MG/L
MW-074	3/23/2017	HARDNESS AS CaCO3	224		MG/L
MW-074	3/23/2017	IRON	0.269		MG/L
MW-074	3/23/2017	LEAD	0.00032	J	MG/L
MW-074	3/23/2017	MAGNESIUM	8.09		MG/L
MW-074	3/23/2017	MAGNESIUM	7.83		MG/L
MW-074	3/23/2017	MANGANESE	0.0454		MG/L
MW-074	3/23/2017	MERCURY	0.000050	U	MG/L
MW-074	3/23/2017	METHYL IODIDE	0.0001	U	MG/L
MW-074	3/23/2017	METHYL TERT-BUTYL ETHER	0.0001	U	MG/L
MW-074	3/23/2017	METHYLENE CHLORIDE	0.0002	U	MG/L
MW-074	3/23/2017	NICKEL	0.0028	U	MG/L
MW-074	3/23/2017	NITRATE-N	3.1		MG/L
MW-074	3/23/2017	PH	7.3		S.U.
MW-074	3/23/2017	POTASSIUM	1.45		MG/L
MW-074	3/23/2017	SELENIUM	0.0097	U	MG/L
MW-074	3/23/2017	SILVER	0.0019	U	MG/L
MW-074	3/23/2017	SODIUM	12.8		MG/L
MW-074	3/23/2017	SPECIFIC CONDUCTANCE	486		UMHOS/CM
MW-074	3/23/2017	STYRENE	0.0001	U	MG/L
MW-074	3/23/2017	SULFATE	38.1		MG/L
MW-074	3/23/2017	TEMPERATURE	22.5		C
MW-074	3/23/2017	TETRACHLOROETHENE	0.0003	J	MG/L
MW-074	3/23/2017	THALLIUM	0.00016	U	MG/L
MW-074	3/23/2017	TOLUENE	0.0001	U	MG/L
MW-074	3/23/2017	TOTAL DISSOLVED SOLIDS	300		MG/L
MW-074	3/23/2017	TOTAL XYLENES	0.0001	U	MG/L
MW-074	3/23/2017	TRANS-1,2-DICHLOROETHENE	0.0001	U	MG/L
MW-074	3/23/2017	TRANS-1,3-DICHLOROPROPENE	0.0001	U	MG/L
MW-074	3/23/2017	TRANS-1,4-DICHLORO-2-BUTENE	0.001	U	MG/L
MW-074	3/23/2017	TRICHLOROETHENE	0.0001	U	MG/L
MW-074	3/23/2017	TRICHLOROFLUOROMETHANE	0.0001	U	MG/L
MW-074	3/23/2017	TURBIDITY	7.4		NTU
MW-074	3/23/2017	VANADIUM	0.0016	U	MG/L
MW-074	3/23/2017	VINYL ACETATE	0.0002	U	MG/L
MW-074	3/23/2017	VINYL CHLORIDE	0.0001	U	MG/L
MW-074	3/23/2017	ZINC	0.0035	U	MG/L
MW-074	9/5/2017	1,1,1,2-TETRACHLOROETHANE	0.10	U	UG/L
MW-074	9/5/2017	1,1,1-TRICHLOROETHANE	0.10	U	UG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-074	9/5/2017	1,1,2,2-TETRACHLOROETHANE	0.10	U	UG/L
MW-074	9/5/2017	1,1,2-TRICHLOROETHANE	0.10	U	UG/L
MW-074	9/5/2017	1,1-DICHLOROETHANE	0.10	U	UG/L
MW-074	9/5/2017	1,1-DICHLOROETHENE	0.10	U	UG/L
MW-074	9/5/2017	1,2,3-TRICHLOROPROPANE	0.30	U	UG/L
MW-074	9/5/2017	1,2-DIBROMO-3-CHLOROPROPANE	0.20	U	UG/L
MW-074	9/5/2017	1,2-DIBROMOETHANE	0.10	U	UG/L
MW-074	9/5/2017	1,2-DICHLOROBENZENE	0.10	U	UG/L
MW-074	9/5/2017	1,2-DICHLOROETHANE	0.10	U	UG/L
MW-074	9/5/2017	1,2-DICHLOROPROPANE	0.10	U	UG/L
MW-074	9/5/2017	1,4-DICHLOROBENZENE	0.10	U	UG/L
MW-074	9/5/2017	2-BUTANONE	1	U	UG/L
MW-074	9/5/2017	2-HEXANONE	1	U	UG/L
MW-074	9/5/2017	4-METHYL-2-PENTANONE	1	U	UG/L
MW-074	9/5/2017	ACETONE	3	U	UG/L
MW-074	9/5/2017	ACRYLONITRILE	1	U	UG/L
MW-074	9/5/2017	ALKALINITY	141		MG/L
MW-074	9/5/2017	AMMONIA	0.25	U	MG/L
MW-074	9/5/2017	ANTIMONY	0.00045	U	MG/L
MW-074	9/5/2017	ARSENIC	0.00072	U	MG/L
MW-074	9/5/2017	BARIUM	0.0267		MG/L
MW-074	9/5/2017	BENZENE	0.10	U	UG/L
MW-074	9/5/2017	BERYLLIUM	0.000071	U	MG/L
MW-074	9/5/2017	BROMOCHLOROMETHANE	0.10	U	UG/L
MW-074	9/5/2017	BROMODICHLOROMETHANE	0.10	U	UG/L
MW-074	9/5/2017	BROMOFORM	0.10	U	UG/L
MW-074	9/5/2017	BROMOMETHANE	0.10	U	UG/L
MW-074	9/5/2017	CADMIUM	0.00015	U	MG/L
MW-074	9/5/2017	CALCIUM	55.5		MG/L
MW-074	9/5/2017	CARBON DISULFIDE	0.40	U	UG/L
MW-074	9/5/2017	CARBON TETRACHLORIDE	0.10	U	UG/L
MW-074	9/5/2017	CHEMICAL OXYGEN DEMAND	6.2	J	MG/L
MW-074	9/5/2017	CHLORIDE	10.5		MG/L
MW-074	9/5/2017	CHLOROETHANE	0.10	U	UG/L
MW-074	9/5/2017	CHLORODIBROMOMETHANE	0.10	U	UG/L
MW-074	9/5/2017	CHLOROETHANE	0.10	U	UG/L
MW-074	9/5/2017	CHLOROFORM	0.10	U	UG/L
MW-074	9/5/2017	CHLOROMETHANE	0.20	U	UG/L
MW-074	9/5/2017	CHROMIUM	0.00087	U	MG/L
MW-074	9/5/2017	CIS-1,2-DICHLOROETHENE	0.10	U	UG/L
MW-074	9/5/2017	CIS-1,3-DICHLOROPROPENE	0.10	U	UG/L
MW-074	9/5/2017	COBALT	0.0023	J	MG/L
MW-074	9/5/2017	COPPER	0.004	U	MG/L
MW-074	9/5/2017	CYANIDE	0.005	U	MG/L
MW-074	9/5/2017	DIBROMOMETHANE	0.10	U	UG/L
MW-074	9/5/2017	ETHYLBENZENE	0.10	U	UG/L
MW-074	9/5/2017	FLUORIDE	0.92		MG/L
MW-074	9/5/2017	FREE CYANIDE	0.002	U	MG/L
MW-074	9/5/2017	HARDNESS AS CaCO3	162		MG/L
MW-074	9/5/2017	IRON	0.158		MG/L
MW-074	9/5/2017	LEAD	0.00022	J	MG/L
MW-074	9/5/2017	MAGNESIUM	5.58		MG/L
MW-074	9/5/2017	MAGNESIUM	5.67		MG/L
MW-074	9/5/2017	MANGANESE	0.0075		MG/L
MW-074	9/5/2017	MERCURY	0.00005	U	MG/L
MW-074	9/5/2017	METHYL IODIDE	0.10	U	UG/L
MW-074	9/5/2017	METHYL TERT-BUTYL ETHER	0.10	U	UG/L
MW-074	9/5/2017	METHYLENE CHLORIDE	0.20	U	UG/L
MW-074	9/5/2017	NICKEL	0.004	U	MG/L
MW-074	9/5/2017	NITRATE-N	1.4		MG/L
MW-074	9/5/2017	PH	7		S.U.
MW-074	9/5/2017	POTASSIUM	1.32		MG/L
MW-074	9/5/2017	SELENIUM	0.0093	U	MG/L
MW-074	9/5/2017	SILVER	0.0024	U	MG/L
MW-074	9/5/2017	SODIUM	11.9		MG/L
MW-074	9/5/2017	SPECIFIC CONDUCTANCE	374		UMHOS/CM
MW-074	9/5/2017	STYRENE	0.10	U	UG/L
MW-074	9/5/2017	SULFATE	26.9		MG/L
MW-074	9/5/2017	TEMPERATURE	22.8		C
MW-074	9/5/2017	TETRACHLOROETHENE	0.10	J	UG/L
MW-074	9/5/2017	THALLIUM	0.00012	U	MG/L
MW-074	9/5/2017	TOLUENE	0.10	U	UG/L
MW-074	9/5/2017	TOTAL DISSOLVED SOLIDS	209		MG/L
MW-074	9/5/2017	TOTAL XYLENES	0.10	U	UG/L
MW-074	9/5/2017	TRANS-1,2-DICHLOROETHENE	0.10	U	UG/L
MW-074	9/5/2017	TRANS-1,3-DICHLOROPROPENE	0.10	U	UG/L
MW-074	9/5/2017	TRANS-1,4-DICHLORO-2-BUTENE	1	U	UG/L
MW-074	9/5/2017	TRICHLOROETHENE	0.10	U	UG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-074	9/5/2017	TRICHLOROFLUOROMETHANE	0.10	U	UG/L
MW-074	9/5/2017	TURBIDITY	13		NTU
MW-074	9/5/2017	VANADIUM	0.0016	U	MG/L
MW-074	9/5/2017	VINYL ACETATE	0.20	U	UG/L
MW-074	9/5/2017	VINYL CHLORIDE	0.10	U	UG/L
MW-074	9/5/2017	ZINC	0.0039	U	MG/L
MW-074	3/7/2018	1,1,1,2-TETRACHLOROETHANE	0.0001	U	MG/L
MW-074	3/7/2018	1,1,1-TRICHLOROETHANE	0.0001	U	MG/L
MW-074	3/7/2018	1,1,2,2-TETRACHLOROETHANE	0.0001	U	MG/L
MW-074	3/7/2018	1,1,2-TRICHLOROETHANE	0.0001	U	MG/L
MW-074	3/7/2018	1,1-DICHLOROETHANE	0.0001	U	MG/L
MW-074	3/7/2018	1,1-DICHLOROETHENE	0.0001	U	MG/L
MW-074	3/7/2018	1,2,3-TRICHLOROPROPANE	0.0003	U	MG/L
MW-074	3/7/2018	1,2-DIBROMO-3-CHLOROPROPANE	0.0002	U	MG/L
MW-074	3/7/2018	1,2-DIBROMOETHANE	0.0001	U	MG/L
MW-074	3/7/2018	1,2-DICHLOROETHENE	0.0001	U	MG/L
MW-074	3/7/2018	1,2-DICHLOROETHANE	0.0001	U	MG/L
MW-074	3/7/2018	1,2-DICHLOROPROPANE	0.0001	U	MG/L
MW-074	3/7/2018	1,4-DICHLOROETHANE	0.0001	U	MG/L
MW-074	3/7/2018	2-BUTANONE	0.001	U	MG/L
MW-074	3/7/2018	2-HEXANONE	0.001	U	MG/L
MW-074	3/7/2018	4-METHYL-2-PENTANONE	0.001	U	MG/L
MW-074	3/7/2018	ACETONE	0.003	U	MG/L
MW-074	3/7/2018	ACRYLONITRILE	0.001	U	MG/L
MW-074	3/7/2018	ALKALINITY	191		MG/L
MW-074	3/7/2018	AMMONIA-N	0.25	U	MG/L
MW-074	3/7/2018	ANTIMONY	0.00045	U	MG/L
MW-074	3/7/2018	ARSENIC	0.00072	U	MG/L
MW-074	3/7/2018	BARIUM	0.0361		MG/L
MW-074	3/7/2018	BENZENE	0.0001	U	MG/L
MW-074	3/7/2018	BERYLLIUM	0.000071	U	MG/L
MW-074	3/7/2018	BROMOCHLOROMETHANE	0.0001	U	MG/L
MW-074	3/7/2018	BROMODICHLOROMETHANE	0.0001	U	MG/L
MW-074	3/7/2018	BROMOFORM	0.0001	U	MG/L
MW-074	3/7/2018	BROMOMETHANE	0.0001	U	MG/L
MW-074	3/7/2018	CADMIUM	0.00015	U	MG/L
MW-074	3/7/2018	CALCIUM	76.6		MG/L
MW-074	3/7/2018	CARBON DISULFIDE	0.0004	U	MG/L
MW-074	3/7/2018	CARBON TETRACHLORIDE	0.0001	U	MG/L
MW-074	3/7/2018	CHEMICAL OXYGEN DEMAND	3	U	MG/L
MW-074	3/7/2018	CHLORIDE	17.8		MG/L
MW-074	3/7/2018	CHLOROBENZENE	0.0001	U	MG/L
MW-074	3/7/2018	CHLORODIBROMOMETHANE	0.0001	U	MG/L
MW-074	3/7/2018	CHLOROETHANE	0.0001	U	MG/L
MW-074	3/7/2018	CHLOROFORM	0.0001	U	MG/L
MW-074	3/7/2018	CHLOROMETHANE	0.0002	U	MG/L
MW-074	3/7/2018	CHROMIUM	0.0011	J	MG/L
MW-074	3/7/2018	CIS-1,2-DICHLOROETHENE	0.0001	U	MG/L
MW-074	3/7/2018	CIS-1,3-DICHLOROPROPENE	0.0001	U	MG/L
MW-074	3/7/2018	COBALT	0.0017	U	MG/L
MW-074	3/7/2018	COPPER	0.004	U	MG/L
MW-074	3/7/2018	CYANIDE	0.005	U	MG/L
MW-074	3/7/2018	DIBROMOMETHANE	0.0001	U	MG/L
MW-074	3/7/2018	ETHYLBENZENE	0.0001	U	MG/L
MW-074	3/7/2018	FLUORIDE	0.53		MG/L
MW-074	3/7/2018	FREE CYANIDE	0.002	U	MG/L
MW-074	3/7/2018	HARDNESS AS CaCO3	225		MG/L
MW-074	3/7/2018	IRON	0.322		MG/L
MW-074	3/7/2018	LEAD	0.0005	J	MG/L
MW-074	3/7/2018	MAGNESIUM	8.32		MG/L
MW-074	3/7/2018	MANGANESE	0.0196		MG/L
MW-074	3/7/2018	MERCURY	0.00005	U	MG/L
MW-074	3/7/2018	METHYL IODIDE	0.0001	U	MG/L
MW-074	3/7/2018	METHYL TERT-BUTYL ETHER	0.0001	U	MG/L
MW-074	3/7/2018	METHYLENE CHLORIDE	0.0002	U	MG/L
MW-074	3/7/2018	NICKEL	0.004	U	MG/L
MW-074	3/7/2018	NITRATE-N	2.2		MG/L
MW-074	3/7/2018	PH	7.6		S.U.
MW-074	3/7/2018	POTASSIUM	1.72		MG/L
MW-074	3/7/2018	SELENIUM	0.0093	U	MG/L
MW-074	3/7/2018	SILVER	0.0024	U	MG/L
MW-074	3/7/2018	SODIUM	11.6		MG/L
MW-074	3/7/2018	SPECIFIC CONDUCTANCE	498		UMHOS/CM
MW-074	3/7/2018	STYRENE	0.0001	U	MG/L
MW-074	3/7/2018	SULFATE	31.9		MG/L
MW-074	3/7/2018	TEMPERATURE	22.1		C
MW-074	3/7/2018	TETRACHLOROETHENE	0.0004	J	MG/L
MW-074	3/7/2018	THALLIUM	0.00012	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-074	3/7/2018	TOLUENE	0.0001	U	MG/L
MW-074	3/7/2018	TOTAL DISSOLVED SOLIDS	282		MG/L
MW-074	3/7/2018	TOTAL XYLENES	0.0001	U	MG/L
MW-074	3/7/2018	TRANS-1,2-DICHLOROETHENE	0.0001	U	MG/L
MW-074	3/7/2018	TRANS-1,3-DICHLOROPROPENE	0.0001	U	MG/L
MW-074	3/7/2018	TRANS-1,4-DICHLORO-2-BUTENE	0.001	U	MG/L
MW-074	3/7/2018	TRICHLOROETHENE	0.0001	U	MG/L
MW-074	3/7/2018	TRICHLOROFLUOROMETHANE	0.0001	U	MG/L
MW-074	3/7/2018	TURBIDITY	11		NTU
MW-074	3/7/2018	VANADIUM	0.0016	U	MG/L
MW-074	3/7/2018	VINYL ACETATE	0.0002	U	MG/L
MW-074	3/7/2018	VINYL CHLORIDE	0.0001	U	MG/L
MW-074	3/7/2018	ZINC	0.0039	U	MG/L
MW-074	9/25/2018	FLUORIDE	0.7800		MG/L
MW-074	3/5/2019	FLUORIDE	0.64		MG/L
MW-074	8/28/2019	ALKALINITY	215		MG/L
MW-074	8/28/2019	AMMONIA-N	0.25	U	MG/L
MW-074	8/28/2019	ANTIMONY	0.00041	U K4	MG/L
MW-074	8/28/2019	ARSENIC	0.00068	U K4	MG/L
MW-074	8/28/2019	BARIUM	0.0377		MG/L
MW-074	8/28/2019	BERYLLIUM	0.000091	U	MG/L
MW-074	8/28/2019	CADMIUM	0.00015	U K4	MG/L
MW-074	8/28/2019	CALCIUM	109		MG/L
MW-074	8/28/2019	CHEMICAL OXYGEN DEMAND	5.7	J	MG/L
MW-074	8/28/2019	CHLORIDE	17.2		MG/L
MW-074	8/28/2019	CHROMIUM	0.00097	J	MG/L
MW-074	8/28/2019	COBALT	0.00019	J	MG/L
MW-074	8/28/2019	COPPER	0.0099	U K3K4	MG/L
MW-074	8/28/2019	CYANIDE	0.005	U	MG/L
MW-074	8/28/2019	FLUORIDE	0.82		MG/L
MW-074	8/28/2019	FREE CYANIDE	0.002	U	MG/L
MW-074	8/28/2019	HARDNESS AS CaCO3	311		MG/L
MW-074	8/28/2019	IRON	0.195		MG/L
MW-074	8/28/2019	LEAD	0.0011	U	MG/L
MW-074	8/28/2019	MAGNESIUM	9.11		MG/L
MW-074	8/28/2019	MANGANESE	0.0052	J	MG/L
MW-074	8/28/2019	MERCURY	0.00005	U	MG/L
MW-074	8/28/2019	NICKEL	0.0006	U K3K4	MG/L
MW-074	8/28/2019	NITRATE-N	2		MG/L
MW-074	8/28/2019	PH	7.7		S.U.
MW-074	8/28/2019	POTASSIUM	1.4		MG/L
MW-074	8/28/2019	SELENIUM	0.00065	U	MG/L
MW-074	8/28/2019	SILVER	0.00017	U K4	MG/L
MW-074	8/28/2019	SODIUM	11		MG/L
MW-074	8/28/2019	SPECIFIC CONDUCTANCE	554		UMHOS/CM
MW-074	8/28/2019	SULFATE	39.2		MG/L
MW-074	8/28/2019	TEMPERATURE	23.8		C
MW-074	8/28/2019	THALLIUM	0.00011	U	MG/L
MW-074	8/28/2019	TOTAL DISSOLVED SOLIDS	327		MG/L
MW-074	8/28/2019	TURBIDITY	11		NTU
MW-074	8/28/2019	VANADIUM	0.00086	J	MG/L
MW-074	8/28/2019	ZINC	0.0062	U K4	MG/L
MW-074	3/10/2020	ALKALINITY	193		MG/L
MW-074	3/10/2020	AMMONIA-N	0.25	U	MG/L
MW-074	3/10/2020	ANTIMONY	0.00041	U	MG/L
MW-074	3/10/2020	ARSENIC	0.00068	U	MG/L
MW-074	3/10/2020	BARIUM	0.0357		MG/L
MW-074	3/10/2020	BERYLLIUM	0.00012	U	MG/L
MW-074	3/10/2020	CADMIUM	0.00015	U	MG/L
MW-074	3/10/2020	CALCIUM	75.2		MG/L
MW-074	3/10/2020	CHEMICAL OXYGEN DEMAND	6.1	J	MG/L
MW-074	3/10/2020	CHLORIDE	16.9		MG/L
MW-074	3/10/2020	CHROMIUM	0.0021		MG/L
MW-074	3/10/2020	COBALT	0.00045	J	MG/L
MW-074	3/10/2020	COPPER	0.0014		MG/L
MW-074	3/10/2020	CYANIDE	0.005	U	MG/L
MW-074	3/10/2020	FLUORIDE	0.65		MG/L
MW-074	3/10/2020	FREE CYANIDE	0.002	U	MG/L
MW-074	3/10/2020	HARDNESS AS CaCO3	219		MG/L
MW-074	3/10/2020	IRON	0.615		MG/L
MW-074	3/10/2020	LEAD	0.00046	J	MG/L
MW-074	3/10/2020	MAGNESIUM	7.49		MG/L
MW-074	3/10/2020	MANGANESE	0.016		MG/L
MW-074	3/10/2020	MERCURY	0.00005	U	MG/L
MW-074	3/10/2020	NICKEL	0.0017		MG/L
MW-074	3/10/2020	NITRATE-N	2.2		MG/L
MW-074	3/10/2020	POTASSIUM	1.76		MG/L
MW-074	3/10/2020	SELENIUM	0.00058	J	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-074	3/10/2020	SILVER	0.00017	U	MG/L
MW-074	3/10/2020	SODIUM	10.6		MG/L
MW-074	3/10/2020	SPECIFIC CONDUCTANCE	474		UMHOS/CM
MW-074	3/10/2020	SULFATE	26.3		MG/L
MW-074	3/10/2020	THALLIUM	0.00013	U	MG/L
MW-074	3/10/2020	TOTAL DISSOLVED SOLIDS	277		MG/L
MW-074	3/10/2020	TURBIDITY	28		NTU
MW-074	3/10/2020	VANADIUM	0.0019		MG/L
MW-074	3/10/2020	ZINC	0.0062	U	MG/L
MW-074	9/14/2020	ALKALINITY	220	F1	MG/L
MW-074	9/14/2020	AMMONIA-N	0.75	U	MG/L
MW-074	9/14/2020	ANTIMONY	0.001	U	MG/L
MW-074	9/14/2020	ARSENIC	0.002	U	MG/L
MW-074	9/14/2020	BARIUM	0.04		MG/L
MW-074	9/14/2020	BERYLLIUM	0.0005	U	MG/L
MW-074	9/14/2020	CADMIUM	0.0005	U	MG/L
MW-074	9/14/2020	CALCIUM	87		MG/L
MW-074	9/14/2020	CHEMICAL OXYGEN DEMAND	15	U	MG/L
MW-074	9/14/2020	CHLORIDE	15		MG/L
MW-074	9/14/2020	CHROMIUM	0.00087	J	MG/L
MW-074	9/14/2020	COBALT	0.00025	J	MG/L
MW-074	9/14/2020	COPPER	0.00078	J	MG/L
MW-074	9/14/2020	CYANIDE	0.01	U	MG/L
MW-074	9/14/2020	FLUORIDE	0.64		MG/L
MW-074	9/14/2020	FREE CYANIDE	0.006	UF2	MG/L
MW-074	9/14/2020	HARDNESS AS CaCO3	260		MG/L
MW-074	9/14/2020	IRON	0.27		MG/L
MW-074	9/14/2020	LEAD	0.00026	J	MG/L
MW-074	9/14/2020	MAGNESIUM	9.6		MG/L
MW-074	9/14/2020	MANGANESE	0.019		MG/L
MW-074	9/14/2020	MERCURY	0.0002	U	MG/L
MW-074	9/14/2020	NICKEL	0.001	U	MG/L
MW-074	9/14/2020	NITRATE-N	2		MG/L
MW-074	9/14/2020	PH	7.9	HF	S.U.
MW-074	9/14/2020	POTASSIUM	1.6		MG/L
MW-074	9/14/2020	SELENIUM	0.001	U	MG/L
MW-074	9/14/2020	SILVER	0.0005	U	MG/L
MW-074	9/14/2020	SODIUM	12	B	MG/L
MW-074	9/14/2020	SPECIFIC CONDUCTANCE	540		US/CM
MW-074	9/14/2020	SULFATE	34		MG/L
MW-074	9/14/2020	TEMPERATURE	22.9	HF	C
MW-074	9/14/2020	THALLIUM	0.0005	U	MG/L
MW-074	9/14/2020	TOTAL DISSOLVED SOLIDS	320		MG/L
MW-074	9/14/2020	TURBIDITY	13		NTU
MW-074	9/14/2020	VANADIUM	0.00057		MG/L
MW-074	9/14/2020	ZINC	0.01	U	MG/L
MW-074	3/29/2021	ALKALINITY	190		MG/L
MW-074	3/29/2021	ALUMINUM	0.33		MG/L
MW-074	3/29/2021	ARSENIC	0.002	U	MG/L
MW-074	3/29/2021	BARIUM	0.038		MG/L
MW-074	3/29/2021	BERYLLIUM	0.0005	U	MG/L
MW-074	3/29/2021	CADMIUM	0.0005	U	MG/L
MW-074	3/29/2021	CHLORIDE	18	F1	MG/L
MW-074	3/29/2021	CHROMIUM	0.00048	J	MG/L
MW-074	3/29/2021	FLUORIDE	0.65	F1	MG/L
MW-074	3/29/2021	LEAD	0.00024	J	MG/L
MW-074	3/29/2021	MERCURY	0.002	U	MG/L
MW-074	3/29/2021	NICKEL	0.001	U	MG/L
MW-074	3/29/2021	NITRATE-N	2.3	F1	MG/L
MW-074	3/29/2021	PH	7.7	HF	S.U.
MW-074	3/29/2021	SELENIUM	0.00041	J	MG/L
MW-074	3/29/2021	SODIUM	11		MG/L
MW-074	3/29/2021	SPECIFIC CONDUCTANCE	500		US/CM
MW-074	3/29/2021	SULFATE	27		MG/L
MW-074	3/29/2021	TEMPERATURE	22	HF	C
MW-074	3/29/2021	TOTAL DISSOLVED SOLIDS	290		MG/L
MW-074	3/29/2021	TURBIDITY	9.6		NTU
MW-074	9/20/2021	ALKALINITY	190		MG/L
MW-074	9/20/2021	ALUMINUM	0.20		MG/L
MW-074	9/20/2021	ARSENIC	0.002	U	MG/L
MW-074	9/20/2021	BARIUM	0.034		MG/L
MW-074	9/20/2021	BERYLLIUM	0.0005	U	MG/L
MW-074	9/20/2021	CADMIUM	0.0005	U	MG/L
MW-074	9/20/2021	CHLORIDE	7.4	F1	MG/L
MW-074	9/20/2021	CHROMIUM	0.00068	J	MG/L
MW-074	9/20/2021	FLUORIDE	0.71		MG/L
MW-074	9/20/2021	LEAD	0.00012	J	MG/L
MW-074	9/20/2021	MERCURY	0.0002	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-074	9/20/2021	NICKEL	0.001	U	MG/L
MW-074	9/20/2021	NITRATE-N	0.93	F1	MG/L
MW-074	9/20/2021	PH	7.6	HF	S.U.
MW-074	9/20/2021	SELENIUM	0.00088	J	MG/L
MW-074	9/20/2021	SODIUM	9.4		MG/L
MW-074	9/20/2021	SPECIFIC CONDUCTANCE	450		US/CM
MW-074	9/20/2021	SULFATE	14	F1	MG/L
MW-074	9/20/2021	TEMPERATURE	23	HF	C
MW-074	9/20/2021	TOTAL DISSOLVED SOLIDS	260		MG/L
MW-074	9/20/2021	TURBIDITY	8		NTU
MW-074	3/29/2022	ALKALINITY	220		MG/L
MW-074	3/29/2022	ALUMINUM	810		UG/L
MW-074	3/29/2022	ARSENIC	0.002	U	MG/L
MW-074	3/29/2022	BARIUM	0.043		MG/L
MW-074	3/29/2022	BERYLLIUM	0.0005	U	MG/L
MW-074	3/29/2022	CADMIUM	0.0005	U	MG/L
MW-074	3/29/2022	CHLORIDE	21		MG/L
MW-074	3/29/2022	CHROMIUM	0.0012	J	MG/L
MW-074	3/29/2022	FLUORIDE	0.42		MG/L
MW-074	3/29/2022	LEAD	0.00069		MG/L
MW-074	3/29/2022	MERCURY	0.00013	J	MG/L
MW-074	3/29/2022	NICKEL	0.0011		MG/L
MW-074	3/29/2022	NITRATE-N	1.7		MG/L
MW-074	3/29/2022	PH	7.4	HF	S.U.
MW-074	3/29/2022	SELENIUM	0.00033	J	MG/L
MW-074	3/29/2022	SODIUM	11		MG/L
MW-074	3/29/2022	SPECIFIC CONDUCTANCE	580		US/CM
MW-074	3/29/2022	SULFATE	33		MG/L
MW-074	3/29/2022	TEMPERATURE	22.4	HF	C
MW-074	3/29/2022	TOTAL DISSOLVED SOLIDS	290		MG/L
MW-074	3/29/2022	TURBIDITY	20		NTU
MW-075	10/22/1993	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-075	10/22/1993	ALKALINITY	178		MG/L
MW-075	10/22/1993	BICARBONATE ALKALINITY	178		MG/L
MW-075	10/22/1993	CALCIUM	70.5		MG/L
MW-075	10/22/1993	CARBONATE ALKALINITY	0.00	U	MG/L
MW-075	10/22/1993	CHLORIDE	19.7		MG/L
MW-075	10/22/1993	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-075	10/22/1993	CYANIDE	9.45	U	MG/L
MW-075	10/22/1993	FLUORIDE	0.11		MG/L
MW-075	10/22/1993	FREE CYANIDE	0.0082	U	MG/L
MW-075	10/22/1993	IRON	2.36		MG/L
MW-075	10/22/1993	SULFATE	37.9		MG/L
MW-075	10/22/1993	TETRACHLOROETHENE	0.001	U	MG/L
MW-075	10/22/1993	TOTAL DISSOLVED SOLIDS	308		MG/L
MW-075	10/22/1993	TRICHLOROETHENE	0.001	U	MG/L
MW-075	10/22/1993	VINYL CHLORIDE	0.001	U	MG/L
MW-075	3/14/1994	CYANIDE	8.94	U	MG/L
MW-075	3/14/1994	FLUORIDE	0.24		MG/L
MW-075	3/14/1994	FREE CYANIDE	0.0085	U	MG/L
MW-075	7/15/1994	ALKALINITY	157		MG/L
MW-075	7/15/1994	BICARBONATE ALKALINITY	157		MG/L
MW-075	7/15/1994	CALCIUM	92.4		MG/L
MW-075	7/15/1994	CARBONATE ALKALINITY	0.00	U	MG/L
MW-075	7/15/1994	CHLORIDE	16.5		MG/L
MW-075	7/15/1994	CYANIDE	9.01	U	MG/L
MW-075	7/15/1994	FLUORIDE	0.22		MG/L
MW-075	7/15/1994	IRON	1.8		MG/L
MW-075	7/15/1994	SULFATE	36.8		MG/L
MW-075	7/15/1994	TOTAL DISSOLVED SOLIDS	312		MG/L
MW-075	7/29/1994	FREE CYANIDE	0.0075	U	MG/L
MW-075	1/23/1995	CYANIDE	10.4	U	MG/L
MW-075	1/23/1995	FLUORIDE	0.22		MG/L
MW-075	1/23/1995	FREE CYANIDE	0.0087	U	MG/L
MW-075	7/17/1995	ALKALINITY	163		MG/L
MW-075	7/17/1995	BICARBONATE ALKALINITY	163		MG/L
MW-075	7/17/1995	CALCIUM	73		MG/L
MW-075	7/17/1995	CARBONATE ALKALINITY	0.00	U	MG/L
MW-075	7/17/1995	CHLORIDE	18.2		MG/L
MW-075	7/17/1995	CYANIDE	9.86	U	MG/L
MW-075	7/17/1995	FLUORIDE	0.22		MG/L
MW-075	7/17/1995	IRON	4.5		MG/L
MW-075	7/17/1995	SULFATE	42		MG/L
MW-075	7/17/1995	TOTAL DISSOLVED SOLIDS	268		MG/L
MW-075	7/31/1995	FREE CYANIDE	0.0077	U	MG/L
MW-075	1/23/1996	CYANIDE	11	U	MG/L
MW-075	1/23/1996	FLUORIDE	0.42		MG/L
MW-075	1/23/1996	FREE CYANIDE	0.0081	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-075	7/2/1996	ALKALINITY	108		MG/L
MW-075	7/2/1996	BICARBONATE ALKALINITY	108		MG/L
MW-075	7/2/1996	CALCIUM	60		MG/L
MW-075	7/2/1996	CARBONATE ALKALINITY	0.00	U	MG/L
MW-075	7/2/1996	CHLORIDE	24		MG/L
MW-075	7/2/1996	CYANIDE	9.32	U	MG/L
MW-075	7/2/1996	FLUORIDE	0.28		MG/L
MW-075	7/2/1996	FLUORINE	0.30		MG/L
MW-075	7/2/1996	FREE CYANIDE	0.0083	U	MG/L
MW-075	7/2/1996	IRON	1		MG/L
MW-075	7/2/1996	SODIUM	6.3		MG/L
MW-075	7/2/1996	SULFATE	22.6		MG/L
MW-075	7/2/1996	TOTAL DISSOLVED SOLIDS	263		MG/L
MW-075	1/28/1997	CYANIDE	6.18	U	MG/L
MW-075	1/28/1997	FLUORIDE	0.28		MG/L
MW-075	1/28/1997	FLUORINE	0.40		MG/L
MW-075	1/28/1997	FREE CYANIDE	0.008	U	MG/L
MW-075	1/28/1997	SODIUM	6.2		MG/L
MW-075	7/8/1997	ALKALINITY	140		MG/L
MW-075	7/8/1997	BICARBONATE ALKALINITY	140		MG/L
MW-075	7/8/1997	CALCIUM	76		MG/L
MW-075	7/8/1997	CARBONATE ALKALINITY	1	U	MG/L
MW-075	7/8/1997	CHLORIDE	26		MG/L
MW-075	7/8/1997	CYANIDE	0.0115		MG/L
MW-075	7/8/1997	FLUORIDE	0.22		MG/L
MW-075	7/8/1997	FLUORINE	0.20		MG/L
MW-075	7/8/1997	FREE CYANIDE	0.008	U	MG/L
MW-075	7/8/1997	IRON	3.2		MG/L
MW-075	7/8/1997	SODIUM	6.3		MG/L
MW-075	7/8/1997	SULFATE	35		MG/L
MW-075	7/8/1997	TOTAL DISSOLVED SOLIDS	222		MG/L
MW-075	7/23/1997	CYANIDE	6.18	U	MG/L
MW-075	1/26/1998	CYANIDE	0.001		MG/L
MW-075	1/26/1998	FLUORIDE	0.26		MG/L
MW-075	1/26/1998	FLUORINE	0.30		MG/L
MW-075	1/26/1998	FREE CYANIDE	0.00823	U	MG/L
MW-075	1/26/1998	SODIUM	6.7		MG/L
MW-075	7/1/1998	ALKALINITY	157		MG/L
MW-075	7/1/1998	BICARBONATE ALKALINITY	157		MG/L
MW-075	7/1/1998	CALCIUM	73		MG/L
MW-075	7/1/1998	CARBONATE ALKALINITY	4.75	U	MG/L
MW-075	7/1/1998	CHLORIDE	14		MG/L
MW-075	7/1/1998	CYANIDE	10.98	U	MG/L
MW-075	7/1/1998	FLUORIDE	0.26		MG/L
MW-075	7/1/1998	FREE CYANIDE	0.00823	U	MG/L
MW-075	7/1/1998	IRON	3.3		MG/L
MW-075	7/1/1998	SILICON DIOXIDE	24		MG/L
MW-075	7/1/1998	SODIUM	5.3		MG/L
MW-075	7/1/1998	SULFATE	36		MG/L
MW-075	7/1/1998	TOTAL DISSOLVED SOLIDS	290		MG/L
MW-075	1/13/1999	CYANIDE	10.98	U	MG/L
MW-075	1/13/1999	FLUORIDE	0.23		MG/L
MW-075	1/13/1999	FREE CYANIDE	0.0134	U	MG/L
MW-075	7/6/1999	ALKALINITY	150		MG/L
MW-075	7/6/1999	BICARBONATE ALKALINITY	150		MG/L
MW-075	7/6/1999	CALCIUM	74		MG/L
MW-075	7/6/1999	CARBONATE ALKALINITY	2	U	MG/L
MW-075	7/6/1999	CHLORIDE	19		MG/L
MW-075	7/6/1999	CYANIDE	0.001		MG/L
MW-075	7/6/1999	FLUORIDE	0.22		MG/L
MW-075	7/6/1999	FREE CYANIDE	0.0134	U	MG/L
MW-075	7/6/1999	IRON	9.6		MG/L
MW-075	7/6/1999	SULFATE	32		MG/L
MW-075	7/6/1999	TOTAL DISSOLVED SOLIDS	270		MG/L
MW-075	1/28/2000	CYANIDE	0.001	U	MG/L
MW-075	1/28/2000	FLUORIDE	0.29		MG/L
MW-075	1/28/2000	FREE CYANIDE	0.005		MG/L
MW-075	7/18/2000	ALKALINITY	110		MG/L
MW-075	7/18/2000	BICARBONATE ALKALINITY	110		MG/L
MW-075	7/18/2000	CALCIUM	63		MG/L
MW-075	7/18/2000	CARBONATE ALKALINITY	2	U	MG/L
MW-075	7/18/2000	CHLORIDE	27		MG/L
MW-075	7/18/2000	CYANIDE	0.001	U	MG/L
MW-075	7/18/2000	FLUORIDE	0.30		MG/L
MW-075	7/18/2000	FREE CYANIDE	0.005		MG/L
MW-075	7/18/2000	IRON	0.50		MG/L
MW-075	7/18/2000	SULFATE	26		MG/L
MW-075	7/18/2000	TOTAL DISSOLVED SOLIDS	220		MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-075	1/26/2001	CYANIDE	0.001	U	MG/L
MW-075	1/26/2001	FLUORIDE	0.30		MG/L
MW-075	1/26/2001	FREE CYANIDE	0.003		MG/L
MW-075	7/31/2001	ALKALINITY	138		MG/L
MW-075	7/31/2001	BICARBONATE ALKALINITY	138		MG/L
MW-075	7/31/2001	CALCIUM	73.1		MG/L
MW-075	7/31/2001	CARBONATE ALKALINITY	5	U	MG/L
MW-075	7/31/2001	CHLORIDE	32.5		MG/L
MW-075	7/31/2001	CYANIDE	0.001	U	MG/L
MW-075	7/31/2001	FLUORIDE	0.22		MG/L
MW-075	7/31/2001	FREE CYANIDE	0.006		MG/L
MW-075	7/31/2001	IRON	3.27		MG/L
MW-075	7/31/2001	SULFATE	35.1		MG/L
MW-075	7/31/2001	TOTAL DISSOLVED SOLIDS	302		MG/L
MW-075	1/28/2002	CYANIDE	0.01	U	MG/L
MW-075	1/28/2002	FLUORIDE	0.20		MG/L
MW-075	1/28/2002	FREE CYANIDE	0.0012		MG/L
MW-075	7/30/2002	ALKALINITY	160		MG/L
MW-075	7/30/2002	BICARBONATE ALKALINITY	160		MG/L
MW-075	7/30/2002	CALCIUM	72		MG/L
MW-075	7/30/2002	CARBONATE ALKALINITY	2	U	MG/L
MW-075	7/30/2002	CHLORIDE	2		MG/L
MW-075	7/30/2002	CYANIDE	0.0018		MG/L
MW-075	7/30/2002	FLUORIDE	0.22		MG/L
MW-075	7/30/2002	FREE CYANIDE	0.0043		MG/L
MW-075	7/30/2002	IRON	2.7		MG/L
MW-075	7/30/2002	SULFATE	32		MG/L
MW-075	7/30/2002	TOTAL DISSOLVED SOLIDS	270		MG/L
MW-075	1/30/2003	CYANIDE	0.0095		MG/L
MW-075	1/30/2003	FLUORIDE	0.28		MG/L
MW-075	1/30/2003	FREE CYANIDE	0.005		MG/L
MW-075	7/21/2003	ALKALINITY	125		MG/L
MW-075	7/21/2003	BICARBONATE ALKALINITY	125		MG/L
MW-075	7/21/2003	CALCIUM	60		MG/L
MW-075	7/21/2003	CARBONATE ALKALINITY	2	U	MG/L
MW-075	7/21/2003	CHLORIDE	27		MG/L
MW-075	7/21/2003	CYANIDE	0.0029		MG/L
MW-075	7/21/2003	FLUORIDE	0.28		MG/L
MW-075	7/21/2003	FREE CYANIDE	0.005		MG/L
MW-075	7/21/2003	IRON	4.25		MG/L
MW-075	7/21/2003	SULFATE	38.5		MG/L
MW-075	7/21/2003	TOTAL DISSOLVED SOLIDS	270		MG/L
MW-075	1/28/2004	CYANIDE	0.0017		MG/L
MW-075	1/28/2004	FLUORIDE	0.28		MG/L
MW-075	1/28/2004	FREE CYANIDE	0.002		MG/L
MW-075	7/28/2004	ALKALINITY	150		MG/L
MW-075	7/28/2004	BICARBONATE ALKALINITY	150		MG/L
MW-075	7/28/2004	CALCIUM	62		MG/L
MW-075	7/28/2004	CARBONATE ALKALINITY	2	U	MG/L
MW-075	7/28/2004	CHLORIDE	18		MG/L
MW-075	7/28/2004	CYANIDE	0.0035		MG/L
MW-075	7/28/2004	FLUORIDE	0.25		MG/L
MW-075	7/28/2004	FREE CYANIDE	0.009		MG/L
MW-075	7/28/2004	IRON	2.2		MG/L
MW-075	7/28/2004	SULFATE	35		MG/L
MW-075	7/28/2004	TOTAL DISSOLVED SOLIDS	270		MG/L
MW-075	9/27/2004	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-075	9/27/2004	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-075	9/27/2004	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-075	9/27/2004	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-075	9/27/2004	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-075	9/27/2004	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-075	9/27/2004	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-075	9/27/2004	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-075	9/27/2004	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-075	9/27/2004	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-075	9/27/2004	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-075	9/27/2004	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-075	9/27/2004	1,4-DICHLOROBENZENE	0.001		MG/L
MW-075	9/27/2004	2-BUTANONE	0.005	U	MG/L
MW-075	9/27/2004	2-HEXANONE	0.005	U	MG/L
MW-075	9/27/2004	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-075	9/27/2004	ACETONE	0.022		MG/L
MW-075	9/27/2004	ACRYLONITRILE	0.005	U	MG/L
MW-075	9/27/2004	AMMONIA	0.10	U	MG/L
MW-075	9/27/2004	ANTIMONY	0.001		MG/L
MW-075	9/27/2004	ARSENIC	0.005	U	MG/L
MW-075	9/27/2004	BARIUM	0.049		MG/L



Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-075	9/27/2004	BENZENE	0.001	U	MG/L
MW-075	9/27/2004	BERYLLIUM	0.002	U	MG/L
MW-075	9/27/2004	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-075	9/27/2004	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-075	9/27/2004	BROMOFORM	0.001	U	MG/L
MW-075	9/27/2004	BROMOMETHANE	0.001	U	MG/L
MW-075	9/27/2004	CADMIUM	0.0005	U	MG/L
MW-075	9/27/2004	CARBON DISULFIDE	0.001	U	MG/L
MW-075	9/27/2004	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-075	9/27/2004	CHEMICAL OXYGEN DEMAND	12		MG/L
MW-075	9/27/2004	CHLOROBENZENE	0.001	U	MG/L
MW-075	9/27/2004	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-075	9/27/2004	CHLOROETHANE	0.001	U	MG/L
MW-075	9/27/2004	CHLOROFORM	0.001	U	MG/L
MW-075	9/27/2004	CHLOROMETHANE	0.001	U	MG/L
MW-075	9/27/2004	CHROMIUM	0.013		MG/L
MW-075	9/27/2004	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-075	9/27/2004	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-075	9/27/2004	COBALT	0.001		MG/L
MW-075	9/27/2004	COPPER	0.006		MG/L
MW-075	9/27/2004	DIBROMOMETHANE	0.001	U	MG/L
MW-075	9/27/2004	ETHYLBENZENE	0.001	U	MG/L
MW-075	9/27/2004	GALLIUM	0.01	U	MG/L
MW-075	9/27/2004	HARDNESS	280		MG/L
MW-075	9/27/2004	IRON	4.3		MG/L
MW-075	9/27/2004	LEAD	0.0025		MG/L
MW-075	9/27/2004	M+P-XYLENES	0.001	U	MG/L
MW-075	9/27/2004	MANGANESE	0.042		MG/L
MW-075	9/27/2004	MERCURY	0.0002	U	MG/L
MW-075	9/27/2004	METHYL IODIDE	0.001	U	MG/L
MW-075	9/27/2004	METHYLENE CHLORIDE	0.001	U	MG/L
MW-075	9/27/2004	NICKEL	0.005	U	MG/L
MW-075	9/27/2004	NITRATE	3.5		MG/L
MW-075	9/27/2004	NITRITE	0.011		MG/L
MW-075	9/27/2004	O-XYLENE	0.001	U	MG/L
MW-075	9/27/2004	SELENIUM	0.005	U	MG/L
MW-075	9/27/2004	SILVER	0.005	U	MG/L
MW-075	9/27/2004	SODIUM	8.2		MG/L
MW-075	9/27/2004	STYRENE	0.001	U	MG/L
MW-075	9/27/2004	TETRACHLOROETHENE	0.0005		MG/L
MW-075	9/27/2004	THALLIUM	0.001		MG/L
MW-075	9/27/2004	TOTAL XYLENES	0.001	U	MG/L
MW-075	9/27/2004	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-075	9/27/2004	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-075	9/27/2004	TRANS-1,4-DICHLORO-2-BUTENE	0.005	U	MG/L
MW-075	9/27/2004	TRICHLOROETHENE	0.001	U	MG/L
MW-075	9/27/2004	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-075	9/27/2004	TURBIDITY	100		NTU
MW-075	9/27/2004	VANADIUM	0.0039		MG/L
MW-075	9/27/2004	VINYL ACETATE	0.001	U	MG/L
MW-075	9/27/2004	VINYL CHLORIDE	0.001	U	MG/L
MW-075	9/27/2004	ZINC	0.019		MG/L
MW-075	3/21/2005	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-075	3/21/2005	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-075	3/21/2005	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-075	3/21/2005	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-075	3/21/2005	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-075	3/21/2005	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-075	3/21/2005	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-075	3/21/2005	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-075	3/21/2005	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-075	3/21/2005	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-075	3/21/2005	1,2-DICHLOROETHENE	0.001	U	MG/L
MW-075	3/21/2005	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-075	3/21/2005	1,4-DICHLOROETHANE	0.0005		MG/L
MW-075	3/21/2005	2-BUTANONE	0.005	U	MG/L
MW-075	3/21/2005	2-HEXANONE	0.005	U	MG/L
MW-075	3/21/2005	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-075	3/21/2005	ACETONE	0.0046		MG/L
MW-075	3/21/2005	ACRYLONITRILE	0.005	U	MG/L
MW-075	3/21/2005	ALKALINITY	180		MG/L
MW-075	3/21/2005	AMMONIA	0.14		MG/L
MW-075	3/21/2005	ANTIMONY	0.0026		MG/L
MW-075	3/21/2005	ARSENIC	0.01	U	MG/L
MW-075	3/21/2005	BARIIUM	0.049		MG/L
MW-075	3/21/2005	BENZENE	0.001	U	MG/L
MW-075	3/21/2005	BERYLLIUM	0.002	U	MG/L
MW-075	3/21/2005	BICARBONATE ALKALINITY	180		MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-075	3/21/2005	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-075	3/21/2005	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-075	3/21/2005	BROMOFORM	0.001	U	MG/L
MW-075	3/21/2005	BROMOMETHANE	0.001	U	MG/L
MW-075	3/21/2005	CADMIUM	0.0005	U	MG/L
MW-075	3/21/2005	CALCIUM	79		MG/L
MW-075	3/21/2005	CARBON DISULFIDE	0.001	U	MG/L
MW-075	3/21/2005	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-075	3/21/2005	CARBONATE ALKALINITY	2	U	MG/L
MW-075	3/21/2005	CHEMICAL OXYGEN DEMAND	10	U	MG/L
MW-075	3/21/2005	CHLORIDE	15		MG/L
MW-075	3/21/2005	CHLOROBENZENE	0.001	U	MG/L
MW-075	3/21/2005	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-075	3/21/2005	CHLOROETHANE	0.001	U	MG/L
MW-075	3/21/2005	CHLOROFORM	0.0011		MG/L
MW-075	3/21/2005	CHLOROMETHANE	0.001	U	MG/L
MW-075	3/21/2005	CHROMIUM	0.019		MG/L
MW-075	3/21/2005	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-075	3/21/2005	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-075	3/21/2005	COBALT	0.005	U	MG/L
MW-075	3/21/2005	COPPER	0.002	U	MG/L
MW-075	3/21/2005	CYANIDE	0.0055		MG/L
MW-075	3/21/2005	DIBROMOMETHANE	0.001	U	MG/L
MW-075	3/21/2005	ETHYLBENZENE	0.001	U	MG/L
MW-075	3/21/2005	FLUORIDE	0.33		MG/L
MW-075	3/21/2005	FREE CYANIDE	0.0036		MG/L
MW-075	3/21/2005	GALLIUM	0.05	U	MG/L
MW-075	3/21/2005	HARDNESS	220		MG/L
MW-075	3/21/2005	IRON	2.7		MG/L
MW-075	3/21/2005	LEAD	0.002	U	MG/L
MW-075	3/21/2005	M+P-XYLENES	0.001	U	MG/L
MW-075	3/21/2005	MANGANESE	0.064		MG/L
MW-075	3/21/2005	MERCURY	0.0002	U	MG/L
MW-075	3/21/2005	METHYL IODIDE	0.001	U	MG/L
MW-075	3/21/2005	METHYLENE CHLORIDE	0.001	U	MG/L
MW-075	3/21/2005	NICKEL	0.0054		MG/L
MW-075	3/21/2005	NITRATE	3.5		MG/L
MW-075	3/21/2005	O-XYLENE	0.001	U	MG/L
MW-075	3/21/2005	SELENIUM	0.005	U	MG/L
MW-075	3/21/2005	SILVER	0.001	U	MG/L
MW-075	3/21/2005	SODIUM	7.8		MG/L
MW-075	3/21/2005	STYRENE	0.001	U	MG/L
MW-075	3/21/2005	SULFATE	40		MG/L
MW-075	3/21/2005	TETRACHLOROETHENE	0.001	U	MG/L
MW-075	3/21/2005	THALLIUM	0.002	U	MG/L
MW-075	3/21/2005	TOLUENE	0.001	U	MG/L
MW-075	3/21/2005	TOTAL DISSOLVED SOLIDS	350		MG/L
MW-075	3/21/2005	TOTAL XYLENES	0.001	U	MG/L
MW-075	3/21/2005	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-075	3/21/2005	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-075	3/21/2005	TRANS-1,4-DICHLORO-2-BUTENE	0.005	U	MG/L
MW-075	3/21/2005	TRICHLOROETHENE	0.001	U	MG/L
MW-075	3/21/2005	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-075	3/21/2005	TURBIDITY	18		NTU
MW-075	3/21/2005	VANADIUM	0.005	U	MG/L
MW-075	3/21/2005	VINYL ACETATE	0.001	U	MG/L
MW-075	3/21/2005	VINYL CHLORIDE	0.001	U	MG/L
MW-075	3/21/2005	ZINC	0.01	U	MG/L
MW-075	6/20/2005	FLUORIDE	0.55		MG/L
MW-075	6/20/2005	FREE CYANIDE	0.0007		MG/L
MW-075	9/20/2005	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-075	9/20/2005	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-075	9/20/2005	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-075	9/20/2005	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-075	9/20/2005	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-075	9/20/2005	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-075	9/20/2005	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-075	9/20/2005	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-075	9/20/2005	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-075	9/20/2005	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-075	9/20/2005	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-075	9/20/2005	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-075	9/20/2005	1,4-DICHLOROBENZENE	0.001	U	MG/L
MW-075	9/20/2005	2-BUTANONE	0.005	U	MG/L
MW-075	9/20/2005	2-HEXANONE	0.005	U	MG/L
MW-075	9/20/2005	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-075	9/20/2005	ACETONE	0.005		MG/L
MW-075	9/20/2005	ACRYLONITRILE	0.004	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-075	9/20/2005	ALKALINITY	160		MG/L
MW-075	9/20/2005	AMMONIA	1	U	MG/L
MW-075	9/20/2005	ANTIMONY	0.002	U	MG/L
MW-075	9/20/2005	ARSENIC	0.002	U	MG/L
MW-075	9/20/2005	BARIUM	0.035		MG/L
MW-075	9/20/2005	BENZENE	0.001	U	MG/L
MW-075	9/20/2005	BERYLLIUM	0.002	U	MG/L
MW-075	9/20/2005	BICARBONATE ALKALINITY	160		MG/L
MW-075	9/20/2005	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-075	9/20/2005	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-075	9/20/2005	BROMOFORM	0.001	U	MG/L
MW-075	9/20/2005	BROMOMETHANE	0.001	U	MG/L
MW-075	9/20/2005	CADMIUM	0.0005	U	MG/L
MW-075	9/20/2005	CALCIUM	75		MG/L
MW-075	9/20/2005	CARBON DISULFIDE	0.001	U	MG/L
MW-075	9/20/2005	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-075	9/20/2005	CARBONATE ALKALINITY	2	U	MG/L
MW-075	9/20/2005	CHEMICAL OXYGEN DEMAND	10	U	MG/L
MW-075	9/20/2005	CHLORIDE	18		MG/L
MW-075	9/20/2005	CHLOROBENZENE	0.001	U	MG/L
MW-075	9/20/2005	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-075	9/20/2005	CHLOROETHANE	0.001	U	MG/L
MW-075	9/20/2005	CHLOROFORM	0.001	U	MG/L
MW-075	9/20/2005	CHLOROMETHANE	0.001	U	MG/L
MW-075	9/20/2005	CHROMIUM	0.001	U	MG/L
MW-075	9/20/2005	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-075	9/20/2005	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-075	9/20/2005	COBALT	0.005	U	MG/L
MW-075	9/20/2005	COPPER	0.002	U	MG/L
MW-075	9/20/2005	CYANIDE	0.0012		MG/L
MW-075	9/20/2005	DIBROMOMETHANE	0.001	U	MG/L
MW-075	9/20/2005	ETHYLBENZENE	0.001	U	MG/L
MW-075	9/20/2005	FLUORIDE	0.20		MG/L
MW-075	9/20/2005	FREE CYANIDE	0.0003		MG/L
MW-075	9/20/2005	GALLIUM	0.005	U	MG/L
MW-075	9/20/2005	HARDNESS	230		MG/L
MW-075	9/20/2005	IRON	0.11		MG/L
MW-075	9/20/2005	LEAD	0.002	U	MG/L
MW-075	9/20/2005	M+P-XYLENES	0.001	U	MG/L
MW-075	9/20/2005	MAGNESIUM	9.7		MG/L
MW-075	9/20/2005	MANGANESE	0.01		MG/L
MW-075	9/20/2005	MERCURY	0.001	U	MG/L
MW-075	9/20/2005	METHYL IODIDE	0.001	U	MG/L
MW-075	9/20/2005	METHYLENE CHLORIDE	0.0044		MG/L
MW-075	9/20/2005	NICKEL	0.002	U	MG/L
MW-075	9/20/2005	NITRATE	3.7		MG/L
MW-075	9/20/2005	NITRITE	0.0058		MG/L
MW-075	9/20/2005	O-XYLENE	0.001	U	MG/L
MW-075	9/20/2005	SELENIUM	0.01	U	MG/L
MW-075	9/20/2005	SILVER	0.001	U	MG/L
MW-075	9/20/2005	SODIUM	7.9		MG/L
MW-075	9/20/2005	STYRENE	0.001	U	MG/L
MW-075	9/20/2005	SULFATE	35		MG/L
MW-075	9/20/2005	TETRACHLOROETHENE	0.001	U	MG/L
MW-075	9/20/2005	THALLIUM	0.001		MG/L
MW-075	9/20/2005	TOLUENE	0.001	U	MG/L
MW-075	9/20/2005	TOTAL DISSOLVED SOLIDS	320		MG/L
MW-075	9/20/2005	TOTAL XYLENES	0.001	U	MG/L
MW-075	9/20/2005	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-075	9/20/2005	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-075	9/20/2005	TRANS-1,4-DICHLORO-2-BUTENE	0.005	U	MG/L
MW-075	9/20/2005	TRICHLOROETHENE	0.001	U	MG/L
MW-075	9/20/2005	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-075	9/20/2005	VANADIUM	0.005	U	MG/L
MW-075	9/20/2005	VINYL ACETATE	0.005	U	MG/L
MW-075	9/20/2005	VINYL CHLORIDE	0.001	U	MG/L
MW-075	9/20/2005	ZINC	0.059		MG/L
MW-075	11/22/2005	TURBIDITY	48		NTU
MW-075	3/9/2006	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-075	3/9/2006	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-075	3/9/2006	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-075	3/9/2006	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-075	3/9/2006	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-075	3/9/2006	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-075	3/9/2006	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-075	3/9/2006	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-075	3/9/2006	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-075	3/9/2006	1,2-DICHLOROBENZENE	0.001	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-075	3/9/2006	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-075	3/9/2006	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-075	3/9/2006	1,4-DICHLOROBENZENE	0.001	U	MG/L
MW-075	3/9/2006	2-BUTANONE	0.005	U	MG/L
MW-075	3/9/2006	2-HEXANONE	0.005	U	MG/L
MW-075	3/9/2006	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-075	3/9/2006	ACETONE	0.005	U	MG/L
MW-075	3/9/2006	ACRYLONITRILE	0.005	U	MG/L
MW-075	3/9/2006	ALKALINITY	160		MG/L
MW-075	3/9/2006	AMMONIA	1	U	MG/L
MW-075	3/9/2006	ANTIMONY	0.002		MG/L
MW-075	3/9/2006	ARSENIC	0.002	U	MG/L
MW-075	3/9/2006	BARIUM	0.039		MG/L
MW-075	3/9/2006	BENZENE	0.001	U	MG/L
MW-075	3/9/2006	BERYLLIUM	0.002	U	MG/L
MW-075	3/9/2006	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-075	3/9/2006	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-075	3/9/2006	BROMOFORM	0.001	U	MG/L
MW-075	3/9/2006	BROMOMETHANE	0.001	U	MG/L
MW-075	3/9/2006	CADMIUM	0.0005	U	MG/L
MW-075	3/9/2006	CALCIUM	77		MG/L
MW-075	3/9/2006	CARBON DISULFIDE	0.001	U	MG/L
MW-075	3/9/2006	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-075	3/9/2006	CHEMICAL OXYGEN DEMAND	10	U	MG/L
MW-075	3/9/2006	CHLORIDE	23		MG/L
MW-075	3/9/2006	CHLOROBENZENE	0.001	U	MG/L
MW-075	3/9/2006	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-075	3/9/2006	CHLOROETHANE	0.001	U	MG/L
MW-075	3/9/2006	CHLOROFORM	0.001	U	MG/L
MW-075	3/9/2006	CHLOROMETHANE	0.001	U	MG/L
MW-075	3/9/2006	CHROMIUM	0.01		MG/L
MW-075	3/9/2006	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-075	3/9/2006	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-075	3/9/2006	COBALT	0.005	U	MG/L
MW-075	3/9/2006	COPPER	0.0031		MG/L
MW-075	3/9/2006	CYANIDE	0.0009		MG/L
MW-075	3/9/2006	DIBROMOMETHANE	0.001	U	MG/L
MW-075	3/9/2006	ETHYLBENZENE	0.001	U	MG/L
MW-075	3/9/2006	FLUORIDE	0.20	U	MG/L
MW-075	3/9/2006	FREE CYANIDE	0.005	U	MG/L
MW-075	3/9/2006	GALLIUM	0.005	U	MG/L
MW-075	3/9/2006	HARDNESS	230		MG/L
MW-075	3/9/2006	IRON	0.067		MG/L
MW-075	3/9/2006	LEAD	0.002	U	MG/L
MW-075	3/9/2006	M+P-XYLENES	0.001	U	MG/L
MW-075	3/9/2006	MAGNESIUM	10		MG/L
MW-075	3/9/2006	MANGANESE	0.0098		MG/L
MW-075	3/9/2006	MERCURY	0.0002	U	MG/L
MW-075	3/9/2006	METHYL IODIDE	0.001	U	MG/L
MW-075	3/9/2006	METHYLENE CHLORIDE	0.001	U	MG/L
MW-075	3/9/2006	NICKEL	0.002	U	MG/L
MW-075	3/9/2006	NITRATE	4.7		MG/L
MW-075	3/9/2006	O-XYLENE	0.001	U	MG/L
MW-075	3/9/2006	SELENIUM	0.005	U	MG/L
MW-075	3/9/2006	SILVER	0.001	U	MG/L
MW-075	3/9/2006	SODIUM	9.2		MG/L
MW-075	3/9/2006	STYRENE	0.001	U	MG/L
MW-075	3/9/2006	SULFATE	40		MG/L
MW-075	3/9/2006	TETRACHLOROETHENE	0.001	U	MG/L
MW-075	3/9/2006	THALLIUM	0.002	U	MG/L
MW-075	3/9/2006	TOLUENE	0.001	U	MG/L
MW-075	3/9/2006	TOTAL DISSOLVED SOLIDS	330		MG/L
MW-075	3/9/2006	TOTAL XYLENES	0.001	U	MG/L
MW-075	3/9/2006	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-075	3/9/2006	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-075	3/9/2006	TRANS-1,4-DICHLORO-2-BUTENE	0.005	U	MG/L
MW-075	3/9/2006	TRICHLOROETHENE	0.001	U	MG/L
MW-075	3/9/2006	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-075	3/9/2006	TURBIDITY	3.05		NTU
MW-075	3/9/2006	VANADIUM	0.001	U	MG/L
MW-075	3/9/2006	VINYL ACETATE	0.001	U	MG/L
MW-075	3/9/2006	VINYL CHLORIDE	0.001	U	MG/L
MW-075	3/9/2006	ZINC	0.01	U	MG/L
MW-075	8/22/2006	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-075	8/22/2006	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-075	8/22/2006	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-075	8/22/2006	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-075	8/22/2006	1,1-DICHLOROETHANE	0.001	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-075	8/22/2006	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-075	8/22/2006	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-075	8/22/2006	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-075	8/22/2006	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-075	8/22/2006	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-075	8/22/2006	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-075	8/22/2006	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-075	8/22/2006	1,4-DICHLOROBENZENE	0.0011		MG/L
MW-075	8/22/2006	2-BUTANONE	0.005	U	MG/L
MW-075	8/22/2006	2-HEXANONE	0.005	U	MG/L
MW-075	8/22/2006	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-075	8/22/2006	ACETONE	0.0042		MG/L
MW-075	8/22/2006	ACRYLONITRILE	0.005	U	MG/L
MW-075	8/22/2006	ALKALINITY	170		MG/L
MW-075	8/22/2006	AMMONIA	1	U	MG/L
MW-075	8/22/2006	ANTIMONY	0.002	U	MG/L
MW-075	8/22/2006	ARSENIC	0.002	U	MG/L
MW-075	8/22/2006	BARIUM	0.035		MG/L
MW-075	8/22/2006	BENZENE	0.001	U	MG/L
MW-075	8/22/2006	BERYLLIUM	0.002	U	MG/L
MW-075	8/22/2006	BICARBONATE ALKALINITY	170		MG/L
MW-075	8/22/2006	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-075	8/22/2006	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-075	8/22/2006	BROMOFORM	0.001	U	MG/L
MW-075	8/22/2006	BROMOMETHANE	0.001	U	MG/L
MW-075	8/22/2006	CADMIUM	0.0005	U	MG/L
MW-075	8/22/2006	CALCIUM	72		MG/L
MW-075	8/22/2006	CARBON DISULFIDE	0.001	U	MG/L
MW-075	8/22/2006	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-075	8/22/2006	CARBONATE ALKALINITY	4	U	MG/L
MW-075	8/22/2006	CHEMICAL OXYGEN DEMAND	10	U	MG/L
MW-075	8/22/2006	CHLORIDE	22		MG/L
MW-075	8/22/2006	CHLOROBENZENE	0.001	U	MG/L
MW-075	8/22/2006	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-075	8/22/2006	CHLOROETHANE	0.001	U	MG/L
MW-075	8/22/2006	CHLOROFORM	0.00058		MG/L
MW-075	8/22/2006	CHLOROMETHANE	0.001	U	MG/L
MW-075	8/22/2006	CHROMIUM	0.01	U	MG/L
MW-075	8/22/2006	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-075	8/22/2006	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-075	8/22/2006	COBALT	0.005	U	MG/L
MW-075	8/22/2006	COPPER	0.002	U	MG/L
MW-075	8/22/2006	CYANIDE	0.001	U	MG/L
MW-075	8/22/2006	DIBROMOMETHANE	0.001	U	MG/L
MW-075	8/22/2006	ETHYLBENZENE	0.001	U	MG/L
MW-075	8/22/2006	FLUORIDE	0.22		MG/L
MW-075	8/22/2006	FREE CYANIDE	0.0088		MG/L
MW-075	8/22/2006	GALLIUM	0.005	U	MG/L
MW-075	8/22/2006	HARDNESS	220		MG/L
MW-075	8/22/2006	IRON	0.36		MG/L
MW-075	8/22/2006	LEAD	0.002	U	MG/L
MW-075	8/22/2006	M+P-XYLENES	0.001	U	MG/L
MW-075	8/22/2006	MAGNESIUM	8.9		MG/L
MW-075	8/22/2006	MANGANESE	0.012		MG/L
MW-075	8/22/2006	MERCURY	0.0002	U	MG/L
MW-075	8/22/2006	METHYL IODIDE	0.001	U	MG/L
MW-075	8/22/2006	METHYLENE CHLORIDE	0.0011		MG/L
MW-075	8/22/2006	NICKEL	0.002	U	MG/L
MW-075	8/22/2006	NITRATE	3.7		MG/L
MW-075	8/22/2006	NITRITE	0.005	U	MG/L
MW-075	8/22/2006	O-XYLENE	0.001	U	MG/L
MW-075	8/22/2006	SELENIUM	0.005	U	MG/L
MW-075	8/22/2006	SILVER	0.001	U	MG/L
MW-075	8/22/2006	SODIUM	8.2		MG/L
MW-075	8/22/2006	STYRENE	0.001	U	MG/L
MW-075	8/22/2006	SULFATE	35		MG/L
MW-075	8/22/2006	TETRACHLOROETHENE	0.001	U	MG/L
MW-075	8/22/2006	THALLIUM	0.002	U	MG/L
MW-075	8/22/2006	TOLUENE	0.001	U	MG/L
MW-075	8/22/2006	TOTAL DISSOLVED SOLIDS	270		MG/L
MW-075	8/22/2006	TOTAL XYLENES	0.001	U	MG/L
MW-075	8/22/2006	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-075	8/22/2006	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-075	8/22/2006	TRANS-1,4-DICHLORO-2-BUTENE	0.005	U	MG/L
MW-075	8/22/2006	TRICHLOROETHENE	0.001	U	MG/L
MW-075	8/22/2006	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-075	8/22/2006	TURBIDITY	6		NTU
MW-075	8/22/2006	VANADIUM	0.005	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-075	8/22/2006	VINYL ACETATE	0.001	U	MG/L
MW-075	8/22/2006	VINYL CHLORIDE	0.001	U	MG/L
MW-075	8/22/2006	ZINC	0.01	U	MG/L
MW-075	3/13/2007	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-075	3/13/2007	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-075	3/13/2007	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-075	3/13/2007	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-075	3/13/2007	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-075	3/13/2007	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-075	3/13/2007	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-075	3/13/2007	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-075	3/13/2007	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-075	3/13/2007	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-075	3/13/2007	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-075	3/13/2007	1,4-DICHLOROETHANE	0.001	U	MG/L
MW-075	3/13/2007	2-BUTANONE	0.005	U	MG/L
MW-075	3/13/2007	2-HEXANONE	0.005	U	MG/L
MW-075	3/13/2007	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-075	3/13/2007	ACETONE	0.005	U	MG/L
MW-075	3/13/2007	ACRYLONITRILE	0.005	U	MG/L
MW-075	3/13/2007	ALKALINITY	115		MG/L
MW-075	3/13/2007	AMMONIA	1	U	MG/L
MW-075	3/13/2007	ANTIMONY	0.0005		MG/L
MW-075	3/13/2007	ARSENIC	0.05	U	MG/L
MW-075	3/13/2007	BARIUM	0.029		MG/L
MW-075	3/13/2007	BENZENE	0.001	U	MG/L
MW-075	3/13/2007	BERYLLIUM	0.002	U	MG/L
MW-075	3/13/2007	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-075	3/13/2007	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-075	3/13/2007	BROMOFORM	0.001	U	MG/L
MW-075	3/13/2007	BROMOMETHANE	0.001	U	MG/L
MW-075	3/13/2007	CADIUM	0.0005	U	MG/L
MW-075	3/13/2007	CALCIUM	59		MG/L
MW-075	3/13/2007	CARBON DISULFIDE	0.001	U	MG/L
MW-075	3/13/2007	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-075	3/13/2007	CHEMICAL OXYGEN DEMAND	5.5		MG/L
MW-075	3/13/2007	CHLORIDE	32		MG/L
MW-075	3/13/2007	CHLOROBENZENE	0.001	U	MG/L
MW-075	3/13/2007	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-075	3/13/2007	CHLOROETHANE	0.001	U	MG/L
MW-075	3/13/2007	CHLOROFORM	0.001	U	MG/L
MW-075	3/13/2007	CHLOROMETHANE	0.001	U	MG/L
MW-075	3/13/2007	CHROMIUM	0.01	U	MG/L
MW-075	3/13/2007	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-075	3/13/2007	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-075	3/13/2007	COBALT	0.005	U	MG/L
MW-075	3/13/2007	COPPER	0.002	U	MG/L
MW-075	3/13/2007	CYANIDE	0.0008		MG/L
MW-075	3/13/2007	DIBROMOMETHANE	0.001	U	MG/L
MW-075	3/13/2007	ETHYLBENZENE	0.001	U	MG/L
MW-075	3/13/2007	FLUORIDE	0.55		MG/L
MW-075	3/13/2007	FREE CYANIDE	0.005	U	MG/L
MW-075	3/13/2007	GALLIUM	0.005	U	MG/L
MW-075	3/13/2007	HARDNESS	180		MG/L
MW-075	3/13/2007	IRON	0.02		MG/L
MW-075	3/13/2007	LEAD	0.002	U	MG/L
MW-075	3/13/2007	M+P-XYLENES	0.001	U	MG/L
MW-075	3/13/2007	MAGNESIUM	8.25		MG/L
MW-075	3/13/2007	MANGANESE	0.0025		MG/L
MW-075	3/13/2007	MERCURY	0.0002	U	MG/L
MW-075	3/13/2007	METHYL IODIDE	0.001	U	MG/L
MW-075	3/13/2007	METHYLENE CHLORIDE	0.001	U	MG/L
MW-075	3/13/2007	MOLYBDENUM	0.005	U	MG/L
MW-075	3/13/2007	NICKEL	0.005	U	MG/L
MW-075	3/13/2007	NITRATE	3.75		MG/L
MW-075	3/13/2007	NITRITE	0.005	U	MG/L
MW-075	3/13/2007	O-XYLENE	0.001	U	MG/L
MW-075	3/13/2007	SELENIUM	0.005	U	MG/L
MW-075	3/13/2007	SILVER	0.001	U	MG/L
MW-075	3/13/2007	SODIUM	13		MG/L
MW-075	3/13/2007	STYRENE	0.001	U	MG/L
MW-075	3/13/2007	SULFATE	28		MG/L
MW-075	3/13/2007	TETRACHLOROETHENE	0.001	U	MG/L
MW-075	3/13/2007	THALLIUM	0.002	U	MG/L
MW-075	3/13/2007	TOLUENE	0.001	U	MG/L
MW-075	3/13/2007	TOTAL DISSOLVED SOLIDS	205		MG/L
MW-075	3/13/2007	TOTAL XYLENES	0.001	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-075	3/13/2007	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-075	3/13/2007	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-075	3/13/2007	TRANS-1,4-DICHLORO-2-BUTENE	0.005	U	MG/L
MW-075	3/13/2007	TRICHLOROETHENE	0.001	U	MG/L
MW-075	3/13/2007	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-075	3/13/2007	TURBIDITY	0.24		NTU
MW-075	3/13/2007	VANADIUM	0.01	U	MG/L
MW-075	3/13/2007	VINYL ACETATE	0.001	U	MG/L
MW-075	3/13/2007	VINYL CHLORIDE	0.001	U	MG/L
MW-075	3/13/2007	ZINC	0.01	U	MG/L
MW-075	9/11/2007	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-075	9/11/2007	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-075	9/11/2007	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-075	9/11/2007	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-075	9/11/2007	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-075	9/11/2007	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-075	9/11/2007	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-075	9/11/2007	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-075	9/11/2007	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-075	9/11/2007	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-075	9/11/2007	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-075	9/11/2007	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-075	9/11/2007	1,4-DICHLOROBENZENE	0.001	U	MG/L
MW-075	9/11/2007	2-BUTANONE	0.005	U	MG/L
MW-075	9/11/2007	2-HEXANONE	0.005	U	MG/L
MW-075	9/11/2007	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-075	9/11/2007	ACETONE	0.005	U	MG/L
MW-075	9/11/2007	ACRYLONITRILE	0.005	U	MG/L
MW-075	9/11/2007	ALKALINITY	160		MG/L
MW-075	9/11/2007	AMMONIA	0.10	U	MG/L
MW-075	9/11/2007	ANTIMONY	0.002	U	MG/L
MW-075	9/11/2007	ARSENIC	0.002	U	MG/L
MW-075	9/11/2007	BARIUM	0.036		MG/L
MW-075	9/11/2007	BENZENE	0.001	U	MG/L
MW-075	9/11/2007	BERYLLIUM	0.002	U	MG/L
MW-075	9/11/2007	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-075	9/11/2007	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-075	9/11/2007	BROMOFORM	0.001	U	MG/L
MW-075	9/11/2007	BROMOMETHANE	0.001	U	MG/L
MW-075	9/11/2007	CADMIUM	0.0005	U	MG/L
MW-075	9/11/2007	CALCIUM	80.5		MG/L
MW-075	9/11/2007	CARBON DISULFIDE	0.001	U	MG/L
MW-075	9/11/2007	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-075	9/11/2007	CHEMICAL OXYGEN DEMAND	10	U	MG/L
MW-075	9/11/2007	CHLORIDE	16		MG/L
MW-075	9/11/2007	CHLOROBENZENE	0.001	U	MG/L
MW-075	9/11/2007	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-075	9/11/2007	CHLOROETHANE	0.001	U	MG/L
MW-075	9/11/2007	CHLOROFORM	0.001	U	MG/L
MW-075	9/11/2007	CHLOROMETHANE	0.001	U	MG/L
MW-075	9/11/2007	CHROMIUM	0.01	U	MG/L
MW-075	9/11/2007	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-075	9/11/2007	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-075	9/11/2007	COBALT	0.005	U	MG/L
MW-075	9/11/2007	COPPER	0.0024		MG/L
MW-075	9/11/2007	CYANIDE	0.005	U	MG/L
MW-075	9/11/2007	DIBROMOMETHANE	0.001	U	MG/L
MW-075	9/11/2007	ETHYLBENZENE	0.001	U	MG/L
MW-075	9/11/2007	FLUORIDE	0.22		MG/L
MW-075	9/11/2007	FREE CYANIDE	0.005	U	MG/L
MW-075	9/11/2007	GALLIUM	0.005	U	MG/L
MW-075	9/11/2007	HARDNESS	300		MG/L
MW-075	9/11/2007	IRON	0.28		MG/L
MW-075	9/11/2007	LEAD	0.001		MG/L
MW-075	9/11/2007	M+P-XYLENES	0.001	U	MG/L
MW-075	9/11/2007	MAGNESIUM	9.6		MG/L
MW-075	9/11/2007	MANGANESE	0.012		MG/L
MW-075	9/11/2007	MERCURY	0.0002	U	MG/L
MW-075	9/11/2007	METHYL IODIDE	0.001	U	MG/L
MW-075	9/11/2007	METHYLENE CHLORIDE	0.001	U	MG/L
MW-075	9/11/2007	NICKEL	0.003		MG/L
MW-075	9/11/2007	NITRATE	3.5		MG/L
MW-075	9/11/2007	NITRITE	0.015		MG/L
MW-075	9/11/2007	O-XYLENE	0.001	U	MG/L
MW-075	9/11/2007	SELENIUM	0.005	U	MG/L
MW-075	9/11/2007	SILVER	0.001	U	MG/L
MW-075	9/11/2007	SODIUM	9.1		MG/L
MW-075	9/11/2007	STYRENE	0.001	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-075	9/11/2007	SULFATE	37		MG/L
MW-075	9/11/2007	TETRACHLOROETHENE	0.001	U	MG/L
MW-075	9/11/2007	THALLIUM	0.002	U	MG/L
MW-075	9/11/2007	TOLUENE	0.001	U	MG/L
MW-075	9/11/2007	TOTAL DISSOLVED SOLIDS	250		MG/L
MW-075	9/11/2007	TOTAL XYLENES	0.001	U	MG/L
MW-075	9/11/2007	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-075	9/11/2007	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-075	9/11/2007	TRANS-1,4-DICHLORO-2-BUTENE	0.005	U	MG/L
MW-075	9/11/2007	TRICHLOROETHENE	0.001	U	MG/L
MW-075	9/11/2007	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-075	9/11/2007	TURBIDITY	7.4		NTU
MW-075	9/11/2007	VANADIUM	0.005	U	MG/L
MW-075	9/11/2007	VINYL ACETATE	0.001	U	MG/L
MW-075	9/11/2007	VINYL CHLORIDE	0.001	U	MG/L
MW-075	9/11/2007	ZINC	0.009		MG/L
MW-075	3/18/2008	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-075	3/18/2008	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-075	3/18/2008	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-075	3/18/2008	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-075	3/18/2008	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-075	3/18/2008	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-075	3/18/2008	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-075	3/18/2008	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-075	3/18/2008	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-075	3/18/2008	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-075	3/18/2008	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-075	3/18/2008	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-075	3/18/2008	1,4-DICHLOROBENZENE	0.001	U	MG/L
MW-075	3/18/2008	2-BUTANONE	0.005	U	MG/L
MW-075	3/18/2008	2-HEXANONE	0.005	U	MG/L
MW-075	3/18/2008	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-075	3/18/2008	ACETONE	0.005	U	MG/L
MW-075	3/18/2008	ACRYLONITRILE	0.005	U	MG/L
MW-075	3/18/2008	ALKALINITY	86		MG/L
MW-075	3/18/2008	AMMONIA	0.10	U	MG/L
MW-075	3/18/2008	ANTIMONY	0.004		MG/L
MW-075	3/18/2008	ARSENIC	0.002	U	MG/L
MW-075	3/18/2008	BARIUM	0.04		MG/L
MW-075	3/18/2008	BENZENE	0.001	U	MG/L
MW-075	3/18/2008	BERYLLIUM	0.0025	U	MG/L
MW-075	3/18/2008	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-075	3/18/2008	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-075	3/18/2008	BROMOFORM	0.001	U	MG/L
MW-075	3/18/2008	BROMOMETHANE	0.001	U	MG/L
MW-075	3/18/2008	CADMIUM	0.0005	U	MG/L
MW-075	3/18/2008	CALCIUM	63		MG/L
MW-075	3/18/2008	CARBON DISULFIDE	0.001	U	MG/L
MW-075	3/18/2008	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-075	3/18/2008	CHEMICAL OXYGEN DEMAND	12		MG/L
MW-075	3/18/2008	CHLORIDE	60		MG/L
MW-075	3/18/2008	CHLOROBENZENE	0.001	U	MG/L
MW-075	3/18/2008	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-075	3/18/2008	CHLOROETHANE	0.001	U	MG/L
MW-075	3/18/2008	CHLOROFORM	0.001	U	MG/L
MW-075	3/18/2008	CHLOROMETHANE	0.001	U	MG/L
MW-075	3/18/2008	CHROMIUM	0.0092		MG/L
MW-075	3/18/2008	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-075	3/18/2008	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-075	3/18/2008	COBALT	0.005	U	MG/L
MW-075	3/18/2008	COPPER	0.002	U	MG/L
MW-075	3/18/2008	CYANIDE	0.01	U	MG/L
MW-075	3/18/2008	DIBROMOMETHANE	0.001	U	MG/L
MW-075	3/18/2008	ETHYLBENZENE	0.001	U	MG/L
MW-075	3/18/2008	FLUORIDE	0.24		MG/L
MW-075	3/18/2008	FREE CYANIDE	0.0053		MG/L
MW-075	3/18/2008	GALLIUM	0.01	U	MG/L
MW-075	3/18/2008	HARDNESS	190		MG/L
MW-075	3/18/2008	IRON	0.18		MG/L
MW-075	3/18/2008	LEAD	0.0018		MG/L
MW-075	3/18/2008	M+P-XYLENES	0.001	U	MG/L
MW-075	3/18/2008	MAGNESIUM	8.6		MG/L
MW-075	3/18/2008	MANGANESE	0.0076		MG/L
MW-075	3/18/2008	MERCURY	0.0002	U	MG/L
MW-075	3/18/2008	METHYL IODIDE	0.001	U	MG/L
MW-075	3/18/2008	METHYLENE CHLORIDE	0.001	U	MG/L
MW-075	3/18/2008	NICKEL	0.004		MG/L
MW-075	3/18/2008	NITRATE	0.05	U	MG/L



Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-075	3/18/2008	NITRITE	0.012	U	MG/L
MW-075	3/18/2008	O-XYLENE	0.001	U	MG/L
MW-075	3/18/2008	SELENIUM	0.005	U	MG/L
MW-075	3/18/2008	SILVER	0.001	U	MG/L
MW-075	3/18/2008	SODIUM	24		MG/L
MW-075	3/18/2008	STYRENE	0.001	U	MG/L
MW-075	3/18/2008	SULFATE	38		MG/L
MW-075	3/18/2008	TETRACHLOROETHENE	0.001	U	MG/L
MW-075	3/18/2008	THALLIUM	0.002	U	MG/L
MW-075	3/18/2008	TOLUENE	0.001	U	MG/L
MW-075	3/18/2008	TOTAL DISSOLVED SOLIDS	245		MG/L
MW-075	3/18/2008	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-075	3/18/2008	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-075	3/18/2008	TRANS-1,4-DICHLORO-2-BUTENE	0.005	U	MG/L
MW-075	3/18/2008	TRICHLOROETHENE	0.001	U	MG/L
MW-075	3/18/2008	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-075	3/18/2008	TURBIDITY	4.5		NTU
MW-075	3/18/2008	VANADIUM	0.006		MG/L
MW-075	3/18/2008	VINYL ACETATE	0.005	U	MG/L
MW-075	3/18/2008	VINYL CHLORIDE	0.001	U	MG/L
MW-075	3/18/2008	ZINC	0.02	U	MG/L
MW-075	9/25/2008	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-075	9/25/2008	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-075	9/25/2008	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-075	9/25/2008	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-075	9/25/2008	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-075	9/25/2008	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-075	9/25/2008	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-075	9/25/2008	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-075	9/25/2008	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-075	9/25/2008	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-075	9/25/2008	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-075	9/25/2008	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-075	9/25/2008	1,4-DICHLOROBENZENE	0.001	U	MG/L
MW-075	9/25/2008	2-BUTANONE	0.0075		MG/L
MW-075	9/25/2008	2-HEXANONE	0.005	U	MG/L
MW-075	9/25/2008	4-BROMOFLUOROBENZENE	0.028		MG/L
MW-075	9/25/2008	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-075	9/25/2008	ACETONE	0.0048		MG/L
MW-075	9/25/2008	ACRYLONITRILE	0.005	U	MG/L
MW-075	9/25/2008	ALKALINITY	160		MG/L
MW-075	9/25/2008	AMMONIA	0.31		MG/L
MW-075	9/25/2008	ANTIMONY	0.005	U	MG/L
MW-075	9/25/2008	ARSENIC	0.005	U	MG/L
MW-075	9/25/2008	BARIUM	0.046		MG/L
MW-075	9/25/2008	BENZENE	0.001	U	MG/L
MW-075	9/25/2008	BERYLLIUM	0.002	U	MG/L
MW-075	9/25/2008	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-075	9/25/2008	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-075	9/25/2008	BROMOFORM	0.001	U	MG/L
MW-075	9/25/2008	BROMOMETHANE	0.001	U	MG/L
MW-075	9/25/2008	CADMIUM	0.0005	U	MG/L
MW-075	9/25/2008	CALCIUM	88		MG/L
MW-075	9/25/2008	CARBON DISULFIDE	0.001	U	MG/L
MW-075	9/25/2008	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-075	9/25/2008	CHEMICAL OXYGEN DEMAND	10	U	MG/L
MW-075	9/25/2008	CHLORIDE	30		MG/L
MW-075	9/25/2008	CHLOROBENZENE	0.001	U	MG/L
MW-075	9/25/2008	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-075	9/25/2008	CHLOROETHANE	0.001	U	MG/L
MW-075	9/25/2008	CHLOROFORM	0.001	U	MG/L
MW-075	9/25/2008	CHLOROMETHANE	0.001	U	MG/L
MW-075	9/25/2008	CHROMIUM	0.0066		MG/L
MW-075	9/25/2008	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-075	9/25/2008	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-075	9/25/2008	COBALT	0.005	U	MG/L
MW-075	9/25/2008	COPPER	0.002	U	MG/L
MW-075	9/25/2008	CYANIDE	0.01	U	MG/L
MW-075	9/25/2008	DIBROMOMETHANE	0.001	U	MG/L
MW-075	9/25/2008	ETHYLBENZENE	0.001	U	MG/L
MW-075	9/25/2008	FLUORIDE	0.20		MG/L
MW-075	9/25/2008	FLUORODIBROMOMETHANE	0.0255		MG/L
MW-075	9/25/2008	FREE CYANIDE	0.01	U	MG/L
MW-075	9/25/2008	GALLIUM	0.005	U	MG/L
MW-075	9/25/2008	HARDNESS	260		MG/L
MW-075	9/25/2008	IRON	0.86		MG/L
MW-075	9/25/2008	LEAD	0.002	U	MG/L
MW-075	9/25/2008	M+P-XYLENES	0.002	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-075	9/25/2008	MAGNESIUM	11		MG/L
MW-075	9/25/2008	MANGANESE	0.021		MG/L
MW-075	9/25/2008	MERCURY	0.0002	U	MG/L
MW-075	9/25/2008	METHYL IODIDE	0.001	U	MG/L
MW-075	9/25/2008	METHYLENE CHLORIDE	0.001	U	MG/L
MW-075	9/25/2008	NICKEL	0.005	U	MG/L
MW-075	9/25/2008	NITRATE	1.1		MG/L
MW-075	9/25/2008	NITRITE	0.023		MG/L
MW-075	9/25/2008	NITRITE/NITRATE-N	1.1		MG/L
MW-075	9/25/2008	O-XYLENE	0.001	U	MG/L
MW-075	9/25/2008	SELENIUM	0.005	U	MG/L
MW-075	9/25/2008	SILVER	0.002	U	MG/L
MW-075	9/25/2008	SODIUM	13		MG/L
MW-075	9/25/2008	STYRENE	0.001	U	MG/L
MW-075	9/25/2008	SULFATE	34		MG/L
MW-075	9/25/2008	TETRACHLOROETHENE	0.001	U	MG/L
MW-075	9/25/2008	THALLIUM	0.002	U	MG/L
MW-075	9/25/2008	TOLUENE	0.001	U	MG/L
MW-075	9/25/2008	TOTAL DISSOLVED SOLIDS	250		MG/L
MW-075	9/25/2008	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-075	9/25/2008	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-075	9/25/2008	TRANS-1,4-DICHLORO-2-BUTENE	0.005	U	MG/L
MW-075	9/25/2008	TRICHLOROETHENE	0.001	U	MG/L
MW-075	9/25/2008	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-075	9/25/2008	TURBIDITY	12		NTU
MW-075	9/25/2008	VANADIUM	0.005	U	MG/L
MW-075	9/25/2008	VINYL ACETATE	0.001	U	MG/L
MW-075	9/25/2008	VINYL CHLORIDE	0.001	U	MG/L
MW-075	9/25/2008	ZINC	0.0088		MG/L
MW-075	2/24/2009	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-075	2/24/2009	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-075	2/24/2009	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-075	2/24/2009	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-075	2/24/2009	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-075	2/24/2009	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-075	2/24/2009	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-075	2/24/2009	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-075	2/24/2009	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-075	2/24/2009	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-075	2/24/2009	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-075	2/24/2009	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-075	2/24/2009	1,4-DICHLOROBENZENE	0.001	U	MG/L
MW-075	2/24/2009	2-BUTANONE	0.005	U	MG/L
MW-075	2/24/2009	2-HEXANONE	0.005	U	MG/L
MW-075	2/24/2009	4-BROMOFLUOROBENZENE	0.0234		MG/L
MW-075	2/24/2009	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-075	2/24/2009	ACETONE	0.005	U	MG/L
MW-075	2/24/2009	ACRYLONITRILE	0.005	U	MG/L
MW-075	2/24/2009	ALKALINITY	170		MG/L
MW-075	2/24/2009	AMMONIA	0.16		MG/L
MW-075	2/24/2009	ANTIMONY	0.0012		MG/L
MW-075	2/24/2009	ARSENIC	0.005	U	MG/L
MW-075	2/24/2009	BARIUM	0.041		MG/L
MW-075	2/24/2009	BENZENE	0.001	U	MG/L
MW-075	2/24/2009	BERYLLIUM	0.002	U	MG/L
MW-075	2/24/2009	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-075	2/24/2009	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-075	2/24/2009	BROMOFORM	0.001	U	MG/L
MW-075	2/24/2009	BROMOMETHANE	0.001	U	MG/L
MW-075	2/24/2009	CADMIUM	0.0005		MG/L
MW-075	2/24/2009	CARBON DISULFIDE	0.001	U	MG/L
MW-075	2/24/2009	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-075	2/24/2009	CHEMICAL OXYGEN DEMAND	10		MG/L
MW-075	2/24/2009	CHLORIDE	5.1		MG/L
MW-075	2/24/2009	CHLOROBENZENE	0.001	U	MG/L
MW-075	2/24/2009	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-075	2/24/2009	CHLOROETHANE	0.001	U	MG/L
MW-075	2/24/2009	CHLOROFORM	0.001	U	MG/L
MW-075	2/24/2009	CHLOROMETHANE	0.001	U	MG/L
MW-075	2/24/2009	CHROMIUM	0.0027		MG/L
MW-075	2/24/2009	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-075	2/24/2009	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-075	2/24/2009	COBALT	0.005	U	MG/L
MW-075	2/24/2009	COPPER	0.0064		MG/L
MW-075	2/24/2009	CYANIDE	0.003	U	MG/L
MW-075	2/24/2009	DIBROMOMETHANE	0.001	U	MG/L
MW-075	2/24/2009	ETHYLBENZENE	0.001	U	MG/L
MW-075	2/24/2009	FLUORIDE	0.20		MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-075	2/24/2009	FLUORODIBROMOMETHANE	0.0238		MG/L
MW-075	2/24/2009	FREE CYANIDE	0.0017	U	MG/L
MW-075	2/24/2009	GALLIUM	0.003		MG/L
MW-075	2/24/2009	HARDNESS	225		MG/L
MW-075	2/24/2009	IRON	0.20		MG/L
MW-075	2/24/2009	LEAD	0.002	U	MG/L
MW-075	2/24/2009	M+P-XYLENES	0.00095	U	MG/L
MW-075	2/24/2009	MANGANESE	0.012		MG/L
MW-075	2/24/2009	MERCURY	0.0002	U	MG/L
MW-075	2/24/2009	METHYL IODIDE	0.001	U	MG/L
MW-075	2/24/2009	METHYLENE CHLORIDE	0.001	U	MG/L
MW-075	2/24/2009	NICKEL	0.005	U	MG/L
MW-075	2/24/2009	NITRATE	0.05	U	MG/L
MW-075	2/24/2009	NITRITE	0.013		MG/L
MW-075	2/24/2009	NITRITE/NITRATE-N	0.05	U	MG/L
MW-075	2/24/2009	O-XYLENE	0.001	U	MG/L
MW-075	2/24/2009	SELENIUM	0.005	U	MG/L
MW-075	2/24/2009	SILVER	0.002	U	MG/L
MW-075	2/24/2009	SODIUM	12		MG/L
MW-075	2/24/2009	STYRENE	0.001	U	MG/L
MW-075	2/24/2009	SULFATE	30		MG/L
MW-075	2/24/2009	TETRACHLOROETHENE	0.001	U	MG/L
MW-075	2/24/2009	THALLIUM	0.002	U	MG/L
MW-075	2/24/2009	TOLUENE	0.001	U	MG/L
MW-075	2/24/2009	TOTAL DISSOLVED SOLIDS	40		MG/L
MW-075	2/24/2009	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-075	2/24/2009	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-075	2/24/2009	TRANS-1,4-DICHLORO-2-BUTENE	0.001	U	MG/L
MW-075	2/24/2009	TRICHLOROETHENE	0.001	U	MG/L
MW-075	2/24/2009	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-075	2/24/2009	TURBIDITY	3		NTU
MW-075	2/24/2009	VANADIUM	0.005	U	MG/L
MW-075	2/24/2009	VINYL ACETATE	0.001	U	MG/L
MW-075	2/24/2009	VINYL CHLORIDE	0.001	U	MG/L
MW-075	2/24/2009	ZINC	0.01	U	MG/L
MW-075	8/27/2009	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-075	8/27/2009	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-075	8/27/2009	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-075	8/27/2009	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-075	8/27/2009	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-075	8/27/2009	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-075	8/27/2009	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-075	8/27/2009	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-075	8/27/2009	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-075	8/27/2009	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-075	8/27/2009	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-075	8/27/2009	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-075	8/27/2009	1,4-DICHLOROBENZENE	0.001	U	MG/L
MW-075	8/27/2009	2-BUTANONE	0.005	U	MG/L
MW-075	8/27/2009	2-HEXANONE	0.005	U	MG/L
MW-075	8/27/2009	4-BROMOFLUOROBENZENE	0.0228		MG/L
MW-075	8/27/2009	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-075	8/27/2009	ACETONE	0.005	U	MG/L
MW-075	8/27/2009	ACRYLONITRILE	0.005	U	MG/L
MW-075	8/27/2009	ALKALINITY	160		MG/L
MW-075	8/27/2009	AMMONIA	0.10	U	MG/L
MW-075	8/27/2009	ANTIMONY	0.002	U	MG/L
MW-075	8/27/2009	ARSENIC	0.005	U	MG/L
MW-075	8/27/2009	BARIUM	0.04		MG/L
MW-075	8/27/2009	BENZENE	0.001	U	MG/L
MW-075	8/27/2009	BERYLLIUM	0.001	U	MG/L
MW-075	8/27/2009	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-075	8/27/2009	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-075	8/27/2009	BROMOFORM	0.001	U	MG/L
MW-075	8/27/2009	BROMOMETHANE	0.001	U	MG/L
MW-075	8/27/2009	CADMIUM	0.0005	U	MG/L
MW-075	8/27/2009	CARBON DISULFIDE	0.001	U	MG/L
MW-075	8/27/2009	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-075	8/27/2009	CHEMICAL OXYGEN DEMAND	10	U	MG/L
MW-075	8/27/2009	CHLORIDE	25		MG/L
MW-075	8/27/2009	CHLOROBENZENE	0.001	U	MG/L
MW-075	8/27/2009	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-075	8/27/2009	CHLOROETHANE	0.001	U	MG/L
MW-075	8/27/2009	CHLOROFORM	0.001	U	MG/L
MW-075	8/27/2009	CHLOROMETHANE	0.001	U	MG/L
MW-075	8/27/2009	CHROMIUM	0.0025	U	MG/L
MW-075	8/27/2009	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-075	8/27/2009	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-075	8/27/2009	COBALT	0.005	U	MG/L
MW-075	8/27/2009	COPPER	0.002	U	MG/L
MW-075	8/27/2009	CYANIDE	0.005	U	MG/L
MW-075	8/27/2009	DIBROMOMETHANE	0.001	U	MG/L
MW-075	8/27/2009	ETHYLBENZENE	0.001	U	MG/L
MW-075	8/27/2009	FLUORIDE	0.26		MG/L
MW-075	8/27/2009	FLUORODIBROMOMETHANE	0.0219		MG/L
MW-075	8/27/2009	FREE CYANIDE	0.0017	U	MG/L
MW-075	8/27/2009	GALLIUM	0.0065		MG/L
MW-075	8/27/2009	HARDNESS	220		MG/L
MW-075	8/27/2009	IRON	0.079		MG/L
MW-075	8/27/2009	LEAD	0.002	U	MG/L
MW-075	8/27/2009	M+P-XYLENES	0.001	U	MG/L
MW-075	8/27/2009	MANGANESE	0.011		MG/L
MW-075	8/27/2009	MERCURY	0.0002	U	MG/L
MW-075	8/27/2009	METHYL IODIDE	0.001	U	MG/L
MW-075	8/27/2009	METHYLENE CHLORIDE	0.001	U	MG/L
MW-075	8/27/2009	NICKEL	0.005	U	MG/L
MW-075	8/27/2009	NITRITE	0.005	U	MG/L
MW-075	8/27/2009	NITRITE/NITRATE-N	0.05	U	MG/L
MW-075	8/27/2009	O-XYLENE	0.001	U	MG/L
MW-075	8/27/2009	SELENIUM	0.005	U	MG/L
MW-075	8/27/2009	SILVER	0.002	U	MG/L
MW-075	8/27/2009	SODIUM	12		MG/L
MW-075	8/27/2009	STYRENE	0.001	U	MG/L
MW-075	8/27/2009	SULFATE	25		MG/L
MW-075	8/27/2009	TETRACHLOROETHENE	0.001	U	MG/L
MW-075	8/27/2009	THALLIUM	0.002	U	MG/L
MW-075	8/27/2009	TOLUENE	0.001	U	MG/L
MW-075	8/27/2009	TOTAL DISSOLVED SOLIDS	220		MG/L
MW-075	8/27/2009	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-075	8/27/2009	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-075	8/27/2009	TRANS-1,4-DICHLORO-2-BUTENE	0.001	U	MG/L
MW-075	8/27/2009	TRICHLOROETHENE	0.001	U	MG/L
MW-075	8/27/2009	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-075	8/27/2009	TURBIDITY	3.3		NTU
MW-075	8/27/2009	VANADIUM	0.005	U	MG/L
MW-075	8/27/2009	VINYL ACETATE	0.001	U	MG/L
MW-075	8/27/2009	VINYL CHLORIDE	0.001	U	MG/L
MW-075	8/27/2009	ZINC	0.015	U	MG/L
MW-075	3/18/2010	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-075	3/18/2010	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-075	3/18/2010	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-075	3/18/2010	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-075	3/18/2010	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-075	3/18/2010	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-075	3/18/2010	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-075	3/18/2010	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-075	3/18/2010	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-075	3/18/2010	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-075	3/18/2010	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-075	3/18/2010	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-075	3/18/2010	1,4-DICHLOROBENZENE	0.001	U	MG/L
MW-075	3/18/2010	2-BUTANONE	0.005	U	MG/L
MW-075	3/18/2010	2-HEXANONE	0.005	U	MG/L
MW-075	3/18/2010	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-075	3/18/2010	ACETONE	0.005	U	MG/L
MW-075	3/18/2010	ACRYLONITRILE	0.005	U	MG/L
MW-075	3/18/2010	ALKALINITY	130		MG/L
MW-075	3/18/2010	AMMONIA	0.10	U	MG/L
MW-075	3/18/2010	ANTIMONY	0.0011		MG/L
MW-075	3/18/2010	ARSENIC	0.002	U	MG/L
MW-075	3/18/2010	BARIUM	0.034		MG/L
MW-075	3/18/2010	BENZENE	0.001	U	MG/L
MW-075	3/18/2010	BERYLLIUM	0.001	U	MG/L
MW-075	3/18/2010	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-075	3/18/2010	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-075	3/18/2010	BROMOFORM	0.001	U	MG/L
MW-075	3/18/2010	BROMOMETHANE	0.001	U	MG/L
MW-075	3/18/2010	CADMIUM	0.0005	U	MG/L
MW-075	3/18/2010	CALCIUM	65		MG/L
MW-075	3/18/2010	CARBON DISULFIDE	0.001	U	MG/L
MW-075	3/18/2010	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-075	3/18/2010	CHEMICAL OXYGEN DEMAND	21		MG/L
MW-075	3/18/2010	CHLORIDE	21		MG/L
MW-075	3/18/2010	CHLOROBENZENE	0.001	U	MG/L
MW-075	3/18/2010	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-075	3/18/2010	CHLOROETHANE	0.001	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-075	3/18/2010	CHLOROFORM	0.001	U	MG/L
MW-075	3/18/2010	CHLOROMETHANE	0.001	U	MG/L
MW-075	3/18/2010	CHROMIUM	0.0025	U	MG/L
MW-075	3/18/2010	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-075	3/18/2010	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-075	3/18/2010	COBALT	0.005	U	MG/L
MW-075	3/18/2010	COPPER	0.002	U	MG/L
MW-075	3/18/2010	CYANIDE	0.005	U	MG/L
MW-075	3/18/2010	DIBROMOMETHANE	0.001	U	MG/L
MW-075	3/18/2010	ETHYLBENZENE	0.001	U	MG/L
MW-075	3/18/2010	FLUORIDE	0.10	U	MG/L
MW-075	3/18/2010	FREE CYANIDE	0.0034	U	MG/L
MW-075	3/18/2010	HARDNESS	200		MG/L
MW-075	3/18/2010	IRON	0.018		MG/L
MW-075	3/18/2010	LEAD	0.002	U	MG/L
MW-075	3/18/2010	MAGNESIUM	8.4		MG/L
MW-075	3/18/2010	MANGANESE	0.0059		MG/L
MW-075	3/18/2010	MERCURY	0.0002	U	MG/L
MW-075	3/18/2010	METHYL IODIDE	0.001	U	MG/L
MW-075	3/18/2010	METHYL TERT-BUTYL ETHER	0.001	U	MG/L
MW-075	3/18/2010	METHYLENE CHLORIDE	0.001	U	MG/L
MW-075	3/18/2010	NICKEL	0.005	U	MG/L
MW-075	3/18/2010	NITRATE	3		MG/L
MW-075	3/18/2010	O-XYLENE	0.001	U	MG/L
MW-075	3/18/2010	POTASSIUM	2.5		MG/L
MW-075	3/18/2010	SELENIUM	0.005	U	MG/L
MW-075	3/18/2010	SILVER	0.002	U	MG/L
MW-075	3/18/2010	SODIUM	14		MG/L
MW-075	3/18/2010	STYRENE	0.001	U	MG/L
MW-075	3/18/2010	SULFATE	39		MG/L
MW-075	3/18/2010	TETRACHLOROETHENE	0.001	U	MG/L
MW-075	3/18/2010	THALLIUM	0.002	U	MG/L
MW-075	3/18/2010	TOLUENE	0.001	U	MG/L
MW-075	3/18/2010	TOTAL DISSOLVED SOLIDS	285		MG/L
MW-075	3/18/2010	TOTAL XYLENES	0.001	U	MG/L
MW-075	3/18/2010	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-075	3/18/2010	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-075	3/18/2010	TRANS-1,4-DICHLORO-2-BUTENE	0.001	U	MG/L
MW-075	3/18/2010	TRICHLOROETHENE	0.001	U	MG/L
MW-075	3/18/2010	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-075	3/18/2010	TURBIDITY	0.36		NTU
MW-075	3/18/2010	VANADIUM	0.005	U	MG/L
MW-075	3/18/2010	VINYL ACETATE	0.001	U	MG/L
MW-075	3/18/2010	VINYL CHLORIDE	0.001	U	MG/L
MW-075	3/18/2010	ZINC	0.01	U	MG/L
MW-075	8/26/2010	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-075	8/26/2010	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-075	8/26/2010	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-075	8/26/2010	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-075	8/26/2010	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-075	8/26/2010	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-075	8/26/2010	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-075	8/26/2010	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-075	8/26/2010	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-075	8/26/2010	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-075	8/26/2010	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-075	8/26/2010	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-075	8/26/2010	1,4-DICHLOROBENZENE	0.001	U	MG/L
MW-075	8/26/2010	2-BUTANONE	0.005	U	MG/L
MW-075	8/26/2010	2-HEXANONE	0.005	U	MG/L
MW-075	8/26/2010	4-BROMOFLUOROBENZENE	0.0248		MG/L
MW-075	8/26/2010	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-075	8/26/2010	ACETONE	0.005	U	MG/L
MW-075	8/26/2010	ACRYLONITRILE	0.005	U	MG/L
MW-075	8/26/2010	ALKALINITY	175		MG/L
MW-075	8/26/2010	AMMONIA	0.07		MG/L
MW-075	8/26/2010	ANTIMONY	0.001	U	MG/L
MW-075	8/26/2010	ARSENIC	0.001	U	MG/L
MW-075	8/26/2010	BARIUM	0.042		MG/L
MW-075	8/26/2010	BENZENE	0.001	U	MG/L
MW-075	8/26/2010	BERYLLIUM	0.001	U	MG/L
MW-075	8/26/2010	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-075	8/26/2010	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-075	8/26/2010	BROMOFORM	0.001	U	MG/L
MW-075	8/26/2010	BROMOMETHANE	0.001	U	MG/L
MW-075	8/26/2010	CADMIUM	0.0005	U	MG/L
MW-075	8/26/2010	CALCIUM	68		MG/L
MW-075	8/26/2010	CARBON DISULFIDE	0.001	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-075	8/26/2010	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-075	8/26/2010	CHEMICAL OXYGEN DEMAND	10	U	MG/L
MW-075	8/26/2010	CHLORIDE	32		MG/L
MW-075	8/26/2010	CHLORO BENZENE	0.001	U	MG/L
MW-075	8/26/2010	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-075	8/26/2010	CHLOROETHANE	0.001	U	MG/L
MW-075	8/26/2010	CHLOROFORM	0.001	U	MG/L
MW-075	8/26/2010	CHLOROMETHANE	0.001	U	MG/L
MW-075	8/26/2010	CHROMIUM	0.0012	U	MG/L
MW-075	8/26/2010	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-075	8/26/2010	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-075	8/26/2010	COBALT	0.0025	U	MG/L
MW-075	8/26/2010	COPPER	0.0007		MG/L
MW-075	8/26/2010	CYANIDE	0.0007		MG/L
MW-075	8/26/2010	DIBROMOMETHANE	0.001	U	MG/L
MW-075	8/26/2010	ETHYLBENZENE	0.001	U	MG/L
MW-075	8/26/2010	FLUORIDE	0.30		MG/L
MW-075	8/26/2010	FLUORODIBROMOMETHANE	0.0252		MG/L
MW-075	8/26/2010	FREE CYANIDE	0.0034	U	MG/L
MW-075	8/26/2010	HARDNESS	200		MG/L
MW-075	8/26/2010	IRON	0.46		MG/L
MW-075	8/26/2010	LEAD	0.001	U	MG/L
MW-075	8/26/2010	M+P-XYLENES	0.001	U	MG/L
MW-075	8/26/2010	MAGNESIUM	8.3		MG/L
MW-075	8/26/2010	MANGANESE	0.02		MG/L
MW-075	8/26/2010	MERCURY	0.0002	U	MG/L
MW-075	8/26/2010	METHYL IODIDE	0.001	U	MG/L
MW-075	8/26/2010	METHYL TERT-BUTYL ETHER	0.001	U	MG/L
MW-075	8/26/2010	METHYLENE CHLORIDE	0.001	U	MG/L
MW-075	8/26/2010	NICKEL	0.0036		MG/L
MW-075	8/26/2010	NITRATE	3.4		MG/L
MW-075	8/26/2010	NITRITE	0.013		MG/L
MW-075	8/26/2010	NITRITE/NITRATE-N	3.4		MG/L
MW-075	8/26/2010	O-XYLENE	0.001	U	MG/L
MW-075	8/26/2010	POTASSIUM	1.6		MG/L
MW-075	8/26/2010	SELENIUM	0.0025	U	MG/L
MW-075	8/26/2010	SILVER	0.0012		MG/L
MW-075	8/26/2010	SODIUM	11		MG/L
MW-075	8/26/2010	STYRENE	0.001	U	MG/L
MW-075	8/26/2010	SULFATE	34		MG/L
MW-075	8/26/2010	TETRACHLOROETHENE	0.001	U	MG/L
MW-075	8/26/2010	THALLIUM	0.001	U	MG/L
MW-075	8/26/2010	TOLUENE	0.001	U	MG/L
MW-075	8/26/2010	TOTAL DISSOLVED SOLIDS	365		MG/L
MW-075	8/26/2010	TOTAL XYLENES	0.0014	U	MG/L
MW-075	8/26/2010	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-075	8/26/2010	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-075	8/26/2010	TRANS-1,4-DICHLORO-2-BUTENE	0.001	U	MG/L
MW-075	8/26/2010	TRICHLOROETHENE	0.001	U	MG/L
MW-075	8/26/2010	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-075	8/26/2010	TURBIDITY	3		NTU
MW-075	8/26/2010	VANADIUM	0.0025	U	MG/L
MW-075	8/26/2010	VINYL ACETATE	0.001	U	MG/L
MW-075	8/26/2010	VINYL CHLORIDE	0.001	U	MG/L
MW-075	8/26/2010	ZINC	0.005	U	MG/L
MW-075	2/23/2011	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-075	2/23/2011	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-075	2/23/2011	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-075	2/23/2011	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-075	2/23/2011	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-075	2/23/2011	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-075	2/23/2011	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-075	2/23/2011	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-075	2/23/2011	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-075	2/23/2011	1,2-DICHLORO BENZENE	0.001	U	MG/L
MW-075	2/23/2011	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-075	2/23/2011	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-075	2/23/2011	1,4-DICHLORO BENZENE	0.001	U	MG/L
MW-075	2/23/2011	2-BUTANONE	0.005	U	MG/L
MW-075	2/23/2011	2-HEXANONE	0.005	U	MG/L
MW-075	2/23/2011	4-BROMOFLUOROBENZENE	0.0247		MG/L
MW-075	2/23/2011	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-075	2/23/2011	ACETONE	0.005	U	MG/L
MW-075	2/23/2011	ACRYLONITRILE	0.005	U	MG/L
MW-075	2/23/2011	ALKALINITY	170		MG/L
MW-075	2/23/2011	AMMONIA	0.07		MG/L
MW-075	2/23/2011	ANTIMONY	0.002	U	MG/L
MW-075	2/23/2011	ARSENIC	0.002	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-075	2/23/2011	BARIUM	0.048		MG/L
MW-075	2/23/2011	BENZENE	0.001	U	MG/L
MW-075	2/23/2011	BERYLLIUM	0.001	U	MG/L
MW-075	2/23/2011	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-075	2/23/2011	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-075	2/23/2011	BROMOFORM	0.001	U	MG/L
MW-075	2/23/2011	BROMOMETHANE	0.001	U	MG/L
MW-075	2/23/2011	CADIUM	0.0005	U	MG/L
MW-075	2/23/2011	CALCIUM	89		MG/L
MW-075	2/23/2011	CARBON DISULFIDE	0.001	U	MG/L
MW-075	2/23/2011	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-075	2/23/2011	CHEMICAL OXYGEN DEMAND	16		MG/L
MW-075	2/23/2011	CHLORIDE	48		MG/L
MW-075	2/23/2011	CHLOROENZENE	0.001	U	MG/L
MW-075	2/23/2011	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-075	2/23/2011	CHLOROETHANE	0.001	U	MG/L
MW-075	2/23/2011	CHLOROFORM	0.001	U	MG/L
MW-075	2/23/2011	CHLOROMETHANE	0.001	U	MG/L
MW-075	2/23/2011	CHROMIUM	0.002	U	MG/L
MW-075	2/23/2011	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-075	2/23/2011	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-075	2/23/2011	COBALT	0.005	U	MG/L
MW-075	2/23/2011	COPPER	0.0028		MG/L
MW-075	2/23/2011	CYANIDE	0.005	U	MG/L
MW-075	2/23/2011	DIBROMOMETHANE	0.001	U	MG/L
MW-075	2/23/2011	ETHYLBENZENE	0.001	U	MG/L
MW-075	2/23/2011	FLUORIDE	0.24		MG/L
MW-075	2/23/2011	FLUORODIBROMOMETHANE	0.0252		MG/L
MW-075	2/23/2011	FREE CYANIDE	0.0034	U	MG/L
MW-075	2/23/2011	HARDNESS	265		MG/L
MW-075	2/23/2011	IRON	0.82		MG/L
MW-075	2/23/2011	LEAD	0.0005		MG/L
MW-075	2/23/2011	M+P-XYLENES	0.001	U	MG/L
MW-075	2/23/2011	MAGNESIUM	10		MG/L
MW-075	2/23/2011	MANGANESE	0.044		MG/L
MW-075	2/23/2011	MERCURY	0.0002	U	MG/L
MW-075	2/23/2011	METHYL IODIDE	0.001	U	MG/L
MW-075	2/23/2011	METHYL TERT-BUTYL ETHER	0.001	U	MG/L
MW-075	2/23/2011	METHYLENE CHLORIDE	0.001	U	MG/L
MW-075	2/23/2011	NICKEL	0.005	U	MG/L
MW-075	2/23/2011	NITRATE	0.14		MG/L
MW-075	2/23/2011	O-XYLENE	0.001	U	MG/L
MW-075	2/23/2011	POTASSIUM	2.8		MG/L
MW-075	2/23/2011	SELENIUM	0.005	U	MG/L
MW-075	2/23/2011	SILVER	0.001	U	MG/L
MW-075	2/23/2011	SODIUM	17		MG/L
MW-075	2/23/2011	STYRENE	0.001	U	MG/L
MW-075	2/23/2011	SULFATE	36		MG/L
MW-075	2/23/2011	TETRACHLOROETHENE	0.001	U	MG/L
MW-075	2/23/2011	THALLIUM	0.001	U	MG/L
MW-075	2/23/2011	TOLUENE	0.001	U	MG/L
MW-075	2/23/2011	TOTAL DISSOLVED SOLIDS	330		MG/L
MW-075	2/23/2011	TOTAL XYLENES	0.0014	U	MG/L
MW-075	2/23/2011	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-075	2/23/2011	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-075	2/23/2011	TRANS-1,4-DICHLORO-2-BUTENE	0.001	U	MG/L
MW-075	2/23/2011	TRICHLOROETHENE	0.001	U	MG/L
MW-075	2/23/2011	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-075	2/23/2011	TURBIDITY	18		NTU
MW-075	2/23/2011	VANADIUM	0.005	U	MG/L
MW-075	2/23/2011	VINYL ACETATE	0.001	U	MG/L
MW-075	2/23/2011	VINYL CHLORIDE	0.001	U	MG/L
MW-075	2/23/2011	ZINC	0.003		MG/L
MW-075	8/25/2011	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-075	8/25/2011	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-075	8/25/2011	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-075	8/25/2011	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-075	8/25/2011	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-075	8/25/2011	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-075	8/25/2011	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-075	8/25/2011	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-075	8/25/2011	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-075	8/25/2011	1,2-DICHLOROENZENE	0.001	U	MG/L
MW-075	8/25/2011	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-075	8/25/2011	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-075	8/25/2011	1,4-DICHLOROENZENE	0.001	U	MG/L
MW-075	8/25/2011	2-BUTANONE	0.005	U	MG/L
MW-075	8/25/2011	2-HEXANONE	0.005	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-075	8/25/2011	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-075	8/25/2011	ACETONE	0.025	U	MG/L
MW-075	8/25/2011	ACRYLONITRILE	0.005	U	MG/L
MW-075	8/25/2011	ALKALINITY	205		MG/L
MW-075	8/25/2011	AMMONIA	0.052	J	MG/L
MW-075	8/25/2011	ANTIMONY	0.002	U	MG/L
MW-075	8/25/2011	ARSENIC	0.006		MG/L
MW-075	8/25/2011	BARIUM	0.26		MG/L
MW-075	8/25/2011	BENZENE	0.001	U	MG/L
MW-075	8/25/2011	BERYLLIUM	0.0046		MG/L
MW-075	8/25/2011	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-075	8/25/2011	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-075	8/25/2011	BROMOFORM	0.001	U	MG/L
MW-075	8/25/2011	BROMOMETHANE	0.001	U	MG/L
MW-075	8/25/2011	CADMIUM	0.004	U	MG/L
MW-075	8/25/2011	CALCIUM	120		MG/L
MW-075	8/25/2011	CARBON DISULFIDE	0.001	U	MG/L
MW-075	8/25/2011	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-075	8/25/2011	CHEMICAL OXYGEN DEMAND	91		MG/L
MW-075	8/25/2011	CHLORIDE	44		MG/L
MW-075	8/25/2011	CHLOROBENZENE	0.001	U	MG/L
MW-075	8/25/2011	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-075	8/25/2011	CHLOROETHANE	0.001	U	MG/L
MW-075	8/25/2011	CHLOROFORM	0.001	U	MG/L
MW-075	8/25/2011	CHLOROMETHANE	0.001	U	MG/L
MW-075	8/25/2011	CHROMIUM	0.011		MG/L
MW-075	8/25/2011	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-075	8/25/2011	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-075	8/25/2011	COBALT	0.016		MG/L
MW-075	8/25/2011	COPPER	0.062		MG/L
MW-075	8/25/2011	CYANIDE	0.005	U	MG/L
MW-075	8/25/2011	DIBROMOMETHANE	0.001	U	MG/L
MW-075	8/25/2011	ETHYLBENZENE	0.001	U	MG/L
MW-075	8/25/2011	FLUORIDE	0.12		MG/L
MW-075	8/25/2011	FREE CYANIDE	0.005	U	MG/L
MW-075	8/25/2011	HARDNESS	350		MG/L
MW-075	8/25/2011	IRON	18		MG/L
MW-075	8/25/2011	LEAD	0.035		MG/L
MW-075	8/25/2011	MAGNESIUM	14		MG/L
MW-075	8/25/2011	MANGANESE	1.2		MG/L
MW-075	8/25/2011	MERCURY	0.0003		MG/L
MW-075	8/25/2011	METHYL IODIDE	0.001	U	MG/L
MW-075	8/25/2011	METHYL TERT-BUTYL ETHER	0.001	U	MG/L
MW-075	8/25/2011	METHYLENE CHLORIDE	0.001	U	MG/L
MW-075	8/25/2011	NICKEL	0.019		MG/L
MW-075	8/25/2011	NITRATE	3.3		MG/L
MW-075	8/25/2011	POTASSIUM	3.4		MG/L
MW-075	8/25/2011	SELENIUM	0.00079	J	MG/L
MW-075	8/25/2011	SILVER	0.01	U	MG/L
MW-075	8/25/2011	SODIUM	14		MG/L
MW-075	8/25/2011	STYRENE	0.001	U	MG/L
MW-075	8/25/2011	SULFATE	30		MG/L
MW-075	8/25/2011	TETRACHLOROETHENE	0.00076	J	MG/L
MW-075	8/25/2011	THALLIUM	0.002	U	MG/L
MW-075	8/25/2011	TOLUENE	0.001	U	MG/L
MW-075	8/25/2011	TOTAL DISSOLVED SOLIDS	285		MG/L
MW-075	8/25/2011	TOTAL XYLENES	0.0014	U	MG/L
MW-075	8/25/2011	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-075	8/25/2011	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-075	8/25/2011	TRANS-1,4-DICHLORO-2-BUTENE	0.001	U	MG/L
MW-075	8/25/2011	TRICHLOROETHENE	0.001	U	MG/L
MW-075	8/25/2011	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-075	8/25/2011	TURBIDITY	285		NTU
MW-075	8/25/2011	VANADIUM	0.05		MG/L
MW-075	8/25/2011	VINYL ACETATE	0.001	U	MG/L
MW-075	8/25/2011	VINYL CHLORIDE	0.001	U	MG/L
MW-075	8/25/2011	ZINC	0.14		MG/L
MW-075	12/23/2011	BERYLLIUM	0.001	U	MG/L
MW-075	2/29/2012	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-075	2/29/2012	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-075	2/29/2012	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-075	2/29/2012	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-075	2/29/2012	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-075	2/29/2012	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-075	2/29/2012	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-075	2/29/2012	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-075	2/29/2012	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-075	2/29/2012	1,2-DICHLOROBENZENE	0.001	U	MG/L



Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-075	2/29/2012	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-075	2/29/2012	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-075	2/29/2012	1,4-DICHLOROBENZENE	0.001	U	MG/L
MW-075	2/29/2012	2-BUTANONE	0.005	U	MG/L
MW-075	2/29/2012	2-HEXANONE	0.005	U	MG/L
MW-075	2/29/2012	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-075	2/29/2012	ACETONE	0.005	U	MG/L
MW-075	2/29/2012	ACRYLONITRILE	0.005	U	MG/L
MW-075	2/29/2012	ALKALINITY	190		MG/L
MW-075	2/29/2012	AMMONIA	0.073		MG/L
MW-075	2/29/2012	ANTIMONY	0.0008	J	MG/L
MW-075	2/29/2012	ARSENIC	0.002	U	MG/L
MW-075	2/29/2012	BARIUM	0.04		MG/L
MW-075	2/29/2012	BENZENE	0.001	U	MG/L
MW-075	2/29/2012	BERYLLIUM	0.002	U	MG/L
MW-075	2/29/2012	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-075	2/29/2012	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-075	2/29/2012	BROMOFORM	0.001	U	MG/L
MW-075	2/29/2012	BROMOMETHANE	0.001	U	MG/L
MW-075	2/29/2012	CADMIUM	0.004	U	MG/L
MW-075	2/29/2012	CALCIUM	84		MG/L
MW-075	2/29/2012	CARBON DISULFIDE	0.001	U	MG/L
MW-075	2/29/2012	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-075	2/29/2012	CHEMICAL OXYGEN DEMAND	10	U	MG/L
MW-075	2/29/2012	CHLORIDE	34		MG/L
MW-075	2/29/2012	CHLOROBENZENE	0.001	U	MG/L
MW-075	2/29/2012	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-075	2/29/2012	CHLOROETHANE	0.001	U	MG/L
MW-075	2/29/2012	CHLOROFORM	0.001	U	MG/L
MW-075	2/29/2012	CHLOROMETHANE	0.001	U	MG/L
MW-075	2/29/2012	CHROMIUM	0.01	U	MG/L
MW-075	2/29/2012	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-075	2/29/2012	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-075	2/29/2012	COBALT	0.01	U	MG/L
MW-075	2/29/2012	COPPER	0.001	J	MG/L
MW-075	2/29/2012	CYANIDE	0.001	J	MG/L
MW-075	2/29/2012	DIBROMOMETHANE	0.001	U	MG/L
MW-075	2/29/2012	ETHYLBENZENE	0.001	U	MG/L
MW-075	2/29/2012	FLUORIDE	0.26		MG/L
MW-075	2/29/2012	FREE CYANIDE	0.005	U	MG/L
MW-075	2/29/2012	HARDNESS	250		MG/L
MW-075	2/29/2012	IRON	0.24		MG/L
MW-075	2/29/2012	LEAD	0.002	U	MG/L
MW-075	2/29/2012	MAGNESIUM	11		MG/L
MW-075	2/29/2012	MANGANESE	0.017		MG/L
MW-075	2/29/2012	MERCURY	0.0002	U	MG/L
MW-075	2/29/2012	METHYL IODIDE	0.001	U	MG/L
MW-075	2/29/2012	METHYL TERT-BUTYL ETHER	0.001	U	MG/L
MW-075	2/29/2012	METHYLENE CHLORIDE	0.001	U	MG/L
MW-075	2/29/2012	NICKEL	0.0036	J	MG/L
MW-075	2/29/2012	NITRATE	1.8		MG/L
MW-075	2/29/2012	NITRITE	0.012	U	MG/L
MW-075	2/29/2012	NITRITE/NITRATE-N	1.8		MG/L
MW-075	2/29/2012	POTASSIUM	2.9		MG/L
MW-075	2/29/2012	SELENIUM	0.0002	J	MG/L
MW-075	2/29/2012	SILVER	0.01	U	MG/L
MW-075	2/29/2012	SODIUM	17	B	MG/L
MW-075	2/29/2012	STYRENE	0.001	U	MG/L
MW-075	2/29/2012	SULFATE	28	B	MG/L
MW-075	2/29/2012	TETRACHLOROETHENE	0.001	U	MG/L
MW-075	2/29/2012	THALLIUM	0.002	U	MG/L
MW-075	2/29/2012	TOLUENE	0.001	U	MG/L
MW-075	2/29/2012	TOTAL DISSOLVED SOLIDS	265		MG/L
MW-075	2/29/2012	TOTAL XYLENES	0.001	U	MG/L
MW-075	2/29/2012	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-075	2/29/2012	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-075	2/29/2012	TRANS-1,4-DICHLORO-2-BUTENE	0.005	U	MG/L
MW-075	2/29/2012	TRICHLOROETHENE	0.001	U	MG/L
MW-075	2/29/2012	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-075	2/29/2012	TURBIDITY	8.2		NTU
MW-075	2/29/2012	VINYL ACETATE	0.001	U	MG/L
MW-075	2/29/2012	VINYL CHLORIDE	0.001	U	MG/L
MW-075	2/29/2012	ZINC	0.0023	J	MG/L
MW-075	8/23/2012	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-075	8/23/2012	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-075	8/23/2012	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-075	8/23/2012	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-075	8/23/2012	1,1-DICHLOROETHANE	0.001	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-075	8/23/2012	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-075	8/23/2012	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-075	8/23/2012	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-075	8/23/2012	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-075	8/23/2012	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-075	8/23/2012	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-075	8/23/2012	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-075	8/23/2012	1,4-DICHLOROBENZENE	0.001	U	MG/L
MW-075	8/23/2012	2-BUTANONE	0.005	U	MG/L
MW-075	8/23/2012	2-HEXANONE	0.005	U	MG/L
MW-075	8/23/2012	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-075	8/23/2012	ACETONE	0.005	U	MG/L
MW-075	8/23/2012	ACRYLONITRILE	0.005	U	MG/L
MW-075	8/23/2012	ALKALINITY	185		MG/L
MW-075	8/23/2012	AMMONIA	1	U	MG/L
MW-075	8/23/2012	ANTIMONY	0.002	U	MG/L
MW-075	8/23/2012	ARSENIC	0.002	U	MG/L
MW-075	8/23/2012	BARIUM	0.042		MG/L
MW-075	8/23/2012	BENZENE	0.001	U	MG/L
MW-075	8/23/2012	BERYLLIUM	0.002	U	MG/L
MW-075	8/23/2012	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-075	8/23/2012	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-075	8/23/2012	BROMOFORM	0.001	U	MG/L
MW-075	8/23/2012	BROMOMETHANE	0.001	U	MG/L
MW-075	8/23/2012	CADMIUM	0.004	U	MG/L
MW-075	8/23/2012	CALCIUM	87		MG/L
MW-075	8/23/2012	CARBON DISULFIDE	0.001	U	MG/L
MW-075	8/23/2012	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-075	8/23/2012	CHEMICAL OXYGEN DEMAND	10	U	MG/L
MW-075	8/23/2012	CHLORIDE	43		MG/L
MW-075	8/23/2012	CHLOROENZENE	0.001	U	MG/L
MW-075	8/23/2012	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-075	8/23/2012	CHLOROETHANE	0.001	U	MG/L
MW-075	8/23/2012	CHLOROFORM	0.001	U	MG/L
MW-075	8/23/2012	CHLOROMETHANE	0.001	U	MG/L
MW-075	8/23/2012	CHROMIUM	0.0006	J	MG/L
MW-075	8/23/2012	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-075	8/23/2012	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-075	8/23/2012	COBALT	0.01	U	MG/L
MW-075	8/23/2012	COPPER	0.0011	J	MG/L
MW-075	8/23/2012	CYANIDE	0.0018	J	MG/L
MW-075	8/23/2012	DIBROMOMETHANE	0.001	U	MG/L
MW-075	8/23/2012	ETHYLBENZENE	0.001	U	MG/L
MW-075	8/23/2012	FLUORIDE	0.23		MG/L
MW-075	8/23/2012	FREE CYANIDE	0.005	U	MG/L
MW-075	8/23/2012	HARDNESS	260		MG/L
MW-075	8/23/2012	IRON	0.43		MG/L
MW-075	8/23/2012	LEAD	0.00028	J	MG/L
MW-075	8/23/2012	MAGNESIUM	10		MG/L
MW-075	8/23/2012	MANGANESE	0.026		MG/L
MW-075	8/23/2012	MERCURY	0.0002	U	MG/L
MW-075	8/23/2012	METHYL IODIDE	0.001	U	MG/L
MW-075	8/23/2012	METHYL TERT-BUTYL ETHER	0.001	U	MG/L
MW-075	8/23/2012	METHYLENE CHLORIDE	0.001	U	MG/L
MW-075	8/23/2012	NICKEL	0.0028	J	MG/L
MW-075	8/23/2012	NITRATE	2.5		MG/L
MW-075	8/23/2012	POTASSIUM	1.8		MG/L
MW-075	8/23/2012	SELENIUM	0.035	U	MG/L
MW-075	8/23/2012	SILVER	0.01	U	MG/L
MW-075	8/23/2012	SODIUM	17		MG/L
MW-075	8/23/2012	STYRENE	0.001	U	MG/L
MW-075	8/23/2012	SULFATE	30		MG/L
MW-075	8/23/2012	TETRACHLOROETHENE	0.001	U	MG/L
MW-075	8/23/2012	THALLIUM	0.002	U	MG/L
MW-075	8/23/2012	TOLUENE	0.001	U	MG/L
MW-075	8/23/2012	TOTAL DISSOLVED SOLIDS	360		MG/L
MW-075	8/23/2012	TOTAL XYLENES	0.001	U	MG/L
MW-075	8/23/2012	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-075	8/23/2012	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-075	8/23/2012	TRANS-1,4-DICHLORO-2-BUTENE	0.005	U	MG/L
MW-075	8/23/2012	TRICHLOROETHENE	0.001	U	MG/L
MW-075	8/23/2012	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-075	8/23/2012	TURBIDITY	12		NTU
MW-075	8/23/2012	VANADIUM	0.0006	J	MG/L
MW-075	8/23/2012	VINYL ACETATE	0.001	U	MG/L
MW-075	8/23/2012	VINYL CHLORIDE	0.001	U	MG/L
MW-075	8/23/2012	ZINC	0.0036	J	MG/L
MW-075	2/27/2013	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-075	2/27/2013	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-075	2/27/2013	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-075	2/27/2013	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-075	2/27/2013	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-075	2/27/2013	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-075	2/27/2013	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-075	2/27/2013	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-075	2/27/2013	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-075	2/27/2013	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-075	2/27/2013	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-075	2/27/2013	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-075	2/27/2013	1,4-DICHLOROBENZENE	0.001	U	MG/L
MW-075	2/27/2013	2-BUTANONE	0.005	U	MG/L
MW-075	2/27/2013	2-HEXANONE	0.005	U	MG/L
MW-075	2/27/2013	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-075	2/27/2013	ACETONE	0.005	U	MG/L
MW-075	2/27/2013	ACRYLONITRILE	0.005	U	MG/L
MW-075	2/27/2013	ALKALINITY	130		MG/L
MW-075	2/27/2013	AMMONIA	0.02		MG/L
MW-075	2/27/2013	ANTIMONY	0.0007	J	MG/L
MW-075	2/27/2013	ARSENIC	0.002	U	MG/L
MW-075	2/27/2013	BARIUM	0.036		MG/L
MW-075	2/27/2013	BENZENE	0.001	U	MG/L
MW-075	2/27/2013	BERYLLIUM	0.002	U	MG/L
MW-075	2/27/2013	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-075	2/27/2013	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-075	2/27/2013	BROMOFORM	0.001	U	MG/L
MW-075	2/27/2013	BROMOMETHANE	0.001	U	MG/L
MW-075	2/27/2013	CADMIUM	0.004	U	MG/L
MW-075	2/27/2013	CALCIUM	68		MG/L
MW-075	2/27/2013	CARBON DISULFIDE	0.001	U	MG/L
MW-075	2/27/2013	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-075	2/27/2013	CHEMICAL OXYGEN DEMAND	3.1	J	MG/L
MW-075	2/27/2013	CHLORIDE	50		MG/L
MW-075	2/27/2013	CHLOROBENZENE	0.001	U	MG/L
MW-075	2/27/2013	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-075	2/27/2013	CHLOROETHANE	0.001	U	MG/L
MW-075	2/27/2013	CHLOROFORM	0.001	U	MG/L
MW-075	2/27/2013	CHLOROMETHANE	0.001	U	MG/L
MW-075	2/27/2013	CHROMIUM	0.01	U	MG/L
MW-075	2/27/2013	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-075	2/27/2013	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-075	2/27/2013	COBALT	0.01	U	MG/L
MW-075	2/27/2013	COPPER	0.00098	J	MG/L
MW-075	2/27/2013	CYANIDE	0.0014	J	MG/L
MW-075	2/27/2013	DIBROMOMETHANE	0.001	U	MG/L
MW-075	2/27/2013	ETHYLBENZENE	0.001	U	MG/L
MW-075	2/27/2013	FLUORIDE	0.26		MG/L
MW-075	2/27/2013	FREE CYANIDE	0.005	U	MG/L
MW-075	2/27/2013	HARDNESS	210		MG/L
MW-075	2/27/2013	IRON	0.18		MG/L
MW-075	2/27/2013	LEAD	0.002	U	MG/L
MW-075	2/27/2013	MAGNESIUM	10		MG/L
MW-075	2/27/2013	MANGANESE	0.0034	J	MG/L
MW-075	2/27/2013	MERCURY	0.0002	U	MG/L
MW-075	2/27/2013	METHYL IODIDE	0.001	U	MG/L
MW-075	2/27/2013	METHYL TERT-BUTYL ETHER	0.001	U	MG/L
MW-075	2/27/2013	METHYLENE CHLORIDE	0.001	U	MG/L
MW-075	2/27/2013	NICKEL	0.0032	J	MG/L
MW-075	2/27/2013	NITRATE	0.06	U	MG/L
MW-075	2/27/2013	POTASSIUM	3.2	B	MG/L
MW-075	2/27/2013	SELENIUM	0.035	U	MG/L
MW-075	2/27/2013	SILVER	0.01	U	MG/L
MW-075	2/27/2013	SODIUM	20	B	MG/L
MW-075	2/27/2013	STYRENE	0.001	U	MG/L
MW-075	2/27/2013	SULFATE	24		MG/L
MW-075	2/27/2013	TETRACHLOROETHENE	0.001	U	MG/L
MW-075	2/27/2013	THALLIUM	0.002	U	MG/L
MW-075	2/27/2013	TOLUENE	0.001	U	MG/L
MW-075	2/27/2013	TOTAL DISSOLVED SOLIDS	280		MG/L
MW-075	2/27/2013	TOTAL XYLENES	0.001	U	MG/L
MW-075	2/27/2013	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-075	2/27/2013	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-075	2/27/2013	TRANS-1,4-DICHLORO-2-BUTENE	0.005	U	MG/L
MW-075	2/27/2013	TRICHLOROETHENE	0.001	U	MG/L
MW-075	2/27/2013	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-075	2/27/2013	TURBIDITY	8.6		NTU
MW-075	2/27/2013	VANADIUM	0.0014	J	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-075	2/27/2013	VINYL ACETATE	0.001	U	MG/L
MW-075	2/27/2013	VINYL CHLORIDE	0.001	U	MG/L
MW-075	2/27/2013	ZINC	0.0034	J	MG/L
MW-075	8/29/2013	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-075	8/29/2013	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-075	8/29/2013	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-075	8/29/2013	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-075	8/29/2013	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-075	8/29/2013	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-075	8/29/2013	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-075	8/29/2013	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-075	8/29/2013	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-075	8/29/2013	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-075	8/29/2013	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-075	8/29/2013	1,4-DICHLOROETHANE	0.001	U	MG/L
MW-075	8/29/2013	2-BUTANONE	0.005	U	MG/L
MW-075	8/29/2013	2-HEXANONE	0.005	U	MG/L
MW-075	8/29/2013	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-075	8/29/2013	ACETONE	0.005	U	MG/L
MW-075	8/29/2013	ACRYLONITRILE	0.01	U	MG/L
MW-075	8/29/2013	ALKALINITY	190		MG/L
MW-075	8/29/2013	AMMONIA	0.096	J	MG/L
MW-075	8/29/2013	ANTIMONY	0.002	U	MG/L
MW-075	8/29/2013	ARSENIC	0.002	U	MG/L
MW-075	8/29/2013	BARIUM	0.048		MG/L
MW-075	8/29/2013	BENZENE	0.001	U	MG/L
MW-075	8/29/2013	BERYLLIUM	0.002	U	MG/L
MW-075	8/29/2013	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-075	8/29/2013	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-075	8/29/2013	BROMOFORM	0.001	U	MG/L
MW-075	8/29/2013	BROMOMETHANE	0.001	U	MG/L
MW-075	8/29/2013	CADIUM	0.004	U	MG/L
MW-075	8/29/2013	CALCIUM	82		MG/L
MW-075	8/29/2013	CARBON DISULFIDE	0.001	U	MG/L
MW-075	8/29/2013	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-075	8/29/2013	CHEMICAL OXYGEN DEMAND	2.4	J	MG/L
MW-075	8/29/2013	CHLORIDE	22	B	MG/L
MW-075	8/29/2013	CHLOROBENZENE	0.001	U	MG/L
MW-075	8/29/2013	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-075	8/29/2013	CHLOROETHANE	0.001	U	MG/L
MW-075	8/29/2013	CHLOROFORM	0.001	U	MG/L
MW-075	8/29/2013	CHLOROMETHANE	0.001	U	MG/L
MW-075	8/29/2013	CHROMIUM	0.01	U	MG/L
MW-075	8/29/2013	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-075	8/29/2013	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-075	8/29/2013	COBALT	0.00026	J	MG/L
MW-075	8/29/2013	COPPER	0.00072	J	MG/L
MW-075	8/29/2013	CYANIDE	0.005	U	MG/L
MW-075	8/29/2013	DIBROMOMETHANE	0.001	U	MG/L
MW-075	8/29/2013	ETHYLBENZENE	0.001	U	MG/L
MW-075	8/29/2013	FLUORIDE	0.17		MG/L
MW-075	8/29/2013	FREE CYANIDE	0.005	U	MG/L
MW-075	8/29/2013	HARDNESS	245		MG/L
MW-075	8/29/2013	IRON	0.005	U	MG/L
MW-075	8/29/2013	LEAD	0.002	U	MG/L
MW-075	8/29/2013	MAGNESIUM	10		MG/L
MW-075	8/29/2013	MANGANESE	0.14		MG/L
MW-075	8/29/2013	MERCURY	0.0002	U	MG/L
MW-075	8/29/2013	METHYL IODIDE	0.002	U	MG/L
MW-075	8/29/2013	METHYL TERT-BUTYL ETHER	0.002	U	MG/L
MW-075	8/29/2013	METHYLENE CHLORIDE	0.001	U	MG/L
MW-075	8/29/2013	NICKEL	0.0015	J	MG/L
MW-075	8/29/2013	NITRATE	0.38		MG/L
MW-075	8/29/2013	POTASSIUM	2.5		MG/L
MW-075	8/29/2013	SELENIUM	0.035	U	MG/L
MW-075	8/29/2013	SILVER	0.01	U	MG/L
MW-075	8/29/2013	SODIUM	18	B	MG/L
MW-075	8/29/2013	STYRENE	0.001	U	MG/L
MW-075	8/29/2013	SULFATE	21		MG/L
MW-075	8/29/2013	TETRACHLOROETHENE	0.001	U	MG/L
MW-075	8/29/2013	THALLIUM	0.002	U	MG/L
MW-075	8/29/2013	TOLUENE	0.0068		MG/L
MW-075	8/29/2013	TOTAL DISSOLVED SOLIDS	390		MG/L
MW-075	8/29/2013	TOTAL XYLENES	0.001	U	MG/L
MW-075	8/29/2013	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-075	8/29/2013	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-075	8/29/2013	TRANS-1,4-DICHLORO-2-BUTENE	0.005	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-075	8/29/2013	TRICHLOROETHENE	0.001	U	MG/L
MW-075	8/29/2013	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-075	8/29/2013	TURBIDITY	0.59		NTU
MW-075	8/29/2013	VANADIUM	0.0005	J	MG/L
MW-075	8/29/2013	VINYL ACETATE	0.001	U	MG/L
MW-075	8/29/2013	VINYL CHLORIDE	0.001	U	MG/L
MW-075	8/29/2013	ZINC	0.0012	J	MG/L
MW-075	3/12/2014	1,1,1,2-TETRACHLOROETHANE	0.01	U	MG/L
MW-075	3/12/2014	1,1,1-TRICHLOROETHANE	0.005	U	MG/L
MW-075	3/12/2014	1,1,2,2-TETRACHLOROETHANE	0.005	U	MG/L
MW-075	3/12/2014	1,1,2-TRICHLOROETHANE	0.005	U	MG/L
MW-075	3/12/2014	1,1-DICHLOROETHANE	0.005	U	MG/L
MW-075	3/12/2014	1,1-DICHLOROETHENE	0.005	U	MG/L
MW-075	3/12/2014	1,2,3-TRICHLOROPROPANE	0.005	U	MG/L
MW-075	3/12/2014	1,2-DIBROMO-3-CHLOROPROPANE	0.01	U	MG/L
MW-075	3/12/2014	1,2-DIBROMOETHANE	0.005	U	MG/L
MW-075	3/12/2014	1,2-DICHLOROETHENE	0.005	U	MG/L
MW-075	3/12/2014	1,2-DICHLOROETHANE	0.005	U	MG/L
MW-075	3/12/2014	1,2-DICHLOROPROPANE	0.005	U	MG/L
MW-075	3/12/2014	1,4-DICHLOROETHANE	0.01	U	MG/L
MW-075	3/12/2014	2-BUTANONE	0.01	U	MG/L
MW-075	3/12/2014	2-HEXANONE	0.01	U	MG/L
MW-075	3/12/2014	4-METHYL-2-PENTANONE	0.01	U	MG/L
MW-075	3/12/2014	ACETONE	0.0006		MG/L
MW-075	3/12/2014	ACRYLONITRILE	0.10	U	MG/L
MW-075	3/12/2014	ALKALINITY	125		MG/L
MW-075	3/12/2014	AMMONIA	0.05	J	MG/L
MW-075	3/12/2014	ANTIMONY	0.002	U	MG/L
MW-075	3/12/2014	ARSENIC	0.002	U	MG/L
MW-075	3/12/2014	BARIUM	0.038		MG/L
MW-075	3/12/2014	BENZENE	0.005	U	MG/L
MW-075	3/12/2014	BERYLLIUM	0.002	U	MG/L
MW-075	3/12/2014	BROMOCHLOROMETHANE	0.005	U	MG/L
MW-075	3/12/2014	BROMODICHLOROMETHANE	0.005	U	MG/L
MW-075	3/12/2014	BROMOFORM	0.005	U	MG/L
MW-075	3/12/2014	BROMOMETHANE	0.01	U	MG/L
MW-075	3/12/2014	CADIUM	0.004	U	MG/L
MW-075	3/12/2014	CALCIUM	76		MG/L
MW-075	3/12/2014	CARBON DISULFIDE	0.01	U	MG/L
MW-075	3/12/2014	CARBON TETRACHLORIDE	0.005	U	MG/L
MW-075	3/12/2014	CHEMICAL OXYGEN DEMAND	10	U	MG/L
MW-075	3/12/2014	CHLORIDE	80		MG/L
MW-075	3/12/2014	CHLOROETHENE	0.005	U	MG/L
MW-075	3/12/2014	CHLORODIBROMOMETHANE	0.005	U	MG/L
MW-075	3/12/2014	CHLOROETHANE	0.01	U	MG/L
MW-075	3/12/2014	CHLOROFORM	0.005	U	MG/L
MW-075	3/12/2014	CHLOROMETHANE	0.01	U	MG/L
MW-075	3/12/2014	CHROMIUM	0.00078	J	MG/L
MW-075	3/12/2014	CIS-1,2-DICHLOROETHENE	0.005	U	MG/L
MW-075	3/12/2014	CIS-1,3-DICHLOROPROPENE	0.005	U	MG/L
MW-075	3/12/2014	COBALT	0.01	U	MG/L
MW-075	3/12/2014	COPPER	0.00032	J	MG/L
MW-075	3/12/2014	CYANIDE	0.0024		MG/L
MW-075	3/12/2014	DIBROMOMETHANE	0.005	U	MG/L
MW-075	3/12/2014	ETHYLBENZENE	0.005	U	MG/L
MW-075	3/12/2014	FLUORIDE	0.30		MG/L
MW-075	3/12/2014	FREE CYANIDE	0.005	U	MG/L
MW-075	3/12/2014	HARDNESS	235		MG/L
MW-075	3/12/2014	IRON	0.005	U	MG/L
MW-075	3/12/2014	LEAD	0.002	U	MG/L
MW-075	3/12/2014	MAGNESIUM	11		MG/L
MW-075	3/12/2014	MANGANESE	0.01	U	MG/L
MW-075	3/12/2014	MERCURY	0.000042	J	MG/L
MW-075	3/12/2014	METHYL IODIDE	0.005	U	MG/L
MW-075	3/12/2014	METHYL TERT-BUTYL ETHER	0.005	U	MG/L
MW-075	3/12/2014	METHYLENE CHLORIDE	0.01	U	MG/L
MW-075	3/12/2014	NICKEL	0.0019	J	MG/L
MW-075	3/12/2014	NITRATE	3.4		MG/L
MW-075	3/12/2014	POTASSIUM	3.2		MG/L
MW-075	3/12/2014	SELENIUM	0.0002	J	MG/L
MW-075	3/12/2014	SILVER	0.01	U	MG/L
MW-075	3/12/2014	SODIUM	29	B	MG/L
MW-075	3/12/2014	STYRENE	0.005	U	MG/L
MW-075	3/12/2014	SULFATE	26		MG/L
MW-075	3/12/2014	TETRACHLOROETHENE	0.005	U	MG/L
MW-075	3/12/2014	THALLIUM	0.00016	J	MG/L
MW-075	3/12/2014	TOLUENE	0.005	U	MG/L
MW-075	3/12/2014	TOTAL DISSOLVED SOLIDS	350		MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-075	3/12/2014	TOTAL XYLENES	0.005	U	MG/L
MW-075	3/12/2014	TRANS-1,2-DICHLOROETHENE	0.005	U	MG/L
MW-075	3/12/2014	TRANS-1,3-DICHLOROPROPENE	0.005	U	MG/L
MW-075	3/12/2014	TRANS-1,4-DICHLORO-2-BUTENE	0.005	U	MG/L
MW-075	3/12/2014	TRICHLOROETHENE	0.005	U	MG/L
MW-075	3/12/2014	TRICHLOROFLUOROMETHANE	0.01	U	MG/L
MW-075	3/12/2014	TURBIDITY	0.61		NTU
MW-075	3/12/2014	VANADIUM	0.01	U	MG/L
MW-075	3/12/2014	VINYL ACETATE	0.01	U	MG/L
MW-075	3/12/2014	VINYL CHLORIDE	0.002	U	MG/L
MW-075	3/12/2014	ZINC	0.00091	J	MG/L
MW-075	3/12/2015	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-075	3/12/2015	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-075	3/12/2015	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-075	3/12/2015	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-075	3/12/2015	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-075	3/12/2015	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-075	3/12/2015	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-075	3/12/2015	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-075	3/12/2015	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-075	3/12/2015	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-075	3/12/2015	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-075	3/12/2015	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-075	3/12/2015	1,4-DICHLOROBENZENE	0.001	U	MG/L
MW-075	3/12/2015	2-BUTANONE	0.005	U	MG/L
MW-075	3/12/2015	2-HEXANONE	0.005	U	MG/L
MW-075	3/12/2015	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-075	3/12/2015	ACETONE	0.0015	J	MG/L
MW-075	3/12/2015	ACRYLONITRILE	0.005	U	MG/L
MW-075	3/12/2015	ALKALINITY	79		MG/L
MW-075	3/12/2015	AMMONIA	1	U	MG/L
MW-075	3/12/2015	ANTIMONY	0.001	U	MG/L
MW-075	3/12/2015	ARSENIC	0.00034		MG/L
MW-075	3/12/2015	BARIIUM	0.028		MG/L
MW-075	3/12/2015	BENZENE	0.001	U	MG/L
MW-075	3/12/2015	BERYLLIUM	0.002	U	MG/L
MW-075	3/12/2015	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-075	3/12/2015	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-075	3/12/2015	BROMOFORM	0.001	U	MG/L
MW-075	3/12/2015	BROMOMETHANE	0.001	U	MG/L
MW-075	3/12/2015	CADMIUM	0.004	U	MG/L
MW-075	3/12/2015	CALCIUM	41.5		MG/L
MW-075	3/12/2015	CARBON DISULFIDE	0.001	U	MG/L
MW-075	3/12/2015	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-075	3/12/2015	CHEMICAL OXYGEN DEMAND	15.8		MG/L
MW-075	3/12/2015	CHLORIDE	93		MG/L
MW-075	3/12/2015	CHLOROBENZENE	0.001	U	MG/L
MW-075	3/12/2015	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-075	3/12/2015	CHLOROETHANE	0.001	U	MG/L
MW-075	3/12/2015	CHLOROFORM	0.001	U	MG/L
MW-075	3/12/2015	CHLOROMETHANE	0.001	U	MG/L
MW-075	3/12/2015	CHROMIUM	0.01	U	MG/L
MW-075	3/12/2015	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-075	3/12/2015	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-075	3/12/2015	COBALT	0.01	U	MG/L
MW-075	3/12/2015	COPPER	0.0014	J	MG/L
MW-075	3/12/2015	CYANIDE	0.005	U	MG/L
MW-075	3/12/2015	DIBROMOMETHANE	0.001	U	MG/L
MW-075	3/12/2015	ETHYLBENZENE	0.001	U	MG/L
MW-075	3/12/2015	FLUORIDE	0.23		MG/L
MW-075	3/12/2015	FREE CYANIDE	0.005	U	MG/L
MW-075	3/12/2015	GALLIUM	0.005	U	MG/L
MW-075	3/12/2015	HARDNESS	130		MG/L
MW-075	3/12/2015	IRON	0.16	B	MG/L
MW-075	3/12/2015	LEAD	0.002	U	MG/L
MW-075	3/12/2015	MAGNESIUM	6.3		MG/L
MW-075	3/12/2015	MANGANESE	0.00245	J	MG/L
MW-075	3/12/2015	MERCURY	0.0002	U	MG/L
MW-075	3/12/2015	METHYL IODIDE	0.001	U	MG/L
MW-075	3/12/2015	METHYL TERT-BUTYL ETHER	0.002	U	MG/L
MW-075	3/12/2015	METHYLENE CHLORIDE	0.001	U	MG/L
MW-075	3/12/2015	NICKEL	0.0016	J	MG/L
MW-075	3/12/2015	NITRATE	2.1		MG/L
MW-075	3/12/2015	NITRITE	0.012	U	MG/L
MW-075	3/12/2015	NITRITE/NITRATE-N	2.1		MG/L
MW-075	3/12/2015	POTASSIUM	2.7		MG/L
MW-075	3/12/2015	SELENIUM	0.035	U	MG/L
MW-075	3/12/2015	SILVER	0.01	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-075	3/12/2015	SODIUM	41.5		MG/L
MW-075	3/12/2015	STYRENE	0.001	U	MG/L
MW-075	3/12/2015	SULFATE	17.5		MG/L
MW-075	3/12/2015	TETRACHLOROETHENE	0.001	U	MG/L
MW-075	3/12/2015	THALLIUM	0.002	U	MG/L
MW-075	3/12/2015	TOLUENE	0.001	U	MG/L
MW-075	3/12/2015	TOTAL DISSOLVED SOLIDS	270		MG/L
MW-075	3/12/2015	TOTAL XYLENES	0.001	U	MG/L
MW-075	3/12/2015	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-075	3/12/2015	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-075	3/12/2015	TRANS-1,4-DICHLORO-2-BUTENE	0.001	U	MG/L
MW-075	3/12/2015	TRICHLOROETHENE	0.001	U	MG/L
MW-075	3/12/2015	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-075	3/12/2015	TURBIDITY	5.5		NTU
MW-075	3/12/2015	VANADIUM	0.01	U	MG/L
MW-075	3/12/2015	VINYL ACETATE	0.001	U	MG/L
MW-075	3/12/2015	VINYL CHLORIDE	0.001	U	MG/L
MW-075	3/12/2015	ZINC	0.0024	J	MG/L
MW-075	8/20/2015	1,1,1,2-TETRACHLOROETHANE	0.002	U	MG/L
MW-075	8/20/2015	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-075	8/20/2015	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-075	8/20/2015	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-075	8/20/2015	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-075	8/20/2015	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-075	8/20/2015	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-075	8/20/2015	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-075	8/20/2015	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-075	8/20/2015	1,2-DICHLOROBENZENE	0.005	U	MG/L
MW-075	8/20/2015	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-075	8/20/2015	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-075	8/20/2015	1,4-DICHLOROBENZENE	0.001	U	MG/L
MW-075	8/20/2015	2-BUTANONE	0.002	U	MG/L
MW-075	8/20/2015	2-HEXANONE	0.002	U	MG/L
MW-075	8/20/2015	4-METHYL-2-PENTANONE	0.001	U	MG/L
MW-075	8/20/2015	ACETONE	0.005	U	MG/L
MW-075	8/20/2015	ACRYLONITRILE	0.01	U	MG/L
MW-075	8/20/2015	ALKALINITY	185		MG/L
MW-075	8/20/2015	AMMONIA	1	U	MG/L
MW-075	8/20/2015	ANTIMONY	0.001	U	MG/L
MW-075	8/20/2015	ARSENIC	0.001	U	MG/L
MW-075	8/20/2015	BARIIUM	0.042		MG/L
MW-075	8/20/2015	BENZENE	0.001	U	MG/L
MW-075	8/20/2015	BERYLLIUM	0.001	U	MG/L
MW-075	8/20/2015	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-075	8/20/2015	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-075	8/20/2015	BROMOFORM	0.001	U	MG/L
MW-075	8/20/2015	BROMOMETHANE	0.002	U	MG/L
MW-075	8/20/2015	CADMIUM	0.0005	U	MG/L
MW-075	8/20/2015	CALCIUM	82		MG/L
MW-075	8/20/2015	CARBON DISULFIDE	0.002	U	MG/L
MW-075	8/20/2015	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-075	8/20/2015	CHEMICAL OXYGEN DEMAND	5		MG/L
MW-075	8/20/2015	CHLORIDE	56.5		MG/L
MW-075	8/20/2015	CHLOROBENZENE	0.001	U	MG/L
MW-075	8/20/2015	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-075	8/20/2015	CHLOROETHANE	0.002	U	MG/L
MW-075	8/20/2015	CHLOROFORM	0.001	U	MG/L
MW-075	8/20/2015	CHLOROMETHANE	0.002	U	MG/L
MW-075	8/20/2015	CHROMIUM	0.002	U	MG/L
MW-075	8/20/2015	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-075	8/20/2015	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-075	8/20/2015	COBALT	0.005	U	MG/L
MW-075	8/20/2015	COPPER	0.001	U	MG/L
MW-075	8/20/2015	CYANIDE	0.005	U	MG/L
MW-075	8/20/2015	DIBROMOMETHANE	0.001	U	MG/L
MW-075	8/20/2015	ETHYLBENZENE	0.001	U	MG/L
MW-075	8/20/2015	FLUORIDE	2.25	B	MG/L
MW-075	8/20/2015	FREE CYANIDE	0.005	U	MG/L
MW-075	8/20/2015	HARDNESS	245		MG/L
MW-075	8/20/2015	IRON	0.005	U	MG/L
MW-075	8/20/2015	LEAD	0.001	U	MG/L
MW-075	8/20/2015	M+P-XYLENES	0.001	U	MG/L
MW-075	8/20/2015	MAGNESIUM	10		MG/L
MW-075	8/20/2015	MANGANESE	0.013		MG/L
MW-075	8/20/2015	MERCURY	0.0002	U	MG/L
MW-075	8/20/2015	METHYL IODIDE	0.01	U	MG/L
MW-075	8/20/2015	METHYL TERT-BUTYL ETHER	0.002	U	MG/L
MW-075	8/20/2015	METHYLENE CHLORIDE	0.002	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-075	8/20/2015	NICKEL	0.005	U	MG/L
MW-075	8/20/2015	NITRATE	2		MG/L
MW-075	8/20/2015	O-XYLENE	0.001	U	MG/L
MW-075	8/20/2015	POTASSIUM	3		MG/L
MW-075	8/20/2015	SELENIUM	0.005	U	MG/L
MW-075	8/20/2015	SILVER	0.001	U	MG/L
MW-075	8/20/2015	SODIUM	22		MG/L
MW-075	8/20/2015	STYRENE	0.001	U	MG/L
MW-075	8/20/2015	SULFATE	27		MG/L
MW-075	8/20/2015	TETRACHLOROETHENE	0.001	U	MG/L
MW-075	8/20/2015	THALLIUM	0.001	U	MG/L
MW-075	8/20/2015	TOLUENE	0.001	U	MG/L
MW-075	8/20/2015	TOTAL DISSOLVED SOLIDS	365		MG/L
MW-075	8/20/2015	TOTAL XYLENES	0.001	U	MG/L
MW-075	8/20/2015	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-075	8/20/2015	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-075	8/20/2015	TRANS-1,4-DICHLORO-2-BUTENE	0.001	U	MG/L
MW-075	8/20/2015	TRICHLOROETHENE	0.001	U	MG/L
MW-075	8/20/2015	TRICHLOROFLUOROMETHANE	0.002	U	MG/L
MW-075	8/20/2015	TURBIDITY	0.22		NTU
MW-075	8/20/2015	VANADIUM	0.005	U	MG/L
MW-075	8/20/2015	VINYL ACETATE	0.002	U	MG/L
MW-075	8/20/2015	VINYL CHLORIDE	0.002	U	MG/L
MW-075	8/20/2015	ZINC	0.005	U	MG/L
MW-075	3/17/2016	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-075	3/17/2016	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-075	3/17/2016	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-075	3/17/2016	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-075	3/17/2016	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-075	3/17/2016	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-075	3/17/2016	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-075	3/17/2016	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-075	3/17/2016	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-075	3/17/2016	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-075	3/17/2016	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-075	3/17/2016	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-075	3/17/2016	1,4-DICHLOROBENZENE	0.001	U	MG/L
MW-075	3/17/2016	2-BUTANONE	0.005	U	MG/L
MW-075	3/17/2016	2-HEXANONE	0.005	U	MG/L
MW-075	3/17/2016	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-075	3/17/2016	ACETONE	0.005	U	MG/L
MW-075	3/17/2016	ACRYLONITRILE	0.005	U	MG/L
MW-075	3/17/2016	ALKALINITY	190		MG/L
MW-075	3/17/2016	AMMONIA	1	U	MG/L
MW-075	3/17/2016	ANTIMONY	0.001	U	MG/L
MW-075	3/17/2016	ARSENIC	0.001	U	MG/L
MW-075	3/17/2016	BARIUM	0.043		MG/L
MW-075	3/17/2016	BENZENE	0.001	U	MG/L
MW-075	3/17/2016	BERYLLIUM	0.001	U	MG/L
MW-075	3/17/2016	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-075	3/17/2016	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-075	3/17/2016	BROMOFORM	0.001	U	MG/L
MW-075	3/17/2016	BROMOMETHANE	0.001	U	MG/L
MW-075	3/17/2016	CADMIUM	0.0005	U	MG/L
MW-075	3/17/2016	CALCIUM	81.6		MG/L
MW-075	3/17/2016	CARBON DISULFIDE	0.001	U	MG/L
MW-075	3/17/2016	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-075	3/17/2016	CHEMICAL OXYGEN DEMAND	6.2	J	MG/L
MW-075	3/17/2016	CHLORIDE	46		MG/L
MW-075	3/17/2016	CHLOROBENZENE	0.001	U	MG/L
MW-075	3/17/2016	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-075	3/17/2016	CHLOROETHANE	0.001	U	MG/L
MW-075	3/17/2016	CHLOROFORM	0.001	U	MG/L
MW-075	3/17/2016	CHLOROMETHANE	0.001	U	MG/L
MW-075	3/17/2016	CHROMIUM	0.002	U	MG/L
MW-075	3/17/2016	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-075	3/17/2016	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-075	3/17/2016	COBALT	0.005	U	MG/L
MW-075	3/17/2016	COPPER	0.001	U	MG/L
MW-075	3/17/2016	CYANIDE	0.005	U	MG/L
MW-075	3/17/2016	DIBROMOMETHANE	0.001	U	MG/L
MW-075	3/17/2016	ETHYLBENZENE	0.001	U	MG/L
MW-075	3/17/2016	FLUORIDE	0.19		MG/L
MW-075	3/17/2016	FREE CYANIDE	0.005	U	MG/L
MW-075	3/17/2016	HARDNESS	250		MG/L
MW-075	3/17/2016	IRON	0.0159		MG/L
MW-075	3/17/2016	LEAD	0.001	U	MG/L
MW-075	3/17/2016	MAGNESIUM	11.4		MG/L



Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-075	3/17/2016	MANGANESE	0.0008		MG/L
MW-075	3/17/2016	MERCURY	0.0002	U	MG/L
MW-075	3/17/2016	METHYL IODIDE	0.001	U	MG/L
MW-075	3/17/2016	METHYL TERT-BUTYL ETHER	0.002	U	MG/L
MW-075	3/17/2016	METHYLENE CHLORIDE	0.001	U	MG/L
MW-075	3/17/2016	NICKEL	0.005	U	MG/L
MW-075	3/17/2016	NITRATE	2.23		MG/L
MW-075	3/17/2016	NITRITE	0.012	U	MG/L
MW-075	3/17/2016	NITRITE/NITRATE-N	2.23		MG/L
MW-075	3/17/2016	POTASSIUM	2.92		MG/L
MW-075	3/17/2016	SELENIUM	0.005	U	MG/L
MW-075	3/17/2016	SILVER	0.001	U	MG/L
MW-075	3/17/2016	SODIUM	20.7		MG/L
MW-075	3/17/2016	STYRENE	0.001	U	MG/L
MW-075	3/17/2016	SULFATE	27		MG/L
MW-075	3/17/2016	TETRACHLOROETHENE	0.001	U	MG/L
MW-075	3/17/2016	THALLIUM	0.001	U	MG/L
MW-075	3/17/2016	TOLUENE	0.001	U	MG/L
MW-075	3/17/2016	TOTAL DISSOLVED SOLIDS	325		MG/L
MW-075	3/17/2016	TOTAL XYLENES	0.001	U	MG/L
MW-075	3/17/2016	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-075	3/17/2016	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-075	3/17/2016	TRANS-1,4-DICHLORO-2-BUTENE	0.001	U	MG/L
MW-075	3/17/2016	TRICHLOROETHENE	0.001	U	MG/L
MW-075	3/17/2016	TRICHLOROFLUOROMETHANE	0.002	U	MG/L
MW-075	3/17/2016	TURBIDITY	0.36		NTU
MW-075	3/17/2016	VANADIUM	0.005	U	MG/L
MW-075	3/17/2016	VINYL ACETATE	0.001	U	MG/L
MW-075	3/17/2016	VINYL CHLORIDE	0.001	U	MG/L
MW-075	3/17/2016	ZINC	0.005	U	MG/L
MW-075	3/21/2017	1,1,1,2-TETRACHLOROETHANE	0.0001	U	MG/L
MW-075	3/21/2017	1,1,1-TRICHLOROETHANE	0.0001	U	MG/L
MW-075	3/21/2017	1,1,2,2-TETRACHLOROETHANE	0.0001	U	MG/L
MW-075	3/21/2017	1,1,2-TRICHLOROETHANE	0.0001	U	MG/L
MW-075	3/21/2017	1,1-DICHLOROETHANE	0.0001	U	MG/L
MW-075	3/21/2017	1,1-DICHLOROETHENE	0.0001	U	MG/L
MW-075	3/21/2017	1,2,3-TRICHLOROPROPANE	0.0003	U	MG/L
MW-075	3/21/2017	1,2-DIBROMO-3-CHLOROPROPANE	0.0002	U	MG/L
MW-075	3/21/2017	1,2-DIBROMOETHANE	0.0001	U	MG/L
MW-075	3/21/2017	1,2-DICHLOROBENZENE	0.0001	U	MG/L
MW-075	3/21/2017	1,2-DICHLOROETHANE	0.0001	U	MG/L
MW-075	3/21/2017	1,2-DICHLOROPROPANE	0.0001	U	MG/L
MW-075	3/21/2017	1,4-DICHLOROBENZENE	0.0001	U	MG/L
MW-075	3/21/2017	2-BUTANONE	0.001	U	MG/L
MW-075	3/21/2017	2-HEXANONE	0.001	U	MG/L
MW-075	3/21/2017	4-METHYL-2-PENTANONE	0.001	U	MG/L
MW-075	3/21/2017	ACETONE	0.003	U	MG/L
MW-075	3/21/2017	ACRYLONITRILE	0.001	U	MG/L
MW-075	3/21/2017	ALKALINITY	156		MG/L
MW-075	3/21/2017	AMMONIA-N	0.20	U	MG/L
MW-075	3/21/2017	ANTIMONY	0.00048	U	MG/L
MW-075	3/21/2017	ARSENIC	0.00068	U	MG/L
MW-075	3/21/2017	BARIUM	0.0357		MG/L
MW-075	3/21/2017	BENZENE	0.0001	U	MG/L
MW-075	3/21/2017	BERYLLIUM	0.00011	U	MG/L
MW-075	3/21/2017	BROMOCHLOROMETHANE	0.0001	U	MG/L
MW-075	3/21/2017	BROMODICHLOROMETHANE	0.0001	U	MG/L
MW-075	3/21/2017	BROMOFORM	0.0001	U	MG/L
MW-075	3/21/2017	BROMOMETHANE	0.0001	U	MG/L
MW-075	3/21/2017	CADMIUM	0.00019	U	MG/L
MW-075	3/21/2017	CALCIUM	64.2		MG/L
MW-075	3/21/2017	CARBON DISULFIDE	0.0004	U	MG/L
MW-075	3/21/2017	CARBON TETRACHLORIDE	0.0001	U	MG/L
MW-075	3/21/2017	CHEMICAL OXYGEN DEMAND	3.0	U	MG/L
MW-075	3/21/2017	CHLORIDE	25.3		MG/L
MW-075	3/21/2017	CHLOROENZENE	0.0001	U	MG/L
MW-075	3/21/2017	CHLORODIBROMOMETHANE	0.0001	U	MG/L
MW-075	3/21/2017	CHLOROETHANE	0.0001	U	MG/L
MW-075	3/21/2017	CHLOROFORM	0.0001	U	MG/L
MW-075	3/21/2017	CHLOROMETHANE	0.0002	U	MG/L
MW-075	3/21/2017	CHROMIUM	0.00092	J	MG/L
MW-075	3/21/2017	CIS-1,2-DICHLOROETHENE	0.0001	U	MG/L
MW-075	3/21/2017	CIS-1,3-DICHLOROPROPENE	0.0001	U	MG/L
MW-075	3/21/2017	COBALT	0.0021	J	MG/L
MW-075	3/21/2017	COPPER	0.0041	U	MG/L
MW-075	3/21/2017	CYANIDE	0.0050	U	MG/L
MW-075	3/21/2017	DIBROMOMETHANE	0.0001	U	MG/L
MW-075	3/21/2017	ETHYLBENZENE	0.0001	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-075	3/21/2017	FLUORIDE	0.79		MG/L
MW-075	3/21/2017	FREE CYANIDE	0.0020	U	MG/L
MW-075	3/21/2017	HARDNESS AS CaCO3	193		MG/L
MW-075	3/21/2017	IRON	0.226		MG/L
MW-075	3/21/2017	LEAD	0.00017	J	MG/L
MW-075	3/21/2017	MAGNESIUM	8.01		MG/L
MW-075	3/21/2017	MAGNESIUM	7.72		MG/L
MW-075	3/21/2017	MANGANESE	0.0057		MG/L
MW-075	3/21/2017	MERCURY	0.000050	U	MG/L
MW-075	3/21/2017	METHYL IODIDE	0.0001	U	MG/L
MW-075	3/21/2017	METHYL TERT-BUTYL ETHER	0.0001	U	MG/L
MW-075	3/21/2017	METHYLENE CHLORIDE	0.0002	U	MG/L
MW-075	3/21/2017	NICKEL	0.0028	U	MG/L
MW-075	3/21/2017	NITRATE-N	2.2		MG/L
MW-075	3/21/2017	PH	7.9		S.U.
MW-075	3/21/2017	POTASSIUM	2.49		MG/L
MW-075	3/21/2017	SELENIUM	0.0097	U	MG/L
MW-075	3/21/2017	SILVER	0.0019	U	MG/L
MW-075	3/21/2017	SODIUM	16.6		MG/L
MW-075	3/21/2017	SPECIFIC CONDUCTANCE	446		UMHOS/CM
MW-075	3/21/2017	STYRENE	0.0001	U	MG/L
MW-075	3/21/2017	SULFATE	32.1		MG/L
MW-075	3/21/2017	TEMPERATURE	21.7		C
MW-075	3/21/2017	TETRACHLOROETHENE	0.0001	U	MG/L
MW-075	3/21/2017	THALLIUM	0.00016	U	MG/L
MW-075	3/21/2017	TOLUENE	0.0001	U	MG/L
MW-075	3/21/2017	TOTAL DISSOLVED SOLIDS	262		MG/L
MW-075	3/21/2017	TOTAL XYLENES	0.0001	U	MG/L
MW-075	3/21/2017	TRANS-1,2-DICHLOROETHENE	0.0001	U	MG/L
MW-075	3/21/2017	TRANS-1,3-DICHLOROPROPENE	0.0001	U	MG/L
MW-075	3/21/2017	TRANS-1,4-DICHLORO-2-BUTENE	0.0001	U	MG/L
MW-075	3/21/2017	TRICHLOROETHENE	0.0001	U	MG/L
MW-075	3/21/2017	TRICHLOROFLUOROMETHANE	0.0001	U	MG/L
MW-075	3/21/2017	TURBIDITY	5.7		NTU
MW-075	3/21/2017	VANADIUM	0.0016	U	MG/L
MW-075	3/21/2017	VINYL ACETATE	0.0002	U	MG/L
MW-075	3/21/2017	VINYL CHLORIDE	0.0001	U	MG/L
MW-075	3/21/2017	ZINC	0.0035	U	MG/L
MW-075	9/5/2017	1,1,1,2-TETRACHLOROETHANE	0.10	U	UG/L
MW-075	9/5/2017	1,1,1,2-TETRACHLOROETHANE	0.10	U	UG/L
MW-075	9/5/2017	1,1,1-TRICHLOROETHANE	0.10	U	UG/L
MW-075	9/5/2017	1,1,1-TRICHLOROETHANE	0.10	U	UG/L
MW-075	9/5/2017	1,1,2,2-TETRACHLOROETHANE	0.10	U	UG/L
MW-075	9/5/2017	1,1,2,2-TETRACHLOROETHANE	0.10	U	UG/L
MW-075	9/5/2017	1,1,2-TRICHLOROETHANE	0.10	U	UG/L
MW-075	9/5/2017	1,1,2-TRICHLOROETHANE	0.10	U	UG/L
MW-075	9/5/2017	1,1-DICHLOROETHANE	0.10	U	UG/L
MW-075	9/5/2017	1,1-DICHLOROETHANE	0.10	U	UG/L
MW-075	9/5/2017	1,1-DICHLOROETHENE	0.10	U	UG/L
MW-075	9/5/2017	1,1-DICHLOROETHENE	0.10	U	UG/L
MW-075	9/5/2017	1,2,3-TRICHLOROPROPANE	0.30	U	UG/L
MW-075	9/5/2017	1,2,3-TRICHLOROPROPANE	0.30	U	UG/L
MW-075	9/5/2017	1,2-DIBROMO-3-CHLOROPROPANE	0.20	U	UG/L
MW-075	9/5/2017	1,2-DIBROMO-3-CHLOROPROPANE	0.20	U	UG/L
MW-075	9/5/2017	1,2-DIBROMOETHANE	0.10	U	UG/L
MW-075	9/5/2017	1,2-DIBROMOETHANE	0.10	U	UG/L
MW-075	9/5/2017	1,2-DICHLOROBENZENE	0.10	U	UG/L
MW-075	9/5/2017	1,2-DICHLOROBENZENE	0.10	U	UG/L
MW-075	9/5/2017	1,2-DICHLOROETHANE	0.10	U	UG/L
MW-075	9/5/2017	1,2-DICHLOROETHANE	0.10	U	UG/L
MW-075	9/5/2017	1,2-DICHLOROPROPANE	0.10	U	UG/L
MW-075	9/5/2017	1,2-DICHLOROPROPANE	0.10	U	UG/L
MW-075	9/5/2017	1,4-DICHLOROBENZENE	0.10	U	UG/L
MW-075	9/5/2017	1,4-DICHLOROBENZENE	0.10	U	UG/L
MW-075	9/5/2017	2-BUTANONE	1	U	UG/L
MW-075	9/5/2017	2-BUTANONE	1	U	UG/L
MW-075	9/5/2017	2-HEXANONE	1	U	UG/L
MW-075	9/5/2017	2-HEXANONE	1	U	UG/L
MW-075	9/5/2017	4-METHYL-2-PENTANONE	1	U	UG/L
MW-075	9/5/2017	4-METHYL-2-PENTANONE	1	U	UG/L
MW-075	9/5/2017	ACETONE	3	U	UG/L
MW-075	9/5/2017	ACETONE	3	U	UG/L
MW-075	9/5/2017	ACRYLONITRILE	1	U	UG/L
MW-075	9/5/2017	ACRYLONITRILE	1	U	UG/L
MW-075	9/5/2017	ALKALINITY	178		MG/L
MW-075	9/5/2017	ALKALINITY	181		MG/L
MW-075	9/5/2017	AMMONIA	0.25	U	MG/L
MW-075	9/5/2017	AMMONIA	0.25	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-075	9/5/2017	ANTIMONY	0.00045	U	MG/L
MW-075	9/5/2017	ANTIMONY	0.00045	U	MG/L
MW-075	9/5/2017	ARSENIC	0.001	J	MG/L
MW-075	9/5/2017	ARSENIC	0.00077	J	MG/L
MW-075	9/5/2017	BARIUM	0.0401		MG/L
MW-075	9/5/2017	BARIUM	0.0415		MG/L
MW-075	9/5/2017	BENZENE	0.10	U	UG/L
MW-075	9/5/2017	BENZENE	0.10	U	UG/L
MW-075	9/5/2017	BERYLLIUM	0.000071	U	MG/L
MW-075	9/5/2017	BERYLLIUM	0.000071	U	MG/L
MW-075	9/5/2017	BROMOCHLOROMETHANE	0.10	U	UG/L
MW-075	9/5/2017	BROMOCHLOROMETHANE	0.10	U	UG/L
MW-075	9/5/2017	BROMODICHLOROMETHANE	0.10	U	UG/L
MW-075	9/5/2017	BROMODICHLOROMETHANE	0.10	U	UG/L
MW-075	9/5/2017	BROMOFORM	0.10	U	UG/L
MW-075	9/5/2017	BROMOFORM	0.10	U	UG/L
MW-075	9/5/2017	BROMOMETHANE	0.10	U	UG/L
MW-075	9/5/2017	BROMOMETHANE	0.10	U	UG/L
MW-075	9/5/2017	CADMIUM	0.00015	U	MG/L
MW-075	9/5/2017	CADMIUM	0.00015	U	MG/L
MW-075	9/5/2017	CALCIUM	75.5		MG/L
MW-075	9/5/2017	CALCIUM	76.7		MG/L
MW-075	9/5/2017	CARBON DISULFIDE	0.40	U	UG/L
MW-075	9/5/2017	CARBON DISULFIDE	0.40	U	UG/L
MW-075	9/5/2017	CARBON TETRACHLORIDE	0.10	U	UG/L
MW-075	9/5/2017	CARBON TETRACHLORIDE	0.10	U	UG/L
MW-075	9/5/2017	CHEMICAL OXYGEN DEMAND	6.4	J	MG/L
MW-075	9/5/2017	CHEMICAL OXYGEN DEMAND	7.9	J	MG/L
MW-075	9/5/2017	CHLORIDE	45.4		MG/L
MW-075	9/5/2017	CHLORIDE	43.4		MG/L
MW-075	9/5/2017	CHLOROENZENE	0.10	U	UG/L
MW-075	9/5/2017	CHLOROENZENE	0.10	U	UG/L
MW-075	9/5/2017	CHLORODIBROMOMETHANE	0.10	U	UG/L
MW-075	9/5/2017	CHLORODIBROMOMETHANE	0.10	U	UG/L
MW-075	9/5/2017	CHLOROETHANE	0.10	U	UG/L
MW-075	9/5/2017	CHLOROETHANE	0.10	U	UG/L
MW-075	9/5/2017	CHLOROFORM	0.10	U	UG/L
MW-075	9/5/2017	CHLOROFORM	0.10	U	UG/L
MW-075	9/5/2017	CHLOROMETHANE	0.20	U	UG/L
MW-075	9/5/2017	CHLOROMETHANE	0.20	U	UG/L
MW-075	9/5/2017	CHROMIUM	0.00087	U	MG/L
MW-075	9/5/2017	CHROMIUM	0.00087	U	MG/L
MW-075	9/5/2017	CIS-1,2-DICHLOROETHENE	0.10	U	UG/L
MW-075	9/5/2017	CIS-1,2-DICHLOROETHENE	0.10	U	UG/L
MW-075	9/5/2017	CIS-1,3-DICHLOROPROPENE	0.10	U	UG/L
MW-075	9/5/2017	CIS-1,3-DICHLOROPROPENE	0.10	U	UG/L
MW-075	9/5/2017	COBALT	0.003	J	MG/L
MW-075	9/5/2017	COBALT	0.003	J	MG/L
MW-075	9/5/2017	COPPER	0.004	U	MG/L
MW-075	9/5/2017	COPPER	0.004	U	MG/L
MW-075	9/5/2017	CYANIDE	0.005	U	MG/L
MW-075	9/5/2017	CYANIDE	0.005	U	MG/L
MW-075	9/5/2017	DIBROMOMETHANE	0.10	U	UG/L
MW-075	9/5/2017	DIBROMOMETHANE	0.10	U	UG/L
MW-075	9/5/2017	ETHYLBENZENE	0.10	U	UG/L
MW-075	9/5/2017	ETHYLBENZENE	0.10	U	UG/L
MW-075	9/5/2017	FLUORIDE	0.26		MG/L
MW-075	9/5/2017	FLUORIDE	0.54		MG/L
MW-075	9/5/2017	FREE CYANIDE	0.002	U	MG/L
MW-075	9/5/2017	FREE CYANIDE	0.002	J	MG/L
MW-075	9/5/2017	HARDNESS AS CaCO3	229		MG/L
MW-075	9/5/2017	HARDNESS AS CaCO3	232		MG/L
MW-075	9/5/2017	IRON	0.411		MG/L
MW-075	9/5/2017	IRON	0.40		MG/L
MW-075	9/5/2017	LEAD	0.00011	U	MG/L
MW-075	9/5/2017	LEAD	0.00011	U	MG/L
MW-075	9/5/2017	MAGNESIUM	9.76		MG/L
MW-075	9/5/2017	MAGNESIUM	9.96		MG/L
MW-075	9/5/2017	MAGNESIUM	9.89		MG/L
MW-075	9/5/2017	MAGNESIUM	10.4		MG/L
MW-075	9/5/2017	MANGANESE	0.163		MG/L
MW-075	9/5/2017	MANGANESE	0.17		MG/L
MW-075	9/5/2017	MERCURY	0.00005	U	MG/L
MW-075	9/5/2017	MERCURY	0.00005	U	MG/L
MW-075	9/5/2017	METHYL IODIDE	0.10	U	UG/L
MW-075	9/5/2017	METHYL IODIDE	0.10	U	UG/L
MW-075	9/5/2017	METHYL TERT-BUTYL ETHER	0.10	U	UG/L
MW-075	9/5/2017	METHYL TERT-BUTYL ETHER	0.10	U	UG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-075	9/5/2017	METHYLENE CHLORIDE	0.20	U	UG/L
MW-075	9/5/2017	METHYLENE CHLORIDE	0.20	U	UG/L
MW-075	9/5/2017	NICKEL	0.004	U	MG/L
MW-075	9/5/2017	NICKEL	0.004	U	MG/L
MW-075	9/5/2017	NITRATE-N	0.80		MG/L
MW-075	9/5/2017	NITRATE-N	0.77		MG/L
MW-075	9/5/2017	PH	7.6		S.U.
MW-075	9/5/2017	PH	7.7		S.U.
MW-075	9/5/2017	POTASSIUM	3.38		MG/L
MW-075	9/5/2017	POTASSIUM	3.47		MG/L
MW-075	9/5/2017	SELENIUM	0.0093	U	MG/L
MW-075	9/5/2017	SELENIUM	0.0093	U	MG/L
MW-075	9/5/2017	SILVER	0.0024	U	MG/L
MW-075	9/5/2017	SILVER	0.0024	U	MG/L
MW-075	9/5/2017	SODIUM	21.5		MG/L
MW-075	9/5/2017	SODIUM	21.8		MG/L
MW-075	9/5/2017	SPECIFIC CONDUCTANCE	566		UMHOS/CM
MW-075	9/5/2017	SPECIFIC CONDUCTANCE	563		UMHOS/CM
MW-075	9/5/2017	STYRENE	0.10	U	UG/L
MW-075	9/5/2017	STYRENE	0.10	U	UG/L
MW-075	9/5/2017	SULFATE	28.4		MG/L
MW-075	9/5/2017	SULFATE	26.2		MG/L
MW-075	9/5/2017	TEMPERATURE	22.4		C
MW-075	9/5/2017	TEMPERATURE	22.4		C
MW-075	9/5/2017	TETRACHLOROETHENE	0.10	J	UG/L
MW-075	9/5/2017	TETRACHLOROETHENE	0.10	J	UG/L
MW-075	9/5/2017	THALLIUM	0.00012	U	MG/L
MW-075	9/5/2017	THALLIUM	0.00012	U	MG/L
MW-075	9/5/2017	TOLUENE	0.10	U	UG/L
MW-075	9/5/2017	TOLUENE	0.10	U	UG/L
MW-075	9/5/2017	TOTAL DISSOLVED SOLIDS	319		MG/L
MW-075	9/5/2017	TOTAL DISSOLVED SOLIDS	333		MG/L
MW-075	9/5/2017	TOTAL XYLENES	0.10	U	UG/L
MW-075	9/5/2017	TOTAL XYLENES	0.10	U	UG/L
MW-075	9/5/2017	TRANS-1,2-DICHLOROETHENE	0.10	U	UG/L
MW-075	9/5/2017	TRANS-1,2-DICHLOROETHENE	0.10	U	UG/L
MW-075	9/5/2017	TRANS-1,3-DICHLOROPROPENE	0.10	U	UG/L
MW-075	9/5/2017	TRANS-1,3-DICHLOROPROPENE	0.10	U	UG/L
MW-075	9/5/2017	TRANS-1,4-DICHLORO-2-BUTENE	1	U	UG/L
MW-075	9/5/2017	TRANS-1,4-DICHLORO-2-BUTENE	1	U	UG/L
MW-075	9/5/2017	TRICHLOROETHENE	0.10	U	UG/L
MW-075	9/5/2017	TRICHLOROETHENE	0.10	U	UG/L
MW-075	9/5/2017	TRICHLOROFLUOROMETHANE	0.10	U	UG/L
MW-075	9/5/2017	TRICHLOROFLUOROMETHANE	0.10	U	UG/L
MW-075	9/5/2017	TURBIDITY	2.4		NTU
MW-075	9/5/2017	TURBIDITY	2.2		NTU
MW-075	9/5/2017	VANADIUM	0.0016	U	MG/L
MW-075	9/5/2017	VANADIUM	0.0016	U	MG/L
MW-075	9/5/2017	VINYL ACETATE	0.20	U	UG/L
MW-075	9/5/2017	VINYL ACETATE	0.20	U	UG/L
MW-075	9/5/2017	VINYL CHLORIDE	0.10	U	UG/L
MW-075	9/5/2017	VINYL CHLORIDE	0.10	U	UG/L
MW-075	9/5/2017	ZINC	0.0039	U	MG/L
MW-075	9/5/2017	ZINC	0.0039	U	MG/L
MW-075	3/7/2018	1,1,1,2-TETRACHLOROETHANE	0.0001	U	MG/L
MW-075	3/7/2018	1,1,1,2-TETRACHLOROETHANE	0.0001	U	MG/L
MW-075	3/7/2018	1,1,1-TRICHLOROETHANE	0.0001	U	MG/L
MW-075	3/7/2018	1,1,1-TRICHLOROETHANE	0.0001	U	MG/L
MW-075	3/7/2018	1,1,2,2-TETRACHLOROETHANE	0.0001	U	MG/L
MW-075	3/7/2018	1,1,2,2-TETRACHLOROETHANE	0.0001	U	MG/L
MW-075	3/7/2018	1,1,2-TRICHLOROETHANE	0.0001	U	MG/L
MW-075	3/7/2018	1,1,2-TRICHLOROETHANE	0.0001	U	MG/L
MW-075	3/7/2018	1,1-DICHLOROETHANE	0.0001	U	MG/L
MW-075	3/7/2018	1,1-DICHLOROETHANE	0.0001	U	MG/L
MW-075	3/7/2018	1,1-DICHLOROETHENE	0.0001	U	MG/L
MW-075	3/7/2018	1,1-DICHLOROETHENE	0.0001	U	MG/L
MW-075	3/7/2018	1,2,3-TRICHLOROPROPANE	0.0003	U	MG/L
MW-075	3/7/2018	1,2,3-TRICHLOROPROPANE	0.0003	U	MG/L
MW-075	3/7/2018	1,2-DIBROMO-3-CHLOROPROPANE	0.0002	U	MG/L
MW-075	3/7/2018	1,2-DIBROMO-3-CHLOROPROPANE	0.0002	U	MG/L
MW-075	3/7/2018	1,2-DIBROMOETHANE	0.0001	U	MG/L
MW-075	3/7/2018	1,2-DIBROMOETHANE	0.0001	U	MG/L
MW-075	3/7/2018	1,2-DICHLOROBENZENE	0.0001	U	MG/L
MW-075	3/7/2018	1,2-DICHLOROBENZENE	0.0001	U	MG/L
MW-075	3/7/2018	1,2-DICHLOROETHANE	0.0001	U	MG/L
MW-075	3/7/2018	1,2-DICHLOROETHANE	0.0001	U	MG/L
MW-075	3/7/2018	1,2-DICHLOROPROPANE	0.0001	U	MG/L
MW-075	3/7/2018	1,2-DICHLOROPROPANE	0.0001	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-075	3/7/2018	1,4-DICHLOROBENZENE	0.0001	U	MG/L
MW-075	3/7/2018	1,4-DICHLOROBENZENE	0.0001	U	MG/L
MW-075	3/7/2018	2-BUTANONE	0.001	U	MG/L
MW-075	3/7/2018	2-BUTANONE	0.001	U	MG/L
MW-075	3/7/2018	2-HEXANONE	0.001	U	MG/L
MW-075	3/7/2018	2-HEXANONE	0.001	U	MG/L
MW-075	3/7/2018	4-METHYL-2-PENTANONE	0.001	U	MG/L
MW-075	3/7/2018	4-METHYL-2-PENTANONE	0.001	U	MG/L
MW-075	3/7/2018	ACETONE	0.003	U	MG/L
MW-075	3/7/2018	ACETONE	0.003	U	MG/L
MW-075	3/7/2018	ACRYLONITRILE	0.001	U	MG/L
MW-075	3/7/2018	ACRYLONITRILE	0.001	U	MG/L
MW-075	3/7/2018	ALKALINITY	140		MG/L
MW-075	3/7/2018	ALKALINITY	123		MG/L
MW-075	3/7/2018	AMMONIA-N	0.25	U	MG/L
MW-075	3/7/2018	AMMONIA-N	0.25	U	MG/L
MW-075	3/7/2018	ANTIMONY	0.00045	U	MG/L
MW-075	3/7/2018	ANTIMONY	0.00045	U	MG/L
MW-075	3/7/2018	ARSENIC	0.00072	U	MG/L
MW-075	3/7/2018	ARSENIC	0.00072	U	MG/L
MW-075	3/7/2018	BARIUM	0.0398		MG/L
MW-075	3/7/2018	BARIUM	0.0399		MG/L
MW-075	3/7/2018	BENZENE	0.0001	U	MG/L
MW-075	3/7/2018	BENZENE	0.0001	U	MG/L
MW-075	3/7/2018	BERYLLIUM	0.000071	U	MG/L
MW-075	3/7/2018	BERYLLIUM	0.000071	U	MG/L
MW-075	3/7/2018	BROMOCHLOROMETHANE	0.0001	U	MG/L
MW-075	3/7/2018	BROMOCHLOROMETHANE	0.0001	U	MG/L
MW-075	3/7/2018	BROMODICHLOROMETHANE	0.0001	U	MG/L
MW-075	3/7/2018	BROMODICHLOROMETHANE	0.0001	U	MG/L
MW-075	3/7/2018	BROMOFORM	0.0001	U	MG/L
MW-075	3/7/2018	BROMOFORM	0.0001	U	MG/L
MW-075	3/7/2018	BROMOMETHANE	0.0001	U	MG/L
MW-075	3/7/2018	BROMOMETHANE	0.0001	U	MG/L
MW-075	3/7/2018	CADMIUM	0.00015	U	MG/L
MW-075	3/7/2018	CADMIUM	0.00015	U	MG/L
MW-075	3/7/2018	CALCIUM	59.7		MG/L
MW-075	3/7/2018	CALCIUM	61.5		MG/L
MW-075	3/7/2018	CARBON DISULFIDE	0.0004	U	MG/L
MW-075	3/7/2018	CARBON DISULFIDE	0.0004	U	MG/L
MW-075	3/7/2018	CARBON TETRACHLORIDE	0.0001	U	MG/L
MW-075	3/7/2018	CARBON TETRACHLORIDE	0.0001	U	MG/L
MW-075	3/7/2018	CHEMICAL OXYGEN DEMAND	3	U	MG/L
MW-075	3/7/2018	CHEMICAL OXYGEN DEMAND	3	U	MG/L
MW-075	3/7/2018	CHLORIDE	92.5		MG/L
MW-075	3/7/2018	CHLORIDE	92.4		MG/L
MW-075	3/7/2018	CHLOROBENZENE	0.0001	U	MG/L
MW-075	3/7/2018	CHLOROBENZENE	0.0001	U	MG/L
MW-075	3/7/2018	CHLORODIBROMOMETHANE	0.0001	U	MG/L
MW-075	3/7/2018	CHLORODIBROMOMETHANE	0.0001	U	MG/L
MW-075	3/7/2018	CHLOROETHANE	0.0001	U	MG/L
MW-075	3/7/2018	CHLOROETHANE	0.0001	U	MG/L
MW-075	3/7/2018	CHLOROFORM	0.0001	U	MG/L
MW-075	3/7/2018	CHLOROFORM	0.0001	U	MG/L
MW-075	3/7/2018	CHLOROMETHANE	0.0002	U	MG/L
MW-075	3/7/2018	CHLOROMETHANE	0.0002	U	MG/L
MW-075	3/7/2018	CHROMIUM	0.00087	U	MG/L
MW-075	3/7/2018	CHROMIUM	0.00087	U	MG/L
MW-075	3/7/2018	CIS-1,2-DICHLOROETHENE	0.0001	U	MG/L
MW-075	3/7/2018	CIS-1,2-DICHLOROETHENE	0.0001	U	MG/L
MW-075	3/7/2018	CIS-1,3-DICHLOROPROPENE	0.0001	U	MG/L
MW-075	3/7/2018	CIS-1,3-DICHLOROPROPENE	0.0001	U	MG/L
MW-075	3/7/2018	COBALT	0.0017	U	MG/L
MW-075	3/7/2018	COBALT	0.0017	U	MG/L
MW-075	3/7/2018	COPPER	0.004	U	MG/L
MW-075	3/7/2018	COPPER	0.004	U	MG/L
MW-075	3/7/2018	CYANIDE	0.005	U	MG/L
MW-075	3/7/2018	CYANIDE	0.005	U	MG/L
MW-075	3/7/2018	DIBROMOMETHANE	0.0001	U	MG/L
MW-075	3/7/2018	DIBROMOMETHANE	0.0001	U	MG/L
MW-075	3/7/2018	ETHYLBENZENE	0.0001	U	MG/L
MW-075	3/7/2018	ETHYLBENZENE	0.0001	U	MG/L
MW-075	3/7/2018	FLUORIDE	0.19		MG/L
MW-075	3/7/2018	FLUORIDE	0.18		MG/L
MW-075	3/7/2018	FREE CYANIDE	0.002	U	MG/L
MW-075	3/7/2018	FREE CYANIDE	0.002	U	MG/L
MW-075	3/7/2018	HARDNESS AS CaCO3	187		MG/L
MW-075	3/7/2018	HARDNESS AS CaCO3	192		MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-075	3/7/2018	IRON	0.182		MG/L
MW-075	3/7/2018	IRON	0.141		MG/L
MW-075	3/7/2018	LEAD	0.00012	J	MG/L
MW-075	3/7/2018	LEAD	0.00011	U	MG/L
MW-075	3/7/2018	MAGNESIUM	9.19		MG/L
MW-075	3/7/2018	MAGNESIUM	9.41		MG/L
MW-075	3/7/2018	MANGANESE	0.0067		MG/L
MW-075	3/7/2018	MANGANESE	0.0062		MG/L
MW-075	3/7/2018	MERCURY	0.00005	U	MG/L
MW-075	3/7/2018	MERCURY	0.00005	U	MG/L
MW-075	3/7/2018	METHYL IODIDE	0.0001	U	MG/L
MW-075	3/7/2018	METHYL IODIDE	0.0001	U	MG/L
MW-075	3/7/2018	METHYL TERT-BUTYL ETHER	0.0001	U	MG/L
MW-075	3/7/2018	METHYL TERT-BUTYL ETHER	0.0001	U	MG/L
MW-075	3/7/2018	METHYLENE CHLORIDE	0.0002	U	MG/L
MW-075	3/7/2018	METHYLENE CHLORIDE	0.0002	U	MG/L
MW-075	3/7/2018	NICKEL	0.004	U	MG/L
MW-075	3/7/2018	NICKEL	0.004	U	MG/L
MW-075	3/7/2018	NITRATE-N	3.2		MG/L
MW-075	3/7/2018	NITRATE-N	3.1		MG/L
MW-075	3/7/2018	PH	8.3		S.U.
MW-075	3/7/2018	PH	7.7		S.U.
MW-075	3/7/2018	POTASSIUM	3.97		MG/L
MW-075	3/7/2018	POTASSIUM	4.04		MG/L
MW-075	3/7/2018	SELENIUM	0.0093	U	MG/L
MW-075	3/7/2018	SELENIUM	0.0093	U	MG/L
MW-075	3/7/2018	SILVER	0.0024	U	MG/L
MW-075	3/7/2018	SILVER	0.0024	U	MG/L
MW-075	3/7/2018	SODIUM	37.5		MG/L
MW-075	3/7/2018	SODIUM	38.3		MG/L
MW-075	3/7/2018	SPECIFIC CONDUCTANCE	630		UMHOS/CM
MW-075	3/7/2018	SPECIFIC CONDUCTANCE	603		UMHOS/CM
MW-075	3/7/2018	STYRENE	0.0001	U	MG/L
MW-075	3/7/2018	STYRENE	0.0001	U	MG/L
MW-075	3/7/2018	SULFATE	23.5		MG/L
MW-075	3/7/2018	SULFATE	24.3		MG/L
MW-075	3/7/2018	TEMPERATURE	20.8		C
MW-075	3/7/2018	TEMPERATURE	22		C
MW-075	3/7/2018	TETRACHLOROETHENE	0.0001	U	MG/L
MW-075	3/7/2018	TETRACHLOROETHENE	0.0001	U	MG/L
MW-075	3/7/2018	THALLIUM	0.00012	U	MG/L
MW-075	3/7/2018	THALLIUM	0.00012	U	MG/L
MW-075	3/7/2018	TOLUENE	0.0001	U	MG/L
MW-075	3/7/2018	TOLUENE	0.0001	U	MG/L
MW-075	3/7/2018	TOTAL DISSOLVED SOLIDS	341		MG/L
MW-075	3/7/2018	TOTAL DISSOLVED SOLIDS	337		MG/L
MW-075	3/7/2018	TOTAL XYLENES	0.0001	U	MG/L
MW-075	3/7/2018	TOTAL XYLENES	0.0001	U	MG/L
MW-075	3/7/2018	TRANS-1,2-DICHLOROETHENE	0.0001	U	MG/L
MW-075	3/7/2018	TRANS-1,2-DICHLOROETHENE	0.0001	U	MG/L
MW-075	3/7/2018	TRANS-1,3-DICHLOROPROPENE	0.0001	U	MG/L
MW-075	3/7/2018	TRANS-1,3-DICHLOROPROPENE	0.0001	U	MG/L
MW-075	3/7/2018	TRANS-1,4-DICHLORO-2-BUTENE	0.001	U	MG/L
MW-075	3/7/2018	TRANS-1,4-DICHLORO-2-BUTENE	0.001	U	MG/L
MW-075	3/7/2018	TRICHLOROETHENE	0.0001	U	MG/L
MW-075	3/7/2018	TRICHLOROETHENE	0.0001	U	MG/L
MW-075	3/7/2018	TRICHLOROFUOROMETHANE	0.0001	U	MG/L
MW-075	3/7/2018	TRICHLOROFUOROMETHANE	0.0001	U	MG/L
MW-075	3/7/2018	TURBIDITY	3.3		NTU
MW-075	3/7/2018	TURBIDITY	3.8		NTU
MW-075	3/7/2018	VANADIUM	0.0016	U	MG/L
MW-075	3/7/2018	VANADIUM	0.0016	U	MG/L
MW-075	3/7/2018	VINYL ACETATE	0.0002	U	MG/L
MW-075	3/7/2018	VINYL ACETATE	0.0002	U	MG/L
MW-075	3/7/2018	VINYL CHLORIDE	0.0001	U	MG/L
MW-075	3/7/2018	VINYL CHLORIDE	0.0001	U	MG/L
MW-075	3/7/2018	ZINC	0.0039	U	MG/L
MW-075	3/7/2018	ZINC	0.0039	U	MG/L
MW-075	9/25/2018	FLUORIDE	0.2000		MG/L
MW-075	9/25/2018	FLUORIDE	0.2000		MG/L
MW-075	3/5/2019	FLUORIDE	0.23		MG/L
MW-075	8/28/2019	ALKALINITY	234		MG/L
MW-075	8/28/2019	AMMONIA-N	0.25	U	MG/L
MW-075	8/28/2019	ANTIMONY	0.00041	U	MG/L
MW-075	8/28/2019	ARSENIC	0.0012	J	MG/L
MW-075	8/28/2019	BARIIUM	0.0441		MG/L
MW-075	8/28/2019	BERYLLIUM	0.000091	U K1K2	MG/L
MW-075	8/28/2019	CADMIUM	0.00015	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-075	8/28/2019	CALCIUM	88.5		MG/L
MW-075	8/28/2019	CHEMICAL OXYGEN DEMAND	7.3	J	MG/L
MW-075	8/28/2019	CHLORIDE	36.5		MG/L
MW-075	8/28/2019	CHROMIUM	0.0007	U	MG/L
MW-075	8/28/2019	COBALT	0.0012		MG/L
MW-075	8/28/2019	COPPER	0.0099	U	MG/L
MW-075	8/28/2019	CYANIDE	0.005	U	MG/L
MW-075	8/28/2019	FLUORIDE	0.79		MG/L
MW-075	8/28/2019	FREE CYANIDE	0.002	U	MG/L
MW-075	8/28/2019	HARDNESS AS CaCO3	264		MG/L
MW-075	8/28/2019	IRON	0.771		MG/L
MW-075	8/28/2019	LEAD	0.0011	U	MG/L
MW-075	8/28/2019	MAGNESIUM	10.5		MG/L
MW-075	8/28/2019	MANGANESE	0.27		MG/L
MW-075	8/28/2019	MERCURY	0.00005	U	MG/L
MW-075	8/28/2019	NICKEL	0.0006	U	MG/L
MW-075	8/28/2019	NITRATE-N	1.1		MG/L
MW-075	8/28/2019	PH	7.6		S.U.
MW-075	8/28/2019	POTASSIUM	2.48		MG/L
MW-075	8/28/2019	SELENIUM	0.00065	U	MG/L
MW-075	8/28/2019	SILVER	0.00017	U	MG/L
MW-075	8/28/2019	SODIUM	16.4		MG/L
MW-075	8/28/2019	SPECIFIC CONDUCTANCE	611		UMHOS/CM
MW-075	8/28/2019	SULFATE	29.6		MG/L
MW-075	8/28/2019	TEMPERATURE	23.7		C
MW-075	8/28/2019	THALLIUM	0.00011	U	MG/L
MW-075	8/28/2019	TOTAL DISSOLVED SOLIDS	346		MG/L
MW-075	8/28/2019	TURBIDITY	2.6		NTU
MW-075	8/28/2019	VANADIUM	0.00029	J	MG/L
MW-075	8/28/2019	ZINC	0.0062	U	MG/L
MW-075	3/11/2020	ALKALINITY	168		MG/L
MW-075	3/11/2020	AMMONIA-N	0.25	U	MG/L
MW-075	3/11/2020	ANTIMONY	0.00041	U	MG/L
MW-075	3/11/2020	ARSENIC	0.00068	U	MG/L
MW-075	3/11/2020	BARIUM	0.0393		MG/L
MW-075	3/11/2020	BERYLLIUM	0.00012	U	MG/L
MW-075	3/11/2020	CADMIUM	0.00015	U	MG/L
MW-075	3/11/2020	CALCIUM	68.6		MG/L
MW-075	3/11/2020	CHEMICAL OXYGEN DEMAND	5	U	MG/L
MW-075	3/11/2020	CHLORIDE	37.8		MG/L
MW-075	3/11/2020	CHROMIUM	0.00086	J	MG/L
MW-075	3/11/2020	COBALT	0.00021	J	MG/L
MW-075	3/11/2020	COPPER	0.00093	J	MG/L
MW-075	3/11/2020	CYANIDE	0.005	U	MG/L
MW-075	3/11/2020	FLUORIDE	0.23		MG/L
MW-075	3/11/2020	FREE CYANIDE	0.01	U	MG/L
MW-075	3/11/2020	HARDNESS AS CaCO3	210		MG/L
MW-075	3/11/2020	IRON	0.208		MG/L
MW-075	3/11/2020	LEAD	0.00015	J	MG/L
MW-075	3/11/2020	MAGNESIUM	9.3		MG/L
MW-075	3/11/2020	MANGANESE	0.0086		MG/L
MW-075	3/11/2020	MERCURY	0.00005	U	MG/L
MW-075	3/11/2020	NICKEL	0.00063	J	MG/L
MW-075	3/11/2020	NITRATE-N	3		MG/L
MW-075	3/11/2020	POTASSIUM	2.85		MG/L
MW-075	3/11/2020	SELENIUM	0.00028	U	MG/L
MW-075	3/11/2020	SILVER	0.00017	U	MG/L
MW-075	3/11/2020	SODIUM	20.7		MG/L
MW-075	3/11/2020	SPECIFIC CONDUCTANCE	521		UMHOS/CM
MW-075	3/11/2020	SULFATE	24.7		MG/L
MW-075	3/11/2020	THALLIUM	0.00013	U	MG/L
MW-075	3/11/2020	TOTAL DISSOLVED SOLIDS	296		MG/L
MW-075	3/11/2020	TURBIDITY	6.8		NTU
MW-075	3/11/2020	VANADIUM	0.00095		MG/L
MW-075	3/11/2020	ZINC	0.0062	U	MG/L
MW-075	9/14/2020	ALKALINITY	230		MG/L
MW-075	9/14/2020	ALKALINITY	230		MG/L
MW-075	9/14/2020	AMMONIA-N	0.75	U	MG/L
MW-075	9/14/2020	AMMONIA-N	0.75	U	MG/L
MW-075	9/14/2020	ANTIMONY	0.001	U	MG/L
MW-075	9/14/2020	ANTIMONY	0.001	U	MG/L
MW-075	9/14/2020	ARSENIC	0.0016	J	MG/L
MW-075	9/14/2020	ARSENIC	0.0015	J	MG/L
MW-075	9/14/2020	BARIUM	0.044		MG/L
MW-075	9/14/2020	BARIUM	0.045		MG/L
MW-075	9/14/2020	BERYLLIUM	0.0005	U	MG/L
MW-075	9/14/2020	BERYLLIUM	0.0005	U	MG/L
MW-075	9/14/2020	CADMIUM	0.0005	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-075	9/14/2020	CADIUM	0.0005	U	MG/L
MW-075	9/14/2020	CALCIUM	87		MG/L
MW-075	9/14/2020	CALCIUM	86		MG/L
MW-075	9/14/2020	CHEMICAL OXYGEN DEMAND	8.2	J	MG/L
MW-075	9/14/2020	CHEMICAL OXYGEN DEMAND	5.3	J	MG/L
MW-075	9/14/2020	CHLORIDE	27		MG/L
MW-075	9/14/2020	CHLORIDE	27		MG/L
MW-075	9/14/2020	CHROMIUM	0.002	U	MG/L
MW-075	9/14/2020	CHROMIUM	0.00034	J	MG/L
MW-075	9/14/2020	COBALT	0.0008		MG/L
MW-075	9/14/2020	COBALT	0.00077		MG/L
MW-075	9/14/2020	COPPER	0.001	U	MG/L
MW-075	9/14/2020	COPPER	0.001	U	MG/L
MW-075	9/14/2020	CYANIDE	0.01	U	MG/L
MW-075	9/14/2020	CYANIDE	0.01	U	MG/L
MW-075	9/14/2020	FLUORIDE	0.42	J	MG/L
MW-075	9/14/2020	FLUORIDE	0.42	J	MG/L
MW-075	9/14/2020	FREE CYANIDE	0.006	U	MG/L
MW-075	9/14/2020	FREE CYANIDE	0.006	U	MG/L
MW-075	9/14/2020	HARDNESS AS CaCO3	270		MG/L
MW-075	9/14/2020	HARDNESS AS CaCO3	260		MG/L
MW-075	9/14/2020	IRON	2.9		MG/L
MW-075	9/14/2020	IRON	2.9		MG/L
MW-075	9/14/2020	LEAD	0.0005	U	MG/L
MW-075	9/14/2020	LEAD	0.0005	U	MG/L
MW-075	9/14/2020	MAGNESIUM	12		MG/L
MW-075	9/14/2020	MAGNESIUM	12		MG/L
MW-075	9/14/2020	MANGANESE	0.95		MG/L
MW-075	9/14/2020	MANGANESE	0.92		MG/L
MW-075	9/14/2020	MERCURY	0.0002	U	MG/L
MW-075	9/14/2020	MERCURY	0.0002	U	MG/L
MW-075	9/14/2020	NICKEL	0.001	U	MG/L
MW-075	9/14/2020	NICKEL	0.001	U	MG/L
MW-075	9/14/2020	NITRATE-N	0.83		MG/L
MW-075	9/14/2020	NITRATE-N	0.81		MG/L
MW-075	9/14/2020	PH	8	HF	S.U.
MW-075	9/14/2020	PH	7.7	HF	S.U.
MW-075	9/14/2020	POTASSIUM	2.6		MG/L
MW-075	9/14/2020	POTASSIUM	2.6		MG/L
MW-075	9/14/2020	SELENIUM	0.001	U	MG/L
MW-075	9/14/2020	SELENIUM	0.001	U	MG/L
MW-075	9/14/2020	SILVER	0.0005	U	MG/L
MW-075	9/14/2020	SILVER	0.0005	U	MG/L
MW-075	9/14/2020	SODIUM	17	B	MG/L
MW-075	9/14/2020	SODIUM	16	B	MG/L
MW-075	9/14/2020	SPECIFIC CONDUCTANCE	570		US/CM
MW-075	9/14/2020	SPECIFIC CONDUCTANCE	580		US/CM
MW-075	9/14/2020	SULFATE	26		MG/L
MW-075	9/14/2020	SULFATE	26		MG/L
MW-075	9/14/2020	TEMPERATURE	22.7	HF	C
MW-075	9/14/2020	TEMPERATURE	22.4	HF	C
MW-075	9/14/2020	THALLIUM	0.0005	U	MG/L
MW-075	9/14/2020	THALLIUM	0.0005	U	MG/L
MW-075	9/14/2020	TOTAL DISSOLVED SOLIDS	340		MG/L
MW-075	9/14/2020	TOTAL DISSOLVED SOLIDS	350		MG/L
MW-075	9/14/2020	TURBIDITY	27		NTU
MW-075	9/14/2020	TURBIDITY	26		NTU
MW-075	9/14/2020	VANADIUM	0.0005	U	MG/L
MW-075	9/14/2020	VANADIUM	0.0005	U	MG/L
MW-075	9/14/2020	ZINC	0.01	U	MG/L
MW-075	9/14/2020	ZINC	0.01	U	MG/L
MW-075	3/29/2021	ALKALINITY	180		MG/L
MW-075	3/29/2021	ALKALINITY	180		MG/L
MW-075	3/29/2021	ALUMINUM	0.078		MG/L
MW-075	3/29/2021	ALUMINUM	0.076		MG/L
MW-075	3/29/2021	ARSENIC	0.002	U	MG/L
MW-075	3/29/2021	ARSENIC	0.002	U	MG/L
MW-075	3/29/2021	BARIUM	0.043		MG/L
MW-075	3/29/2021	BARIUM	0.043		MG/L
MW-075	3/29/2021	BERYLLIUM	0.0005	U	MG/L
MW-075	3/29/2021	BERYLLIUM	0.0005	U	MG/L
MW-075	3/29/2021	CADIUM	0.0005	U	MG/L
MW-075	3/29/2021	CADIUM	0.0005	U	MG/L
MW-075	3/29/2021	CHLORIDE	44		MG/L
MW-075	3/29/2021	CHLORIDE	41		MG/L
MW-075	3/29/2021	CHROMIUM	0.002	U	MG/L
MW-075	3/29/2021	CHROMIUM	0.002	U	MG/L
MW-075	3/29/2021	FLUORIDE	0.33	J	MG/L



Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-075	3/29/2021	FLUORIDE	0.33	J	MG/L
MW-075	3/29/2021	LEAD	0.0005	U	MG/L
MW-075	3/29/2021	LEAD	0.00023	J	MG/L
MW-075	3/29/2021	MERCURY	0.002	U	MG/L
MW-075	3/29/2021	MERCURY	0.002	U	MG/L
MW-075	3/29/2021	NICKEL	0.001	U	MG/L
MW-075	3/29/2021	NICKEL	0.001	U	MG/L
MW-075	3/29/2021	NITRATE-N	1.9		MG/L
MW-075	3/29/2021	NITRATE-N	1.9		MG/L
MW-075	3/29/2021	PH	7.9	HF	S.U.
MW-075	3/29/2021	PH	7.8	HF	S.U.
MW-075	3/29/2021	SELENIUM	0.001	U	MG/L
MW-075	3/29/2021	SELENIUM	0.001	U	MG/L
MW-075	3/29/2021	SODIUM	19		MG/L
MW-075	3/29/2021	SODIUM	19		MG/L
MW-075	3/29/2021	SPECIFIC CONDUCTANCE	530		US/CM
MW-075	3/29/2021	SPECIFIC CONDUCTANCE	530		US/CM
MW-075	3/29/2021	SULFATE	24		MG/L
MW-075	3/29/2021	SULFATE	24		MG/L
MW-075	3/29/2021	TEMPERATURE	22.3	HF	C
MW-075	3/29/2021	TEMPERATURE	22.7	HF	C
MW-075	3/29/2021	TOTAL DISSOLVED SOLIDS	300		MG/L
MW-075	3/29/2021	TOTAL DISSOLVED SOLIDS	300		MG/L
MW-075	3/29/2021	TURBIDITY	2		NTU
MW-075	3/29/2021	TURBIDITY	2		NTU
MW-075	9/21/2021	ALKALINITY	130		MG/L
MW-075	9/21/2021	ALKALINITY	140		MG/L
MW-075	9/21/2021	ALUMINUM	0.11		MG/L
MW-075	9/21/2021	ALUMINUM	0.087		MG/L
MW-075	9/21/2021	ARSENIC	0.00092	J	MG/L
MW-075	9/21/2021	ARSENIC	0.0011	J	MG/L
MW-075	9/21/2021	BARIUM	0.036		MG/L
MW-075	9/21/2021	BARIUM	0.035		MG/L
MW-075	9/21/2021	BERYLLIUM	0.0005	U	MG/L
MW-075	9/21/2021	BERYLLIUM	0.0005	U	MG/L
MW-075	9/21/2021	CADMIUM	0.0005	U	MG/L
MW-075	9/21/2021	CADMIUM	0.0005	U	MG/L
MW-075	9/21/2021	CHLORIDE	37		MG/L
MW-075	9/21/2021	CHLORIDE	35		MG/L
MW-075	9/21/2021	CHROMIUM	0.00033	J	MG/L
MW-075	9/21/2021	CHROMIUM	0.002	U	MG/L
MW-075	9/21/2021	FLUORIDE	0.39	J	MG/L
MW-075	9/21/2021	FLUORIDE	0.82		MG/L
MW-075	9/21/2021	LEAD	0.00011	J	MG/L
MW-075	9/21/2021	LEAD	0.00011	J	MG/L
MW-075	9/21/2021	MERCURY	0.0002	U	MG/L
MW-075	9/21/2021	MERCURY	0.0002	U	MG/L
MW-075	9/21/2021	NICKEL	0.001	U	MG/L
MW-075	9/21/2021	NICKEL	0.001	U	MG/L
MW-075	9/21/2021	NITRATE-N	0.28	J	MG/L
MW-075	9/21/2021	NITRATE-N	0.31	J	MG/L
MW-075	9/21/2021	PH	7.6	HF	S.U.
MW-075	9/21/2021	PH	7.6	HF	S.U.
MW-075	9/21/2021	SELENIUM	0.001	U	MG/L
MW-075	9/21/2021	SELENIUM	0.001	U	MG/L
MW-075	9/21/2021	SODIUM	18		MG/L
MW-075	9/21/2021	SODIUM	18		MG/L
MW-075	9/21/2021	SPECIFIC CONDUCTANCE	410		US/CM
MW-075	9/21/2021	SPECIFIC CONDUCTANCE	410		US/CM
MW-075	9/21/2021	SULFATE	16		MG/L
MW-075	9/21/2021	SULFATE	15		MG/L
MW-075	9/21/2021	TEMPERATURE	22.6	HF	C
MW-075	9/21/2021	TEMPERATURE	22.9	HF	C
MW-075	9/21/2021	TOTAL DISSOLVED SOLIDS	250		MG/L
MW-075	9/21/2021	TOTAL DISSOLVED SOLIDS	240		MG/L
MW-075	9/21/2021	TURBIDITY	3.8		NTU
MW-075	9/21/2021	TURBIDITY	3.6		NTU
MW-075	3/29/2022	ALKALINITY	220		MG/L
MW-075	3/29/2022	ALKALINITY	220		MG/L
MW-075	3/29/2022	ALUMINUM	200		UG/L
MW-075	3/29/2022	ALUMINUM	210		UG/L
MW-075	3/29/2022	ARSENIC	0.0011	J	MG/L
MW-075	3/29/2022	ARSENIC	0.00085	J	MG/L
MW-075	3/29/2022	BARIUM	0.054		MG/L
MW-075	3/29/2022	BARIUM	0.052		MG/L
MW-075	3/29/2022	BERYLLIUM	0.0005	U	MG/L
MW-075	3/29/2022	BERYLLIUM	0.0005	U	MG/L
MW-075	3/29/2022	CADMIUM	0.0005	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-075	3/29/2022	CADIUM	0.0005	U	MG/L
MW-075	3/29/2022	CHLORIDE	74		MG/L
MW-075	3/29/2022	CHLORIDE	61		MG/L
MW-075	3/29/2022	CHROMIUM	0.002	U	MG/L
MW-075	3/29/2022	CHROMIUM	0.002	U	MG/L
MW-075	3/29/2022	FLUORIDE	0.16		MG/L
MW-075	3/29/2022	FLUORIDE	0.13		MG/L
MW-075	3/29/2022	LEAD	0.00021	J	MG/L
MW-075	3/29/2022	LEAD	0.00017	J	MG/L
MW-075	3/29/2022	MERCURY	0.00014	J	MG/L
MW-075	3/29/2022	MERCURY	0.00018	J	MG/L
MW-075	3/29/2022	NICKEL	0.00043	J	MG/L
MW-075	3/29/2022	NICKEL	0.00056	J	MG/L
MW-075	3/29/2022	NITRATE-N	0.26	J	MG/L
MW-075	3/29/2022	NITRATE-N	0.27	JHcn	MG/L
MW-075	3/29/2022	PH	7.4	HF	S.U.
MW-075	3/29/2022	PH	7.4	HF	S.U.
MW-075	3/29/2022	SELENIUM	0.001	U	MG/L
MW-075	3/29/2022	SELENIUM	0.001	U	MG/L
MW-075	3/29/2022	SODIUM	26		MG/L
MW-075	3/29/2022	SODIUM	24		MG/L
MW-075	3/29/2022	SPECIFIC CONDUCTANCE	670		US/CM
MW-075	3/29/2022	SPECIFIC CONDUCTANCE	670		US/CM
MW-075	3/29/2022	SULFATE	15		MG/L
MW-075	3/29/2022	SULFATE	15		MG/L
MW-075	3/29/2022	TEMPERATURE	22.4	HF	C
MW-075	3/29/2022	TEMPERATURE	22.5	HF	C
MW-075	3/29/2022	TOTAL DISSOLVED SOLIDS	360		MG/L
MW-075	3/29/2022	TOTAL DISSOLVED SOLIDS	360		MG/L
MW-075	3/29/2022	TURBIDITY	9.8		NTU
MW-075	3/29/2022	TURBIDITY	10		NTU
MW-076	10/22/1993	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-076	10/22/1993	ALKALINITY	282		MG/L
MW-076	10/22/1993	BICARBONATE ALKALINITY	282		MG/L
MW-076	10/22/1993	CALCIUM	155		MG/L
MW-076	10/22/1993	CARBONATE ALKALINITY	0.00	U	MG/L
MW-076	10/22/1993	CHLORIDE	7.73		MG/L
MW-076	10/22/1993	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-076	10/22/1993	CYANIDE	9.45	U	MG/L
MW-076	10/22/1993	FLUORIDE	0.41		MG/L
MW-076	10/22/1993	FREE CYANIDE	0.0082	U	MG/L
MW-076	10/22/1993	IRON	212		MG/L
MW-076	10/22/1993	SULFATE	29.6		MG/L
MW-076	10/22/1993	TETRACHLOROETHENE	0.001	U	MG/L
MW-076	10/22/1993	TOTAL DISSOLVED SOLIDS	337		MG/L
MW-076	10/22/1993	TRICHLOROETHENE	0.001	U	MG/L
MW-076	10/22/1993	VINYL CHLORIDE	0.001	U	MG/L
MW-076	3/14/1994	CYANIDE	8.94	U	MG/L
MW-076	3/14/1994	FLUORIDE	0.09		MG/L
MW-076	3/14/1994	FREE CYANIDE	0.0085	U	MG/L
MW-076	7/14/1994	ALKALINITY	85.4		MG/L
MW-076	7/14/1994	BICARBONATE ALKALINITY	85.4		MG/L
MW-076	7/14/1994	CALCIUM	60.5		MG/L
MW-076	7/14/1994	CARBONATE ALKALINITY	0.00	U	MG/L
MW-076	7/14/1994	CHLORIDE	5.08		MG/L
MW-076	7/14/1994	CYANIDE	9.01	U	MG/L
MW-076	7/14/1994	FLUORIDE	0.12		MG/L
MW-076	7/14/1994	IRON	1.42		MG/L
MW-076	7/14/1994	SULFATE	45.3		MG/L
MW-076	7/14/1994	TOTAL DISSOLVED SOLIDS	156		MG/L
MW-076	7/29/1994	FREE CYANIDE	0.0075	U	MG/L
MW-076	1/23/1995	CYANIDE	10.4	U	MG/L
MW-076	1/23/1995	FLUORIDE	0.09		MG/L
MW-076	1/23/1995	FREE CYANIDE	0.0087	U	MG/L
MW-076	7/17/1995	ALKALINITY	94.5		MG/L
MW-076	7/17/1995	BICARBONATE ALKALINITY	94.5		MG/L
MW-076	7/17/1995	CALCIUM	34.5		MG/L
MW-076	7/17/1995	CARBONATE ALKALINITY	0.00	U	MG/L
MW-076	7/17/1995	CHLORIDE	5.51		MG/L
MW-076	7/17/1995	CYANIDE	9.86	U	MG/L
MW-076	7/17/1995	FLUORIDE	0.10		MG/L
MW-076	7/17/1995	IRON	1.94		MG/L
MW-076	7/17/1995	SULFATE	25.9		MG/L
MW-076	7/17/1995	TOTAL DISSOLVED SOLIDS	173		MG/L
MW-076	7/31/1995	FREE CYANIDE	0.0077	U	MG/L
MW-076	1/23/1996	CYANIDE	11	U	MG/L
MW-076	1/23/1996	FLUORIDE	0.10		MG/L
MW-076	1/23/1996	FREE CYANIDE	0.0081	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-076	7/2/1996	ALKALINITY	18		MG/L
MW-076	7/2/1996	BICARBONATE ALKALINITY	18		MG/L
MW-076	7/2/1996	CALCIUM	13		MG/L
MW-076	7/2/1996	CARBONATE ALKALINITY	0.00	U	MG/L
MW-076	7/2/1996	CHLORIDE	5		MG/L
MW-076	7/2/1996	CYANIDE	9.32	U	MG/L
MW-076	7/2/1996	FLUORIDE	0.09		MG/L
MW-076	7/2/1996	FLUORINE	0.10	U	MG/L
MW-076	7/2/1996	FREE CYANIDE	0.0083	U	MG/L
MW-076	7/2/1996	IRON	3.4		MG/L
MW-076	7/2/1996	SODIUM	5.1		MG/L
MW-076	7/2/1996	SULFATE	23.9		MG/L
MW-076	7/2/1996	TOTAL DISSOLVED SOLIDS	105		MG/L
MW-076	1/28/1997	CYANIDE	6.18	U	MG/L
MW-076	1/28/1997	FLUORIDE	0.10	U	MG/L
MW-076	1/28/1997	FLUORINE	0.10	U	MG/L
MW-076	1/28/1997	FREE CYANIDE	0.008	U	MG/L
MW-076	1/28/1997	SODIUM	5.4		MG/L
MW-076	7/8/1997	ALKALINITY	57		MG/L
MW-076	7/8/1997	BICARBONATE ALKALINITY	57		MG/L
MW-076	7/8/1997	CALCIUM	31		MG/L
MW-076	7/8/1997	CARBONATE ALKALINITY	1	U	MG/L
MW-076	7/8/1997	CHLORIDE	9		MG/L
MW-076	7/8/1997	CYANIDE	6.18	U	MG/L
MW-076	7/8/1997	FLUORIDE	0.13		MG/L
MW-076	7/8/1997	FLUORINE	0.10		MG/L
MW-076	7/8/1997	FREE CYANIDE	0.008	U	MG/L
MW-076	7/8/1997	IRON	3.2		MG/L
MW-076	7/8/1997	SODIUM	6.2		MG/L
MW-076	7/8/1997	SULFATE	33		MG/L
MW-076	7/8/1997	TOTAL DISSOLVED SOLIDS	56		MG/L
MW-076	1/26/1998	CYANIDE	0.002		MG/L
MW-076	1/26/1998	FLUORIDE	0.10	U	MG/L
MW-076	1/26/1998	FLUORINE	0.10		MG/L
MW-076	1/26/1998	FREE CYANIDE	0.00823	U	MG/L
MW-076	1/26/1998	SODIUM	3.1		MG/L
MW-076	7/1/1998	ALKALINITY	18		MG/L
MW-076	7/1/1998	BICARBONATE ALKALINITY	18		MG/L
MW-076	7/1/1998	CALCIUM	14		MG/L
MW-076	7/1/1998	CARBONATE ALKALINITY	4.75	U	MG/L
MW-076	7/1/1998	CHLORIDE	4		MG/L
MW-076	7/1/1998	CYANIDE	10.98	U	MG/L
MW-076	7/1/1998	FLUORIDE	0.10	U	MG/L
MW-076	7/1/1998	FREE CYANIDE	0.00823	U	MG/L
MW-076	7/1/1998	IRON	2.8		MG/L
MW-076	7/1/1998	SILICON DIOXIDE	28		MG/L
MW-076	7/1/1998	SODIUM	5		MG/L
MW-076	7/1/1998	SULFATE	38		MG/L
MW-076	7/20/1998	TOTAL DISSOLVED SOLIDS	138		MG/L
MW-076	1/13/1999	CYANIDE	10.98	U	MG/L
MW-076	1/13/1999	FLUORIDE	0.14		MG/L
MW-076	1/13/1999	FREE CYANIDE	0.0134	U	MG/L
MW-076	7/6/1999	ALKALINITY	43		MG/L
MW-076	7/6/1999	BICARBONATE ALKALINITY	42		MG/L
MW-076	7/6/1999	CARBONATE ALKALINITY	2	U	MG/L
MW-076	7/7/1999	CALCIUM	19		MG/L
MW-076	7/7/1999	CHLORIDE	6		MG/L
MW-076	7/7/1999	CYANIDE	1	U	MG/L
MW-076	7/7/1999	FLUORIDE	0.10	U	MG/L
MW-076	7/7/1999	FREE CYANIDE	0.0134	U	MG/L
MW-076	7/7/1999	IRON	1.3		MG/L
MW-076	7/7/1999	SULFATE	32		MG/L
MW-076	7/7/1999	TOTAL DISSOLVED SOLIDS	130		MG/L
MW-076	1/28/2000	CYANIDE	0.001	U	MG/L
MW-076	1/28/2000	FLUORIDE	0.11		MG/L
MW-076	1/28/2000	FREE CYANIDE	0.005		MG/L
MW-076	7/18/2000	ALKALINITY	12		MG/L
MW-076	7/18/2000	BICARBONATE ALKALINITY	12		MG/L
MW-076	7/18/2000	CALCIUM	11		MG/L
MW-076	7/18/2000	CARBONATE ALKALINITY	1	U	MG/L
MW-076	7/18/2000	CHLORIDE	4		MG/L
MW-076	7/18/2000	CYANIDE	0.001	U	MG/L
MW-076	7/18/2000	FLUORIDE	0.11		MG/L
MW-076	7/18/2000	FREE CYANIDE	0.004		MG/L
MW-076	7/18/2000	IRON	3		MG/L
MW-076	7/18/2000	SULFATE	30		MG/L
MW-076	7/18/2000	TOTAL DISSOLVED SOLIDS	85		MG/L
MW-076	1/26/2001	CYANIDE	0.001	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-076	1/26/2001	FLUORIDE	0.14		MG/L
MW-076	1/26/2001	FREE CYANIDE	0.0026	U	MG/L
MW-076	7/31/2001	ALKALINITY	31.4		MG/L
MW-076	7/31/2001	BICARBONATE ALKALINITY	31.6		MG/L
MW-076	7/31/2001	CALCIUM	16.2		MG/L
MW-076	7/31/2001	CARBONATE ALKALINITY	5	U	MG/L
MW-076	7/31/2001	CHLORIDE	3.2		MG/L
MW-076	7/31/2001	CYANIDE	0.001	U	MG/L
MW-076	7/31/2001	FLUORIDE	0.85		MG/L
MW-076	7/31/2001	FREE CYANIDE	0.006		MG/L
MW-076	7/31/2001	IRON	2.24		MG/L
MW-076	7/31/2001	SULFATE	32.2		MG/L
MW-076	7/31/2001	TOTAL DISSOLVED SOLIDS	111		MG/L
MW-076	1/28/2002	CYANIDE	0.01	U	MG/L
MW-076	1/28/2002	FLUORIDE	0.18		MG/L
MW-076	1/28/2002	FREE CYANIDE	0.0019		MG/L
MW-076	7/30/2002	ALKALINITY	41		MG/L
MW-076	7/30/2002	BICARBONATE ALKALINITY	41		MG/L
MW-076	7/30/2002	CALCIUM	19		MG/L
MW-076	7/30/2002	CARBONATE ALKALINITY	1	U	MG/L
MW-076	7/30/2002	CHLORIDE	4		MG/L
MW-076	7/30/2002	CYANIDE	0.0018		MG/L
MW-076	7/30/2002	FLUORIDE	0.18		MG/L
MW-076	7/30/2002	FREE CYANIDE	0.0043		MG/L
MW-076	7/30/2002	IRON	1.1		MG/L
MW-076	7/30/2002	SULFATE	30		MG/L
MW-076	7/30/2002	TOTAL DISSOLVED SOLIDS	110		MG/L
MW-076	1/30/2003	CYANIDE	0.021		MG/L
MW-076	1/30/2003	FLUORIDE	0.12		MG/L
MW-076	1/30/2003	FREE CYANIDE	0.005		MG/L
MW-076	7/21/2003	FLUORIDE	0.08		MG/L
MW-076	7/21/2003	FREE CYANIDE	0.005		MG/L
MW-076	7/22/2003	ALKALINITY	13		MG/L
MW-076	7/22/2003	BICARBONATE ALKALINITY	13		MG/L
MW-076	7/22/2003	CALCIUM	12		MG/L
MW-076	7/22/2003	CARBONATE ALKALINITY	1	U	MG/L
MW-076	7/22/2003	CHLORIDE	6		MG/L
MW-076	7/22/2003	CYANIDE	0.001	U	MG/L
MW-076	7/22/2003	IRON	18		MG/L
MW-076	7/22/2003	SULFATE	44		MG/L
MW-076	7/22/2003	TOTAL DISSOLVED SOLIDS	120		MG/L
MW-076	1/28/2004	CYANIDE	0.0033		MG/L
MW-076	1/28/2004	FLUORIDE	0.14		MG/L
MW-076	1/28/2004	FREE CYANIDE	0.001		MG/L
MW-076	7/28/2004	ALKALINITY	24		MG/L
MW-076	7/28/2004	BICARBONATE ALKALINITY	24		MG/L
MW-076	7/28/2004	CALCIUM	43		MG/L
MW-076	7/28/2004	CARBONATE ALKALINITY	1	U	MG/L
MW-076	7/28/2004	CHLORIDE	5		MG/L
MW-076	7/28/2004	CYANIDE	0.0016		MG/L
MW-076	7/28/2004	FLUORIDE	0.12		MG/L
MW-076	7/28/2004	FREE CYANIDE	0.008		MG/L
MW-076	7/28/2004	IRON	180		MG/L
MW-076	7/28/2004	SULFATE	37		MG/L
MW-076	7/28/2004	TOTAL DISSOLVED SOLIDS	130		MG/L
MW-076	9/27/2004	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-076	9/27/2004	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-076	9/27/2004	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-076	9/27/2004	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-076	9/27/2004	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-076	9/27/2004	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-076	9/27/2004	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-076	9/27/2004	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-076	9/27/2004	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-076	9/27/2004	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-076	9/27/2004	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-076	9/27/2004	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-076	9/27/2004	1,4-DICHLOROBENZENE	0.001		MG/L
MW-076	9/27/2004	2-BUTANONE	0.005	U	MG/L
MW-076	9/27/2004	2-HEXANONE	0.005	U	MG/L
MW-076	9/27/2004	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-076	9/27/2004	ACETONE	0.016		MG/L
MW-076	9/27/2004	ACRYLONITRILE	0.005	U	MG/L
MW-076	9/27/2004	AMMONIA	0.10	U	MG/L
MW-076	9/27/2004	ANTIMONY	0.002		MG/L
MW-076	9/27/2004	ARSENIC	0.0069		MG/L
MW-076	9/27/2004	BARIUM	0.44		MG/L
MW-076	9/27/2004	BENZENE	0.001	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-076	9/27/2004	BERYLLIUM	0.0045		MG/L
MW-076	9/27/2004	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-076	9/27/2004	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-076	9/27/2004	BROMOFORM	0.001	U	MG/L
MW-076	9/27/2004	BROMOMETHANE	0.001	U	MG/L
MW-076	9/27/2004	CADMIUM	0.0026		MG/L
MW-076	9/27/2004	CARBON DISULFIDE	0.001	U	MG/L
MW-076	9/27/2004	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-076	9/27/2004	CHEMICAL OXYGEN DEMAND	83		MG/L
MW-076	9/27/2004	CHLOROBENZENE	0.001	U	MG/L
MW-076	9/27/2004	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-076	9/27/2004	CHLOROETHANE	0.001	U	MG/L
MW-076	9/27/2004	CHLOROFORM	0.001	U	MG/L
MW-076	9/27/2004	CHLOROMETHANE	0.001	U	MG/L
MW-076	9/27/2004	CHROMIUM	0.19		MG/L
MW-076	9/27/2004	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-076	9/27/2004	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-076	9/27/2004	COBALT	0.072		MG/L
MW-076	9/27/2004	COPPER	0.055		MG/L
MW-076	9/27/2004	DIBROMOMETHANE	0.001	U	MG/L
MW-076	9/27/2004	ETHYLBENZENE	0.001	U	MG/L
MW-076	9/27/2004	GALLIUM	0.12		MG/L
MW-076	9/27/2004	HARDNESS	250		MG/L
MW-076	9/27/2004	IRON	110		MG/L
MW-076	9/27/2004	LEAD	0.056		MG/L
MW-076	9/27/2004	M+P-XYLENES	0.001	U	MG/L
MW-076	9/27/2004	MANGANESE	7.4		MG/L
MW-076	9/27/2004	MERCURY	0.0002	U	MG/L
MW-076	9/27/2004	METHYL IODIDE	0.001	U	MG/L
MW-076	9/27/2004	METHYLENE CHLORIDE	0.001	U	MG/L
MW-076	9/27/2004	NICKEL	0.071		MG/L
MW-076	9/27/2004	NITRATE	1.9		MG/L
MW-076	9/27/2004	NITRITE	0.004		MG/L
MW-076	9/27/2004	O-XYLENE	0.001	U	MG/L
MW-076	9/27/2004	SELENIUM	0.005	U	MG/L
MW-076	9/27/2004	SILVER	0.005	U	MG/L
MW-076	9/27/2004	SODIUM	5.6		MG/L
MW-076	9/27/2004	STYRENE	0.001	U	MG/L
MW-076	9/27/2004	TETRACHLOROETHENE	0.001	U	MG/L
MW-076	9/27/2004	THALLIUM	0.0049		MG/L
MW-076	9/27/2004	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-076	9/27/2004	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-076	9/27/2004	TRANS-1,4-DICHLORO-2-BUTENE	0.005	U	MG/L
MW-076	9/27/2004	TRICHLOROETHENE	0.001	U	MG/L
MW-076	9/27/2004	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-076	9/27/2004	TURBIDITY	4100		NTU
MW-076	9/27/2004	VANADIUM	0.16		MG/L
MW-076	9/27/2004	VINYL ACETATE	0.001	U	MG/L
MW-076	9/27/2004	VINYL CHLORIDE	0.001	U	MG/L
MW-076	9/27/2004	ZINC	0.30		MG/L
MW-076	1/5/2005	BERYLLIUM	0.002	U	MG/L
MW-076	1/5/2005	CHROMIUM	0.0215		MG/L
MW-076	1/5/2005	THALLIUM	0.002	U	MG/L
MW-076	3/21/2005	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-076	3/21/2005	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-076	3/21/2005	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-076	3/21/2005	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-076	3/21/2005	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-076	3/21/2005	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-076	3/21/2005	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-076	3/21/2005	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-076	3/21/2005	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-076	3/21/2005	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-076	3/21/2005	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-076	3/21/2005	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-076	3/21/2005	1,4-DICHLOROETHANE	0.001	U	MG/L
MW-076	3/21/2005	2-BUTANONE	0.005	U	MG/L
MW-076	3/21/2005	2-HEXANONE	0.005	U	MG/L
MW-076	3/21/2005	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-076	3/21/2005	ACETONE	0.013		MG/L
MW-076	3/21/2005	ACRYLONITRILE	0.005	U	MG/L
MW-076	3/21/2005	ALKALINITY	40		MG/L
MW-076	3/21/2005	AMMONIA	0.54		MG/L
MW-076	3/21/2005	ANTIMONY	0.002	U	MG/L
MW-076	3/21/2005	ARSENIC	0.01	U	MG/L
MW-076	3/21/2005	BARIUM	0.18		MG/L
MW-076	3/21/2005	BENZENE	0.001	U	MG/L
MW-076	3/21/2005	BERYLLIUM	0.0027		MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-076	3/21/2005	BICARBONATE ALKALINITY	40		MG/L
MW-076	3/21/2005	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-076	3/21/2005	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-076	3/21/2005	BROMOFORM	0.001	U	MG/L
MW-076	3/21/2005	BROMOMETHANE	0.001	U	MG/L
MW-076	3/21/2005	CADMIUM	0.0005	U	MG/L
MW-076	3/21/2005	CALCIUM	17		MG/L
MW-076	3/21/2005	CARBON DISULFIDE	0.001	U	MG/L
MW-076	3/21/2005	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-076	3/21/2005	CARBONATE ALKALINITY	1	U	MG/L
MW-076	3/21/2005	CHEMICAL OXYGEN DEMAND	10	U	MG/L
MW-076	3/21/2005	CHLORIDE	4.5		MG/L
MW-076	3/21/2005	CHLOROENZENE	0.001	U	MG/L
MW-076	3/21/2005	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-076	3/21/2005	CHLOROETHANE	0.001	U	MG/L
MW-076	3/21/2005	CHLOROFORM	0.00062		MG/L
MW-076	3/21/2005	CHLOROMETHANE	0.001	U	MG/L
MW-076	3/21/2005	CHROMIUM	0.07		MG/L
MW-076	3/21/2005	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-076	3/21/2005	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-076	3/21/2005	COBALT	0.023		MG/L
MW-076	3/21/2005	COPPER	0.019		MG/L
MW-076	3/21/2005	CYANIDE	0.0072		MG/L
MW-076	3/21/2005	DIBROMOMETHANE	0.001	U	MG/L
MW-076	3/21/2005	ETHYLBENZENE	0.001	U	MG/L
MW-076	3/21/2005	FLUORIDE	0.16		MG/L
MW-076	3/21/2005	FREE CYANIDE	0.0024		MG/L
MW-076	3/21/2005	GALLIUM	0.041		MG/L
MW-076	3/21/2005	HARDNESS	57		MG/L
MW-076	3/21/2005	IRON	33		MG/L
MW-076	3/21/2005	LEAD	0.02		MG/L
MW-076	3/21/2005	M+P-XYLENES	0.001	U	MG/L
MW-076	3/21/2005	MANGANESE	1.9		MG/L
MW-076	3/21/2005	MERCURY	0.0002	U	MG/L
MW-076	3/21/2005	METHYL IODIDE	0.001	U	MG/L
MW-076	3/21/2005	METHYLENE CHLORIDE	0.002		MG/L
MW-076	3/21/2005	NICKEL	0.068		MG/L
MW-076	3/21/2005	NITRATE	1.7		MG/L
MW-076	3/21/2005	O-XYLENE	0.001	U	MG/L
MW-076	3/21/2005	SELENIUM	0.005	U	MG/L
MW-076	3/21/2005	SILVER	0.001	U	MG/L
MW-076	3/21/2005	SODIUM	5.6		MG/L
MW-076	3/21/2005	STYRENE	0.001	U	MG/L
MW-076	3/21/2005	SULFATE	39		MG/L
MW-076	3/21/2005	TETRACHLOROETHENE	0.001	U	MG/L
MW-076	3/21/2005	THALLIUM	0.002	U	MG/L
MW-076	3/21/2005	TOLUENE	0.001	U	MG/L
MW-076	3/21/2005	TOTAL DISSOLVED SOLIDS	87		MG/L
MW-076	3/21/2005	TOTAL XYLENES	0.001	U	MG/L
MW-076	3/21/2005	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-076	3/21/2005	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-076	3/21/2005	TRANS-1,4-DICHLORO-2-BUTENE	0.005	U	MG/L
MW-076	3/21/2005	TRICHLOROETHENE	0.001	U	MG/L
MW-076	3/21/2005	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-076	3/21/2005	TURBIDITY	1900		NTU
MW-076	3/21/2005	VANADIUM	0.046		MG/L
MW-076	3/21/2005	VINYL ACETATE	0.001	U	MG/L
MW-076	3/21/2005	VINYL CHLORIDE	0.001	U	MG/L
MW-076	3/21/2005	ZINC	0.095		MG/L
MW-076	6/16/2005	FLUORIDE	0.07		MG/L
MW-076	6/16/2005	FREE CYANIDE	0.0013		MG/L
MW-076	9/20/2005	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-076	9/20/2005	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-076	9/20/2005	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-076	9/20/2005	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-076	9/20/2005	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-076	9/20/2005	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-076	9/20/2005	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-076	9/20/2005	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-076	9/20/2005	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-076	9/20/2005	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-076	9/20/2005	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-076	9/20/2005	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-076	9/20/2005	1,4-DICHLOROBENZENE	0.0006		MG/L
MW-076	9/20/2005	2-BUTANONE	0.005	U	MG/L
MW-076	9/20/2005	2-HEXANONE	0.005	U	MG/L
MW-076	9/20/2005	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-076	9/20/2005	ACETONE	0.0064		MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-076	9/20/2005	ACRYLONITRILE	0.004	U	MG/L
MW-076	9/20/2005	ALKALINITY	46		MG/L
MW-076	9/20/2005	AMMONIA	1	U	MG/L
MW-076	9/20/2005	ANTIMONY	0.002	U	MG/L
MW-076	9/20/2005	ARSENIC	0.002	U	MG/L
MW-076	9/20/2005	BARIUM	0.071		MG/L
MW-076	9/20/2005	BENZENE	0.001	U	MG/L
MW-076	9/20/2005	BERYLLIUM	0.002	U	MG/L
MW-076	9/20/2005	BICARBONATE ALKALINITY	46		MG/L
MW-076	9/20/2005	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-076	9/20/2005	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-076	9/20/2005	BROMOFORM	0.001	U	MG/L
MW-076	9/20/2005	BROMOMETHANE	0.001	U	MG/L
MW-076	9/20/2005	CADMIUM	0.0005	U	MG/L
MW-076	9/20/2005	CALCIUM	21		MG/L
MW-076	9/20/2005	CARBON DISULFIDE	0.001	U	MG/L
MW-076	9/20/2005	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-076	9/20/2005	CARBONATE ALKALINITY	1	U	MG/L
MW-076	9/20/2005	CHEMICAL OXYGEN DEMAND	10	U	MG/L
MW-076	9/20/2005	CHLORIDE	2.5		MG/L
MW-076	9/20/2005	CHLOROBENZENE	0.001	U	MG/L
MW-076	9/20/2005	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-076	9/20/2005	CHLOROETHANE	0.001	U	MG/L
MW-076	9/20/2005	CHLOROFORM	0.001	U	MG/L
MW-076	9/20/2005	CHLOROMETHANE	0.001	U	MG/L
MW-076	9/20/2005	CHROMIUM	0.021		MG/L
MW-076	9/20/2005	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-076	9/20/2005	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-076	9/20/2005	COBALT	0.007		MG/L
MW-076	9/20/2005	COPPER	0.029		MG/L
MW-076	9/20/2005	CYANIDE	0.0011		MG/L
MW-076	9/20/2005	DIBROMOMETHANE	0.001	U	MG/L
MW-076	9/20/2005	ETHYLBENZENE	0.001	U	MG/L
MW-076	9/20/2005	FLUORIDE	0.24		MG/L
MW-076	9/20/2005	FREE CYANIDE	0.0024		MG/L
MW-076	9/20/2005	GALLIUM	0.005	U	MG/L
MW-076	9/20/2005	HARDNESS	100		MG/L
MW-076	9/20/2005	IRON	9.8		MG/L
MW-076	9/20/2005	LEAD	0.0058		MG/L
MW-076	9/20/2005	M+P-XYLENES	0.001	U	MG/L
MW-076	9/20/2005	MAGNESIUM	12		MG/L
MW-076	9/20/2005	MANGANESE	0.63		MG/L
MW-076	9/20/2005	MERCURY	0.001	U	MG/L
MW-076	9/20/2005	METHYL IODIDE	0.001	U	MG/L
MW-076	9/20/2005	METHYLENE CHLORIDE	0.005		MG/L
MW-076	9/20/2005	NICKEL	0.011		MG/L
MW-076	9/20/2005	NITRATE	1.7		MG/L
MW-076	9/20/2005	NITRITE	0.005	U	MG/L
MW-076	9/20/2005	O-XYLENE	0.001	U	MG/L
MW-076	9/20/2005	SELENIUM	0.01	U	MG/L
MW-076	9/20/2005	SILVER	0.001	U	MG/L
MW-076	9/20/2005	SODIUM	5.9		MG/L
MW-076	9/20/2005	STYRENE	0.001	U	MG/L
MW-076	9/20/2005	SULFATE	30		MG/L
MW-076	9/20/2005	TETRACHLOROETHENE	0.001	U	MG/L
MW-076	9/20/2005	THALLIUM	0.001		MG/L
MW-076	9/20/2005	TOLUENE	0.001	U	MG/L
MW-076	9/20/2005	TOTAL DISSOLVED SOLIDS	130		MG/L
MW-076	9/20/2005	TOTAL XYLENES	0.001	U	MG/L
MW-076	9/20/2005	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-076	9/20/2005	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-076	9/20/2005	TRANS-1,4-DICHLORO-2-BUTENE	0.005	U	MG/L
MW-076	9/20/2005	TRICHLOROETHENE	0.001	U	MG/L
MW-076	9/20/2005	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-076	9/20/2005	VANADIUM	0.015		MG/L
MW-076	9/20/2005	VINYL ACETATE	0.005	U	MG/L
MW-076	9/20/2005	VINYL CHLORIDE	0.001	U	MG/L
MW-076	9/20/2005	ZINC	0.043		MG/L
MW-076	11/22/2005	TURBIDITY	120		NTU
MW-076	3/9/2006	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-076	3/9/2006	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-076	3/9/2006	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-076	3/9/2006	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-076	3/9/2006	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-076	3/9/2006	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-076	3/9/2006	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-076	3/9/2006	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-076	3/9/2006	1,2-DIBROMOETHANE	0.001	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-076	3/9/2006	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-076	3/9/2006	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-076	3/9/2006	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-076	3/9/2006	1,4-DICHLOROBENZENE	0.001	U	MG/L
MW-076	3/9/2006	2-BUTANONE	0.005	U	MG/L
MW-076	3/9/2006	2-HEXANONE	0.005	U	MG/L
MW-076	3/9/2006	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-076	3/9/2006	ACETONE	0.005	U	MG/L
MW-076	3/9/2006	ACRYLONITRILE	0.005	U	MG/L
MW-076	3/9/2006	ALKALINITY	12		MG/L
MW-076	3/9/2006	AMMONIA	1	U	MG/L
MW-076	3/9/2006	ANTIMONY	0.002		MG/L
MW-076	3/9/2006	ARSENIC	0.002	U	MG/L
MW-076	3/9/2006	BARIUM	0.038		MG/L
MW-076	3/9/2006	BENZENE	0.001	U	MG/L
MW-076	3/9/2006	BERYLLIUM	0.002	U	MG/L
MW-076	3/9/2006	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-076	3/9/2006	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-076	3/9/2006	BROMOFORM	0.001	U	MG/L
MW-076	3/9/2006	BROMOMETHANE	0.001	U	MG/L
MW-076	3/9/2006	CADMIUM	0.0005	U	MG/L
MW-076	3/9/2006	CALCIUM	8.7		MG/L
MW-076	3/9/2006	CARBON DISULFIDE	0.001	U	MG/L
MW-076	3/9/2006	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-076	3/9/2006	CHEMICAL OXYGEN DEMAND	8		MG/L
MW-076	3/9/2006	CHLORIDE	4.5		MG/L
MW-076	3/9/2006	CHLOROBENZENE	0.001	U	MG/L
MW-076	3/9/2006	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-076	3/9/2006	CHLOROETHANE	0.001	U	MG/L
MW-076	3/9/2006	CHLOROFORM	0.001	U	MG/L
MW-076	3/9/2006	CHLOROMETHANE	0.001	U	MG/L
MW-076	3/9/2006	CHROMIUM	0.025		MG/L
MW-076	3/9/2006	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-076	3/9/2006	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-076	3/9/2006	COBALT	0.004		MG/L
MW-076	3/9/2006	COPPER	0.0077		MG/L
MW-076	3/9/2006	CYANIDE	0.0009		MG/L
MW-076	3/9/2006	DIBROMOMETHANE	0.001	U	MG/L
MW-076	3/9/2006	ETHYLBENZENE	0.001	U	MG/L
MW-076	3/9/2006	FLUORIDE	0.10		MG/L
MW-076	3/9/2006	FREE CYANIDE	0.005	U	MG/L
MW-076	3/9/2006	GALLIUM	0.005	U	MG/L
MW-076	3/9/2006	HARDNESS	54		MG/L
MW-076	3/9/2006	IRON	4.4		MG/L
MW-076	3/9/2006	LEAD	0.0036		MG/L
MW-076	3/9/2006	M+P-XYLENES	0.001	U	MG/L
MW-076	3/9/2006	MAGNESIUM	7.8		MG/L
MW-076	3/9/2006	MANGANESE	0.25		MG/L
MW-076	3/9/2006	MERCURY	0.0002	U	MG/L
MW-076	3/9/2006	METHYL IODIDE	0.001	U	MG/L
MW-076	3/9/2006	METHYLENE CHLORIDE	0.001	U	MG/L
MW-076	3/9/2006	NICKEL	0.0093		MG/L
MW-076	3/9/2006	NITRATE	1.9		MG/L
MW-076	3/9/2006	O-XYLENE	0.001	U	MG/L
MW-076	3/9/2006	SELENIUM	0.005	U	MG/L
MW-076	3/9/2006	SILVER	0.001	U	MG/L
MW-076	3/9/2006	SODIUM	5.3		MG/L
MW-076	3/9/2006	STYRENE	0.001	U	MG/L
MW-076	3/9/2006	SULFATE	41		MG/L
MW-076	3/9/2006	TETRACHLOROETHENE	0.001	U	MG/L
MW-076	3/9/2006	THALLIUM	0.002	U	MG/L
MW-076	3/9/2006	TOLUENE	0.001	U	MG/L
MW-076	3/9/2006	TOTAL DISSOLVED SOLIDS	89		MG/L
MW-076	3/9/2006	TOTAL XYLENES	0.001	U	MG/L
MW-076	3/9/2006	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-076	3/9/2006	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-076	3/9/2006	TRANS-1,4-DICHLORO-2-BUTENE	0.005	U	MG/L
MW-076	3/9/2006	TRICHLOROETHENE	0.001	U	MG/L
MW-076	3/9/2006	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-076	3/9/2006	TURBIDITY	160		NTU
MW-076	3/9/2006	VANADIUM	0.0042		MG/L
MW-076	3/9/2006	VINYL ACETATE	0.001	U	MG/L
MW-076	3/9/2006	VINYL CHLORIDE	0.001	U	MG/L
MW-076	3/9/2006	ZINC	0.018		MG/L
MW-076	8/22/2006	1,1,1,2-TETRACHLOROETHANE	0.001		MG/L
MW-076	8/22/2006	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-076	8/22/2006	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-076	8/22/2006	1,1,2-TRICHLOROETHANE	0.001	U	MG/L



Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-076	8/22/2006	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-076	8/22/2006	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-076	8/22/2006	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-076	8/22/2006	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-076	8/22/2006	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-076	8/22/2006	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-076	8/22/2006	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-076	8/22/2006	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-076	8/22/2006	1,4-DICHLOROBENZENE	0.0011		MG/L
MW-076	8/22/2006	2-BUTANONE	0.005	U	MG/L
MW-076	8/22/2006	2-HEXANONE	0.005	U	MG/L
MW-076	8/22/2006	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-076	8/22/2006	ACETONE	0.0048		MG/L
MW-076	8/22/2006	ACRYLONITRILE	0.005	U	MG/L
MW-076	8/22/2006	ALKALINITY	38		MG/L
MW-076	8/22/2006	AMMONIA	1	U	MG/L
MW-076	8/22/2006	ANTIMONY	0.002	U	MG/L
MW-076	8/22/2006	ARSENIC	0.002	U	MG/L
MW-076	8/22/2006	BARIUM	0.018		MG/L
MW-076	8/22/2006	BENZENE	0.001	U	MG/L
MW-076	8/22/2006	BERYLLIUM	0.002	U	MG/L
MW-076	8/22/2006	BICARBONATE ALKALINITY	38		MG/L
MW-076	8/22/2006	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-076	8/22/2006	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-076	8/22/2006	BROMOFORM	0.001	U	MG/L
MW-076	8/22/2006	BROMOMETHANE	0.001	U	MG/L
MW-076	8/22/2006	CADMIUM	0.0005	U	MG/L
MW-076	8/22/2006	CALCIUM	15		MG/L
MW-076	8/22/2006	CARBON DISULFIDE	0.001	U	MG/L
MW-076	8/22/2006	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-076	8/22/2006	CARBONATE ALKALINITY	1	U	MG/L
MW-076	8/22/2006	CHEMICAL OXYGEN DEMAND	10	U	MG/L
MW-076	8/22/2006	CHLORIDE	5		MG/L
MW-076	8/22/2006	CHLOROBENZENE	0.001	U	MG/L
MW-076	8/22/2006	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-076	8/22/2006	CHLOROETHANE	0.001	U	MG/L
MW-076	8/22/2006	CHLOROFORM	0.001	U	MG/L
MW-076	8/22/2006	CHLOROMETHANE	0.001	U	MG/L
MW-076	8/22/2006	CHROMIUM	0.012		MG/L
MW-076	8/22/2006	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-076	8/22/2006	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-076	8/22/2006	COBALT	0.005	U	MG/L
MW-076	8/22/2006	COPPER	0.002	U	MG/L
MW-076	8/22/2006	CYANIDE	0.0008		MG/L
MW-076	8/22/2006	DIBROMOMETHANE	0.001	U	MG/L
MW-076	8/22/2006	ETHYLBENZENE	0.001	U	MG/L
MW-076	8/22/2006	FLUORIDE	0.10		MG/L
MW-076	8/22/2006	FREE CYANIDE	0.005	U	MG/L
MW-076	8/22/2006	GALLIUM	0.005	U	MG/L
MW-076	8/22/2006	HARDNESS	85		MG/L
MW-076	8/22/2006	IRON	1.9		MG/L
MW-076	8/22/2006	LEAD	0.002	U	MG/L
MW-076	8/22/2006	M+P-XYLENES	0.001	U	MG/L
MW-076	8/22/2006	MAGNESIUM	6.7		MG/L
MW-076	8/22/2006	MANGANESE	0.084		MG/L
MW-076	8/22/2006	MERCURY	0.0002	U	MG/L
MW-076	8/22/2006	METHYL IODIDE	0.001	U	MG/L
MW-076	8/22/2006	METHYLENE CHLORIDE	0.0044		MG/L
MW-076	8/22/2006	NICKEL	0.0021		MG/L
MW-076	8/22/2006	NITRATE	1.6		MG/L
MW-076	8/22/2006	NITRITE	0.005	U	MG/L
MW-076	8/22/2006	O-XYLENE	0.001	U	MG/L
MW-076	8/22/2006	SELENIUM	0.005	U	MG/L
MW-076	8/22/2006	SILVER	0.001	U	MG/L
MW-076	8/22/2006	SODIUM	5.8		MG/L
MW-076	8/22/2006	STYRENE	0.001	U	MG/L
MW-076	8/22/2006	SULFATE	27		MG/L
MW-076	8/22/2006	TETRACHLOROETHENE	0.001	U	MG/L
MW-076	8/22/2006	THALLIUM	0.002	U	MG/L
MW-076	8/22/2006	TOLUENE	0.001	U	MG/L
MW-076	8/22/2006	TOTAL DISSOLVED SOLIDS	99		MG/L
MW-076	8/22/2006	TOTAL XYLENES	0.001	U	MG/L
MW-076	8/22/2006	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-076	8/22/2006	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-076	8/22/2006	TRANS-1,4-DICHLORO-2-BUTENE	0.005	U	MG/L
MW-076	8/22/2006	TRICHLOROETHENE	0.001	U	MG/L
MW-076	8/22/2006	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-076	8/22/2006	TURBIDITY	65		NTU

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-076	8/22/2006	VANADIUM	0.005	U	MG/L
MW-076	8/22/2006	VINYL ACETATE	0.001	U	MG/L
MW-076	8/22/2006	VINYL CHLORIDE	0.001	U	MG/L
MW-076	8/22/2006	ZINC	0.013		MG/L
MW-076	3/13/2007	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-076	3/13/2007	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-076	3/13/2007	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-076	3/13/2007	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-076	3/13/2007	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-076	3/13/2007	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-076	3/13/2007	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-076	3/13/2007	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-076	3/13/2007	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-076	3/13/2007	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-076	3/13/2007	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-076	3/13/2007	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-076	3/13/2007	1,4-DICHLOROBENZENE	0.001	U	MG/L
MW-076	3/13/2007	2-BUTANONE	0.005	U	MG/L
MW-076	3/13/2007	2-HEXANONE	0.005	U	MG/L
MW-076	3/13/2007	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-076	3/13/2007	ACETONE	0.005	U	MG/L
MW-076	3/13/2007	ACRYLONITRILE	0.005	U	MG/L
MW-076	3/13/2007	ALKALINITY	20		MG/L
MW-076	3/13/2007	AMMONIA	1	U	MG/L
MW-076	3/13/2007	ANTIMONY	0.002	U	MG/L
MW-076	3/13/2007	ARSENIC	0.05	U	MG/L
MW-076	3/13/2007	BARIUM	0.013		MG/L
MW-076	3/13/2007	BENZENE	0.001	U	MG/L
MW-076	3/13/2007	BERYLLIUM	0.002	U	MG/L
MW-076	3/13/2007	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-076	3/13/2007	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-076	3/13/2007	BROMOFORM	0.001	U	MG/L
MW-076	3/13/2007	BROMOMETHANE	0.001	U	MG/L
MW-076	3/13/2007	CADMIUM	0.0005	U	MG/L
MW-076	3/13/2007	CALCIUM	7.4		MG/L
MW-076	3/13/2007	CARBON DISULFIDE	0.001	U	MG/L
MW-076	3/13/2007	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-076	3/13/2007	CHEMICAL OXYGEN DEMAND	10	U	MG/L
MW-076	3/13/2007	CHLORIDE	1.5		MG/L
MW-076	3/13/2007	CHLOROENZENE	0.001	U	MG/L
MW-076	3/13/2007	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-076	3/13/2007	CHLOROETHANE	0.001	U	MG/L
MW-076	3/13/2007	CHLOROFORM	0.001	U	MG/L
MW-076	3/13/2007	CHLOROMETHANE	0.001	U	MG/L
MW-076	3/13/2007	CHROMIUM	0.008		MG/L
MW-076	3/13/2007	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-076	3/13/2007	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-076	3/13/2007	COBALT	0.005	U	MG/L
MW-076	3/13/2007	COPPER	0.002	U	MG/L
MW-076	3/13/2007	CYANIDE	0.001	U	MG/L
MW-076	3/13/2007	DIBROMOMETHANE	0.001	U	MG/L
MW-076	3/13/2007	ETHYLBENZENE	0.001	U	MG/L
MW-076	3/13/2007	FLUORIDE	0.10		MG/L
MW-076	3/13/2007	FREE CYANIDE	0.005	U	MG/L
MW-076	3/13/2007	GALLIUM	0.005	U	MG/L
MW-076	3/13/2007	HARDNESS	42		MG/L
MW-076	3/13/2007	IRON	0.93		MG/L
MW-076	3/13/2007	LEAD	0.002	U	MG/L
MW-076	3/13/2007	M+P-XYLENES	0.001	U	MG/L
MW-076	3/13/2007	MAGNESIUM	5.8		MG/L
MW-076	3/13/2007	MANGANESE	0.042		MG/L
MW-076	3/13/2007	MERCURY	0.0002	U	MG/L
MW-076	3/13/2007	METHYL IODIDE	0.001	U	MG/L
MW-076	3/13/2007	METHYLENE CHLORIDE	0.001	U	MG/L
MW-076	3/13/2007	MOLYBDENUM	0.005	U	MG/L
MW-076	3/13/2007	NICKEL	0.005	U	MG/L
MW-076	3/13/2007	NITRATE	2.3		MG/L
MW-076	3/13/2007	NITRITE	0.005		MG/L
MW-076	3/13/2007	O-XYLENE	0.001	U	MG/L
MW-076	3/13/2007	SELENIUM	0.005	U	MG/L
MW-076	3/13/2007	SILVER	0.001	U	MG/L
MW-076	3/13/2007	SODIUM	4.7		MG/L
MW-076	3/13/2007	STYRENE	0.001	U	MG/L
MW-076	3/13/2007	SULFATE	25		MG/L
MW-076	3/13/2007	TETRACHLOROETHENE	0.001	U	MG/L
MW-076	3/13/2007	THALLIUM	0.002	U	MG/L
MW-076	3/13/2007	TOLUENE	0.001	U	MG/L
MW-076	3/13/2007	TOTAL DISSOLVED SOLIDS	35		MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-076	3/13/2007	TOTAL XYLENES	0.001	U	MG/L
MW-076	3/13/2007	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-076	3/13/2007	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-076	3/13/2007	TRANS-1,4-DICHLORO-2-BUTENE	0.005	U	MG/L
MW-076	3/13/2007	TRICHLOROETHENE	0.001	U	MG/L
MW-076	3/13/2007	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-076	3/13/2007	TURBIDITY	14		NTU
MW-076	3/13/2007	VANADIUM	0.01	U	MG/L
MW-076	3/13/2007	VINYL ACETATE	0.001	U	MG/L
MW-076	3/13/2007	VINYL CHLORIDE	0.001	U	MG/L
MW-076	3/13/2007	ZINC	0.01	U	MG/L
MW-076	9/11/2007	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-076	9/11/2007	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-076	9/11/2007	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-076	9/11/2007	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-076	9/11/2007	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-076	9/11/2007	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-076	9/11/2007	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-076	9/11/2007	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-076	9/11/2007	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-076	9/11/2007	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-076	9/11/2007	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-076	9/11/2007	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-076	9/11/2007	1,4-DICHLOROBENZENE	0.001	U	MG/L
MW-076	9/11/2007	2-BUTANONE	0.005	U	MG/L
MW-076	9/11/2007	2-HEXANONE	0.005	U	MG/L
MW-076	9/11/2007	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-076	9/11/2007	ACETONE	0.005	U	MG/L
MW-076	9/11/2007	ACRYLONITRILE	0.005	U	MG/L
MW-076	9/11/2007	ALKALINITY	46		MG/L
MW-076	9/11/2007	AMMONIA	0.10	U	MG/L
MW-076	9/11/2007	ANTIMONY	0.002	U	MG/L
MW-076	9/11/2007	ARSENIC	0.002	U	MG/L
MW-076	9/11/2007	BARIIUM	0.047		MG/L
MW-076	9/11/2007	BENZENE	0.001	U	MG/L
MW-076	9/11/2007	BERYLLIUM	0.002	U	MG/L
MW-076	9/11/2007	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-076	9/11/2007	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-076	9/11/2007	BROMOFORM	0.001	U	MG/L
MW-076	9/11/2007	BROMOMETHANE	0.001	U	MG/L
MW-076	9/11/2007	CADMIUM	0.0005	U	MG/L
MW-076	9/11/2007	CALCIUM	14		MG/L
MW-076	9/11/2007	CARBON DISULFIDE	0.001	U	MG/L
MW-076	9/11/2007	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-076	9/11/2007	CHEMICAL OXYGEN DEMAND	10	U	MG/L
MW-076	9/11/2007	CHLORIDE	1.5		MG/L
MW-076	9/11/2007	CHLOROBENZENE	0.001	U	MG/L
MW-076	9/11/2007	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-076	9/11/2007	CHLOROETHANE	0.001	U	MG/L
MW-076	9/11/2007	CHLOROFORM	0.001	U	MG/L
MW-076	9/11/2007	CHLOROMETHANE	0.001	U	MG/L
MW-076	9/11/2007	CHROMIUM	0.015		MG/L
MW-076	9/11/2007	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-076	9/11/2007	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-076	9/11/2007	COBALT	0.004		MG/L
MW-076	9/11/2007	COPPER	0.0042		MG/L
MW-076	9/11/2007	CYANIDE	0.005	U	MG/L
MW-076	9/11/2007	DIBROMOMETHANE	0.001	U	MG/L
MW-076	9/11/2007	ETHYLBENZENE	0.001	U	MG/L
MW-076	9/11/2007	FLUORIDE	0.22		MG/L
MW-076	9/11/2007	FREE CYANIDE	0.005	U	MG/L
MW-076	9/11/2007	GALLIUM	0.0076		MG/L
MW-076	9/11/2007	HARDNESS	69		MG/L
MW-076	9/11/2007	IRON	7.2		MG/L
MW-076	9/11/2007	LEAD	0.0063		MG/L
MW-076	9/11/2007	M+P-XYLENES	0.001	U	MG/L
MW-076	9/11/2007	MAGNESIUM	8.4		MG/L
MW-076	9/11/2007	MANGANESE	0.30		MG/L
MW-076	9/11/2007	MERCURY	0.0002	U	MG/L
MW-076	9/11/2007	METHYL IODIDE	0.001	U	MG/L
MW-076	9/11/2007	METHYLENE CHLORIDE	0.001	U	MG/L
MW-076	9/11/2007	NICKEL	0.0085		MG/L
MW-076	9/11/2007	NITRATE	1.8		MG/L
MW-076	9/11/2007	NITRITE	0.038		MG/L
MW-076	9/11/2007	O-XYLENE	0.001	U	MG/L
MW-076	9/11/2007	SELENIUM	0.005	U	MG/L
MW-076	9/11/2007	SILVER	0.0008		MG/L
MW-076	9/11/2007	SODIUM	5.4		MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-076	9/11/2007	STYRENE	0.001	U	MG/L
MW-076	9/11/2007	SULFATE	41		MG/L
MW-076	9/11/2007	TETRACHLOROETHENE	0.001	U	MG/L
MW-076	9/11/2007	THALLIUM	0.002	U	MG/L
MW-076	9/11/2007	TOLUENE	0.001	U	MG/L
MW-076	9/11/2007	TOTAL DISSOLVED SOLIDS	89		MG/L
MW-076	9/11/2007	TOTAL XYLENES	0.001	U	MG/L
MW-076	9/11/2007	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-076	9/11/2007	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-076	9/11/2007	TRANS-1,4-DICHLORO-2-BUTENE	0.005	U	MG/L
MW-076	9/11/2007	TRICHLOROETHENE	0.001	U	MG/L
MW-076	9/11/2007	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-076	9/11/2007	TURBIDITY	160		NTU
MW-076	9/11/2007	VANADIUM	0.0077		MG/L
MW-076	9/11/2007	VINYL ACETATE	0.001	U	MG/L
MW-076	9/11/2007	VINYL CHLORIDE	0.001	U	MG/L
MW-076	9/11/2007	ZINC	0.018		MG/L
MW-076	3/18/2008	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-076	3/18/2008	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-076	3/18/2008	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-076	3/18/2008	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-076	3/18/2008	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-076	3/18/2008	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-076	3/18/2008	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-076	3/18/2008	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-076	3/18/2008	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-076	3/18/2008	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-076	3/18/2008	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-076	3/18/2008	1,4-DICHLOROBENZENE	0.001	U	MG/L
MW-076	3/18/2008	2-BUTANONE	0.005	U	MG/L
MW-076	3/18/2008	2-HEXANONE	0.005	U	MG/L
MW-076	3/18/2008	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-076	3/18/2008	ACETONE	0.005	U	MG/L
MW-076	3/18/2008	ACRYLONITRILE	0.005	U	MG/L
MW-076	3/18/2008	ALKALINITY	12		MG/L
MW-076	3/18/2008	AMMONIA	0.10	U	MG/L
MW-076	3/18/2008	ANTIMONY	0.005		MG/L
MW-076	3/18/2008	ARSENIC	0.0023		MG/L
MW-076	3/18/2008	BARIUM	0.15		MG/L
MW-076	3/18/2008	BENZENE	0.001	U	MG/L
MW-076	3/18/2008	BERYLLIUM	0.0025	U	MG/L
MW-076	3/18/2008	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-076	3/18/2008	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-076	3/18/2008	BROMOFORM	0.001	U	MG/L
MW-076	3/18/2008	BROMOMETHANE	0.001	U	MG/L
MW-076	3/18/2008	CADMIUM	0.0005	U	MG/L
MW-076	3/18/2008	CALCIUM	11		MG/L
MW-076	3/18/2008	CARBON DISULFIDE	0.001	U	MG/L
MW-076	3/18/2008	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-076	3/18/2008	CHEMICAL OXYGEN DEMAND	6		MG/L
MW-076	3/18/2008	CHLORIDE	8.5		MG/L
MW-076	3/18/2008	CHLOROBENZENE	0.001	U	MG/L
MW-076	3/18/2008	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-076	3/18/2008	CHLOROETHANE	0.001	U	MG/L
MW-076	3/18/2008	CHLOROFORM	0.001	U	MG/L
MW-076	3/18/2008	CHLOROMETHANE	0.001	U	MG/L
MW-076	3/18/2008	CHROMIUM	0.061		MG/L
MW-076	3/18/2008	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-076	3/18/2008	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-076	3/18/2008	COBALT	0.017		MG/L
MW-076	3/18/2008	COPPER	0.016		MG/L
MW-076	3/18/2008	CYANIDE	0.01		MG/L
MW-076	3/18/2008	DIBROMOMETHANE	0.001	U	MG/L
MW-076	3/18/2008	ETHYLBENZENE	0.001	U	MG/L
MW-076	3/18/2008	FLUORIDE	0.14		MG/L
MW-076	3/18/2008	FREE CYANIDE	0.0072		MG/L
MW-076	3/18/2008	GALLIUM	0.062		MG/L
MW-076	3/18/2008	HARDNESS	91		MG/L
MW-076	3/18/2008	IRON	24		MG/L
MW-076	3/18/2008	LEAD	0.024		MG/L
MW-076	3/18/2008	M+P-XYLENES	0.001	U	MG/L
MW-076	3/18/2008	MAGNESIUM	15		MG/L
MW-076	3/18/2008	MANGANESE	1.5		MG/L
MW-076	3/18/2008	MERCURY	0.0002	U	MG/L
MW-076	3/18/2008	METHYL IODIDE	0.001	U	MG/L
MW-076	3/18/2008	METHYLENE CHLORIDE	0.001	U	MG/L
MW-076	3/18/2008	NICKEL	0.056		MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-076	3/18/2008	NITRATE	0.05	U	MG/L
MW-076	3/18/2008	NITRITE	0.46		MG/L
MW-076	3/18/2008	O-XYLENE	0.001	U	MG/L
MW-076	3/18/2008	SELENIUM	0.003		MG/L
MW-076	3/18/2008	SILVER	0.001	U	MG/L
MW-076	3/18/2008	SODIUM	4.3		MG/L
MW-076	3/18/2008	STYRENE	0.001	U	MG/L
MW-076	3/18/2008	SULFATE	10	U	MG/L
MW-076	3/18/2008	TETRACHLOROETHENE	0.001	U	MG/L
MW-076	3/18/2008	THALLIUM	0.002	U	MG/L
MW-076	3/18/2008	TOLUENE	0.001	U	MG/L
MW-076	3/18/2008	TOTAL DISSOLVED SOLIDS	41		MG/L
MW-076	3/18/2008	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-076	3/18/2008	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-076	3/18/2008	TRANS-1,4-DICHLORO-2-BUTENE	0.005	U	MG/L
MW-076	3/18/2008	TRICHLOROETHENE	0.001	U	MG/L
MW-076	3/18/2008	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-076	3/18/2008	TURBIDITY	310		NTU
MW-076	3/18/2008	VANADIUM	0.062		MG/L
MW-076	3/18/2008	VINYL ACETATE	0.005	U	MG/L
MW-076	3/18/2008	VINYL CHLORIDE	0.001	U	MG/L
MW-076	3/18/2008	ZINC	0.076		MG/L
MW-076	9/25/2008	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-076	9/25/2008	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-076	9/25/2008	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-076	9/25/2008	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-076	9/25/2008	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-076	9/25/2008	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-076	9/25/2008	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-076	9/25/2008	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-076	9/25/2008	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-076	9/25/2008	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-076	9/25/2008	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-076	9/25/2008	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-076	9/25/2008	1,4-DICHLOROBENZENE	0.001	U	MG/L
MW-076	9/25/2008	2-BUTANONE	0.005	U	MG/L
MW-076	9/25/2008	2-HEXANONE	0.005	U	MG/L
MW-076	9/25/2008	4-BROMOFLUOROBENZENE	0.0296		MG/L
MW-076	9/25/2008	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-076	9/25/2008	ACETONE	0.005	U	MG/L
MW-076	9/25/2008	ACRYLONITRILE	0.005	U	MG/L
MW-076	9/25/2008	ALKALINITY	22		MG/L
MW-076	9/25/2008	AMMONIA	0.14		MG/L
MW-076	9/25/2008	ANTIMONY	0.005	U	MG/L
MW-076	9/25/2008	ARSENIC	0.005	U	MG/L
MW-076	9/25/2008	BARIUM	0.025		MG/L
MW-076	9/25/2008	BENZENE	0.001	U	MG/L
MW-076	9/25/2008	BERYLLIUM	0.002	U	MG/L
MW-076	9/25/2008	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-076	9/25/2008	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-076	9/25/2008	BROMOFORM	0.001	U	MG/L
MW-076	9/25/2008	BROMOMETHANE	0.001	U	MG/L
MW-076	9/25/2008	CADMIUM	0.0005	U	MG/L
MW-076	9/25/2008	CALCIUM	12		MG/L
MW-076	9/25/2008	CARBON DISULFIDE	0.001	U	MG/L
MW-076	9/25/2008	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-076	9/25/2008	CHEMICAL OXYGEN DEMAND	10		MG/L
MW-076	9/25/2008	CHLORIDE	1.5		MG/L
MW-076	9/25/2008	CHLOROBENZENE	0.001	U	MG/L
MW-076	9/25/2008	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-076	9/25/2008	CHLOROETHANE	0.001	U	MG/L
MW-076	9/25/2008	CHLOROFORM	0.001	U	MG/L
MW-076	9/25/2008	CHLOROMETHANE	0.001	U	MG/L
MW-076	9/25/2008	CHROMIUM	0.013		MG/L
MW-076	9/25/2008	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-076	9/25/2008	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-076	9/25/2008	COBALT	0.005	U	MG/L
MW-076	9/25/2008	COPPER	0.002	U	MG/L
MW-076	9/25/2008	CYANIDE	0.01	U	MG/L
MW-076	9/25/2008	DIBROMOMETHANE	0.001	U	MG/L
MW-076	9/25/2008	ETHYLBENZENE	0.001	U	MG/L
MW-076	9/25/2008	FLUORIDE	0.20		MG/L
MW-076	9/25/2008	FLUORODIBROMOMETHANE	0.0245		MG/L
MW-076	9/25/2008	FREE CYANIDE	0.01	U	MG/L
MW-076	9/25/2008	GALLIUM	0.005	U	MG/L
MW-076	9/25/2008	HARDNESS	65		MG/L
MW-076	9/25/2008	IRON	4		MG/L
MW-076	9/25/2008	LEAD	0.002	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-076	9/25/2008	M+P-XYLENES	0.002	U	MG/L
MW-076	9/25/2008	MAGNESIUM	8.2		MG/L
MW-076	9/25/2008	MANGANESE	0.22		MG/L
MW-076	9/25/2008	MERCURY	0.0002	U	MG/L
MW-076	9/25/2008	METHYL IODIDE	0.001	U	MG/L
MW-076	9/25/2008	METHYLENE CHLORIDE	0.001	U	MG/L
MW-076	9/25/2008	NICKEL	0.005	U	MG/L
MW-076	9/25/2008	NITRATE	2.6		MG/L
MW-076	9/25/2008	NITRITE	0.039		MG/L
MW-076	9/25/2008	NITRITE/NITRATE-N	2.6		MG/L
MW-076	9/25/2008	O-XYLENE	0.001	U	MG/L
MW-076	9/25/2008	SELENIUM	0.005	U	MG/L
MW-076	9/25/2008	SILVER	0.002	U	MG/L
MW-076	9/25/2008	SODIUM	6.1		MG/L
MW-076	9/25/2008	STYRENE	0.001	U	MG/L
MW-076	9/25/2008	SULFATE	39		MG/L
MW-076	9/25/2008	TETRACHLOROETHENE	0.001	U	MG/L
MW-076	9/25/2008	THALLIUM	0.002	U	MG/L
MW-076	9/25/2008	TOLUENE	0.001	U	MG/L
MW-076	9/25/2008	TOTAL DISSOLVED SOLIDS	84		MG/L
MW-076	9/25/2008	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-076	9/25/2008	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-076	9/25/2008	TRANS-1,4-DICHLORO-2-BUTENE	0.005	U	MG/L
MW-076	9/25/2008	TRICHLOROETHENE	0.001	U	MG/L
MW-076	9/25/2008	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-076	9/25/2008	TURBIDITY	12		NTU
MW-076	9/25/2008	VANADIUM	0.005	U	MG/L
MW-076	9/25/2008	VINYL ACETATE	0.001	U	MG/L
MW-076	9/25/2008	VINYL CHLORIDE	0.001	U	MG/L
MW-076	9/25/2008	ZINC	0.017		MG/L
MW-076	2/24/2009	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-076	2/24/2009	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-076	2/24/2009	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-076	2/24/2009	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-076	2/24/2009	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-076	2/24/2009	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-076	2/24/2009	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-076	2/24/2009	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-076	2/24/2009	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-076	2/24/2009	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-076	2/24/2009	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-076	2/24/2009	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-076	2/24/2009	1,4-DICHLOROBENZENE	0.001	U	MG/L
MW-076	2/24/2009	2-BUTANONE	0.005	U	MG/L
MW-076	2/24/2009	2-HEXANONE	0.005	U	MG/L
MW-076	2/24/2009	4-BROMOFLUOROBENZENE	0.0237		MG/L
MW-076	2/24/2009	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-076	2/24/2009	ACETONE	0.005	U	MG/L
MW-076	2/24/2009	ACRYLONITRILE	0.005	U	MG/L
MW-076	2/24/2009	ALKALINITY	17		MG/L
MW-076	2/24/2009	AMMONIA	0.13		MG/L
MW-076	2/24/2009	ANTIMONY	0.0014		MG/L
MW-076	2/24/2009	ARSENIC	0.005	U	MG/L
MW-076	2/24/2009	BARIUM	0.026		MG/L
MW-076	2/24/2009	BENZENE	0.001	U	MG/L
MW-076	2/24/2009	BERYLLIUM	0.002	U	MG/L
MW-076	2/24/2009	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-076	2/24/2009	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-076	2/24/2009	BROMOFORM	0.001	U	MG/L
MW-076	2/24/2009	BROMOMETHANE	0.001	U	MG/L
MW-076	2/24/2009	CADMIUM	0.00052		MG/L
MW-076	2/24/2009	CARBON DISULFIDE	0.001	U	MG/L
MW-076	2/24/2009	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-076	2/24/2009	CHEMICAL OXYGEN DEMAND	10	U	MG/L
MW-076	2/24/2009	CHLORIDE	2		MG/L
MW-076	2/24/2009	CHLOROBENZENE	0.001	U	MG/L
MW-076	2/24/2009	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-076	2/24/2009	CHLOROETHANE	0.001	U	MG/L
MW-076	2/24/2009	CHLOROFORM	0.001	U	MG/L
MW-076	2/24/2009	CHLOROMETHANE	0.001	U	MG/L
MW-076	2/24/2009	CHROMIUM	0.01		MG/L
MW-076	2/24/2009	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-076	2/24/2009	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-076	2/24/2009	COBALT	0.005	U	MG/L
MW-076	2/24/2009	COPPER	0.019		MG/L
MW-076	2/24/2009	CYANIDE	0.003	U	MG/L
MW-076	2/24/2009	DIBROMOMETHANE	0.001	U	MG/L
MW-076	2/24/2009	ETHYLBENZENE	0.001	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-076	2/24/2009	FLUORIDE	0.10		MG/L
MW-076	2/24/2009	FLUORODIBROMOMETHANE	0.0228		MG/L
MW-076	2/24/2009	FREE CYANIDE	0.0017	U	MG/L
MW-076	2/24/2009	GALLIUM	0.005	U	MG/L
MW-076	2/24/2009	HARDNESS	48		MG/L
MW-076	2/24/2009	IRON	2.3		MG/L
MW-076	2/24/2009	LEAD	0.0029		MG/L
MW-076	2/24/2009	M+P-XYLENES	0.00095	U	MG/L
MW-076	2/24/2009	MANGANESE	0.13		MG/L
MW-076	2/24/2009	MERCURY	0.0002	U	MG/L
MW-076	2/24/2009	METHYL IODIDE	0.001	U	MG/L
MW-076	2/24/2009	METHYLENE CHLORIDE	0.001	U	MG/L
MW-076	2/24/2009	NICKEL	0.005	U	MG/L
MW-076	2/24/2009	NITRATE	0.05	U	MG/L
MW-076	2/24/2009	NITRITE	0.021		MG/L
MW-076	2/24/2009	NITRITE/NITRATE-N	0.05	U	MG/L
MW-076	2/24/2009	O-XYLENE	0.001	U	MG/L
MW-076	2/24/2009	SELENIUM	0.005	U	MG/L
MW-076	2/24/2009	SILVER	0.002	U	MG/L
MW-076	2/24/2009	SODIUM	4.6		MG/L
MW-076	2/24/2009	STYRENE	0.001	U	MG/L
MW-076	2/24/2009	SULFATE	26		MG/L
MW-076	2/24/2009	TETRACHLOROETHENE	0.001	U	MG/L
MW-076	2/24/2009	THALLIUM	0.002	U	MG/L
MW-076	2/24/2009	TOLUENE	0.001	U	MG/L
MW-076	2/24/2009	TOTAL DISSOLVED SOLIDS	57		MG/L
MW-076	2/24/2009	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-076	2/24/2009	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-076	2/24/2009	TRANS-1,4-DICHLORO-2-BUTENE	0.001	U	MG/L
MW-076	2/24/2009	TRICHLOROETHENE	0.001	U	MG/L
MW-076	2/24/2009	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-076	2/24/2009	TURBIDITY	86		NTU
MW-076	2/24/2009	VANADIUM	0.0082		MG/L
MW-076	2/24/2009	VINYL ACETATE	0.001	U	MG/L
MW-076	2/24/2009	VINYL CHLORIDE	0.001	U	MG/L
MW-076	2/24/2009	ZINC	0.033		MG/L
MW-076	8/27/2009	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-076	8/27/2009	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-076	8/27/2009	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-076	8/27/2009	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-076	8/27/2009	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-076	8/27/2009	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-076	8/27/2009	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-076	8/27/2009	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-076	8/27/2009	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-076	8/27/2009	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-076	8/27/2009	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-076	8/27/2009	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-076	8/27/2009	1,4-DICHLOROBENZENE	0.001	U	MG/L
MW-076	8/27/2009	2-BUTANONE	0.005	U	MG/L
MW-076	8/27/2009	2-HEXANONE	0.005	U	MG/L
MW-076	8/27/2009	4-BROMOFLUOROBENZENE	0.0211		MG/L
MW-076	8/27/2009	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-076	8/27/2009	ACETONE	0.005	U	MG/L
MW-076	8/27/2009	ACRYLONITRILE	0.005	U	MG/L
MW-076	8/27/2009	ALKALINITY	28		MG/L
MW-076	8/27/2009	AMMONIA	0.10	U	MG/L
MW-076	8/27/2009	ANTIMONY	0.002	U	MG/L
MW-076	8/27/2009	ARSENIC	0.005	U	MG/L
MW-076	8/27/2009	BARIUM	0.038		MG/L
MW-076	8/27/2009	BENZENE	0.001	U	MG/L
MW-076	8/27/2009	BERYLLIUM	0.001	U	MG/L
MW-076	8/27/2009	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-076	8/27/2009	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-076	8/27/2009	BROMOFORM	0.001	U	MG/L
MW-076	8/27/2009	BROMOMETHANE	0.001	U	MG/L
MW-076	8/27/2009	CADMIUM	0.0005	U	MG/L
MW-076	8/27/2009	CARBON DISULFIDE	0.001	U	MG/L
MW-076	8/27/2009	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-076	8/27/2009	CHEMICAL OXYGEN DEMAND	84		MG/L
MW-076	8/27/2009	CHLORIDE	2.5		MG/L
MW-076	8/27/2009	CHLOROBENZENE	0.001	U	MG/L
MW-076	8/27/2009	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-076	8/27/2009	CHLOROETHANE	0.001	U	MG/L
MW-076	8/27/2009	CHLOROFORM	0.001	U	MG/L
MW-076	8/27/2009	CHLOROMETHANE	0.001	U	MG/L
MW-076	8/27/2009	CHROMIUM	0.0062		MG/L
MW-076	8/27/2009	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-076	8/27/2009	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-076	8/27/2009	COBALT	0.005	U	MG/L
MW-076	8/27/2009	COPPER	0.0032		MG/L
MW-076	8/27/2009	CYANIDE	0.005	U	MG/L
MW-076	8/27/2009	DIBROMOMETHANE	0.001	U	MG/L
MW-076	8/27/2009	ETHYLBENZENE	0.001	U	MG/L
MW-076	8/27/2009	FLUORIDE	0.12		MG/L
MW-076	8/27/2009	FLUORODIBROMOMETHANE	0.0223		MG/L
MW-076	8/27/2009	FREE CYANIDE	0.0017	U	MG/L
MW-076	8/27/2009	GALLIUM	0.005	U	MG/L
MW-076	8/27/2009	HARDNESS	48		MG/L
MW-076	8/27/2009	IRON	2.2		MG/L
MW-076	8/27/2009	LEAD	0.0053		MG/L
MW-076	8/27/2009	M+P-XYLENES	0.001	U	MG/L
MW-076	8/27/2009	MANGANESE	0.26		MG/L
MW-076	8/27/2009	MERCURY	0.0008	U	MG/L
MW-076	8/27/2009	METHYL IODIDE	0.001	U	MG/L
MW-076	8/27/2009	METHYLENE CHLORIDE	0.001	U	MG/L
MW-076	8/27/2009	NICKEL	0.005	U	MG/L
MW-076	8/27/2009	NITRITE	0.15		MG/L
MW-076	8/27/2009	NITRITE/NITRATE-N	0.05	U	MG/L
MW-076	8/27/2009	O-XYLENE	0.001	U	MG/L
MW-076	8/27/2009	SELENIUM	0.005	U	MG/L
MW-076	8/27/2009	SILVER	0.002	U	MG/L
MW-076	8/27/2009	SODIUM	6.8		MG/L
MW-076	8/27/2009	STYRENE	0.001	U	MG/L
MW-076	8/27/2009	SULFATE	5.1		MG/L
MW-076	8/27/2009	TETRACHLOROETHENE	0.001	U	MG/L
MW-076	8/27/2009	THALLIUM	0.002	U	MG/L
MW-076	8/27/2009	TOLUENE	0.001	U	MG/L
MW-076	8/27/2009	TOTAL DISSOLVED SOLIDS	24		MG/L
MW-076	8/27/2009	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-076	8/27/2009	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-076	8/27/2009	TRANS-1,4-DICHLORO-2-BUTENE	0.001	U	MG/L
MW-076	8/27/2009	TRICHLOROETHENE	0.001	U	MG/L
MW-076	8/27/2009	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-076	8/27/2009	TURBIDITY	330		NTU
MW-076	8/27/2009	VANADIUM	0.005	U	MG/L
MW-076	8/27/2009	VINYL ACETATE	0.001	U	MG/L
MW-076	8/27/2009	VINYL CHLORIDE	0.001	U	MG/L
MW-076	8/27/2009	ZINC	0.015	U	MG/L
MW-076	3/18/2010	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-076	3/18/2010	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-076	3/18/2010	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-076	3/18/2010	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-076	3/18/2010	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-076	3/18/2010	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-076	3/18/2010	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-076	3/18/2010	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-076	3/18/2010	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-076	3/18/2010	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-076	3/18/2010	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-076	3/18/2010	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-076	3/18/2010	1,4-DICHLOROBENZENE	0.001	U	MG/L
MW-076	3/18/2010	2-BUTANONE	0.005	U	MG/L
MW-076	3/18/2010	2-HEXANONE	0.005	U	MG/L
MW-076	3/18/2010	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-076	3/18/2010	ACETONE	0.005	U	MG/L
MW-076	3/18/2010	ACRYLONITRILE	0.005	U	MG/L
MW-076	3/18/2010	ALKALINITY	20		MG/L
MW-076	3/18/2010	AMMONIA	0.31		MG/L
MW-076	3/18/2010	ANTIMONY	0.002	U	MG/L
MW-076	3/18/2010	ARSENIC	0.002	U	MG/L
MW-076	3/18/2010	BARIUM	0.032		MG/L
MW-076	3/18/2010	BENZENE	0.001	U	MG/L
MW-076	3/18/2010	BERYLLIUM	0.001	U	MG/L
MW-076	3/18/2010	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-076	3/18/2010	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-076	3/18/2010	BROMOFORM	0.001	U	MG/L
MW-076	3/18/2010	BROMOMETHANE	0.001	U	MG/L
MW-076	3/18/2010	CADMIUM	0.0005	U	MG/L
MW-076	3/18/2010	CALCIUM	8.6		MG/L
MW-076	3/18/2010	CARBON DISULFIDE	0.001	U	MG/L
MW-076	3/18/2010	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-076	3/18/2010	CHEMICAL OXYGEN DEMAND	13		MG/L
MW-076	3/18/2010	CHLORIDE	3		MG/L
MW-076	3/18/2010	CHLOROBENZENE	0.001	U	MG/L
MW-076	3/18/2010	CHLORODIBROMOMETHANE	0.001	U	MG/L



Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-076	3/18/2010	CHLOROETHANE	0.001	U	MG/L
MW-076	3/18/2010	CHLOROFORM	0.001	U	MG/L
MW-076	3/18/2010	CHLOROMETHANE	0.001	U	MG/L
MW-076	3/18/2010	CHROMIUM	0.0025	U	MG/L
MW-076	3/18/2010	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-076	3/18/2010	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-076	3/18/2010	COBALT	0.005	U	MG/L
MW-076	3/18/2010	COPPER	0.002	U	MG/L
MW-076	3/18/2010	CYANIDE	0.005	U	MG/L
MW-076	3/18/2010	DIBROMOMETHANE	0.001	U	MG/L
MW-076	3/18/2010	ETHYLBENZENE	0.001	U	MG/L
MW-076	3/18/2010	FLUORIDE	0.10	U	MG/L
MW-076	3/18/2010	FREE CYANIDE	0.0034	U	MG/L
MW-076	3/18/2010	HARDNESS	50		MG/L
MW-076	3/18/2010	IRON	0.41		MG/L
MW-076	3/18/2010	LEAD	0.002	U	MG/L
MW-076	3/18/2010	MAGNESIUM	6.8		MG/L
MW-076	3/18/2010	MANGANESE	0.038		MG/L
MW-076	3/18/2010	MERCURY	0.0002	U	MG/L
MW-076	3/18/2010	METHYL IODIDE	0.001	U	MG/L
MW-076	3/18/2010	METHYL TERT-BUTYL ETHER	0.001	U	MG/L
MW-076	3/18/2010	METHYLENE CHLORIDE	0.001	U	MG/L
MW-076	3/18/2010	NICKEL	0.0064		MG/L
MW-076	3/18/2010	NITRATE	0.093		MG/L
MW-076	3/18/2010	O-XYLENE	0.001	U	MG/L
MW-076	3/18/2010	POTASSIUM	1.6		MG/L
MW-076	3/18/2010	SELENIUM	0.005	U	MG/L
MW-076	3/18/2010	SILVER	0.002	U	MG/L
MW-076	3/18/2010	SODIUM	3.7		MG/L
MW-076	3/18/2010	STYRENE	0.001	U	MG/L
MW-076	3/18/2010	SULFATE	24		MG/L
MW-076	3/18/2010	TETRACHLOROETHENE	0.001	U	MG/L
MW-076	3/18/2010	THALLIUM	0.002	U	MG/L
MW-076	3/18/2010	TOLUENE	0.001	U	MG/L
MW-076	3/18/2010	TOTAL DISSOLVED SOLIDS	110		MG/L
MW-076	3/18/2010	TOTAL XYLENES	0.001	U	MG/L
MW-076	3/18/2010	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-076	3/18/2010	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-076	3/18/2010	TRANS-1,4-DICHLORO-2-BUTENE	0.001	U	MG/L
MW-076	3/18/2010	TRICHLOROETHENE	0.001	U	MG/L
MW-076	3/18/2010	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-076	3/18/2010	TURBIDITY	12		NTU
MW-076	3/18/2010	VANADIUM	0.005	U	MG/L
MW-076	3/18/2010	VINYL ACETATE	0.001	U	MG/L
MW-076	3/18/2010	VINYL CHLORIDE	0.001	U	MG/L
MW-076	3/18/2010	ZINC	0.01	U	MG/L
MW-076	8/26/2010	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-076	8/26/2010	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-076	8/26/2010	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-076	8/26/2010	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-076	8/26/2010	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-076	8/26/2010	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-076	8/26/2010	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-076	8/26/2010	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-076	8/26/2010	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-076	8/26/2010	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-076	8/26/2010	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-076	8/26/2010	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-076	8/26/2010	1,4-DICHLOROBENZENE	0.001	U	MG/L
MW-076	8/26/2010	2-BUTANONE	0.005	U	MG/L
MW-076	8/26/2010	2-HEXANONE	0.005	U	MG/L
MW-076	8/26/2010	4-BROMOFLUOROBENZENE	0.0235		MG/L
MW-076	8/26/2010	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-076	8/26/2010	ACETONE	0.005	U	MG/L
MW-076	8/26/2010	ACRYLONITRILE	0.005	U	MG/L
MW-076	8/26/2010	ALKALINITY	18		MG/L
MW-076	8/26/2010	AMMONIA	0.10	U	MG/L
MW-076	8/26/2010	ANTIMONY	0.001	U	MG/L
MW-076	8/26/2010	ARSENIC	0.001	U	MG/L
MW-076	8/26/2010	BARIUM	0.048		MG/L
MW-076	8/26/2010	BENZENE	0.001	U	MG/L
MW-076	8/26/2010	BERYLLIUM	0.001	U	MG/L
MW-076	8/26/2010	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-076	8/26/2010	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-076	8/26/2010	BROMOFORM	0.001	U	MG/L
MW-076	8/26/2010	BROMOMETHANE	0.001	U	MG/L
MW-076	8/26/2010	CADMIUM	0.0005	U	MG/L
MW-076	8/26/2010	CALCIUM	10		MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-076	8/26/2010	CARBON DISULFIDE	0.001	U	MG/L
MW-076	8/26/2010	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-076	8/26/2010	CHEMICAL OXYGEN DEMAND	10	U	MG/L
MW-076	8/26/2010	CHLORIDE	2		MG/L
MW-076	8/26/2010	CHLOROBENZENE	0.001	U	MG/L
MW-076	8/26/2010	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-076	8/26/2010	CHLOROETHANE	0.001	U	MG/L
MW-076	8/26/2010	CHLOROFORM	0.001	U	MG/L
MW-076	8/26/2010	CHLOROMETHANE	0.001	U	MG/L
MW-076	8/26/2010	CHROMIUM	0.01		MG/L
MW-076	8/26/2010	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-076	8/26/2010	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-076	8/26/2010	COBALT	0.0025		MG/L
MW-076	8/26/2010	COPPER	0.0028		MG/L
MW-076	8/26/2010	CYANIDE	0.005	U	MG/L
MW-076	8/26/2010	DIBROMOMETHANE	0.001	U	MG/L
MW-076	8/26/2010	ETHYLBENZENE	0.001	U	MG/L
MW-076	8/26/2010	FLUORIDE	0.16		MG/L
MW-076	8/26/2010	FLUORODIBROMOMETHANE	0.0253		MG/L
MW-076	8/26/2010	FREE CYANIDE	0.0034	U	MG/L
MW-076	8/26/2010	HARDNESS	58		MG/L
MW-076	8/26/2010	IRON	3.5		MG/L
MW-076	8/26/2010	LEAD	0.0026		MG/L
MW-076	8/26/2010	M+P-XYLENES	0.001	U	MG/L
MW-076	8/26/2010	MAGNESIUM	7.8		MG/L
MW-076	8/26/2010	MANGANESE	0.25		MG/L
MW-076	8/26/2010	MERCURY	0.0002	U	MG/L
MW-076	8/26/2010	METHYL IODIDE	0.001	U	MG/L
MW-076	8/26/2010	METHYL TERT-BUTYL ETHER	0.001	U	MG/L
MW-076	8/26/2010	METHYLENE CHLORIDE	0.001	U	MG/L
MW-076	8/26/2010	NICKEL	0.033		MG/L
MW-076	8/26/2010	NITRATE	2.6		MG/L
MW-076	8/26/2010	NITRITE	0.02		MG/L
MW-076	8/26/2010	NITRITE/NITRATE-N	2.6		MG/L
MW-076	8/26/2010	O-XYLENE	0.001	U	MG/L
MW-076	8/26/2010	POTASSIUM	2		MG/L
MW-076	8/26/2010	SELENIUM	0.0025	U	MG/L
MW-076	8/26/2010	SILVER	0.0013		MG/L
MW-076	8/26/2010	SODIUM	5.8		MG/L
MW-076	8/26/2010	STYRENE	0.001	U	MG/L
MW-076	8/26/2010	SULFATE	29		MG/L
MW-076	8/26/2010	TETRACHLOROETHENE	0.001	U	MG/L
MW-076	8/26/2010	THALLIUM	0.001	U	MG/L
MW-076	8/26/2010	TOLUENE	0.001	U	MG/L
MW-076	8/26/2010	TOTAL DISSOLVED SOLIDS	120		MG/L
MW-076	8/26/2010	TOTAL XYLENES	0.0014	U	MG/L
MW-076	8/26/2010	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-076	8/26/2010	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-076	8/26/2010	TRANS-1,4-DICHLORO-2-BUTENE	0.001	U	MG/L
MW-076	8/26/2010	TRICHLOROETHENE	0.001	U	MG/L
MW-076	8/26/2010	TRICHLOROFUOROMETHANE	0.001	U	MG/L
MW-076	8/26/2010	TURBIDITY	29		NTU
MW-076	8/26/2010	VANADIUM	0.005		MG/L
MW-076	8/26/2010	VINYL ACETATE	0.001	U	MG/L
MW-076	8/26/2010	VINYL CHLORIDE	0.001	U	MG/L
MW-076	8/26/2010	ZINC	0.018		MG/L
MW-076	2/23/2011	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-076	2/23/2011	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-076	2/23/2011	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-076	2/23/2011	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-076	2/23/2011	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-076	2/23/2011	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-076	2/23/2011	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-076	2/23/2011	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-076	2/23/2011	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-076	2/23/2011	1,2-DICHLOROETHENE	0.001	U	MG/L
MW-076	2/23/2011	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-076	2/23/2011	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-076	2/23/2011	1,4-DICHLOROETHENE	0.001	U	MG/L
MW-076	2/23/2011	2-BUTANONE	0.005	U	MG/L
MW-076	2/23/2011	2-HEXANONE	0.005	U	MG/L
MW-076	2/23/2011	4-BROMOFLUOROBENZENE	0.0251		MG/L
MW-076	2/23/2011	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-076	2/23/2011	ACETONE	0.005	U	MG/L
MW-076	2/23/2011	ACRYLONITRILE	0.005	U	MG/L
MW-076	2/23/2011	ALKALINITY	12		MG/L
MW-076	2/23/2011	AMMONIA	0.21		MG/L
MW-076	2/23/2011	ANTIMONY	0.002	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-076	2/23/2011	ARSENIC	0.002		MG/L
MW-076	2/23/2011	BARIUM	0.086		MG/L
MW-076	2/23/2011	BENZENE	0.001	U	MG/L
MW-076	2/23/2011	BERYLLIUM	0.0021		MG/L
MW-076	2/23/2011	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-076	2/23/2011	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-076	2/23/2011	BROMOFORM	0.001	U	MG/L
MW-076	2/23/2011	BROMOMETHANE	0.001	U	MG/L
MW-076	2/23/2011	CADMIUM	0.0005	U	MG/L
MW-076	2/23/2011	CALCIUM	11		MG/L
MW-076	2/23/2011	CARBON DISULFIDE	0.001	U	MG/L
MW-076	2/23/2011	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-076	2/23/2011	CHEMICAL OXYGEN DEMAND	22		MG/L
MW-076	2/23/2011	CHLORIDE	4		MG/L
MW-076	2/23/2011	CHLOROBENZENE	0.001	U	MG/L
MW-076	2/23/2011	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-076	2/23/2011	CHLOROETHANE	0.001	U	MG/L
MW-076	2/23/2011	CHLOROFORM	0.001	U	MG/L
MW-076	2/23/2011	CHLOROMETHANE	0.001	U	MG/L
MW-076	2/23/2011	CHROMIUM	0.021		MG/L
MW-076	2/23/2011	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-076	2/23/2011	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-076	2/23/2011	COBALT	0.0093		MG/L
MW-076	2/23/2011	COPPER	0.01		MG/L
MW-076	2/23/2011	CYANIDE	0.001		MG/L
MW-076	2/23/2011	DIBROMOMETHANE	0.001	U	MG/L
MW-076	2/23/2011	ETHYLBENZENE	0.001	U	MG/L
MW-076	2/23/2011	FLUORIDE	0.19		MG/L
MW-076	2/23/2011	FLUORODIBROMOMETHANE	0.0251		MG/L
MW-076	2/23/2011	FREE CYANIDE	0.0034	U	MG/L
MW-076	2/23/2011	HARDNESS	75		MG/L
MW-076	2/23/2011	IRON	10		MG/L
MW-076	2/23/2011	LEAD	0.014		MG/L
MW-076	2/23/2011	M+P-XYLENES	0.001	U	MG/L
MW-076	2/23/2011	MAGNESIUM	11		MG/L
MW-076	2/23/2011	MANGANESE	0.78		MG/L
MW-076	2/23/2011	MERCURY	0.0002	U	MG/L
MW-076	2/23/2011	METHYL IODIDE	0.001	U	MG/L
MW-076	2/23/2011	METHYL TERT-BUTYL ETHER	0.001	U	MG/L
MW-076	2/23/2011	METHYLENE CHLORIDE	0.001	U	MG/L
MW-076	2/23/2011	NICKEL	0.017		MG/L
MW-076	2/23/2011	NITRATE	0.05	U	MG/L
MW-076	2/23/2011	O-XYLENE	0.001	U	MG/L
MW-076	2/23/2011	POTASSIUM	2.9		MG/L
MW-076	2/23/2011	SELENIUM	0.005	U	MG/L
MW-076	2/23/2011	SILVER	0.001	U	MG/L
MW-076	2/23/2011	SODIUM	4.6		MG/L
MW-076	2/23/2011	STYRENE	0.001	U	MG/L
MW-076	2/23/2011	SULFATE	36		MG/L
MW-076	2/23/2011	TETRACHLOROETHENE	0.001	U	MG/L
MW-076	2/23/2011	THALLIUM	0.001	U	MG/L
MW-076	2/23/2011	TOLUENE	0.001	U	MG/L
MW-076	2/23/2011	TOTAL DISSOLVED SOLIDS	110		MG/L
MW-076	2/23/2011	TOTAL XYLENES	0.0014	U	MG/L
MW-076	2/23/2011	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-076	2/23/2011	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-076	2/23/2011	TRANS-1,4-DICHLORO-2-BUTENE	0.001	U	MG/L
MW-076	2/23/2011	TRICHLOROETHENE	0.001	U	MG/L
MW-076	2/23/2011	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-076	2/23/2011	TURBIDITY	660		NTU
MW-076	2/23/2011	VANADIUM	0.018		MG/L
MW-076	2/23/2011	VINYL ACETATE	0.001	U	MG/L
MW-076	2/23/2011	VINYL CHLORIDE	0.001	U	MG/L
MW-076	2/23/2011	ZINC	0.047		MG/L
MW-076	8/25/2011	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-076	8/25/2011	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-076	8/25/2011	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-076	8/25/2011	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-076	8/25/2011	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-076	8/25/2011	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-076	8/25/2011	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-076	8/25/2011	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-076	8/25/2011	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-076	8/25/2011	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-076	8/25/2011	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-076	8/25/2011	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-076	8/25/2011	1,4-DICHLOROBENZENE	0.001	U	MG/L
MW-076	8/25/2011	2-BUTANONE	0.005	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-076	8/25/2011	2-HEXANONE	0.005	U	MG/L
MW-076	8/25/2011	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-076	8/25/2011	ACETONE	0.025	U	MG/L
MW-076	8/25/2011	ACRYLONITRILE	0.005	U	MG/L
MW-076	8/25/2011	ALKALINITY	15		MG/L
MW-076	8/25/2011	AMMONIA	0.041	J	MG/L
MW-076	8/25/2011	ANTIMONY	0.002	U	MG/L
MW-076	8/25/2011	ARSENIC	0.00082	J	MG/L
MW-076	8/25/2011	BARIUM	0.037		MG/L
MW-076	8/25/2011	BENZENE	0.001	U	MG/L
MW-076	8/25/2011	BERYLLIUM	0.00085	J	MG/L
MW-076	8/25/2011	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-076	8/25/2011	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-076	8/25/2011	BROMOFORM	0.001	U	MG/L
MW-076	8/25/2011	BROMOMETHANE	0.001	U	MG/L
MW-076	8/25/2011	CADMIUM	0.00023	J	MG/L
MW-076	8/25/2011	CALCIUM	12		MG/L
MW-076	8/25/2011	CARBON DISULFIDE	0.001	U	MG/L
MW-076	8/25/2011	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-076	8/25/2011	CHEMICAL OXYGEN DEMAND	10	U	MG/L
MW-076	8/25/2011	CHLORIDE	5		MG/L
MW-076	8/25/2011	CHLOROENZENE	0.001	U	MG/L
MW-076	8/25/2011	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-076	8/25/2011	CHLOROETHANE	0.001	U	MG/L
MW-076	8/25/2011	CHLOROFORM	0.001	U	MG/L
MW-076	8/25/2011	CHLOROMETHANE	0.001	U	MG/L
MW-076	8/25/2011	CHROMIUM	0.0059	J	MG/L
MW-076	8/25/2011	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-076	8/25/2011	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-076	8/25/2011	COBALT	0.0019	J	MG/L
MW-076	8/25/2011	COPPER	0.0038	J	MG/L
MW-076	8/25/2011	CYANIDE	0.005	U	MG/L
MW-076	8/25/2011	DIBROMOMETHANE	0.001	U	MG/L
MW-076	8/25/2011	ETHYLBENZENE	0.001	U	MG/L
MW-076	8/25/2011	FLUORIDE	0.12		MG/L
MW-076	8/25/2011	FREE CYANIDE	0.005	U	MG/L
MW-076	8/25/2011	HARDNESS	56		MG/L
MW-076	8/25/2011	IRON	2		MG/L
MW-076	8/25/2011	LEAD	0.003		MG/L
MW-076	8/25/2011	MAGNESIUM	6.5	B	MG/L
MW-076	8/25/2011	MANGANESE	0.16		MG/L
MW-076	8/25/2011	MERCURY	0.0002	U	MG/L
MW-076	8/25/2011	METHYL IODIDE	0.001	U	MG/L
MW-076	8/25/2011	METHYL TERT-BUTYL ETHER	0.001	U	MG/L
MW-076	8/25/2011	METHYLENE CHLORIDE	0.001	U	MG/L
MW-076	8/25/2011	NICKEL	0.0042	J	MG/L
MW-076	8/25/2011	NITRATE	3.2		MG/L
MW-076	8/25/2011	POTASSIUM	1.8		MG/L
MW-076	8/25/2011	SELENIUM	0.00082	J	MG/L
MW-076	8/25/2011	SILVER	0.01	U	MG/L
MW-076	8/25/2011	SODIUM	5.2		MG/L
MW-076	8/25/2011	STYRENE	0.001	U	MG/L
MW-076	8/25/2011	SULFATE	24		MG/L
MW-076	8/25/2011	TETRACHLOROETHENE	0.001	U	MG/L
MW-076	8/25/2011	THALLIUM	0.002	U	MG/L
MW-076	8/25/2011	TOLUENE	0.001	U	MG/L
MW-076	8/25/2011	TOTAL DISSOLVED SOLIDS	99		MG/L
MW-076	8/25/2011	TOTAL XYLENES	0.0014	U	MG/L
MW-076	8/25/2011	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-076	8/25/2011	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-076	8/25/2011	TRANS-1,4-DICHLORO-2-BUTENE	0.001	U	MG/L
MW-076	8/25/2011	TRICHLOROETHENE	0.001	U	MG/L
MW-076	8/25/2011	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-076	8/25/2011	TURBIDITY	230		NTU
MW-076	8/25/2011	VANADIUM	0.0029	J	MG/L
MW-076	8/25/2011	VINYL ACETATE	0.001	U	MG/L
MW-076	8/25/2011	VINYL CHLORIDE	0.001	U	MG/L
MW-076	8/25/2011	ZINC	0.0089	J	MG/L
MW-076	2/29/2012	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-076	2/29/2012	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-076	2/29/2012	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-076	2/29/2012	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-076	2/29/2012	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-076	2/29/2012	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-076	2/29/2012	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-076	2/29/2012	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-076	2/29/2012	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-076	2/29/2012	1,2-DICHLOROENZENE	0.001	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-076	2/29/2012	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-076	2/29/2012	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-076	2/29/2012	1,4-DICHLOROBENZENE	0.001	U	MG/L
MW-076	2/29/2012	2-BUTANONE	0.005	U	MG/L
MW-076	2/29/2012	2-HEXANONE	0.005	U	MG/L
MW-076	2/29/2012	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-076	2/29/2012	ACETONE	0.005	U	MG/L
MW-076	2/29/2012	ACRYLONITRILE	0.005	U	MG/L
MW-076	2/29/2012	ALKALINITY	9		MG/L
MW-076	2/29/2012	AMMONIA	0.067	J	MG/L
MW-076	2/29/2012	ANTIMONY	0.00069	J	MG/L
MW-076	2/29/2012	ARSENIC	0.00067	J	MG/L
MW-076	2/29/2012	BARIUM	0.045		MG/L
MW-076	2/29/2012	BENZENE	0.001	U	MG/L
MW-076	2/29/2012	BERYLLIUM	0.00096	J	MG/L
MW-076	2/29/2012	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-076	2/29/2012	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-076	2/29/2012	BROMOFORM	0.001	U	MG/L
MW-076	2/29/2012	BROMOMETHANE	0.001	U	MG/L
MW-076	2/29/2012	CADMIUM	0.004	U	MG/L
MW-076	2/29/2012	CALCIUM	9.1		MG/L
MW-076	2/29/2012	CARBON DISULFIDE	0.001	U	MG/L
MW-076	2/29/2012	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-076	2/29/2012	CHEMICAL OXYGEN DEMAND	10	U	MG/L
MW-076	2/29/2012	CHLORIDE	4.5		MG/L
MW-076	2/29/2012	CHLOROBENZENE	0.001	U	MG/L
MW-076	2/29/2012	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-076	2/29/2012	CHLOROETHANE	0.001	U	MG/L
MW-076	2/29/2012	CHLOROFORM	0.001	U	MG/L
MW-076	2/29/2012	CHLOROMETHANE	0.001	U	MG/L
MW-076	2/29/2012	CHROMIUM	0.011		MG/L
MW-076	2/29/2012	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-076	2/29/2012	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-076	2/29/2012	COBALT	0.0047	J	MG/L
MW-076	2/29/2012	COPPER	0.0057	J	MG/L
MW-076	2/29/2012	CYANIDE	0.005	U	MG/L
MW-076	2/29/2012	DIBROMOMETHANE	0.001	U	MG/L
MW-076	2/29/2012	ETHYLBENZENE	0.001	U	MG/L
MW-076	2/29/2012	FLUORIDE	0.15		MG/L
MW-076	2/29/2012	FREE CYANIDE	0.005	U	MG/L
MW-076	2/29/2012	HARDNESS	56		MG/L
MW-076	2/29/2012	IRON	4.8		MG/L
MW-076	2/29/2012	LEAD	0.0054		MG/L
MW-076	2/29/2012	MAGNESIUM	8		MG/L
MW-076	2/29/2012	MANGANESE	0.34		MG/L
MW-076	2/29/2012	MERCURY	0.0002	U	MG/L
MW-076	2/29/2012	METHYL IODIDE	0.001	U	MG/L
MW-076	2/29/2012	METHYL TERT-BUTYL ETHER	0.001	U	MG/L
MW-076	2/29/2012	METHYLENE CHLORIDE	0.001	U	MG/L
MW-076	2/29/2012	NICKEL	0.0091	J	MG/L
MW-076	2/29/2012	NITRATE	2.9		MG/L
MW-076	2/29/2012	NITRITE	0.011	J	MG/L
MW-076	2/29/2012	NITRITE/NITRATE-N	3		MG/L
MW-076	2/29/2012	POTASSIUM	2		MG/L
MW-076	2/29/2012	SELENIUM	0.035	U	MG/L
MW-076	2/29/2012	SILVER	0.01	U	MG/L
MW-076	2/29/2012	SODIUM	5.2	B	MG/L
MW-076	2/29/2012	STYRENE	0.001	U	MG/L
MW-076	2/29/2012	SULFATE	23	B	MG/L
MW-076	2/29/2012	TETRACHLOROETHENE	0.001	U	MG/L
MW-076	2/29/2012	THALLIUM	0.002	U	MG/L
MW-076	2/29/2012	TOLUENE	0.001	U	MG/L
MW-076	2/29/2012	TOTAL DISSOLVED SOLIDS	68		MG/L
MW-076	2/29/2012	TOTAL XYLENES	0.001	U	MG/L
MW-076	2/29/2012	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-076	2/29/2012	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-076	2/29/2012	TRANS-1,4-DICHLORO-2-BUTENE	0.005	U	MG/L
MW-076	2/29/2012	TRICHLOROETHENE	0.001	U	MG/L
MW-076	2/29/2012	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-076	2/29/2012	TURBIDITY	150		NTU
MW-076	2/29/2012	VINYL ACETATE	0.001	U	MG/L
MW-076	2/29/2012	VINYL CHLORIDE	0.001	U	MG/L
MW-076	2/29/2012	ZINC	0.023		MG/L
MW-076	8/23/2012	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-076	8/23/2012	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-076	8/23/2012	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-076	8/23/2012	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-076	8/23/2012	1,1-DICHLOROETHANE	0.001	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-076	8/23/2012	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-076	8/23/2012	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-076	8/23/2012	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-076	8/23/2012	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-076	8/23/2012	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-076	8/23/2012	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-076	8/23/2012	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-076	8/23/2012	1,4-DICHLOROBENZENE	0.001	U	MG/L
MW-076	8/23/2012	2-BUTANONE	0.005	U	MG/L
MW-076	8/23/2012	2-HEXANONE	0.005	U	MG/L
MW-076	8/23/2012	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-076	8/23/2012	ACETONE	0.005	U	MG/L
MW-076	8/23/2012	ACRYLONITRILE	0.005	U	MG/L
MW-076	8/23/2012	ALKALINITY	16		MG/L
MW-076	8/23/2012	AMMONIA	1	U	MG/L
MW-076	8/23/2012	ANTIMONY	0.0014	J	MG/L
MW-076	8/23/2012	ARSENIC	0.0011	J	MG/L
MW-076	8/23/2012	BARIUM	0.051		MG/L
MW-076	8/23/2012	BENZENE	0.001	U	MG/L
MW-076	8/23/2012	BERYLLIUM	0.0014	J	MG/L
MW-076	8/23/2012	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-076	8/23/2012	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-076	8/23/2012	BROMOFORM	0.001	U	MG/L
MW-076	8/23/2012	BROMOMETHANE	0.001	U	MG/L
MW-076	8/23/2012	CADMIUM	0.004	U	MG/L
MW-076	8/23/2012	CALCIUM	11		MG/L
MW-076	8/23/2012	CARBON DISULFIDE	0.001	U	MG/L
MW-076	8/23/2012	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-076	8/23/2012	CHEMICAL OXYGEN DEMAND	30		MG/L
MW-076	8/23/2012	CHLORIDE	5		MG/L
MW-076	8/23/2012	CHLOROETHENE	0.001	U	MG/L
MW-076	8/23/2012	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-076	8/23/2012	CHLOROETHANE	0.001	U	MG/L
MW-076	8/23/2012	CHLOROFORM	0.001	U	MG/L
MW-076	8/23/2012	CHLOROMETHANE	0.001	U	MG/L
MW-076	8/23/2012	CHROMIUM	0.013		MG/L
MW-076	8/23/2012	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-076	8/23/2012	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-076	8/23/2012	COBALT	0.0054	J	MG/L
MW-076	8/23/2012	COPPER	0.006	J	MG/L
MW-076	8/23/2012	CYANIDE	0.0023	J	MG/L
MW-076	8/23/2012	DIBROMOMETHANE	0.001	U	MG/L
MW-076	8/23/2012	ETHYLBENZENE	0.001	U	MG/L
MW-076	8/23/2012	FLUORIDE	0.19		MG/L
MW-076	8/23/2012	FREE CYANIDE	0.005	U	MG/L
MW-076	8/23/2012	HARDNESS	63		MG/L
MW-076	8/23/2012	IRON	5.6		MG/L
MW-076	8/23/2012	LEAD	0.007		MG/L
MW-076	8/23/2012	MAGNESIUM	8.5		MG/L
MW-076	8/23/2012	MANGANESE	0.42		MG/L
MW-076	8/23/2012	MERCURY	0.0002	U	MG/L
MW-076	8/23/2012	METHYL IODIDE	0.001	U	MG/L
MW-076	8/23/2012	METHYL TERT-BUTYL ETHER	0.001	U	MG/L
MW-076	8/23/2012	METHYLENE CHLORIDE	0.001	U	MG/L
MW-076	8/23/2012	NICKEL	0.0099	J	MG/L
MW-076	8/23/2012	NITRATE	3.8		MG/L
MW-076	8/23/2012	POTASSIUM	2.1		MG/L
MW-076	8/23/2012	SELENIUM	0.035	U	MG/L
MW-076	8/23/2012	SILVER	0.01	U	MG/L
MW-076	8/23/2012	SODIUM	4.3		MG/L
MW-076	8/23/2012	STYRENE	0.001	U	MG/L
MW-076	8/23/2012	SULFATE	26		MG/L
MW-076	8/23/2012	TETRACHLOROETHENE	0.001	U	MG/L
MW-076	8/23/2012	THALLIUM	0.002	U	MG/L
MW-076	8/23/2012	TOLUENE	0.001	U	MG/L
MW-076	8/23/2012	TOTAL DISSOLVED SOLIDS	110		MG/L
MW-076	8/23/2012	TOTAL XYLENES	0.001	U	MG/L
MW-076	8/23/2012	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-076	8/23/2012	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-076	8/23/2012	TRANS-1,4-DICHLORO-2-BUTENE	0.005	U	MG/L
MW-076	8/23/2012	TRICHLOROETHENE	0.001	U	MG/L
MW-076	8/23/2012	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-076	8/23/2012	TURBIDITY	150		NTU
MW-076	8/23/2012	VANADIUM	0.011		MG/L
MW-076	8/23/2012	VINYL ACETATE	0.001	U	MG/L
MW-076	8/23/2012	VINYL CHLORIDE	0.001	U	MG/L
MW-076	8/23/2012	ZINC	0.025		MG/L
MW-076	2/27/2013	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-076	2/27/2013	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-076	2/27/2013	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-076	2/27/2013	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-076	2/27/2013	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-076	2/27/2013	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-076	2/27/2013	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-076	2/27/2013	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-076	2/27/2013	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-076	2/27/2013	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-076	2/27/2013	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-076	2/27/2013	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-076	2/27/2013	1,4-DICHLOROBENZENE	0.001	U	MG/L
MW-076	2/27/2013	2-BUTANONE	0.005	U	MG/L
MW-076	2/27/2013	2-HEXANONE	0.005	U	MG/L
MW-076	2/27/2013	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-076	2/27/2013	ACETONE	0.005	U	MG/L
MW-076	2/27/2013	ACRYLONITRILE	0.005	U	MG/L
MW-076	2/27/2013	ALKALINITY	11		MG/L
MW-076	2/27/2013	AMMONIA	1	U	MG/L
MW-076	2/27/2013	ANTIMONY	0.00089	J	MG/L
MW-076	2/27/2013	ARSENIC	0.002	U	MG/L
MW-076	2/27/2013	BARIIUM	0.019		MG/L
MW-076	2/27/2013	BENZENE	0.001	U	MG/L
MW-076	2/27/2013	BERYLLIUM	0.00027	J	MG/L
MW-076	2/27/2013	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-076	2/27/2013	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-076	2/27/2013	BROMOFORM	0.001	U	MG/L
MW-076	2/27/2013	BROMOMETHANE	0.001	U	MG/L
MW-076	2/27/2013	CADMIUM	0.004	U	MG/L
MW-076	2/27/2013	CALCIUM	7.8		MG/L
MW-076	2/27/2013	CARBON DISULFIDE	0.001	U	MG/L
MW-076	2/27/2013	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-076	2/27/2013	CHEMICAL OXYGEN DEMAND	10		MG/L
MW-076	2/27/2013	CHLORIDE	4.8		MG/L
MW-076	2/27/2013	CHLOROBENZENE	0.001	U	MG/L
MW-076	2/27/2013	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-076	2/27/2013	CHLOROETHANE	0.001	U	MG/L
MW-076	2/27/2013	CHLOROFORM	0.001	U	MG/L
MW-076	2/27/2013	CHLOROMETHANE	0.001	U	MG/L
MW-076	2/27/2013	CHROMIUM	0.0021	J	MG/L
MW-076	2/27/2013	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-076	2/27/2013	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-076	2/27/2013	COBALT	0.01	U	MG/L
MW-076	2/27/2013	COPPER	0.0007	J	MG/L
MW-076	2/27/2013	CYANIDE	0.0023	J	MG/L
MW-076	2/27/2013	DIBROMOMETHANE	0.001	U	MG/L
MW-076	2/27/2013	ETHYLBENZENE	0.001	U	MG/L
MW-076	2/27/2013	FLUORIDE	0.16		MG/L
MW-076	2/27/2013	FREE CYANIDE	0.005	U	MG/L
MW-076	2/27/2013	HARDNESS	48		MG/L
MW-076	2/27/2013	IRON	0.36		MG/L
MW-076	2/27/2013	LEAD	0.00038	J	MG/L
MW-076	2/27/2013	MAGNESIUM	7.1		MG/L
MW-076	2/27/2013	MANGANESE	0.018		MG/L
MW-076	2/27/2013	MERCURY	0.0002	U	MG/L
MW-076	2/27/2013	METHYL IODIDE	0.001	U	MG/L
MW-076	2/27/2013	METHYL TERT-BUTYL ETHER	0.001	U	MG/L
MW-076	2/27/2013	METHYLENE CHLORIDE	0.001	U	MG/L
MW-076	2/27/2013	NICKEL	0.0019	J	MG/L
MW-076	2/27/2013	NITRATE	0.06	U	MG/L
MW-076	2/27/2013	POTASSIUM	1.4	B	MG/L
MW-076	2/27/2013	SELENIUM	0.035	U	MG/L
MW-076	2/27/2013	SILVER	0.01	U	MG/L
MW-076	2/27/2013	SODIUM	5.2	B	MG/L
MW-076	2/27/2013	STYRENE	0.001	U	MG/L
MW-076	2/27/2013	SULFATE	24		MG/L
MW-076	2/27/2013	TETRACHLOROETHENE	0.001	U	MG/L
MW-076	2/27/2013	THALLIUM	0.002	U	MG/L
MW-076	2/27/2013	TOLUENE	0.001	U	MG/L
MW-076	2/27/2013	TOTAL DISSOLVED SOLIDS	56		MG/L
MW-076	2/27/2013	TOTAL XYLENES	0.001	U	MG/L
MW-076	2/27/2013	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-076	2/27/2013	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-076	2/27/2013	TRANS-1,4-DICHLORO-2-BUTENE	0.005	U	MG/L
MW-076	2/27/2013	TRICHLOROETHENE	0.001	U	MG/L
MW-076	2/27/2013	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-076	2/27/2013	TURBIDITY	11		NTU
MW-076	2/27/2013	VANADIUM	0.00085	J	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-076	2/27/2013	VINYL ACETATE	0.001	U	MG/L
MW-076	2/27/2013	VINYL CHLORIDE	0.001	U	MG/L
MW-076	2/27/2013	ZINC	0.0061	J	MG/L
MW-076	8/29/2013	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-076	8/29/2013	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-076	8/29/2013	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-076	8/29/2013	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-076	8/29/2013	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-076	8/29/2013	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-076	8/29/2013	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-076	8/29/2013	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-076	8/29/2013	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-076	8/29/2013	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-076	8/29/2013	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-076	8/29/2013	1,4-DICHLOROETHANE	0.001	U	MG/L
MW-076	8/29/2013	2-BUTANONE	0.005	U	MG/L
MW-076	8/29/2013	2-HEXANONE	0.005	U	MG/L
MW-076	8/29/2013	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-076	8/29/2013	ACETONE	0.005	U	MG/L
MW-076	8/29/2013	ACRYLONITRILE	0.01	U	MG/L
MW-076	8/29/2013	ALKALINITY	22		MG/L
MW-076	8/29/2013	AMMONIA	1	U	MG/L
MW-076	8/29/2013	ANTIMONY	0.002	B	MG/L
MW-076	8/29/2013	ARSENIC	0.002	U	MG/L
MW-076	8/29/2013	BARIUM	0.026		MG/L
MW-076	8/29/2013	BENZENE	0.001	U	MG/L
MW-076	8/29/2013	BERYLLIUM	0.00064	J	MG/L
MW-076	8/29/2013	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-076	8/29/2013	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-076	8/29/2013	BROMOFORM	0.001	U	MG/L
MW-076	8/29/2013	BROMOMETHANE	0.001	U	MG/L
MW-076	8/29/2013	CADIUM	0.004	U	MG/L
MW-076	8/29/2013	CALCIUM	10		MG/L
MW-076	8/29/2013	CARBON DISULFIDE	0.001	U	MG/L
MW-076	8/29/2013	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-076	8/29/2013	CHEMICAL OXYGEN DEMAND	10	U	MG/L
MW-076	8/29/2013	CHLORIDE	3.8	B	MG/L
MW-076	8/29/2013	CHLOROBENZENE	0.001	U	MG/L
MW-076	8/29/2013	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-076	8/29/2013	CHLOROETHANE	0.001	U	MG/L
MW-076	8/29/2013	CHLOROFORM	0.001	U	MG/L
MW-076	8/29/2013	CHLOROMETHANE	0.001	U	MG/L
MW-076	8/29/2013	CHROMIUM	0.0062	J	MG/L
MW-076	8/29/2013	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-076	8/29/2013	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-076	8/29/2013	COBALT	0.00071	J	MG/L
MW-076	8/29/2013	COPPER	0.0019	J	MG/L
MW-076	8/29/2013	CYANIDE	0.005	U	MG/L
MW-076	8/29/2013	DIBROMOMETHANE	0.001	U	MG/L
MW-076	8/29/2013	ETHYLBENZENE	0.001	U	MG/L
MW-076	8/29/2013	FLUORIDE	0.11		MG/L
MW-076	8/29/2013	FREE CYANIDE	0.005	U	MG/L
MW-076	8/29/2013	HARDNESS	57		MG/L
MW-076	8/29/2013	IRON	1.6		MG/L
MW-076	8/29/2013	LEAD	0.0013	J	MG/L
MW-076	8/29/2013	MAGNESIUM	7.6		MG/L
MW-076	8/29/2013	MANGANESE	0.098		MG/L
MW-076	8/29/2013	MERCURY	0.0002	U	MG/L
MW-076	8/29/2013	METHYL IODIDE	0.002	U	MG/L
MW-076	8/29/2013	METHYL TERT-BUTYL ETHER	0.002	U	MG/L
MW-076	8/29/2013	METHYLENE CHLORIDE	0.001	U	MG/L
MW-076	8/29/2013	NICKEL	0.0023	J	MG/L
MW-076	8/29/2013	NITRATE	0.06	U	MG/L
MW-076	8/29/2013	POTASSIUM	1.6		MG/L
MW-076	8/29/2013	SELENIUM	0.035	U	MG/L
MW-076	8/29/2013	SILVER	0.01	U	MG/L
MW-076	8/29/2013	SODIUM	5.1	B	MG/L
MW-076	8/29/2013	STYRENE	0.001	U	MG/L
MW-076	8/29/2013	SULFATE	24		MG/L
MW-076	8/29/2013	TETRACHLOROETHENE	0.001	U	MG/L
MW-076	8/29/2013	THALLIUM	0.002	U	MG/L
MW-076	8/29/2013	TOLUENE	0.001	U	MG/L
MW-076	8/29/2013	TOTAL DISSOLVED SOLIDS	160		MG/L
MW-076	8/29/2013	TOTAL XYLENES	0.001	U	MG/L
MW-076	8/29/2013	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-076	8/29/2013	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-076	8/29/2013	TRANS-1,4-DICHLORO-2-BUTENE	0.005	U	MG/L



Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-076	8/29/2013	TRICHLOROETHENE	0.001	U	MG/L
MW-076	8/29/2013	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-076	8/29/2013	TURBIDITY	130		NTU
MW-076	8/29/2013	VANADIUM	0.0017	J	MG/L
MW-076	8/29/2013	VINYL ACETATE	0.001	U	MG/L
MW-076	8/29/2013	VINYL CHLORIDE	0.001	U	MG/L
MW-076	8/29/2013	ZINC	0.0084	J	MG/L
MW-076	3/11/2014	1,1,1,2-TETRACHLOROETHANE	0.01	U	MG/L
MW-076	3/11/2014	1,1,1-TRICHLOROETHANE	0.005	U	MG/L
MW-076	3/11/2014	1,1,2,2-TETRACHLOROETHANE	0.005	U	MG/L
MW-076	3/11/2014	1,1,2-TRICHLOROETHANE	0.005	U	MG/L
MW-076	3/11/2014	1,1-DICHLOROETHANE	0.005	U	MG/L
MW-076	3/11/2014	1,1-DICHLOROETHENE	0.005	U	MG/L
MW-076	3/11/2014	1,2,3-TRICHLOROPROPANE	0.005	U	MG/L
MW-076	3/11/2014	1,2-DIBROMO-3-CHLOROPROPANE	0.01	U	MG/L
MW-076	3/11/2014	1,2-DIBROMOETHANE	0.005	U	MG/L
MW-076	3/11/2014	1,2-DICHLOROETHANE	0.005	U	MG/L
MW-076	3/11/2014	1,2-DICHLOROPROPANE	0.005	U	MG/L
MW-076	3/11/2014	1,4-DICHLOROETHANE	0.01	U	MG/L
MW-076	3/11/2014	2-BUTANONE	0.01	U	MG/L
MW-076	3/11/2014	2-HEXANONE	0.01	U	MG/L
MW-076	3/11/2014	4-METHYL-2-PENTANONE	0.01	U	MG/L
MW-076	3/11/2014	ACETONE	0.0062	J	MG/L
MW-076	3/11/2014	ACRYLONITRILE	0.10	U	MG/L
MW-076	3/11/2014	ALKALINITY	8		MG/L
MW-076	3/11/2014	AMMONIA	0.056	J	MG/L
MW-076	3/11/2014	ANTIMONY	0.002	U	MG/L
MW-076	3/11/2014	ARSENIC	0.002	U	MG/L
MW-076	3/11/2014	BARIUM	0.017		MG/L
MW-076	3/11/2014	BENZENE	0.005	U	MG/L
MW-076	3/11/2014	BERYLLIUM	0.00047	J	MG/L
MW-076	3/11/2014	BROMOCHLOROMETHANE	0.005	U	MG/L
MW-076	3/11/2014	BROMODICHLOROMETHANE	0.005	U	MG/L
MW-076	3/11/2014	BROMOFORM	0.005	U	MG/L
MW-076	3/11/2014	BROMOMETHANE	0.01	U	MG/L
MW-076	3/11/2014	CADIUM	0.004	U	MG/L
MW-076	3/11/2014	CALCIUM	8.6		MG/L
MW-076	3/11/2014	CARBON DISULFIDE	0.01	U	MG/L
MW-076	3/11/2014	CARBON TETRACHLORIDE	0.005	U	MG/L
MW-076	3/11/2014	CHEMICAL OXYGEN DEMAND	10	U	MG/L
MW-076	3/11/2014	CHLORIDE	5.7		MG/L
MW-076	3/11/2014	CHLOROETHENE	0.005	U	MG/L
MW-076	3/11/2014	CHLORODIBROMOMETHANE	0.005	U	MG/L
MW-076	3/11/2014	CHLOROETHANE	0.01	U	MG/L
MW-076	3/11/2014	CHLOROFORM	0.005	U	MG/L
MW-076	3/11/2014	CHLOROMETHANE	0.01	U	MG/L
MW-076	3/11/2014	CHROMIUM	0.0029	J	MG/L
MW-076	3/11/2014	CIS-1,2-DICHLOROETHENE	0.005	U	MG/L
MW-076	3/11/2014	CIS-1,3-DICHLOROPROPENE	0.005	U	MG/L
MW-076	3/11/2014	COBALT	0.01	U	MG/L
MW-076	3/11/2014	COPPER	0.01	U	MG/L
MW-076	3/11/2014	CYANIDE	0.005	U	MG/L
MW-076	3/11/2014	DIBROMOMETHANE	0.005	U	MG/L
MW-076	3/11/2014	ETHYLBENZENE	0.005	U	MG/L
MW-076	3/11/2014	FLUORIDE	0.22		MG/L
MW-076	3/11/2014	FREE CYANIDE	0.005	U	MG/L
MW-076	3/11/2014	HARDNESS	53		MG/L
MW-076	3/11/2014	IRON	0.046		MG/L
MW-076	3/11/2014	LEAD	0.002	U	MG/L
MW-076	3/11/2014	MAGNESIUM	7.6		MG/L
MW-076	3/11/2014	MANGANESE	0.0048	J	MG/L
MW-076	3/11/2014	MERCURY	0.0002	U	MG/L
MW-076	3/11/2014	METHYL IODIDE	0.005	U	MG/L
MW-076	3/11/2014	METHYL TERT-BUTYL ETHER	0.005	U	MG/L
MW-076	3/11/2014	METHYLENE CHLORIDE	0.01	U	MG/L
MW-076	3/11/2014	NICKEL	0.0017	J	MG/L
MW-076	3/11/2014	NITRATE	3.2		MG/L
MW-076	3/11/2014	POTASSIUM	1.4		MG/L
MW-076	3/11/2014	SELENIUM	0.00064	J	MG/L
MW-076	3/11/2014	SILVER	0.01	U	MG/L
MW-076	3/11/2014	SODIUM	5.3	B	MG/L
MW-076	3/11/2014	STYRENE	0.005	U	MG/L
MW-076	3/11/2014	SULFATE	27		MG/L
MW-076	3/11/2014	TETRACHLOROETHENE	0.005	U	MG/L
MW-076	3/11/2014	THALLIUM	0.00018	J	MG/L
MW-076	3/11/2014	TOLUENE	0.005	U	MG/L
MW-076	3/11/2014	TOTAL DISSOLVED SOLIDS	98		MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-076	3/11/2014	TOTAL XYLENES	0.005	U	MG/L
MW-076	3/11/2014	TRANS-1,2-DICHLOROETHENE	0.005	U	MG/L
MW-076	3/11/2014	TRANS-1,3-DICHLOROPROPENE	0.005	U	MG/L
MW-076	3/11/2014	TRANS-1,4-DICHLORO-2-BUTENE	0.005	U	MG/L
MW-076	3/11/2014	TRICHLOROETHENE	0.005	U	MG/L
MW-076	3/11/2014	TRICHLOROFLUOROMETHANE	0.01	U	MG/L
MW-076	3/11/2014	TURBIDITY	1.6		NTU
MW-076	3/11/2014	VANADIUM	0.01	U	MG/L
MW-076	3/11/2014	VINYL ACETATE	0.01	U	MG/L
MW-076	3/11/2014	VINYL CHLORIDE	0.002	U	MG/L
MW-076	3/11/2014	ZINC	0.0045	J	MG/L
MW-076	3/11/2015	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-076	3/11/2015	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-076	3/11/2015	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-076	3/11/2015	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-076	3/11/2015	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-076	3/11/2015	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-076	3/11/2015	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-076	3/11/2015	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-076	3/11/2015	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-076	3/11/2015	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-076	3/11/2015	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-076	3/11/2015	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-076	3/11/2015	1,4-DICHLOROBENZENE	0.001	U	MG/L
MW-076	3/11/2015	2-BUTANONE	0.005	U	MG/L
MW-076	3/11/2015	2-HEXANONE	0.005	U	MG/L
MW-076	3/11/2015	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-076	3/11/2015	ACETONE	0.0013	J	MG/L
MW-076	3/11/2015	ACRYLONITRILE	0.005	U	MG/L
MW-076	3/11/2015	ALKALINITY	60		MG/L
MW-076	3/11/2015	AMMONIA	1	U	MG/L
MW-076	3/11/2015	ANTIMONY	0.001	U	MG/L
MW-076	3/11/2015	ARSENIC	0.00099	J	MG/L
MW-076	3/11/2015	BARIIUM	0.037		MG/L
MW-076	3/11/2015	BENZENE	0.001	U	MG/L
MW-076	3/11/2015	BERYLLIUM	0.00067	J	MG/L
MW-076	3/11/2015	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-076	3/11/2015	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-076	3/11/2015	BROMOFORM	0.001	U	MG/L
MW-076	3/11/2015	BROMOMETHANE	0.001	U	MG/L
MW-076	3/11/2015	CADMIUM	0.004	U	MG/L
MW-076	3/11/2015	CALCIUM	12		MG/L
MW-076	3/11/2015	CARBON DISULFIDE	0.001	U	MG/L
MW-076	3/11/2015	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-076	3/11/2015	CHEMICAL OXYGEN DEMAND	10	U	MG/L
MW-076	3/11/2015	CHLORIDE	16		MG/L
MW-076	3/11/2015	CHLOROBENZENE	0.001	U	MG/L
MW-076	3/11/2015	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-076	3/11/2015	CHLOROETHANE	0.001	U	MG/L
MW-076	3/11/2015	CHLOROFORM	0.001	U	MG/L
MW-076	3/11/2015	CHLOROMETHANE	0.001	U	MG/L
MW-076	3/11/2015	CHROMIUM	0.00033	J	MG/L
MW-076	3/11/2015	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-076	3/11/2015	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-076	3/11/2015	COBALT	0.00019	J	MG/L
MW-076	3/11/2015	COPPER	0.00093	J	MG/L
MW-076	3/11/2015	CYANIDE	0.005	U	MG/L
MW-076	3/11/2015	DIBROMOMETHANE	0.001	U	MG/L
MW-076	3/11/2015	ETHYLBENZENE	0.001	U	MG/L
MW-076	3/11/2015	FLUORIDE	0.48		MG/L
MW-076	3/11/2015	FREE CYANIDE	0.005	U	MG/L
MW-076	3/11/2015	GALLIUM	0.005	U	MG/L
MW-076	3/11/2015	HARDNESS	70		MG/L
MW-076	3/11/2015	IRON	0.37	B	MG/L
MW-076	3/11/2015	LEAD	0.00025	J	MG/L
MW-076	3/11/2015	MAGNESIUM	9.5		MG/L
MW-076	3/11/2015	MANGANESE	0.014		MG/L
MW-076	3/11/2015	MERCURY	0.0002	U	MG/L
MW-076	3/11/2015	METHYL IODIDE	0.001	U	MG/L
MW-076	3/11/2015	METHYL TERT-BUTYL ETHER	0.002	U	MG/L
MW-076	3/11/2015	METHYLENE CHLORIDE	0.001	U	MG/L
MW-076	3/11/2015	NICKEL	0.0023	J	MG/L
MW-076	3/11/2015	NITRATE	2.4		MG/L
MW-076	3/11/2015	NITRITE	0.0054	J	MG/L
MW-076	3/11/2015	NITRITE/NITRATE-N	2.4		MG/L
MW-076	3/11/2015	POTASSIUM	1.6		MG/L
MW-076	3/11/2015	SELENIUM	0.0017	J	MG/L
MW-076	3/11/2015	SILVER	0.01	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-076	3/11/2015	SODIUM	10		MG/L
MW-076	3/11/2015	STYRENE	0.001	U	MG/L
MW-076	3/11/2015	SULFATE	24		MG/L
MW-076	3/11/2015	TETRACHLOROETHENE	0.001	U	MG/L
MW-076	3/11/2015	THALLIUM	0.002	U	MG/L
MW-076	3/11/2015	TOLUENE	0.001	U	MG/L
MW-076	3/11/2015	TOTAL DISSOLVED SOLIDS	99		MG/L
MW-076	3/11/2015	TOTAL XYLENES	0.001	U	MG/L
MW-076	3/11/2015	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-076	3/11/2015	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-076	3/11/2015	TRANS-1,4-DICHLORO-2-BUTENE	0.001	U	MG/L
MW-076	3/11/2015	TRICHLOROETHENE	0.001	U	MG/L
MW-076	3/11/2015	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-076	3/11/2015	TURBIDITY	15		NTU
MW-076	3/11/2015	VANADIUM	0.0014	J	MG/L
MW-076	3/11/2015	VINYL ACETATE	0.001	U	MG/L
MW-076	3/11/2015	VINYL CHLORIDE	0.001	U	MG/L
MW-076	3/11/2015	ZINC	0.0031	J	MG/L
MW-076	8/20/2015	1,1,1,2-TETRACHLOROETHANE	0.002	U	MG/L
MW-076	8/20/2015	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-076	8/20/2015	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-076	8/20/2015	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-076	8/20/2015	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-076	8/20/2015	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-076	8/20/2015	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-076	8/20/2015	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-076	8/20/2015	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-076	8/20/2015	1,2-DICHLOROBENZENE	0.005	U	MG/L
MW-076	8/20/2015	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-076	8/20/2015	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-076	8/20/2015	1,4-DICHLOROBENZENE	0.001	U	MG/L
MW-076	8/20/2015	2-BUTANONE	0.002	U	MG/L
MW-076	8/20/2015	2-HEXANONE	0.002	U	MG/L
MW-076	8/20/2015	4-METHYL-2-PENTANONE	0.001	U	MG/L
MW-076	8/20/2015	ACETONE	0.005	U	MG/L
MW-076	8/20/2015	ACRYLONITRILE	0.01	U	MG/L
MW-076	8/20/2015	ALKALINITY	20		MG/L
MW-076	8/20/2015	AMMONIA	1	U	MG/L
MW-076	8/20/2015	ANTIMONY	0.001	U	MG/L
MW-076	8/20/2015	ARSENIC	0.001	U	MG/L
MW-076	8/20/2015	BARIUM	0.022		MG/L
MW-076	8/20/2015	BENZENE	0.001	U	MG/L
MW-076	8/20/2015	BERYLLIUM	0.001	U	MG/L
MW-076	8/20/2015	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-076	8/20/2015	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-076	8/20/2015	BROMOFORM	0.001	U	MG/L
MW-076	8/20/2015	BROMOMETHANE	0.002	U	MG/L
MW-076	8/20/2015	CADMIUM	0.0005	U	MG/L
MW-076	8/20/2015	CALCIUM	9.1		MG/L
MW-076	8/20/2015	CARBON DISULFIDE	0.002	U	MG/L
MW-076	8/20/2015	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-076	8/20/2015	CHEMICAL OXYGEN DEMAND	12		MG/L
MW-076	8/20/2015	CHLORIDE	6.7		MG/L
MW-076	8/20/2015	CHLOROBENZENE	0.001	U	MG/L
MW-076	8/20/2015	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-076	8/20/2015	CHLOROETHANE	0.002	U	MG/L
MW-076	8/20/2015	CHLOROFORM	0.001	U	MG/L
MW-076	8/20/2015	CHLOROMETHANE	0.002	U	MG/L
MW-076	8/20/2015	CHROMIUM	0.0035		MG/L
MW-076	8/20/2015	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-076	8/20/2015	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-076	8/20/2015	COBALT	0.005	U	MG/L
MW-076	8/20/2015	COPPER	0.001	U	MG/L
MW-076	8/20/2015	CYANIDE	0.005	U	MG/L
MW-076	8/20/2015	DIBROMOMETHANE	0.001	U	MG/L
MW-076	8/20/2015	ETHYLBENZENE	0.001	U	MG/L
MW-076	8/20/2015	FLUORIDE	0.21	B	MG/L
MW-076	8/20/2015	FREE CYANIDE	0.005	U	MG/L
MW-076	8/20/2015	HARDNESS	28		MG/L
MW-076	8/20/2015	IRON	0.21		MG/L
MW-076	8/20/2015	LEAD	0.001	U	MG/L
MW-076	8/20/2015	M+P-XYLENES	0.001	U	MG/L
MW-076	8/20/2015	MAGNESIUM	6.8		MG/L
MW-076	8/20/2015	MANGANESE	0.013		MG/L
MW-076	8/20/2015	MERCURY	0.0002	U	MG/L
MW-076	8/20/2015	METHYL IODIDE	0.01	U	MG/L
MW-076	8/20/2015	METHYL TERT-BUTYL ETHER	0.002	U	MG/L
MW-076	8/20/2015	METHYLENE CHLORIDE	0.002	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-076	8/20/2015	NICKEL	0.005	U	MG/L
MW-076	8/20/2015	NITRATE	3.6		MG/L
MW-076	8/20/2015	O-XYLENE	0.001	U	MG/L
MW-076	8/20/2015	POTASSIUM	1.2		MG/L
MW-076	8/20/2015	SELENIUM	0.005	U	MG/L
MW-076	8/20/2015	SILVER	0.001	U	MG/L
MW-076	8/20/2015	SODIUM	6.5		MG/L
MW-076	8/20/2015	STYRENE	0.001	U	MG/L
MW-076	8/20/2015	SULFATE	22		MG/L
MW-076	8/20/2015	TETRACHLOROETHENE	0.001	U	MG/L
MW-076	8/20/2015	THALLIUM	0.001	U	MG/L
MW-076	8/20/2015	TOLUENE	0.001	U	MG/L
MW-076	8/20/2015	TOTAL DISSOLVED SOLIDS	140		MG/L
MW-076	8/20/2015	TOTAL XYLENES	0.001	U	MG/L
MW-076	8/20/2015	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-076	8/20/2015	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-076	8/20/2015	TRANS-1,4-DICHLORO-2-BUTENE	0.001	U	MG/L
MW-076	8/20/2015	TRICHLOROETHENE	0.001	U	MG/L
MW-076	8/20/2015	TRICHLOROFLUOROMETHANE	0.002	U	MG/L
MW-076	8/20/2015	TURBIDITY	1.6		NTU
MW-076	8/20/2015	VANADIUM	0.005	U	MG/L
MW-076	8/20/2015	VINYL ACETATE	0.002	U	MG/L
MW-076	8/20/2015	VINYL CHLORIDE	0.002	U	MG/L
MW-076	8/20/2015	ZINC	0.0077		MG/L
MW-076	3/16/2016	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-076	3/16/2016	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-076	3/16/2016	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-076	3/16/2016	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-076	3/16/2016	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-076	3/16/2016	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-076	3/16/2016	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-076	3/16/2016	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-076	3/16/2016	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-076	3/16/2016	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-076	3/16/2016	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-076	3/16/2016	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-076	3/16/2016	1,4-DICHLOROBENZENE	0.001	U	MG/L
MW-076	3/16/2016	2-BUTANONE	0.005	U	MG/L
MW-076	3/16/2016	2-HEXANONE	0.005	U	MG/L
MW-076	3/16/2016	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-076	3/16/2016	ACETONE	0.005	U	MG/L
MW-076	3/16/2016	ACRYLONITRILE	0.005	U	MG/L
MW-076	3/16/2016	ALKALINITY	24		MG/L
MW-076	3/16/2016	AMMONIA	1	U	MG/L
MW-076	3/16/2016	ANTIMONY	0.001	U	MG/L
MW-076	3/16/2016	ARSENIC	0.001	U	MG/L
MW-076	3/16/2016	BARIIUM	0.0253		MG/L
MW-076	3/16/2016	BENZENE	0.001	U	MG/L
MW-076	3/16/2016	BERYLLIUM	0.001	U	MG/L
MW-076	3/16/2016	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-076	3/16/2016	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-076	3/16/2016	BROMOFORM	0.001	U	MG/L
MW-076	3/16/2016	BROMOMETHANE	0.001	U	MG/L
MW-076	3/16/2016	CADMIUM	0.0005	U	MG/L
MW-076	3/16/2016	CALCIUM	8.7		MG/L
MW-076	3/16/2016	CARBON DISULFIDE	0.001	U	MG/L
MW-076	3/16/2016	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-076	3/16/2016	CHEMICAL OXYGEN DEMAND	10	U	MG/L
MW-076	3/16/2016	CHLORIDE	6.4		MG/L
MW-076	3/16/2016	CHLOROBENZENE	0.001	U	MG/L
MW-076	3/16/2016	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-076	3/16/2016	CHLOROETHANE	0.001	U	MG/L
MW-076	3/16/2016	CHLOROFORM	0.001	U	MG/L
MW-076	3/16/2016	CHLOROMETHANE	0.001	U	MG/L
MW-076	3/16/2016	CHROMIUM	0.002	U	MG/L
MW-076	3/16/2016	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-076	3/16/2016	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-076	3/16/2016	COBALT	0.005	U	MG/L
MW-076	3/16/2016	COPPER	0.001	U	MG/L
MW-076	3/16/2016	CYANIDE	0.005	U	MG/L
MW-076	3/16/2016	DIBROMOMETHANE	0.001	U	MG/L
MW-076	3/16/2016	ETHYLBENZENE	0.001	U	MG/L
MW-076	3/16/2016	FLUORIDE	0.21		MG/L
MW-076	3/16/2016	FREE CYANIDE	0.005	U	MG/L
MW-076	3/16/2016	HARDNESS	50.3		MG/L
MW-076	3/16/2016	IRON	0.121		MG/L
MW-076	3/16/2016	LEAD	0.001	U	MG/L
MW-076	3/16/2016	MAGNESIUM	6.95		MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-076	3/16/2016	MANGANESE	0.0163		MG/L
MW-076	3/16/2016	MERCURY	0.0002	U	MG/L
MW-076	3/16/2016	METHYL IODIDE	0.001	U	MG/L
MW-076	3/16/2016	METHYL TERT-BUTYL ETHER	0.002	U	MG/L
MW-076	3/16/2016	METHYLENE CHLORIDE	0.001	U	MG/L
MW-076	3/16/2016	NICKEL	0.005	U	MG/L
MW-076	3/16/2016	NITRATE	0.06	U	MG/L
MW-076	3/16/2016	NITRITE	0.012	U	MG/L
MW-076	3/16/2016	NITRITE/NITRATE-N	0.06	U	MG/L
MW-076	3/16/2016	POTASSIUM	1.62		MG/L
MW-076	3/16/2016	SELENIUM	0.005	U	MG/L
MW-076	3/16/2016	SILVER	0.001	U	MG/L
MW-076	3/16/2016	SODIUM	7.07		MG/L
MW-076	3/16/2016	STYRENE	0.001	U	MG/L
MW-076	3/16/2016	SULFATE	26		MG/L
MW-076	3/16/2016	TETRACHLOROETHENE	0.001	U	MG/L
MW-076	3/16/2016	THALLIUM	0.001	U	MG/L
MW-076	3/16/2016	TOLUENE	0.001	U	MG/L
MW-076	3/16/2016	TOTAL DISSOLVED SOLIDS	130		MG/L
MW-076	3/16/2016	TOTAL XYLENES	0.001	U	MG/L
MW-076	3/16/2016	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-076	3/16/2016	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-076	3/16/2016	TRANS-1,4-DICHLORO-2-BUTENE	0.001	U	MG/L
MW-076	3/16/2016	TRICHLOROETHENE	0.001	U	MG/L
MW-076	3/16/2016	TRICHLOROFLUOROMETHANE	0.002	U	MG/L
MW-076	3/16/2016	TURBIDITY	4.2		NTU
MW-076	3/16/2016	VANADIUM	0.005	U	MG/L
MW-076	3/16/2016	VINYL ACETATE	0.001	U	MG/L
MW-076	3/16/2016	VINYL CHLORIDE	0.001	U	MG/L
MW-076	3/16/2016	ZINC	0.005	U	MG/L
MW-076	3/21/2017	1,1,1,2-TETRACHLOROETHANE	0.0001	U	MG/L
MW-076	3/21/2017	1,1,1-TRICHLOROETHANE	0.0001	U	MG/L
MW-076	3/21/2017	1,1,2,2-TETRACHLOROETHANE	0.0001	U	MG/L
MW-076	3/21/2017	1,1,2-TRICHLOROETHANE	0.0001	U	MG/L
MW-076	3/21/2017	1,1-DICHLOROETHANE	0.0001	U	MG/L
MW-076	3/21/2017	1,1-DICHLOROETHENE	0.0001	U	MG/L
MW-076	3/21/2017	1,2,3-TRICHLOROPROPANE	0.0003	U	MG/L
MW-076	3/21/2017	1,2-DIBROMO-3-CHLOROPROPANE	0.0002	U	MG/L
MW-076	3/21/2017	1,2-DIBROMOETHANE	0.0001	U	MG/L
MW-076	3/21/2017	1,2-DICHLOROBENZENE	0.0001	U	MG/L
MW-076	3/21/2017	1,2-DICHLOROETHANE	0.0001	U	MG/L
MW-076	3/21/2017	1,2-DICHLOROPROPANE	0.0001	U	MG/L
MW-076	3/21/2017	1,4-DICHLOROBENZENE	0.0001	U	MG/L
MW-076	3/21/2017	2-BUTANONE	0.001	U	MG/L
MW-076	3/21/2017	2-HEXANONE	0.001	U	MG/L
MW-076	3/21/2017	4-METHYL-2-PENTANONE	0.001	U	MG/L
MW-076	3/21/2017	ACETONE	0.003	U	MG/L
MW-076	3/21/2017	ACRYLONITRILE	0.001	U	MG/L
MW-076	3/21/2017	ALKALINITY	31.5		MG/L
MW-076	3/21/2017	AMMONIA-N	0.20	U	MG/L
MW-076	3/21/2017	ANTIMONY	0.00048	U	MG/L
MW-076	3/21/2017	ARSENIC	0.00068	U	MG/L
MW-076	3/21/2017	BARIUM	0.0359		MG/L
MW-076	3/21/2017	BENZENE	0.0001	U	MG/L
MW-076	3/21/2017	BERYLLIUM	0.00031	J	MG/L
MW-076	3/21/2017	BROMOCHLOROMETHANE	0.0001	U	MG/L
MW-076	3/21/2017	BROMODICHLOROMETHANE	0.0001	U	MG/L
MW-076	3/21/2017	BROMOFORM	0.0001	U	MG/L
MW-076	3/21/2017	BROMOMETHANE	0.0001	U	MG/L
MW-076	3/21/2017	CADMIUM	0.00019	U	MG/L
MW-076	3/21/2017	CALCIUM	20.9		MG/L
MW-076	3/21/2017	CARBON DISULFIDE	0.0004	U	MG/L
MW-076	3/21/2017	CARBON TETRACHLORIDE	0.0001	U	MG/L
MW-076	3/21/2017	CHEMICAL OXYGEN DEMAND	3.0	U	MG/L
MW-076	3/21/2017	CHLORIDE	11.3		MG/L
MW-076	3/21/2017	CHLOROENZENE	0.0001	U	MG/L
MW-076	3/21/2017	CHLORODIBROMOMETHANE	0.0001	U	MG/L
MW-076	3/21/2017	CHLOROETHANE	0.0001	U	MG/L
MW-076	3/21/2017	CHLOROFORM	0.0001	U	MG/L
MW-076	3/21/2017	CHLOROMETHANE	0.0002	U	MG/L
MW-076	3/21/2017	CHROMIUM	0.0020	J	MG/L
MW-076	3/21/2017	CIS-1,2-DICHLOROETHENE	0.0001	U	MG/L
MW-076	3/21/2017	CIS-1,3-DICHLOROPROPENE	0.0001	U	MG/L
MW-076	3/21/2017	COBALT	0.0019	U	MG/L
MW-076	3/21/2017	COPPER	0.0041	U	MG/L
MW-076	3/21/2017	CYANIDE	0.0050	U	MG/L
MW-076	3/21/2017	DIBROMOMETHANE	0.0001	U	MG/L
MW-076	3/21/2017	ETHYLBENZENE	0.0001	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-076	3/21/2017	FLUORIDE	0.23		MG/L
MW-076	3/21/2017	FREE CYANIDE	0.0020	U	MG/L
MW-076	3/21/2017	HARDNESS AS CaCO3	123		MG/L
MW-076	3/21/2017	IRON	0.107		MG/L
MW-076	3/21/2017	LEAD	0.00023	J	MG/L
MW-076	3/21/2017	MAGNESIUM	17.1		MG/L
MW-076	3/21/2017	MAGNESIUM	16.5		MG/L
MW-076	3/21/2017	MANGANESE	0.0056		MG/L
MW-076	3/21/2017	MERCURY	0.000050	U	MG/L
MW-076	3/21/2017	METHYL IODIDE	0.0001	U	MG/L
MW-076	3/21/2017	METHYL TERT-BUTYL ETHER	0.0001	U	MG/L
MW-076	3/21/2017	METHYLENE CHLORIDE	0.0002	U	MG/L
MW-076	3/21/2017	NICKEL	0.0031	J	MG/L
MW-076	3/21/2017	NITRATE-N	20.6		MG/L
MW-076	3/21/2017	PH	6.8		S.U.
MW-076	3/21/2017	POTASSIUM	2.15		MG/L
MW-076	3/21/2017	SELENIUM	0.0097	U	MG/L
MW-076	3/21/2017	SILVER	0.0019	U	MG/L
MW-076	3/21/2017	SODIUM	9.70		MG/L
MW-076	3/21/2017	SPECIFIC CONDUCTANCE	313		UMHOS/CM
MW-076	3/21/2017	STYRENE	0.0001	U	MG/L
MW-076	3/21/2017	SULFATE	31.8		MG/L
MW-076	3/21/2017	TEMPERATURE	22.0		C
MW-076	3/21/2017	TETRACHLOROETHENE	0.0001	U	MG/L
MW-076	3/21/2017	THALLIUM	0.00016	U	MG/L
MW-076	3/21/2017	TOLUENE	0.0001	U	MG/L
MW-076	3/21/2017	TOTAL DISSOLVED SOLIDS	213		MG/L
MW-076	3/21/2017	TOTAL XYLENES	0.0001	U	MG/L
MW-076	3/21/2017	TRANS-1,2-DICHLOROETHENE	0.0001	U	MG/L
MW-076	3/21/2017	TRANS-1,3-DICHLOROPROPENE	0.0001	U	MG/L
MW-076	3/21/2017	TRANS-1,4-DICHLORO-2-BUTENE	0.0001	U	MG/L
MW-076	3/21/2017	TRICHLOROETHENE	0.0001	U	MG/L
MW-076	3/21/2017	TRICHLOROFLUOROMETHANE	0.0001	U	MG/L
MW-076	3/21/2017	TURBIDITY	4.1		NTU
MW-076	3/21/2017	VANADIUM	0.0016	U	MG/L
MW-076	3/21/2017	VINYL ACETATE	0.0002	U	MG/L
MW-076	3/21/2017	VINYL CHLORIDE	0.0001	U	MG/L
MW-076	3/21/2017	ZINC	0.0035	U	MG/L
MW-076	9/6/2017	1,1,1,2-TETRACHLOROETHANE	0.10	U	UG/L
MW-076	9/6/2017	1,1,1-TRICHLOROETHANE	0.10	U	UG/L
MW-076	9/6/2017	1,1,2,2-TETRACHLOROETHANE	0.10	U	UG/L
MW-076	9/6/2017	1,1,2-TRICHLOROETHANE	0.10	U	UG/L
MW-076	9/6/2017	1,1-DICHLOROETHANE	0.10	U	UG/L
MW-076	9/6/2017	1,1-DICHLOROETHENE	0.10	U	UG/L
MW-076	9/6/2017	1,2,3-TRICHLOROPROPANE	0.30	U	UG/L
MW-076	9/6/2017	1,2-DIBROMO-3-CHLOROPROPANE	0.20	U	UG/L
MW-076	9/6/2017	1,2-DIBROMOETHANE	0.10	U	UG/L
MW-076	9/6/2017	1,2-DICHLOROBENZENE	0.10	U	UG/L
MW-076	9/6/2017	1,2-DICHLOROETHANE	0.10	U	UG/L
MW-076	9/6/2017	1,2-DICHLOROPROPANE	0.10	U	UG/L
MW-076	9/6/2017	1,4-DICHLOROBENZENE	0.10	U	UG/L
MW-076	9/6/2017	2-BUTANONE	1	U	UG/L
MW-076	9/6/2017	2-HEXANONE	1	U	UG/L
MW-076	9/6/2017	4-METHYL-2-PENTANONE	1	U	UG/L
MW-076	9/6/2017	ACETONE	3	U	UG/L
MW-076	9/6/2017	ACRYLONITRILE	1	U	UG/L
MW-076	9/6/2017	ALKALINITY	32.3		MG/L
MW-076	9/6/2017	AMMONIA	0.25	U	MG/L
MW-076	9/6/2017	ANTIMONY	0.00045	U	MG/L
MW-076	9/6/2017	ARSENIC	0.00072	U	MG/L
MW-076	9/6/2017	BARIUM	0.0285		MG/L
MW-076	9/6/2017	BENZENE	0.10	U	UG/L
MW-076	9/6/2017	BERYLLIUM	0.00056		MG/L
MW-076	9/6/2017	BROMOCHLOROMETHANE	0.10	U	UG/L
MW-076	9/6/2017	BROMODICHLOROMETHANE	0.10	U	UG/L
MW-076	9/6/2017	BROMOFORM	0.10	U	UG/L
MW-076	9/6/2017	BROMOMETHANE	0.10	U	UG/L
MW-076	9/6/2017	CADMIUM	0.00015	U	MG/L
MW-076	9/6/2017	CALCIUM	12.5		MG/L
MW-076	9/6/2017	CARBON DISULFIDE	0.40	U	UG/L
MW-076	9/6/2017	CARBON TETRACHLORIDE	0.10	U	UG/L
MW-076	9/6/2017	CHEMICAL OXYGEN DEMAND	3	U	MG/L
MW-076	9/6/2017	CHLORIDE	5.8		MG/L
MW-076	9/6/2017	CHLOROBENZENE	0.10	U	UG/L
MW-076	9/6/2017	CHLORODIBROMOMETHANE	0.10	U	UG/L
MW-076	9/6/2017	CHLOROETHANE	0.10	U	UG/L
MW-076	9/6/2017	CHLOROFORM	0.10	U	UG/L
MW-076	9/6/2017	CHLOROMETHANE	0.20	U	UG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-076	9/6/2017	CHROMIUM	0.0029		MG/L
MW-076	9/6/2017	CIS-1,2-DICHLOROETHENE	0.10	U	UG/L
MW-076	9/6/2017	CIS-1,3-DICHLOROPROPENE	0.10	U	UG/L
MW-076	9/6/2017	COBALT	0.0022	J	MG/L
MW-076	9/6/2017	COPPER	0.004	U	MG/L
MW-076	9/6/2017	CYANIDE	0.005	U	MG/L
MW-076	9/6/2017	DIBROMOMETHANE	0.10	U	UG/L
MW-076	9/6/2017	ETHYLBENZENE	0.10	U	UG/L
MW-076	9/6/2017	FLUORIDE	0.26		MG/L
MW-076	9/6/2017	FREE CYANIDE	0.0021	J	MG/L
MW-076	9/6/2017	HARDNESS AS CaCO3	66.9		MG/L
MW-076	9/6/2017	IRON	0.15		MG/L
MW-076	9/6/2017	LEAD	0.00021	J	MG/L
MW-076	9/6/2017	MAGNESIUM	8.65		MG/L
MW-076	9/6/2017	MAGNESIUM	8.88		MG/L
MW-076	9/6/2017	MANGANESE	0.0095		MG/L
MW-076	9/6/2017	MERCURY	0.00005	U	MG/L
MW-076	9/6/2017	METHYL IODIDE	0.10	U	UG/L
MW-076	9/6/2017	METHYL TERT-BUTYL ETHER	0.10	U	UG/L
MW-076	9/6/2017	METHYLENE CHLORIDE	0.20	U	UG/L
MW-076	9/6/2017	NICKEL	0.004	U	MG/L
MW-076	9/6/2017	NITRATE-N	4.9		MG/L
MW-076	9/6/2017	PH	6.7		S.U.
MW-076	9/6/2017	POTASSIUM	1.58		MG/L
MW-076	9/6/2017	SELENIUM	0.0093	U	MG/L
MW-076	9/6/2017	SILVER	0.0024	U	MG/L
MW-076	9/6/2017	SODIUM	6.82		MG/L
MW-076	9/6/2017	SPECIFIC CONDUCTANCE	193		UMHOS/CM
MW-076	9/6/2017	STYRENE	0.10	U	UG/L
MW-076	9/6/2017	SULFATE	25.3		MG/L
MW-076	9/6/2017	TEMPERATURE	22.5		C
MW-076	9/6/2017	TETRACHLOROETHENE	0.10	U	UG/L
MW-076	9/6/2017	THALLIUM	0.00012	U	MG/L
MW-076	9/6/2017	TOLUENE	0.10	U	UG/L
MW-076	9/6/2017	TOTAL DISSOLVED SOLIDS	119		MG/L
MW-076	9/6/2017	TOTAL XYLENES	0.10	U	UG/L
MW-076	9/6/2017	TRANS-1,2-DICHLOROETHENE	0.10	U	UG/L
MW-076	9/6/2017	TRANS-1,3-DICHLOROPROPENE	0.10	U	UG/L
MW-076	9/6/2017	TRANS-1,4-DICHLORO-2-BUTENE	1	U	UG/L
MW-076	9/6/2017	TRICHLOROETHENE	0.10	U	UG/L
MW-076	9/6/2017	TRICHLOROFLUOROMETHANE	0.10	U	UG/L
MW-076	9/6/2017	TURBIDITY	13		NTU
MW-076	9/6/2017	VANADIUM	0.0016	U	MG/L
MW-076	9/6/2017	VINYL ACETATE	0.20	U	UG/L
MW-076	9/6/2017	VINYL CHLORIDE	0.10	U	UG/L
MW-076	9/6/2017	ZINC	0.0039	U	MG/L
MW-076	3/6/2018	1,1,1,2-TETRACHLOROETHANE	0.0001	U	MG/L
MW-076	3/6/2018	1,1,1-TRICHLOROETHANE	0.0001	U	MG/L
MW-076	3/6/2018	1,1,2,2-TETRACHLOROETHANE	0.0001	U	MG/L
MW-076	3/6/2018	1,1,2-TRICHLOROETHANE	0.0001	U	MG/L
MW-076	3/6/2018	1,1-DICHLOROETHANE	0.0001	U	MG/L
MW-076	3/6/2018	1,1-DICHLOROETHENE	0.0001	U	MG/L
MW-076	3/6/2018	1,2,3-TRICHLOROPROPANE	0.0003	U	MG/L
MW-076	3/6/2018	1,2-DIBROMO-3-CHLOROPROPANE	0.0002	U	MG/L
MW-076	3/6/2018	1,2-DIBROMOETHANE	0.0001	U	MG/L
MW-076	3/6/2018	1,2-DICHLOROBENZENE	0.0001	U	MG/L
MW-076	3/6/2018	1,2-DICHLOROETHANE	0.0001	U	MG/L
MW-076	3/6/2018	1,2-DICHLOROPROPANE	0.0001	U	MG/L
MW-076	3/6/2018	1,4-DICHLOROBENZENE	0.0001	U	MG/L
MW-076	3/6/2018	2-BUTANONE	0.001	U	MG/L
MW-076	3/6/2018	2-HEXANONE	0.001	U	MG/L
MW-076	3/6/2018	4-METHYL-2-PENTANONE	0.001	U	MG/L
MW-076	3/6/2018	ACETONE	0.003	U	MG/L
MW-076	3/6/2018	ACRYLONITRILE	0.001	U	MG/L
MW-076	3/6/2018	ALKALINITY	15.8		MG/L
MW-076	3/6/2018	AMMONIA-N	0.25	U	MG/L
MW-076	3/6/2018	ANTIMONY	0.00045	U	MG/L
MW-076	3/6/2018	ARSENIC	0.00072	U	MG/L
MW-076	3/6/2018	BARIIUM	0.0191		MG/L
MW-076	3/6/2018	BENZENE	0.0001	U	MG/L
MW-076	3/6/2018	BERYLLIUM	0.000071	U	MG/L
MW-076	3/6/2018	BROMOCHLOROMETHANE	0.0001	U	MG/L
MW-076	3/6/2018	BROMODICHLOROMETHANE	0.0001	U	MG/L
MW-076	3/6/2018	BROMOFORM	0.0001	U	MG/L
MW-076	3/6/2018	BROMOMETHANE	0.0001	U	MG/L
MW-076	3/6/2018	CADMIUM	0.00015	U	MG/L
MW-076	3/6/2018	CALCIUM	9.29		MG/L
MW-076	3/6/2018	CARBON DISULFIDE	0.0004	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-076	3/6/2018	CARBON TETRACHLORIDE	0.0001	U	MG/L
MW-076	3/6/2018	CHEMICAL OXYGEN DEMAND	3	U	MG/L
MW-076	3/6/2018	CHLORIDE	6.1		MG/L
MW-076	3/6/2018	CHLOROBENZENE	0.0001	U	MG/L
MW-076	3/6/2018	CHLORODIBROMOMETHANE	0.0001	U	MG/L
MW-076	3/6/2018	CHLOROETHANE	0.0001	U	MG/L
MW-076	3/6/2018	CHLOROFORM	0.0001	U	MG/L
MW-076	3/6/2018	CHLOROMETHANE	0.0002	U	MG/L
MW-076	3/6/2018	CHROMIUM	0.0021		MG/L
MW-076	3/6/2018	CIS-1,2-DICHLOROETHENE	0.0001	U	MG/L
MW-076	3/6/2018	CIS-1,3-DICHLOROPROPENE	0.0001	U	MG/L
MW-076	3/6/2018	COBALT	0.0017	U	MG/L
MW-076	3/6/2018	COPPER	0.004	U	MG/L
MW-076	3/6/2018	CYANIDE	0.005	U	MG/L
MW-076	3/6/2018	DIBROMOMETHANE	0.0001	U	MG/L
MW-076	3/6/2018	ETHYLBENZENE	0.0001	U	MG/L
MW-076	3/6/2018	FLUORIDE	0.16		MG/L
MW-076	3/6/2018	FREE CYANIDE	0.002	U	MG/L
MW-076	3/6/2018	HARDNESS AS CaCO3	56.7		MG/L
MW-076	3/6/2018	IRON	0.0761	J	MG/L
MW-076	3/6/2018	LEAD	0.00011	U	MG/L
MW-076	3/6/2018	MAGNESIUM	8.15		MG/L
MW-076	3/6/2018	MANGANESE	0.0093		MG/L
MW-076	3/6/2018	MERCURY	0.00005	U	MG/L
MW-076	3/6/2018	METHYL IODIDE	0.0001	U	MG/L
MW-076	3/6/2018	METHYL TERT-BUTYL ETHER	0.0001	U	MG/L
MW-076	3/6/2018	METHYLENE CHLORIDE	0.0002	U	MG/L
MW-076	3/6/2018	NICKEL	0.004	U	MG/L
MW-076	3/6/2018	NITRATE-N	4.8		MG/L
MW-076	3/6/2018	PH	6.5		S.U.
MW-076	3/6/2018	POTASSIUM	1.62		MG/L
MW-076	3/6/2018	SELENIUM	0.0093	U	MG/L
MW-076	3/6/2018	SILVER	0.0024	U	MG/L
MW-076	3/6/2018	SODIUM	5.94		MG/L
MW-076	3/6/2018	SPECIFIC CONDUCTANCE	160		UMHOS/CM
MW-076	3/6/2018	STYRENE	0.0001	U	MG/L
MW-076	3/6/2018	SULFATE	27.5		MG/L
MW-076	3/6/2018	TEMPERATURE	22		C
MW-076	3/6/2018	TETRACHLOROETHENE	0.0001	U	MG/L
MW-076	3/6/2018	THALLIUM	0.00012	U	MG/L
MW-076	3/6/2018	TOLUENE	0.0001	U	MG/L
MW-076	3/6/2018	TOTAL DISSOLVED SOLIDS	85.5		MG/L
MW-076	3/6/2018	TOTAL XYLENES	0.0001	U	MG/L
MW-076	3/6/2018	TRANS-1,2-DICHLOROETHENE	0.0001	U	MG/L
MW-076	3/6/2018	TRANS-1,3-DICHLOROPROPENE	0.0001	U	MG/L
MW-076	3/6/2018	TRANS-1,4-DICHLORO-2-BUTENE	0.001	U	MG/L
MW-076	3/6/2018	TRICHLOROETHENE	0.0001	U	MG/L
MW-076	3/6/2018	TRICHLOROFLUOROMETHANE	0.0001	U	MG/L
MW-076	3/6/2018	TURBIDITY	3.4		NTU
MW-076	3/6/2018	VANADIUM	0.0016	U	MG/L
MW-076	3/6/2018	VINYL ACETATE	0.0002	U	MG/L
MW-076	3/6/2018	VINYL CHLORIDE	0.0001	U	MG/L
MW-076	3/6/2018	ZINC	0.0039	U	MG/L
MW-076	9/25/2018	FLUORIDE	0.3600		MG/L
MW-076	3/6/2019	FLUORIDE	0.19		MG/L
MW-076	8/28/2019	ALKALINITY	25		MG/L
MW-076	8/28/2019	AMMONIA-N	0.25	U	MG/L
MW-076	8/28/2019	ANTIMONY	0.00041	U K4	MG/L
MW-076	8/28/2019	ARSENIC	0.00068	U K4	MG/L
MW-076	8/28/2019	BARIUM	0.0227		MG/L
MW-076	8/28/2019	BERYLLIUM	0.00074		MG/L
MW-076	8/28/2019	CADMIUM	0.00015	U K4	MG/L
MW-076	8/28/2019	CALCIUM	9.54		MG/L
MW-076	8/28/2019	CHEMICAL OXYGEN DEMAND	8	J	MG/L
MW-076	8/28/2019	CHLORIDE	4.8		MG/L
MW-076	8/28/2019	CHROMIUM	0.0021	J	MG/L
MW-076	8/28/2019	COBALT	0.00016	U K4	MG/L
MW-076	8/28/2019	COPPER	0.0099	U K4	MG/L
MW-076	8/28/2019	CYANIDE	0.005	U	MG/L
MW-076	8/28/2019	FLUORIDE	0.48	J	MG/L
MW-076	8/28/2019	FREE CYANIDE	0.002	U	MG/L
MW-076	8/28/2019	HARDNESS AS CaCO3	54.9		MG/L
MW-076	8/28/2019	IRON	0.0809	J	MG/L
MW-076	8/28/2019	LEAD	0.0011	U K4	MG/L
MW-076	8/28/2019	MAGNESIUM	7.54		MG/L
MW-076	8/28/2019	MANGANESE	0.0059	J	MG/L
MW-076	8/28/2019	MERCURY	0.00005	U	MG/L
MW-076	8/28/2019	NICKEL	0.0022	J	MG/L



Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-076	8/28/2019	NITRATE-N	3.6		MG/L
MW-076	8/28/2019	PH	6.2		S.U.
MW-076	8/28/2019	POTASSIUM	1.56		MG/L
MW-076	8/28/2019	SELENIUM	0.00065	U	MG/L
MW-076	8/28/2019	SILVER	0.00017	U K4	MG/L
MW-076	8/28/2019	SODIUM	5.82		MG/L
MW-076	8/28/2019	SPECIFIC CONDUCTANCE	151		UMHOS/CM
MW-076	8/28/2019	SULFATE	24.8		MG/L
MW-076	8/28/2019	TEMPERATURE	23.8		C
MW-076	8/28/2019	THALLIUM	0.00011	U K4	MG/L
MW-076	8/28/2019	TOTAL DISSOLVED SOLIDS	87.5		MG/L
MW-076	8/28/2019	TURBIDITY	4.2		NTU
MW-076	8/28/2019	VANADIUM	0.00024	U K4	MG/L
MW-076	8/28/2019	ZINC	0.0062	U K4	MG/L
MW-076	3/11/2020	ALKALINITY	16.2		MG/L
MW-076	3/11/2020	AMMONIA-N	0.25	U	MG/L
MW-076	3/11/2020	ANTIMONY	0.00041	U	MG/L
MW-076	3/11/2020	ARSENIC	0.00068	U	MG/L
MW-076	3/11/2020	BARIIUM	0.0154		MG/L
MW-076	3/11/2020	BERYLLIUM	0.00049	J	MG/L
MW-076	3/11/2020	CADMIUM	0.00015	U	MG/L
MW-076	3/11/2020	CALCIUM	7.82		MG/L
MW-076	3/11/2020	CHEMICAL OXYGEN DEMAND	5	U	MG/L
MW-076	3/11/2020	CHLORIDE	4.8		MG/L
MW-076	3/11/2020	CHROMIUM	0.0025		MG/L
MW-076	3/11/2020	COBALT	0.00016	U	MG/L
MW-076	3/11/2020	COPPER	0.00059	J	MG/L
MW-076	3/11/2020	CYANIDE	0.005	U	MG/L
MW-076	3/11/2020	FLUORIDE	0.17		MG/L
MW-076	3/11/2020	FREE CYANIDE	0.002	U	MG/L
MW-076	3/11/2020	HARDNESS AS CaCO3	48.5		MG/L
MW-076	3/11/2020	IRON	0.0381	J	MG/L
MW-076	3/11/2020	LEAD	0.000071	U	MG/L
MW-076	3/11/2020	MAGNESIUM	7.05		MG/L
MW-076	3/11/2020	MANGANESE	0.0022		MG/L
MW-076	3/11/2020	MERCURY	0.00005	U	MG/L
MW-076	3/11/2020	NICKEL	0.0013		MG/L
MW-076	3/11/2020	NITRATE-N	3.7		MG/L
MW-076	3/11/2020	POTASSIUM	1.39		MG/L
MW-076	3/11/2020	SELENIUM	0.00028	U	MG/L
MW-076	3/11/2020	SILVER	0.00017	U	MG/L
MW-076	3/11/2020	SODIUM	5.39		MG/L
MW-076	3/11/2020	SPECIFIC CONDUCTANCE	141		UMHOS/CM
MW-076	3/11/2020	SULFATE	23.9		MG/L
MW-076	3/11/2020	THALLIUM	0.00013	U	MG/L
MW-076	3/11/2020	TOTAL DISSOLVED SOLIDS	92.5		MG/L
MW-076	3/11/2020	TURBIDITY	8.6		NTU
MW-076	3/11/2020	VANADIUM	0.0003	J	MG/L
MW-076	3/11/2020	ZINC	0.0062	U	MG/L
MW-076	9/14/2020	ALKALINITY	31		MG/L
MW-076	9/14/2020	AMMONIA-N	0.75	U	MG/L
MW-076	9/14/2020	ANTIMONY	0.001	U	MG/L
MW-076	9/14/2020	ARSENIC	0.002	U	MG/L
MW-076	9/14/2020	BARIIUM	0.02		MG/L
MW-076	9/14/2020	BERYLLIUM	0.00054		MG/L
MW-076	9/14/2020	CADMIUM	0.0005	U	MG/L
MW-076	9/14/2020	CALCIUM	9.7		MG/L
MW-076	9/14/2020	CHEMICAL OXYGEN DEMAND	15	U	MG/L
MW-076	9/14/2020	CHLORIDE	4.1		MG/L
MW-076	9/14/2020	CHROMIUM	0.0022		MG/L
MW-076	9/14/2020	COBALT	0.0005	U	MG/L
MW-076	9/14/2020	COPPER	0.001	U	MG/L
MW-076	9/14/2020	CYANIDE	0.01	U	MG/L
MW-076	9/14/2020	FLUORIDE	0.36	J	MG/L
MW-076	9/14/2020	FREE CYANIDE	0.006	U	MG/L
MW-076	9/14/2020	HARDNESS AS CaCO3	57		MG/L
MW-076	9/14/2020	IRON	0.049	J	MG/L
MW-076	9/14/2020	LEAD	0.0005	U	MG/L
MW-076	9/14/2020	MAGNESIUM	8.1		MG/L
MW-076	9/14/2020	MANGANESE	0.0064		MG/L
MW-076	9/14/2020	MERCURY	0.0002	U	MG/L
MW-076	9/14/2020	NICKEL	0.0017		MG/L
MW-076	9/14/2020	NITRATE-N	3.7		MG/L
MW-076	9/14/2020	PH	6.3	HF	S.U.
MW-076	9/14/2020	POTASSIUM	1.3		MG/L
MW-076	9/14/2020	SELENIUM	0.001	U	MG/L
MW-076	9/14/2020	SILVER	0.0005	U	MG/L
MW-076	9/14/2020	SODIUM	5.7	B	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-076	9/14/2020	SPECIFIC CONDUCTANCE	160		US/CM
MW-076	9/14/2020	SULFATE	23		MG/L
MW-076	9/14/2020	TEMPERATURE	22.3	HF	C
MW-076	9/14/2020	THALLIUM	0.0005	U	MG/L
MW-076	9/14/2020	TOTAL DISSOLVED SOLIDS	99		MG/L
MW-076	9/14/2020	TURBIDITY	1	U	NTU
MW-076	9/14/2020	VANADIUM	0.0005	U	MG/L
MW-076	9/14/2020	ZINC	0.01	U	MG/L
MW-076	3/29/2021	ALKALINITY	21		MG/L
MW-076	3/29/2021	ALUMINUM	0.086		MG/L
MW-076	3/29/2021	ARSENIC	0.002	U	MG/L
MW-076	3/29/2021	BARIUM	0.02		MG/L
MW-076	3/29/2021	BERYLLIUM	0.00049	J	MG/L
MW-076	3/29/2021	CADMIUM	0.0005	U	MG/L
MW-076	3/29/2021	CHLORIDE	4.4		MG/L
MW-076	3/29/2021	CHROMIUM	0.0019	J	MG/L
MW-076	3/29/2021	FLUORIDE	0.28	J	MG/L
MW-076	3/29/2021	LEAD	0.0005	U	MG/L
MW-076	3/29/2021	MERCURY	0.002	U	MG/L
MW-076	3/29/2021	NICKEL	0.0015		MG/L
MW-076	3/29/2021	NITRATE-N	3.6		MG/L
MW-076	3/29/2021	PH	6.4	HF	S.U.
MW-076	3/29/2021	SELENIUM	0.001	U	MG/L
MW-076	3/29/2021	SODIUM	4.7		MG/L
MW-076	3/29/2021	SPECIFIC CONDUCTANCE	140		US/CM
MW-076	3/29/2021	SULFATE	23		MG/L
MW-076	3/29/2021	TEMPERATURE	21.9	HF	C
MW-076	3/29/2021	TOTAL DISSOLVED SOLIDS	87		MG/L
MW-076	3/29/2021	TURBIDITY	3		NTU
MW-076	9/21/2021	ALKALINITY	21		MG/L
MW-076	9/21/2021	ALUMINUM	0.11		MG/L
MW-076	9/21/2021	ARSENIC	0.002	U	MG/L
MW-076	9/21/2021	BARIUM	0.015		MG/L
MW-076	9/21/2021	BERYLLIUM	0.00053		MG/L
MW-076	9/21/2021	CADMIUM	0.0005	U	MG/L
MW-076	9/21/2021	CHLORIDE	3.9		MG/L
MW-076	9/21/2021	CHROMIUM	0.0023		MG/L
MW-076	9/21/2021	FLUORIDE	0.50	U+	MG/L
MW-076	9/21/2021	LEAD	0.00015	J	MG/L
MW-076	9/21/2021	MERCURY	0.0002	U	MG/L
MW-076	9/21/2021	NICKEL	0.0014		MG/L
MW-076	9/21/2021	NITRATE-N	3.1		MG/L
MW-076	9/21/2021	PH	6.1	HF	S.U.
MW-076	9/21/2021	SELENIUM	0.001	U	MG/L
MW-076	9/21/2021	SODIUM	5.1		MG/L
MW-076	9/21/2021	SPECIFIC CONDUCTANCE	130		US/CM
MW-076	9/21/2021	SULFATE	20		MG/L
MW-076	9/21/2021	TEMPERATURE	22.9	HF	C
MW-076	9/21/2021	TOTAL DISSOLVED SOLIDS	83		MG/L
MW-076	9/21/2021	TURBIDITY	1.7		NTU
MW-076	3/29/2022	ALKALINITY	24		MG/L
MW-076	3/29/2022	ALUMINUM	95		UG/L
MW-076	3/29/2022	ARSENIC	0.002	U	MG/L
MW-076	3/29/2022	BARIUM	0.016		MG/L
MW-076	3/29/2022	BERYLLIUM	0.00047	J	MG/L
MW-076	3/29/2022	CADMIUM	0.0005	U	MG/L
MW-076	3/29/2022	CHLORIDE	4.7		MG/L
MW-076	3/29/2022	CHROMIUM	0.0028		MG/L
MW-076	3/29/2022	FLUORIDE	0.19		MG/L
MW-076	3/29/2022	LEAD	0.00008	J	MG/L
MW-076	3/29/2022	MERCURY	0.00019	J	MG/L
MW-076	3/29/2022	NICKEL	0.0012		MG/L
MW-076	3/29/2022	NITRATE-N	3.2		MG/L
MW-076	3/29/2022	PH	6.1	HF	S.U.
MW-076	3/29/2022	SELENIUM	0.001	U	MG/L
MW-076	3/29/2022	SODIUM	5.4		MG/L
MW-076	3/29/2022	SPECIFIC CONDUCTANCE	150		US/CM
MW-076	3/29/2022	SULFATE	22		MG/L
MW-076	3/29/2022	TEMPERATURE	22.4	HF	C
MW-076	3/29/2022	TOTAL DISSOLVED SOLIDS	77		MG/L
MW-076	3/29/2022	TURBIDITY	2.3		NTU
MW-077	10/22/1993	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-077	10/22/1993	ALKALINITY	206		MG/L
MW-077	10/22/1993	BICARBONATE ALKALINITY	206		MG/L
MW-077	10/22/1993	CALCIUM	83.2		MG/L
MW-077	10/22/1993	CARBONATE ALKALINITY	0.00	U	MG/L
MW-077	10/22/1993	CHLORIDE	10.7		MG/L
MW-077	10/22/1993	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-077	10/22/1993	CYANIDE	9.45	U	MG/L
MW-077	10/22/1993	FLUORIDE	0.14		MG/L
MW-077	10/22/1993	FREE CYANIDE	0.0082	U	MG/L
MW-077	10/22/1993	IRON	12		MG/L
MW-077	10/22/1993	SULFATE	43.6		MG/L
MW-077	10/22/1993	TETRACHLOROETHENE	0.001	U	MG/L
MW-077	10/22/1993	TOTAL DISSOLVED SOLIDS	329		MG/L
MW-077	10/22/1993	TRICHLOROETHENE	0.001	U	MG/L
MW-077	10/22/1993	VINYL CHLORIDE	0.001	U	MG/L
MW-077	3/14/1994	CYANIDE	0.008939		MG/L
MW-077	3/14/1994	FLUORIDE	0.13		MG/L
MW-077	3/14/1994	FREE CYANIDE	0.0085	U	MG/L
MW-077	3/31/1994	CYANIDE	7.66	U	MG/L
MW-077	7/14/1994	ALKALINITY	138		MG/L
MW-077	7/14/1994	BICARBONATE ALKALINITY	138		MG/L
MW-077	7/14/1994	CALCIUM	84.4		MG/L
MW-077	7/14/1994	CARBONATE ALKALINITY	0.00	U	MG/L
MW-077	7/14/1994	CHLORIDE	7.7		MG/L
MW-077	7/14/1994	CYANIDE	9.01	U	MG/L
MW-077	7/14/1994	FLUORIDE	0.08		MG/L
MW-077	7/14/1994	IRON	0.28		MG/L
MW-077	7/14/1994	SULFATE	35.8		MG/L
MW-077	7/14/1994	TOTAL DISSOLVED SOLIDS	176		MG/L
MW-077	7/29/1994	FREE CYANIDE	0.0075	U	MG/L
MW-077	1/23/1995	CYANIDE	10.4	U	MG/L
MW-077	1/23/1995	FLUORIDE	0.10		MG/L
MW-077	1/23/1995	FREE CYANIDE	0.0087	U	MG/L
MW-077	7/17/1995	ALKALINITY	186		MG/L
MW-077	7/17/1995	BICARBONATE ALKALINITY	186		MG/L
MW-077	7/17/1995	CALCIUM	82.5		MG/L
MW-077	7/17/1995	CARBONATE ALKALINITY	0.00	U	MG/L
MW-077	7/17/1995	CHLORIDE	17.1		MG/L
MW-077	7/17/1995	CYANIDE	9.86	U	MG/L
MW-077	7/17/1995	FLUORIDE	0.12		MG/L
MW-077	7/17/1995	IRON	4.79		MG/L
MW-077	7/17/1995	SULFATE	47.7		MG/L
MW-077	7/17/1995	TOTAL DISSOLVED SOLIDS	308		MG/L
MW-077	7/31/1995	FREE CYANIDE	0.0077	U	MG/L
MW-077	1/23/1996	CYANIDE	11	U	MG/L
MW-077	1/23/1996	FLUORIDE	0.09		MG/L
MW-077	1/23/1996	FREE CYANIDE	0.0081	U	MG/L
MW-077	7/2/1996	ALKALINITY	144		MG/L
MW-077	7/2/1996	BICARBONATE ALKALINITY	144		MG/L
MW-077	7/2/1996	CALCIUM	75		MG/L
MW-077	7/2/1996	CARBONATE ALKALINITY	0.00	U	MG/L
MW-077	7/2/1996	CHLORIDE	15		MG/L
MW-077	7/2/1996	CYANIDE	9.32	U	MG/L
MW-077	7/2/1996	FLUORIDE	0.07		MG/L
MW-077	7/2/1996	FLUORINE	0.10	U	MG/L
MW-077	7/2/1996	FREE CYANIDE	0.0083	U	MG/L
MW-077	7/2/1996	IRON	0.30		MG/L
MW-077	7/2/1996	SODIUM	5		MG/L
MW-077	7/2/1996	SULFATE	38.3		MG/L
MW-077	7/2/1996	TOTAL DISSOLVED SOLIDS	273		MG/L
MW-077	1/28/1997	CYANIDE	6.18	U	MG/L
MW-077	1/28/1997	FLUORIDE	0.10	U	MG/L
MW-077	1/28/1997	FLUORINE	0.10		MG/L
MW-077	1/28/1997	FREE CYANIDE	0.008	U	MG/L
MW-077	1/28/1997	SODIUM	5.4		MG/L
MW-077	7/8/1997	ALKALINITY	180		MG/L
MW-077	7/8/1997	BICARBONATE ALKALINITY	180		MG/L
MW-077	7/8/1997	CALCIUM	88		MG/L
MW-077	7/8/1997	CARBONATE ALKALINITY	1	U	MG/L
MW-077	7/8/1997	CHLORIDE	18		MG/L
MW-077	7/8/1997	CYANIDE	6.18	U	MG/L
MW-077	7/8/1997	FLUORIDE	0.10	U	MG/L
MW-077	7/8/1997	FLUORINE	0.10		MG/L
MW-077	7/8/1997	FREE CYANIDE	0.008	U	MG/L
MW-077	7/8/1997	IRON	2.4		MG/L
MW-077	7/8/1997	SODIUM	6.2		MG/L
MW-077	7/8/1997	SULFATE	47		MG/L
MW-077	7/8/1997	TOTAL DISSOLVED SOLIDS	358		MG/L
MW-077	1/26/1998	CYANIDE	0.001	U	MG/L
MW-077	1/26/1998	FLUORIDE	0.10	U	MG/L
MW-077	1/26/1998	FLUORINE	0.10		MG/L
MW-077	1/26/1998	FREE CYANIDE	0.00823	U	MG/L
MW-077	1/26/1998	SODIUM	4.5		MG/L
MW-077	7/1/1998	ALKALINITY	155		MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-077	7/1/1998	BICARBONATE ALKALINITY	155		MG/L
MW-077	7/1/1998	CALCIUM	77		MG/L
MW-077	7/1/1998	CARBONATE ALKALINITY	4.75	U	MG/L
MW-077	7/1/1998	CHLORIDE	13		MG/L
MW-077	7/1/1998	CYANIDE	10.98	U	MG/L
MW-077	7/1/1998	FLUORIDE	0.10	U	MG/L
MW-077	7/1/1998	FREE CYANIDE	0.00823	U	MG/L
MW-077	7/1/1998	IRON	0.60		MG/L
MW-077	7/1/1998	SILICON DIOXIDE	13		MG/L
MW-077	7/1/1998	SODIUM	5.5		MG/L
MW-077	7/1/1998	SULFATE	45		MG/L
MW-077	7/1/1998	TOTAL DISSOLVED SOLIDS	295		MG/L
MW-077	1/13/1999	CYANIDE	10.98	U	MG/L
MW-077	1/13/1999	FLUORIDE	0.10	U	MG/L
MW-077	1/13/1999	FREE CYANIDE	0.0134	U	MG/L
MW-077	7/6/1999	ALKALINITY	190		MG/L
MW-077	7/6/1999	BICARBONATE ALKALINITY	190		MG/L
MW-077	7/6/1999	CALCIUM	93		MG/L
MW-077	7/6/1999	CARBONATE ALKALINITY	4	U	MG/L
MW-077	7/6/1999	CHLORIDE	14		MG/L
MW-077	7/6/1999	CYANIDE	0.004		MG/L
MW-077	7/6/1999	FLUORIDE	0.10	U	MG/L
MW-077	7/6/1999	FREE CYANIDE	0.0134	U	MG/L
MW-077	7/6/1999	IRON	5.2		MG/L
MW-077	7/6/1999	SULFATE	43		MG/L
MW-077	7/6/1999	TOTAL DISSOLVED SOLIDS	320		MG/L
MW-077	1/28/2000	CYANIDE	0.001	U	MG/L
MW-077	1/28/2000	FLUORIDE	0.10	U	MG/L
MW-077	1/28/2000	FREE CYANIDE	0.004		MG/L
MW-077	7/18/2000	ALKALINITY	150		MG/L
MW-077	7/18/2000	BICARBONATE ALKALINITY	150		MG/L
MW-077	7/18/2000	CALCIUM	86		MG/L
MW-077	7/18/2000	CARBONATE ALKALINITY	2	U	MG/L
MW-077	7/18/2000	CHLORIDE	20		MG/L
MW-077	7/18/2000	CYANIDE	0.001	U	MG/L
MW-077	7/18/2000	FLUORIDE	0.09		MG/L
MW-077	7/18/2000	FREE CYANIDE	0.005		MG/L
MW-077	7/18/2000	IRON	2.7		MG/L
MW-077	7/18/2000	SULFATE	37		MG/L
MW-077	7/18/2000	TOTAL DISSOLVED SOLIDS	270		MG/L
MW-077	1/26/2001	CYANIDE	0.001	U	MG/L
MW-077	1/26/2001	FLUORIDE	0.10	U	MG/L
MW-077	1/26/2001	FREE CYANIDE	0.0026	U	MG/L
MW-077	7/31/2001	ALKALINITY	180		MG/L
MW-077	7/31/2001	BICARBONATE ALKALINITY	180		MG/L
MW-077	7/31/2001	CALCIUM	92.4		MG/L
MW-077	7/31/2001	CARBONATE ALKALINITY	5	U	MG/L
MW-077	7/31/2001	CHLORIDE	20.7		MG/L
MW-077	7/31/2001	CYANIDE	0.001	U	MG/L
MW-077	7/31/2001	FLUORIDE	0.17		MG/L
MW-077	7/31/2001	FREE CYANIDE	0.007		MG/L
MW-077	7/31/2001	IRON	5.84		MG/L
MW-077	7/31/2001	SULFATE	47.9		MG/L
MW-077	7/31/2001	TOTAL DISSOLVED SOLIDS	353		MG/L
MW-077	1/28/2002	CYANIDE	0.01	U	MG/L
MW-077	1/28/2002	FLUORIDE	0.11		MG/L
MW-077	1/28/2002	FREE CYANIDE	0.0014		MG/L
MW-077	7/30/2002	ALKALINITY	160		MG/L
MW-077	7/30/2002	BICARBONATE ALKALINITY	160		MG/L
MW-077	7/30/2002	CALCIUM	93		MG/L
MW-077	7/30/2002	CARBONATE ALKALINITY	2	U	MG/L
MW-077	7/30/2002	CHLORIDE	22		MG/L
MW-077	7/30/2002	CYANIDE	0.0007		MG/L
MW-077	7/30/2002	FLUORIDE	0.12		MG/L
MW-077	7/30/2002	FREE CYANIDE	0.0029		MG/L
MW-077	7/30/2002	IRON	10		MG/L
MW-077	7/30/2002	SULFATE	43		MG/L
MW-077	7/30/2002	TOTAL DISSOLVED SOLIDS	350		MG/L
MW-077	1/30/2003	CYANIDE	0.0043		MG/L
MW-077	1/30/2003	FLUORIDE	0.10	U	MG/L
MW-077	1/30/2003	FREE CYANIDE	0.003		MG/L
MW-077	7/21/2003	FLUORIDE	0.08		MG/L
MW-077	7/21/2003	FREE CYANIDE	0.006		MG/L
MW-077	7/22/2003	ALKALINITY	140		MG/L
MW-077	7/22/2003	BICARBONATE ALKALINITY	140		MG/L
MW-077	7/22/2003	CALCIUM	73		MG/L
MW-077	7/22/2003	CARBONATE ALKALINITY	2	U	MG/L
MW-077	7/22/2003	CHLORIDE	20		MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-077	7/22/2003	CYANIDE	0.001	U	MG/L
MW-077	7/22/2003	IRON	25		MG/L
MW-077	7/22/2003	SULFATE	21		MG/L
MW-077	7/22/2003	TOTAL DISSOLVED SOLIDS	330		MG/L
MW-077	1/28/2004	CYANIDE	0.0013		MG/L
MW-077	1/28/2004	FLUORIDE	0.13		MG/L
MW-077	1/28/2004	FREE CYANIDE	0.002		MG/L
MW-077	7/28/2004	ALKALINITY	170		MG/L
MW-077	7/28/2004	BICARBONATE ALKALINITY	170		MG/L
MW-077	7/28/2004	CALCIUM	82		MG/L
MW-077	7/28/2004	CARBONATE ALKALINITY	2	U	MG/L
MW-077	7/28/2004	CHLORIDE	17		MG/L
MW-077	7/28/2004	CYANIDE	0.0078		MG/L
MW-077	7/28/2004	FLUORIDE	0.06		MG/L
MW-077	7/28/2004	FREE CYANIDE	0.007		MG/L
MW-077	7/28/2004	IRON	43		MG/L
MW-077	7/28/2004	SULFATE	55		MG/L
MW-077	7/28/2004	TOTAL DISSOLVED SOLIDS	360		MG/L
MW-077	9/27/2004	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-077	9/27/2004	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-077	9/27/2004	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-077	9/27/2004	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-077	9/27/2004	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-077	9/27/2004	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-077	9/27/2004	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-077	9/27/2004	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-077	9/27/2004	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-077	9/27/2004	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-077	9/27/2004	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-077	9/27/2004	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-077	9/27/2004	1,4-DICHLOROBENZENE	0.001		MG/L
MW-077	9/27/2004	2-BUTANONE	0.005	U	MG/L
MW-077	9/27/2004	2-HEXANONE	0.005	U	MG/L
MW-077	9/27/2004	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-077	9/27/2004	ACETONE	0.016		MG/L
MW-077	9/27/2004	ACRYLONITRILE	0.005	U	MG/L
MW-077	9/27/2004	AMMONIA	0.10	U	MG/L
MW-077	9/27/2004	ANTIMONY	0.0022		MG/L
MW-077	9/27/2004	ARSENIC	0.002		MG/L
MW-077	9/27/2004	BARIUM	0.0815		MG/L
MW-077	9/27/2004	BENZENE	0.001	U	MG/L
MW-077	9/27/2004	BERYLLIUM	0.0005		MG/L
MW-077	9/27/2004	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-077	9/27/2004	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-077	9/27/2004	BROMOFORM	0.001	U	MG/L
MW-077	9/27/2004	BROMOMETHANE	0.001	U	MG/L
MW-077	9/27/2004	CADMIUM	0.00015		MG/L
MW-077	9/27/2004	CARBON DISULFIDE	0.001	U	MG/L
MW-077	9/27/2004	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-077	9/27/2004	CHEMICAL OXYGEN DEMAND	5.5		MG/L
MW-077	9/27/2004	CHLOROBENZENE	0.001	U	MG/L
MW-077	9/27/2004	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-077	9/27/2004	CHLOROETHANE	0.001	U	MG/L
MW-077	9/27/2004	CHLOROFORM	0.001	U	MG/L
MW-077	9/27/2004	CHLOROMETHANE	0.001	U	MG/L
MW-077	9/27/2004	CHROMIUM	0.024		MG/L
MW-077	9/27/2004	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-077	9/27/2004	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-077	9/27/2004	COBALT	0.00465		MG/L
MW-077	9/27/2004	COPPER	0.013		MG/L
MW-077	9/27/2004	DIBROMOMETHANE	0.001	U	MG/L
MW-077	9/27/2004	ETHYLBENZENE	0.001	U	MG/L
MW-077	9/27/2004	GALLIUM	0.007		MG/L
MW-077	9/27/2004	HARDNESS	275		MG/L
MW-077	9/27/2004	IRON	11.95		MG/L
MW-077	9/27/2004	LEAD	0.0081		MG/L
MW-077	9/27/2004	M+P-XYLENES	0.001	U	MG/L
MW-077	9/27/2004	MANGANESE	0.39		MG/L
MW-077	9/27/2004	MERCURY	0.0002	U	MG/L
MW-077	9/27/2004	METHYL IODIDE	0.001	U	MG/L
MW-077	9/27/2004	METHYLENE CHLORIDE	0.001	U	MG/L
MW-077	9/27/2004	NICKEL	0.0075		MG/L
MW-077	9/27/2004	NITRATE	3.8		MG/L
MW-077	9/27/2004	NITRITE	0.003		MG/L
MW-077	9/27/2004	O-XYLENE	0.001	U	MG/L
MW-077	9/27/2004	SELENIUM	0.005	U	MG/L
MW-077	9/27/2004	SILVER	0.005	U	MG/L
MW-077	9/27/2004	SODIUM	8.1		MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-077	9/27/2004	STYRENE	0.001	U	MG/L
MW-077	9/27/2004	TETRACHLOROETHENE	0.0007		MG/L
MW-077	9/27/2004	THALLIUM	0.0015		MG/L
MW-077	9/27/2004	TOTAL XYLENES	0.001	U	MG/L
MW-077	9/27/2004	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-077	9/27/2004	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-077	9/27/2004	TRANS-1,4-DICHLORO-2-BUTENE	0.005	U	MG/L
MW-077	9/27/2004	TRICHLOROETHENE	0.001	U	MG/L
MW-077	9/27/2004	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-077	9/27/2004	TURBIDITY	405		NTU
MW-077	9/27/2004	VANADIUM	0.01275		MG/L
MW-077	9/27/2004	VINYL ACETATE	0.001	U	MG/L
MW-077	9/27/2004	VINYL CHLORIDE	0.001	U	MG/L
MW-077	9/27/2004	ZINC	0.0305		MG/L
MW-077	3/21/2005	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-077	3/21/2005	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-077	3/21/2005	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-077	3/21/2005	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-077	3/21/2005	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-077	3/21/2005	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-077	3/21/2005	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-077	3/21/2005	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-077	3/21/2005	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-077	3/21/2005	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-077	3/21/2005	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-077	3/21/2005	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-077	3/21/2005	1,4-DICHLOROBENZENE	0.001	U	MG/L
MW-077	3/21/2005	2-BUTANONE	0.005	U	MG/L
MW-077	3/21/2005	2-HEXANONE	0.005	U	MG/L
MW-077	3/21/2005	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-077	3/21/2005	ACETONE	0.0057		MG/L
MW-077	3/21/2005	ACRYLONITRILE	0.005	U	MG/L
MW-077	3/21/2005	ALKALINITY	160		MG/L
MW-077	3/21/2005	AMMONIA	0.31		MG/L
MW-077	3/21/2005	ANTIMONY	0.002	U	MG/L
MW-077	3/21/2005	ARSENIC	0.01	U	MG/L
MW-077	3/21/2005	BARIUM	0.054		MG/L
MW-077	3/21/2005	BENZENE	0.001	U	MG/L
MW-077	3/21/2005	BERYLLIUM	0.002	U	MG/L
MW-077	3/21/2005	BICARBONATE ALKALINITY	160		MG/L
MW-077	3/21/2005	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-077	3/21/2005	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-077	3/21/2005	BROMOFORM	0.001	U	MG/L
MW-077	3/21/2005	BROMOMETHANE	0.001	U	MG/L
MW-077	3/21/2005	CADMIUM	0.0005	U	MG/L
MW-077	3/21/2005	CALCIUM	82		MG/L
MW-077	3/21/2005	CARBON DISULFIDE	0.001	U	MG/L
MW-077	3/21/2005	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-077	3/21/2005	CARBONATE ALKALINITY	2	U	MG/L
MW-077	3/21/2005	CHEMICAL OXYGEN DEMAND	10	U	MG/L
MW-077	3/21/2005	CHLORIDE	15		MG/L
MW-077	3/21/2005	CHLOROBENZENE	0.001	U	MG/L
MW-077	3/21/2005	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-077	3/21/2005	CHLOROETHANE	0.001	U	MG/L
MW-077	3/21/2005	CHLOROFORM	0.00066		MG/L
MW-077	3/21/2005	CHLOROMETHANE	0.001	U	MG/L
MW-077	3/21/2005	CHROMIUM	0.02		MG/L
MW-077	3/21/2005	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-077	3/21/2005	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-077	3/21/2005	COBALT	0.005	U	MG/L
MW-077	3/21/2005	COPPER	0.002	U	MG/L
MW-077	3/21/2005	CYANIDE	0.0027		MG/L
MW-077	3/21/2005	DIBROMOMETHANE	0.001	U	MG/L
MW-077	3/21/2005	ETHYLBENZENE	0.001	U	MG/L
MW-077	3/21/2005	FLUORIDE	0.15		MG/L
MW-077	3/21/2005	FREE CYANIDE	0.0037		MG/L
MW-077	3/21/2005	GALLIUM	0.05	U	MG/L
MW-077	3/21/2005	HARDNESS	210		MG/L
MW-077	3/21/2005	IRON	5		MG/L
MW-077	3/21/2005	LEAD	0.0032		MG/L
MW-077	3/21/2005	M+P-XYLENES	0.001	U	MG/L
MW-077	3/21/2005	MANGANESE	0.19		MG/L
MW-077	3/21/2005	MERCURY	0.0002	U	MG/L
MW-077	3/21/2005	METHYL IODIDE	0.001	U	MG/L
MW-077	3/21/2005	METHYLENE CHLORIDE	0.001	U	MG/L
MW-077	3/21/2005	NICKEL	0.01		MG/L
MW-077	3/21/2005	NITRATE	3.8		MG/L
MW-077	3/21/2005	O-XYLENE	0.001	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-077	3/21/2005	SELENIUM	0.005	U	MG/L
MW-077	3/21/2005	SILVER	0.001	U	MG/L
MW-077	3/21/2005	SODIUM	7.9		MG/L
MW-077	3/21/2005	STYRENE	0.001	U	MG/L
MW-077	3/21/2005	SULFATE	42		MG/L
MW-077	3/21/2005	TETRACHLOROETHENE	0.00048		MG/L
MW-077	3/21/2005	THALLIUM	0.002	U	MG/L
MW-077	3/21/2005	TOLUENE	0.001	U	MG/L
MW-077	3/21/2005	TOTAL DISSOLVED SOLIDS	320		MG/L
MW-077	3/21/2005	TOTAL XYLENES	0.001	U	MG/L
MW-077	3/21/2005	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-077	3/21/2005	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-077	3/21/2005	TRANS-1,4-DICHLORO-2-BUTENE	0.005	U	MG/L
MW-077	3/21/2005	TRICHLOROETHENE	0.001	U	MG/L
MW-077	3/21/2005	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-077	3/21/2005	TURBIDITY	93		NTU
MW-077	3/21/2005	VANADIUM	0.014		MG/L
MW-077	3/21/2005	VINYL ACETATE	0.001	U	MG/L
MW-077	3/21/2005	VINYL CHLORIDE	0.001	U	MG/L
MW-077	3/21/2005	ZINC	0.01	U	MG/L
MW-077	6/16/2005	FLUORIDE	0.08		MG/L
MW-077	6/16/2005	FREE CYANIDE	0.0013		MG/L
MW-077	9/20/2005	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-077	9/20/2005	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-077	9/20/2005	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-077	9/20/2005	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-077	9/20/2005	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-077	9/20/2005	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-077	9/20/2005	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-077	9/20/2005	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-077	9/20/2005	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-077	9/20/2005	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-077	9/20/2005	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-077	9/20/2005	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-077	9/20/2005	1,4-DICHLOROBENZENE	0.0005		MG/L
MW-077	9/20/2005	2-BUTANONE	0.005	U	MG/L
MW-077	9/20/2005	2-HEXANONE	0.005	U	MG/L
MW-077	9/20/2005	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-077	9/20/2005	ACETONE	0.005		MG/L
MW-077	9/20/2005	ACRYLONITRILE	0.004	U	MG/L
MW-077	9/20/2005	ALKALINITY	180		MG/L
MW-077	9/20/2005	AMMONIA	1	U	MG/L
MW-077	9/20/2005	ANTIMONY	0.002	U	MG/L
MW-077	9/20/2005	ARSENIC	0.002	U	MG/L
MW-077	9/20/2005	BARIUM	0.03		MG/L
MW-077	9/20/2005	BENZENE	0.001	U	MG/L
MW-077	9/20/2005	BERYLLIUM	0.002	U	MG/L
MW-077	9/20/2005	BICARBONATE ALKALINITY	180		MG/L
MW-077	9/20/2005	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-077	9/20/2005	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-077	9/20/2005	BROMOFORM	0.001	U	MG/L
MW-077	9/20/2005	BROMOMETHANE	0.001	U	MG/L
MW-077	9/20/2005	CADMIUM	0.0005	U	MG/L
MW-077	9/20/2005	CALCIUM	86		MG/L
MW-077	9/20/2005	CARBON DISULFIDE	0.001	U	MG/L
MW-077	9/20/2005	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-077	9/20/2005	CARBONATE ALKALINITY	2	U	MG/L
MW-077	9/20/2005	CHEMICAL OXYGEN DEMAND	10		MG/L
MW-077	9/20/2005	CHLORIDE	15		MG/L
MW-077	9/20/2005	CHLOROBENZENE	0.001	U	MG/L
MW-077	9/20/2005	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-077	9/20/2005	CHLOROETHANE	0.001	U	MG/L
MW-077	9/20/2005	CHLOROFORM	0.001	U	MG/L
MW-077	9/20/2005	CHLOROMETHANE	0.001	U	MG/L
MW-077	9/20/2005	CHROMIUM	0.001	U	MG/L
MW-077	9/20/2005	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-077	9/20/2005	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-077	9/20/2005	COBALT	0.005	U	MG/L
MW-077	9/20/2005	COPPER	0.002	U	MG/L
MW-077	9/20/2005	CYANIDE	0.0021		MG/L
MW-077	9/20/2005	DIBROMOMETHANE	0.001	U	MG/L
MW-077	9/20/2005	ETHYLBENZENE	0.001	U	MG/L
MW-077	9/20/2005	FLUORIDE	0.11		MG/L
MW-077	9/20/2005	FREE CYANIDE	0.01	U	MG/L
MW-077	9/20/2005	GALLIUM	0.005	U	MG/L
MW-077	9/20/2005	HARDNESS	250		MG/L
MW-077	9/20/2005	IRON	0.16		MG/L
MW-077	9/20/2005	LEAD	0.002	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-077	9/20/2005	M+P-XYLENES	0.001	U	MG/L
MW-077	9/20/2005	MAGNESIUM	9.3		MG/L
MW-077	9/20/2005	MANGANESE	0.006		MG/L
MW-077	9/20/2005	MERCURY	0.001	U	MG/L
MW-077	9/20/2005	METHYL IODIDE	0.001	U	MG/L
MW-077	9/20/2005	METHYLENE CHLORIDE	0.0048		MG/L
MW-077	9/20/2005	NICKEL	0.002	U	MG/L
MW-077	9/20/2005	NITRATE	3.5		MG/L
MW-077	9/20/2005	NITRITE	0.005	U	MG/L
MW-077	9/20/2005	O-XYLENE	0.001	U	MG/L
MW-077	9/20/2005	SELENIUM	0.01	U	MG/L
MW-077	9/20/2005	SILVER	0.001	U	MG/L
MW-077	9/20/2005	SODIUM	8.3		MG/L
MW-077	9/20/2005	STYRENE	0.001	U	MG/L
MW-077	9/20/2005	SULFATE	41		MG/L
MW-077	9/20/2005	TETRACHLOROETHENE	0.0008		MG/L
MW-077	9/20/2005	THALLIUM	0.002	U	MG/L
MW-077	9/20/2005	TOLUENE	0.001	U	MG/L
MW-077	9/20/2005	TOTAL DISSOLVED SOLIDS	330		MG/L
MW-077	9/20/2005	TOTAL XYLENES	0.001	U	MG/L
MW-077	9/20/2005	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-077	9/20/2005	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-077	9/20/2005	TRANS-1,4-DICHLORO-2-BUTENE	0.005	U	MG/L
MW-077	9/20/2005	TRICHLOROETHENE	0.001	U	MG/L
MW-077	9/20/2005	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-077	9/20/2005	VANADIUM	0.005	U	MG/L
MW-077	9/20/2005	VINYL ACETATE	0.005	U	MG/L
MW-077	9/20/2005	VINYL CHLORIDE	0.001	U	MG/L
MW-077	9/20/2005	ZINC	0.009		MG/L
MW-077	11/22/2005	TURBIDITY	23		NTU
MW-077	3/9/2006	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-077	3/9/2006	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-077	3/9/2006	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-077	3/9/2006	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-077	3/9/2006	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-077	3/9/2006	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-077	3/9/2006	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-077	3/9/2006	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-077	3/9/2006	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-077	3/9/2006	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-077	3/9/2006	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-077	3/9/2006	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-077	3/9/2006	1,4-DICHLOROBENZENE	0.001	U	MG/L
MW-077	3/9/2006	2-BUTANONE	0.005	U	MG/L
MW-077	3/9/2006	2-HEXANONE	0.005	U	MG/L
MW-077	3/9/2006	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-077	3/9/2006	ACETONE	0.005	U	MG/L
MW-077	3/9/2006	ACRYLONITRILE	0.005	U	MG/L
MW-077	3/9/2006	ALKALINITY	160		MG/L
MW-077	3/9/2006	AMMONIA	1	U	MG/L
MW-077	3/9/2006	ANTIMONY	0.002		MG/L
MW-077	3/9/2006	ARSENIC	0.002	U	MG/L
MW-077	3/9/2006	BARIUM	0.033		MG/L
MW-077	3/9/2006	BENZENE	0.001	U	MG/L
MW-077	3/9/2006	BERYLLIUM	0.002	U	MG/L
MW-077	3/9/2006	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-077	3/9/2006	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-077	3/9/2006	BROMOFORM	0.001	U	MG/L
MW-077	3/9/2006	BROMOMETHANE	0.001	U	MG/L
MW-077	3/9/2006	CADMIUM	0.0005	U	MG/L
MW-077	3/9/2006	CALCIUM	79		MG/L
MW-077	3/9/2006	CARBON DISULFIDE	0.001	U	MG/L
MW-077	3/9/2006	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-077	3/9/2006	CHEMICAL OXYGEN DEMAND	10	U	MG/L
MW-077	3/9/2006	CHLORIDE	4		MG/L
MW-077	3/9/2006	CHLOROENZENE	0.001	U	MG/L
MW-077	3/9/2006	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-077	3/9/2006	CHLOROETHANE	0.001	U	MG/L
MW-077	3/9/2006	CHLOROFORM	0.00045		MG/L
MW-077	3/9/2006	CHLOROMETHANE	0.001	U	MG/L
MW-077	3/9/2006	CHROMIUM	0.01		MG/L
MW-077	3/9/2006	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-077	3/9/2006	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-077	3/9/2006	COBALT	0.005	U	MG/L
MW-077	3/9/2006	COPPER	0.0029		MG/L
MW-077	3/9/2006	CYANIDE	0.0025		MG/L
MW-077	3/9/2006	DIBROMOMETHANE	0.001	U	MG/L
MW-077	3/9/2006	ETHYLBENZENE	0.001	U	MG/L



Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-077	3/9/2006	FLUORIDE	0.10		MG/L
MW-077	3/9/2006	FREE CYANIDE	0.0059		MG/L
MW-077	3/9/2006	GALLIUM	0.005	U	MG/L
MW-077	3/9/2006	HARDNESS	230		MG/L
MW-077	3/9/2006	IRON	0.017		MG/L
MW-077	3/9/2006	LEAD	0.002	U	MG/L
MW-077	3/9/2006	M+P-XYLENES	0.001	U	MG/L
MW-077	3/9/2006	MAGNESIUM	8.3		MG/L
MW-077	3/9/2006	MANGANESE	0.0072		MG/L
MW-077	3/9/2006	MERCURY	0.0002	U	MG/L
MW-077	3/9/2006	METHYL IODIDE	0.001	U	MG/L
MW-077	3/9/2006	METHYLENE CHLORIDE	0.001	U	MG/L
MW-077	3/9/2006	NICKEL	0.002	U	MG/L
MW-077	3/9/2006	NITRATE	4		MG/L
MW-077	3/9/2006	O-XYLENE	0.001	U	MG/L
MW-077	3/9/2006	SELENIUM	0.005	U	MG/L
MW-077	3/9/2006	SILVER	0.001	U	MG/L
MW-077	3/9/2006	SODIUM	8.1		MG/L
MW-077	3/9/2006	STYRENE	0.001	U	MG/L
MW-077	3/9/2006	SULFATE	45		MG/L
MW-077	3/9/2006	TETRACHLOROETHENE	0.00052		MG/L
MW-077	3/9/2006	THALLIUM	0.002	U	MG/L
MW-077	3/9/2006	TOLUENE	0.001	U	MG/L
MW-077	3/9/2006	TOTAL DISSOLVED SOLIDS	340		MG/L
MW-077	3/9/2006	TOTAL XYLENES	0.001	U	MG/L
MW-077	3/9/2006	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-077	3/9/2006	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-077	3/9/2006	TRANS-1,4-DICHLORO-2-BUTENE	0.005	U	MG/L
MW-077	3/9/2006	TRICHLOROETHENE	0.001	U	MG/L
MW-077	3/9/2006	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-077	3/9/2006	TURBIDITY	11.7		NTU
MW-077	3/9/2006	VANADIUM	0.001	U	MG/L
MW-077	3/9/2006	VINYL ACETATE	0.001	U	MG/L
MW-077	3/9/2006	VINYL CHLORIDE	0.001	U	MG/L
MW-077	3/9/2006	ZINC	0.005		MG/L
MW-077	8/22/2006	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-077	8/22/2006	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-077	8/22/2006	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-077	8/22/2006	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-077	8/22/2006	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-077	8/22/2006	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-077	8/22/2006	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-077	8/22/2006	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-077	8/22/2006	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-077	8/22/2006	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-077	8/22/2006	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-077	8/22/2006	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-077	8/22/2006	1,4-DICHLOROBENZENE	0.0011		MG/L
MW-077	8/22/2006	2-BUTANONE	0.005	U	MG/L
MW-077	8/22/2006	2-HEXANONE	0.005	U	MG/L
MW-077	8/22/2006	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-077	8/22/2006	ACETONE	0.0048		MG/L
MW-077	8/22/2006	ACRYLONITRILE	0.005	U	MG/L
MW-077	8/22/2006	ALKALINITY	190		MG/L
MW-077	8/22/2006	AMMONIA	1	U	MG/L
MW-077	8/22/2006	ANTIMONY	0.002	U	MG/L
MW-077	8/22/2006	ARSENIC	0.002	U	MG/L
MW-077	8/22/2006	BARIIUM	0.036		MG/L
MW-077	8/22/2006	BENZENE	0.001	U	MG/L
MW-077	8/22/2006	BERYLLIUM	0.002	U	MG/L
MW-077	8/22/2006	BICARBONATE ALKALINITY	190		MG/L
MW-077	8/22/2006	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-077	8/22/2006	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-077	8/22/2006	BROMOFORM	0.001	U	MG/L
MW-077	8/22/2006	BROMOMETHANE	0.001	U	MG/L
MW-077	8/22/2006	CADMIUM	0.0005	U	MG/L
MW-077	8/22/2006	CALCIUM	87		MG/L
MW-077	8/22/2006	CARBON DISULFIDE	0.001	U	MG/L
MW-077	8/22/2006	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-077	8/22/2006	CARBONATE ALKALINITY	2	U	MG/L
MW-077	8/22/2006	CHEMICAL OXYGEN DEMAND	10	U	MG/L
MW-077	8/22/2006	CHLORIDE	18		MG/L
MW-077	8/22/2006	CHLOROBENZENE	0.001	U	MG/L
MW-077	8/22/2006	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-077	8/22/2006	CHLOROETHANE	0.001	U	MG/L
MW-077	8/22/2006	CHLOROFORM	0.0019		MG/L
MW-077	8/22/2006	CHLOROMETHANE	0.001	U	MG/L
MW-077	8/22/2006	CHROMIUM	0.006		MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-077	8/22/2006	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-077	8/22/2006	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-077	8/22/2006	COBALT	0.005	U	MG/L
MW-077	8/22/2006	COPPER	0.002	U	MG/L
MW-077	8/22/2006	CYANIDE	0.002		MG/L
MW-077	8/22/2006	DIBROMOMETHANE	0.001	U	MG/L
MW-077	8/22/2006	ETHYLBENZENE	0.001	U	MG/L
MW-077	8/22/2006	FLUORIDE	0.20	U	MG/L
MW-077	8/22/2006	FREE CYANIDE	0.005	U	MG/L
MW-077	8/22/2006	GALLIUM	0.005	U	MG/L
MW-077	8/22/2006	HARDNESS	250		MG/L
MW-077	8/22/2006	IRON	0.36		MG/L
MW-077	8/22/2006	LEAD	0.002	U	MG/L
MW-077	8/22/2006	M+P-XYLENES	0.001	U	MG/L
MW-077	8/22/2006	MAGNESIUM	9		MG/L
MW-077	8/22/2006	MANGANESE	0.012		MG/L
MW-077	8/22/2006	MERCURY	0.0002	U	MG/L
MW-077	8/22/2006	METHYL IODIDE	0.001	U	MG/L
MW-077	8/22/2006	METHYLENE CHLORIDE	0.0028		MG/L
MW-077	8/22/2006	NICKEL	0.002	U	MG/L
MW-077	8/22/2006	NITRATE	3.5		MG/L
MW-077	8/22/2006	NITRITE	0.005	U	MG/L
MW-077	8/22/2006	O-XYLENE	0.001	U	MG/L
MW-077	8/22/2006	SELENIUM	0.005	U	MG/L
MW-077	8/22/2006	SILVER	0.001	U	MG/L
MW-077	8/22/2006	SODIUM	8.3		MG/L
MW-077	8/22/2006	STYRENE	0.001	U	MG/L
MW-077	8/22/2006	SULFATE	34		MG/L
MW-077	8/22/2006	TETRACHLOROETHENE	0.00096		MG/L
MW-077	8/22/2006	THALLIUM	0.002	U	MG/L
MW-077	8/22/2006	TOLUENE	0.001	U	MG/L
MW-077	8/22/2006	TOTAL DISSOLVED SOLIDS	230		MG/L
MW-077	8/22/2006	TOTAL XYLENES	0.001	U	MG/L
MW-077	8/22/2006	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-077	8/22/2006	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-077	8/22/2006	TRANS-1,4-DICHLORO-2-BUTENE	0.005	U	MG/L
MW-077	8/22/2006	TRICHLOROETHENE	0.001	U	MG/L
MW-077	8/22/2006	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-077	8/22/2006	TURBIDITY	11		NTU
MW-077	8/22/2006	VANADIUM	0.005	U	MG/L
MW-077	8/22/2006	VINYL ACETATE	0.001	U	MG/L
MW-077	8/22/2006	VINYL CHLORIDE	0.001	U	MG/L
MW-077	8/22/2006	ZINC	0.01	U	MG/L
MW-077	3/13/2007	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-077	3/13/2007	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-077	3/13/2007	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-077	3/13/2007	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-077	3/13/2007	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-077	3/13/2007	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-077	3/13/2007	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-077	3/13/2007	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-077	3/13/2007	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-077	3/13/2007	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-077	3/13/2007	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-077	3/13/2007	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-077	3/13/2007	1,4-DICHLOROBENZENE	0.001	U	MG/L
MW-077	3/13/2007	2-BUTANONE	0.005	U	MG/L
MW-077	3/13/2007	2-HEXANONE	0.005	U	MG/L
MW-077	3/13/2007	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-077	3/13/2007	ACETONE	0.0047		MG/L
MW-077	3/13/2007	ACRYLONITRILE	0.005	U	MG/L
MW-077	3/13/2007	ALKALINITY	140		MG/L
MW-077	3/13/2007	AMMONIA	1	U	MG/L
MW-077	3/13/2007	ANTIMONY	0.002	U	MG/L
MW-077	3/13/2007	ARSENIC	0.05	U	MG/L
MW-077	3/13/2007	BARIUM	0.034		MG/L
MW-077	3/13/2007	BENZENE	0.001	U	MG/L
MW-077	3/13/2007	BERYLLIUM	0.002	U	MG/L
MW-077	3/13/2007	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-077	3/13/2007	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-077	3/13/2007	BROMOFORM	0.001	U	MG/L
MW-077	3/13/2007	BROMOMETHANE	0.001	U	MG/L
MW-077	3/13/2007	CADMIUM	0.0005	U	MG/L
MW-077	3/13/2007	CALCIUM	67		MG/L
MW-077	3/13/2007	CARBON DISULFIDE	0.001	U	MG/L
MW-077	3/13/2007	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-077	3/13/2007	CHEMICAL OXYGEN DEMAND	10	U	MG/L
MW-077	3/13/2007	CHLORIDE	10		MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-077	3/13/2007	CHLOROBENZENE	0.001	U	MG/L
MW-077	3/13/2007	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-077	3/13/2007	CHLOROETHANE	0.001	U	MG/L
MW-077	3/13/2007	CHLOROFORM	0.00099		MG/L
MW-077	3/13/2007	CHLOROMETHANE	0.001	U	MG/L
MW-077	3/13/2007	CHROMIUM	0.007		MG/L
MW-077	3/13/2007	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-077	3/13/2007	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-077	3/13/2007	COBALT	0.005	U	MG/L
MW-077	3/13/2007	COPPER	0.002		MG/L
MW-077	3/13/2007	CYANIDE	0.0007		MG/L
MW-077	3/13/2007	DIBROMOMETHANE	0.001	U	MG/L
MW-077	3/13/2007	ETHYLBENZENE	0.001	U	MG/L
MW-077	3/13/2007	FLUORIDE	0.20		MG/L
MW-077	3/13/2007	FREE CYANIDE	0.005	U	MG/L
MW-077	3/13/2007	GALLIUM	0.005	U	MG/L
MW-077	3/13/2007	HARDNESS	100		MG/L
MW-077	3/13/2007	IRON	2		MG/L
MW-077	3/13/2007	LEAD	0.001		MG/L
MW-077	3/13/2007	M+P-XYLENES	0.001	U	MG/L
MW-077	3/13/2007	MAGNESIUM	7.6		MG/L
MW-077	3/13/2007	MANGANESE	0.061		MG/L
MW-077	3/13/2007	MERCURY	0.0002	U	MG/L
MW-077	3/13/2007	METHYL IODIDE	0.001	U	MG/L
MW-077	3/13/2007	METHYLENE CHLORIDE	0.001	U	MG/L
MW-077	3/13/2007	MOLYBDENUM	0.005	U	MG/L
MW-077	3/13/2007	NICKEL	0.005	U	MG/L
MW-077	3/13/2007	NITRATE	3.3		MG/L
MW-077	3/13/2007	NITRITE	0.005	U	MG/L
MW-077	3/13/2007	O-XYLENE	0.001	U	MG/L
MW-077	3/13/2007	SELENIUM	0.005	U	MG/L
MW-077	3/13/2007	SILVER	0.001	U	MG/L
MW-077	3/13/2007	SODIUM	8.4		MG/L
MW-077	3/13/2007	STYRENE	0.001	U	MG/L
MW-077	3/13/2007	SULFATE	32		MG/L
MW-077	3/13/2007	TETRACHLOROETHENE	0.001	U	MG/L
MW-077	3/13/2007	THALLIUM	0.002	U	MG/L
MW-077	3/13/2007	TOLUENE	0.001	U	MG/L
MW-077	3/13/2007	TOTAL DISSOLVED SOLIDS	200		MG/L
MW-077	3/13/2007	TOTAL XYLENES	0.001	U	MG/L
MW-077	3/13/2007	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-077	3/13/2007	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-077	3/13/2007	TRANS-1,4-DICHLORO-2-BUTENE	0.005	U	MG/L
MW-077	3/13/2007	TRICHLOROETHENE	0.001	U	MG/L
MW-077	3/13/2007	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-077	3/13/2007	TURBIDITY	3.5		NTU
MW-077	3/13/2007	VANADIUM	0.01	U	MG/L
MW-077	3/13/2007	VINYL ACETATE	0.001	U	MG/L
MW-077	3/13/2007	VINYL CHLORIDE	0.001	U	MG/L
MW-077	3/13/2007	ZINC	0.008		MG/L
MW-077	9/11/2007	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-077	9/11/2007	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-077	9/11/2007	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-077	9/11/2007	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-077	9/11/2007	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-077	9/11/2007	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-077	9/11/2007	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-077	9/11/2007	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-077	9/11/2007	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-077	9/11/2007	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-077	9/11/2007	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-077	9/11/2007	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-077	9/11/2007	1,4-DICHLOROBENZENE	0.001	U	MG/L
MW-077	9/11/2007	2-BUTANONE	0.005	U	MG/L
MW-077	9/11/2007	2-HEXANONE	0.005	U	MG/L
MW-077	9/11/2007	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-077	9/11/2007	ACETONE	0.005	U	MG/L
MW-077	9/11/2007	ACRYLONITRILE	0.005	U	MG/L
MW-077	9/11/2007	ALKALINITY	150		MG/L
MW-077	9/11/2007	AMMONIA	0.10		MG/L
MW-077	9/11/2007	ANTIMONY	0.002	U	MG/L
MW-077	9/11/2007	ARSENIC	0.002	U	MG/L
MW-077	9/11/2007	BARIUM	0.028		MG/L
MW-077	9/11/2007	BENZENE	0.001	U	MG/L
MW-077	9/11/2007	BERYLLIUM	0.002	U	MG/L
MW-077	9/11/2007	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-077	9/11/2007	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-077	9/11/2007	BROMOFORM	0.001	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-077	9/11/2007	BROMOMETHANE	0.001	U	MG/L
MW-077	9/11/2007	CADMIUM	0.0005	U	MG/L
MW-077	9/11/2007	CALCIUM	84		MG/L
MW-077	9/11/2007	CARBON DISULFIDE	0.001	U	MG/L
MW-077	9/11/2007	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-077	9/11/2007	CHEMICAL OXYGEN DEMAND	10	U	MG/L
MW-077	9/11/2007	CHLORIDE	7.5		MG/L
MW-077	9/11/2007	CHLORO BENZENE	0.001	U	MG/L
MW-077	9/11/2007	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-077	9/11/2007	CHLOROETHANE	0.001	U	MG/L
MW-077	9/11/2007	CHLOROFORM	0.00082		MG/L
MW-077	9/11/2007	CHLOROMETHANE	0.001	U	MG/L
MW-077	9/11/2007	CHROMIUM	0.01	U	MG/L
MW-077	9/11/2007	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-077	9/11/2007	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-077	9/11/2007	COBALT	0.005	U	MG/L
MW-077	9/11/2007	COPPER	0.002	U	MG/L
MW-077	9/11/2007	CYANIDE	0.005	U	MG/L
MW-077	9/11/2007	DIBROMOMETHANE	0.001	U	MG/L
MW-077	9/11/2007	ETHYLBENZENE	0.001	U	MG/L
MW-077	9/11/2007	FLUORIDE	0.18		MG/L
MW-077	9/11/2007	FREE CYANIDE	0.005	U	MG/L
MW-077	9/11/2007	GALLIUM	0.005	U	MG/L
MW-077	9/11/2007	HARDNESS	240		MG/L
MW-077	9/11/2007	IRON	0.041		MG/L
MW-077	9/11/2007	LEAD	0.002	U	MG/L
MW-077	9/11/2007	M+P-XYLENES	0.001	U	MG/L
MW-077	9/11/2007	MAGNESIUM	8.3		MG/L
MW-077	9/11/2007	MANGANESE	0.005	U	MG/L
MW-077	9/11/2007	MERCURY	0.0002	U	MG/L
MW-077	9/11/2007	METHYL IODIDE	0.001	U	MG/L
MW-077	9/11/2007	METHYLENE CHLORIDE	0.001	U	MG/L
MW-077	9/11/2007	NICKEL	0.005	U	MG/L
MW-077	9/11/2007	NITRATE	3.1		MG/L
MW-077	9/11/2007	NITRITE	0.012	U	MG/L
MW-077	9/11/2007	O-XYLENE	0.001	U	MG/L
MW-077	9/11/2007	SELENIUM	0.005	U	MG/L
MW-077	9/11/2007	SILVER	0.001	U	MG/L
MW-077	9/11/2007	SODIUM	8.4		MG/L
MW-077	9/11/2007	STYRENE	0.001	U	MG/L
MW-077	9/11/2007	SULFATE	43		MG/L
MW-077	9/11/2007	TETRACHLOROETHENE	0.00052		MG/L
MW-077	9/11/2007	THALLIUM	0.002	U	MG/L
MW-077	9/11/2007	TOLUENE	0.001	U	MG/L
MW-077	9/11/2007	TOTAL DISSOLVED SOLIDS	240		MG/L
MW-077	9/11/2007	TOTAL XYLENES	0.001	U	MG/L
MW-077	9/11/2007	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-077	9/11/2007	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-077	9/11/2007	TRANS-1,4-DICHLORO-2-BUTENE	0.005	U	MG/L
MW-077	9/11/2007	TRICHLOROETHENE	0.001	U	MG/L
MW-077	9/11/2007	TRICHLOROFUOROMETHANE	0.001	U	MG/L
MW-077	9/11/2007	TURBIDITY	0.80		NTU
MW-077	9/11/2007	VANADIUM	0.005	U	MG/L
MW-077	9/11/2007	VINYL ACETATE	0.001	U	MG/L
MW-077	9/11/2007	VINYL CHLORIDE	0.001	U	MG/L
MW-077	9/11/2007	ZINC	0.01	U	MG/L
MW-077	3/18/2008	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-077	3/18/2008	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-077	3/18/2008	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-077	3/18/2008	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-077	3/18/2008	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-077	3/18/2008	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-077	3/18/2008	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-077	3/18/2008	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-077	3/18/2008	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-077	3/18/2008	1,2-DICHLOROETHENE	0.001	U	MG/L
MW-077	3/18/2008	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-077	3/18/2008	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-077	3/18/2008	1,4-DICHLOROETHANE	0.001	U	MG/L
MW-077	3/18/2008	2-BUTANONE	0.005	U	MG/L
MW-077	3/18/2008	2-HEXANONE	0.005	U	MG/L
MW-077	3/18/2008	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-077	3/18/2008	ACETONE	0.005	U	MG/L
MW-077	3/18/2008	ACRYLONITRILE	0.005	U	MG/L
MW-077	3/18/2008	ALKALINITY	91		MG/L
MW-077	3/18/2008	AMMONIA	0.10	U	MG/L
MW-077	3/18/2008	ANTIMONY	0.004		MG/L
MW-077	3/18/2008	ARSENIC	0.002	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-077	3/18/2008	BARIUM	0.038		MG/L
MW-077	3/18/2008	BENZENE	0.001	U	MG/L
MW-077	3/18/2008	BERYLLIUM	0.0025	U	MG/L
MW-077	3/18/2008	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-077	3/18/2008	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-077	3/18/2008	BROMOFORM	0.001	U	MG/L
MW-077	3/18/2008	BROMOMETHANE	0.001	U	MG/L
MW-077	3/18/2008	CADMIUM	0.0005	U	MG/L
MW-077	3/18/2008	CALCIUM	59		MG/L
MW-077	3/18/2008	CARBON DISULFIDE	0.001	U	MG/L
MW-077	3/18/2008	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-077	3/18/2008	CHEMICAL OXYGEN DEMAND	11		MG/L
MW-077	3/18/2008	CHLORIDE	10		MG/L
MW-077	3/18/2008	CHLOROENZENE	0.001	U	MG/L
MW-077	3/18/2008	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-077	3/18/2008	CHLOROETHANE	0.001	U	MG/L
MW-077	3/18/2008	CHLOROFORM	0.0006		MG/L
MW-077	3/18/2008	CHLOROMETHANE	0.001	U	MG/L
MW-077	3/18/2008	CHROMIUM	0.01		MG/L
MW-077	3/18/2008	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-077	3/18/2008	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-077	3/18/2008	COBALT	0.005	U	MG/L
MW-077	3/18/2008	COPPER	0.002	U	MG/L
MW-077	3/18/2008	CYANIDE	0.01	U	MG/L
MW-077	3/18/2008	DIBROMOMETHANE	0.001	U	MG/L
MW-077	3/18/2008	ETHYLBENZENE	0.001	U	MG/L
MW-077	3/18/2008	FLUORIDE	0.10		MG/L
MW-077	3/18/2008	FREE CYANIDE	0.005	U	MG/L
MW-077	3/18/2008	GALLIUM	0.01	U	MG/L
MW-077	3/18/2008	HARDNESS	170		MG/L
MW-077	3/18/2008	IRON	1.8		MG/L
MW-077	3/18/2008	LEAD	0.0026		MG/L
MW-077	3/18/2008	M+P-XYLENES	0.001	U	MG/L
MW-077	3/18/2008	MAGNESIUM	6.4		MG/L
MW-077	3/18/2008	MANGANESE	0.066		MG/L
MW-077	3/18/2008	MERCURY	0.0002	U	MG/L
MW-077	3/18/2008	METHYL IODIDE	0.001	U	MG/L
MW-077	3/18/2008	METHYLENE CHLORIDE	0.001	U	MG/L
MW-077	3/18/2008	NICKEL	0.005		MG/L
MW-077	3/18/2008	NITRATE	3		MG/L
MW-077	3/18/2008	NITRITE	0.012	U	MG/L
MW-077	3/18/2008	O-XYLENE	0.001	U	MG/L
MW-077	3/18/2008	SELENIUM	0.003		MG/L
MW-077	3/18/2008	SILVER	0.001	U	MG/L
MW-077	3/18/2008	SODIUM	7.3		MG/L
MW-077	3/18/2008	STYRENE	0.001	U	MG/L
MW-077	3/18/2008	SULFATE	37		MG/L
MW-077	3/18/2008	TETRACHLOROETHENE	0.0006		MG/L
MW-077	3/18/2008	THALLIUM	0.002	U	MG/L
MW-077	3/18/2008	TOLUENE	0.001	U	MG/L
MW-077	3/18/2008	TOTAL DISSOLVED SOLIDS	160		MG/L
MW-077	3/18/2008	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-077	3/18/2008	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-077	3/18/2008	TRANS-1,4-DICHLORO-2-BUTENE	0.005	U	MG/L
MW-077	3/18/2008	TRICHLOROETHENE	0.001	U	MG/L
MW-077	3/18/2008	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-077	3/18/2008	TURBIDITY	4.6		NTU
MW-077	3/18/2008	VANADIUM	0.014		MG/L
MW-077	3/18/2008	VINYL ACETATE	0.005	U	MG/L
MW-077	3/18/2008	VINYL CHLORIDE	0.001	U	MG/L
MW-077	3/18/2008	ZINC	0.02	U	MG/L
MW-077	9/25/2008	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-077	9/25/2008	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-077	9/25/2008	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-077	9/25/2008	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-077	9/25/2008	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-077	9/25/2008	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-077	9/25/2008	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-077	9/25/2008	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-077	9/25/2008	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-077	9/25/2008	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-077	9/25/2008	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-077	9/25/2008	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-077	9/25/2008	1,4-DICHLOROBENZENE	0.001	U	MG/L
MW-077	9/25/2008	2-BUTANONE	0.005	U	MG/L
MW-077	9/25/2008	2-HEXANONE	0.005	U	MG/L
MW-077	9/25/2008	4-BROMOFLUOROBENZENE	0.03		MG/L
MW-077	9/25/2008	4-METHYL-2-PENTANONE	0.005	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-077	9/25/2008	ACETONE	0.005	U	MG/L
MW-077	9/25/2008	ACRYLONITRILE	0.005	U	MG/L
MW-077	9/25/2008	ALKALINITY	120		MG/L
MW-077	9/25/2008	AMMONIA	0.21		MG/L
MW-077	9/25/2008	ANTIMONY	0.005	U	MG/L
MW-077	9/25/2008	ARSENIC	0.005	U	MG/L
MW-077	9/25/2008	BARIUM	0.028		MG/L
MW-077	9/25/2008	BENZENE	0.001	U	MG/L
MW-077	9/25/2008	BERYLLIUM	0.002	U	MG/L
MW-077	9/25/2008	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-077	9/25/2008	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-077	9/25/2008	BROMOFORM	0.001	U	MG/L
MW-077	9/25/2008	BROMOMETHANE	0.001	U	MG/L
MW-077	9/25/2008	CADMIUM	0.0005	U	MG/L
MW-077	9/25/2008	CALCIUM	61		MG/L
MW-077	9/25/2008	CARBON DISULFIDE	0.001	U	MG/L
MW-077	9/25/2008	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-077	9/25/2008	CHEMICAL OXYGEN DEMAND	10	U	MG/L
MW-077	9/25/2008	CHLORIDE	2		MG/L
MW-077	9/25/2008	CHLOROBENZENE	0.001	U	MG/L
MW-077	9/25/2008	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-077	9/25/2008	CHLOROETHANE	0.001	U	MG/L
MW-077	9/25/2008	CHLOROFORM	0.001	U	MG/L
MW-077	9/25/2008	CHLOROMETHANE	0.001	U	MG/L
MW-077	9/25/2008	CHROMIUM	0.0083		MG/L
MW-077	9/25/2008	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-077	9/25/2008	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-077	9/25/2008	COBALT	0.005	U	MG/L
MW-077	9/25/2008	COPPER	0.002	U	MG/L
MW-077	9/25/2008	CYANIDE	0.01	U	MG/L
MW-077	9/25/2008	DIBROMOMETHANE	0.001	U	MG/L
MW-077	9/25/2008	ETHYLBENZENE	0.001	U	MG/L
MW-077	9/25/2008	FLUORIDE	0.10	U	MG/L
MW-077	9/25/2008	FLUORODIBROMOMETHANE	0.0245		MG/L
MW-077	9/25/2008	FREE CYANIDE	0.01	U	MG/L
MW-077	9/25/2008	GALLIUM	0.005	U	MG/L
MW-077	9/25/2008	HARDNESS	180		MG/L
MW-077	9/25/2008	IRON	0.63		MG/L
MW-077	9/25/2008	LEAD	0.002	U	MG/L
MW-077	9/25/2008	M+P-XYLENES	0.002	U	MG/L
MW-077	9/25/2008	MAGNESIUM	6.6		MG/L
MW-077	9/25/2008	MANGANESE	0.029		MG/L
MW-077	9/25/2008	MERCURY	0.0002	U	MG/L
MW-077	9/25/2008	METHYL IODIDE	0.001	U	MG/L
MW-077	9/25/2008	METHYLENE CHLORIDE	0.001	U	MG/L
MW-077	9/25/2008	NICKEL	0.005	U	MG/L
MW-077	9/25/2008	NITRATE	0.055	U	MG/L
MW-077	9/25/2008	NITRITE	0.005	U	MG/L
MW-077	9/25/2008	NITRITE/NITRATE-N	0.05	U	MG/L
MW-077	9/25/2008	O-XYLENE	0.001	U	MG/L
MW-077	9/25/2008	SELENIUM	0.005	U	MG/L
MW-077	9/25/2008	SILVER	0.002	U	MG/L
MW-077	9/25/2008	SODIUM	8		MG/L
MW-077	9/25/2008	STYRENE	0.001	U	MG/L
MW-077	9/25/2008	SULFATE	40		MG/L
MW-077	9/25/2008	TETRACHLOROETHENE	0.001	U	MG/L
MW-077	9/25/2008	THALLIUM	0.002	U	MG/L
MW-077	9/25/2008	TOLUENE	0.001	U	MG/L
MW-077	9/25/2008	TOTAL DISSOLVED SOLIDS	35000		MG/L
MW-077	9/25/2008	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-077	9/25/2008	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-077	9/25/2008	TRANS-1,4-DICHLORO-2-BUTENE	0.005	U	MG/L
MW-077	9/25/2008	TRICHLOROETHENE	0.001	U	MG/L
MW-077	9/25/2008	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-077	9/25/2008	TURBIDITY	15		NTU
MW-077	9/25/2008	VANADIUM	0.005	U	MG/L
MW-077	9/25/2008	VINYL ACETATE	0.001	U	MG/L
MW-077	9/25/2008	VINYL CHLORIDE	0.001	U	MG/L
MW-077	9/25/2008	ZINC	0.0077		MG/L
MW-077	2/24/2009	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-077	2/24/2009	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-077	2/24/2009	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-077	2/24/2009	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-077	2/24/2009	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-077	2/24/2009	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-077	2/24/2009	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-077	2/24/2009	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-077	2/24/2009	1,2-DIBROMOETHANE	0.001	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-077	2/24/2009	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-077	2/24/2009	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-077	2/24/2009	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-077	2/24/2009	1,4-DICHLOROBENZENE	0.001	U	MG/L
MW-077	2/24/2009	2-BUTANONE	0.005	U	MG/L
MW-077	2/24/2009	2-HEXANONE	0.005	U	MG/L
MW-077	2/24/2009	4-BROMOFLUOROBENZENE	0.0233		MG/L
MW-077	2/24/2009	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-077	2/24/2009	ACETONE	0.005	U	MG/L
MW-077	2/24/2009	ACRYLONITRILE	0.005	U	MG/L
MW-077	2/24/2009	ALKALINITY	140		MG/L
MW-077	2/24/2009	AMMONIA	0.10	U	MG/L
MW-077	2/24/2009	ANTIMONY	0.0013		MG/L
MW-077	2/24/2009	ARSENIC	0.005	U	MG/L
MW-077	2/24/2009	BARIUM	0.036		MG/L
MW-077	2/24/2009	BENZENE	0.001	U	MG/L
MW-077	2/24/2009	BERYLLIUM	0.002	U	MG/L
MW-077	2/24/2009	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-077	2/24/2009	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-077	2/24/2009	BROMOFORM	0.001	U	MG/L
MW-077	2/24/2009	BROMOMETHANE	0.001	U	MG/L
MW-077	2/24/2009	CADMIUM	0.00057		MG/L
MW-077	2/24/2009	CARBON DISULFIDE	0.001	U	MG/L
MW-077	2/24/2009	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-077	2/24/2009	CHEMICAL OXYGEN DEMAND	10	U	MG/L
MW-077	2/24/2009	CHLORIDE	5		MG/L
MW-077	2/24/2009	CHLOROBENZENE	0.001	U	MG/L
MW-077	2/24/2009	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-077	2/24/2009	CHLOROETHANE	0.001	U	MG/L
MW-077	2/24/2009	CHLOROFORM	0.001	U	MG/L
MW-077	2/24/2009	CHLOROMETHANE	0.001	U	MG/L
MW-077	2/24/2009	CHROMIUM	0.0044		MG/L
MW-077	2/24/2009	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-077	2/24/2009	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-077	2/24/2009	COBALT	0.005	U	MG/L
MW-077	2/24/2009	COPPER	0.016		MG/L
MW-077	2/24/2009	CYANIDE	0.003	U	MG/L
MW-077	2/24/2009	DIBROMOMETHANE	0.001	U	MG/L
MW-077	2/24/2009	ETHYLBENZENE	0.001	U	MG/L
MW-077	2/24/2009	FLUORIDE	0.083		MG/L
MW-077	2/24/2009	FLUORODIBROMOMETHANE	0.0241		MG/L
MW-077	2/24/2009	FREE CYANIDE	0.0017	U	MG/L
MW-077	2/24/2009	GALLIUM	0.005	U	MG/L
MW-077	2/24/2009	HARDNESS	180		MG/L
MW-077	2/24/2009	IRON	1.2		MG/L
MW-077	2/24/2009	LEAD	0.0031		MG/L
MW-077	2/24/2009	M+P-XYLENES	0.00095	U	MG/L
MW-077	2/24/2009	MANGANESE	0.078		MG/L
MW-077	2/24/2009	MERCURY	0.0002	U	MG/L
MW-077	2/24/2009	METHYL IODIDE	0.001	U	MG/L
MW-077	2/24/2009	METHYLENE CHLORIDE	0.001	U	MG/L
MW-077	2/24/2009	NICKEL	0.005	U	MG/L
MW-077	2/24/2009	NITRATE	0.05	U	MG/L
MW-077	2/24/2009	NITRITE	0.005	U	MG/L
MW-077	2/24/2009	NITRITE/NITRATE-N	0.05	U	MG/L
MW-077	2/24/2009	O-XYLENE	0.001	U	MG/L
MW-077	2/24/2009	SELENIUM	0.005	U	MG/L
MW-077	2/24/2009	SILVER	0.002	U	MG/L
MW-077	2/24/2009	SODIUM	7.6		MG/L
MW-077	2/24/2009	STYRENE	0.001	U	MG/L
MW-077	2/24/2009	SULFATE	29		MG/L
MW-077	2/24/2009	TETRACHLOROETHENE	0.001	U	MG/L
MW-077	2/24/2009	THALLIUM	0.002	U	MG/L
MW-077	2/24/2009	TOLUENE	0.001	U	MG/L
MW-077	2/24/2009	TOTAL DISSOLVED SOLIDS	170		MG/L
MW-077	2/24/2009	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-077	2/24/2009	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-077	2/24/2009	TRANS-1,4-DICHLORO-2-BUTENE	0.001	U	MG/L
MW-077	2/24/2009	TRICHLOROETHENE	0.001	U	MG/L
MW-077	2/24/2009	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-077	2/24/2009	TURBIDITY	13		NTU
MW-077	2/24/2009	VANADIUM	0.0057		MG/L
MW-077	2/24/2009	VINYL ACETATE	0.001	U	MG/L
MW-077	2/24/2009	VINYL CHLORIDE	0.001	U	MG/L
MW-077	2/24/2009	ZINC	0.015		MG/L
MW-077	8/27/2009	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-077	8/27/2009	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-077	8/27/2009	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-077	8/27/2009	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-077	8/27/2009	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-077	8/27/2009	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-077	8/27/2009	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-077	8/27/2009	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-077	8/27/2009	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-077	8/27/2009	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-077	8/27/2009	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-077	8/27/2009	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-077	8/27/2009	1,4-DICHLOROBENZENE	0.001	U	MG/L
MW-077	8/27/2009	2-BUTANONE	0.005	U	MG/L
MW-077	8/27/2009	2-HEXANONE	0.005	U	MG/L
MW-077	8/27/2009	4-BROMOFLUOROBENZENE	0.0217		MG/L
MW-077	8/27/2009	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-077	8/27/2009	ACETONE	0.005	U	MG/L
MW-077	8/27/2009	ACRYLONITRILE	0.005	U	MG/L
MW-077	8/27/2009	ALKALINITY	120		MG/L
MW-077	8/27/2009	AMMONIA	0.10	U	MG/L
MW-077	8/27/2009	ANTIMONY	0.002	U	MG/L
MW-077	8/27/2009	ARSENIC	0.005	U	MG/L
MW-077	8/27/2009	BARIUM	0.025		MG/L
MW-077	8/27/2009	BENZENE	0.001	U	MG/L
MW-077	8/27/2009	BERYLLIUM	0.001	U	MG/L
MW-077	8/27/2009	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-077	8/27/2009	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-077	8/27/2009	BROMOFORM	0.001	U	MG/L
MW-077	8/27/2009	BROMOMETHANE	0.001	U	MG/L
MW-077	8/27/2009	CADMIUM	0.0005	U	MG/L
MW-077	8/27/2009	CARBON DISULFIDE	0.001	U	MG/L
MW-077	8/27/2009	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-077	8/27/2009	CHEMICAL OXYGEN DEMAND	11		MG/L
MW-077	8/27/2009	CHLORIDE	65		MG/L
MW-077	8/27/2009	CHLOROBENZENE	0.001	U	MG/L
MW-077	8/27/2009	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-077	8/27/2009	CHLOROETHANE	0.001	U	MG/L
MW-077	8/27/2009	CHLOROFORM	0.001	U	MG/L
MW-077	8/27/2009	CHLOROMETHANE	0.001	U	MG/L
MW-077	8/27/2009	CHROMIUM	0.0025	U	MG/L
MW-077	8/27/2009	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-077	8/27/2009	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-077	8/27/2009	COBALT	0.005	U	MG/L
MW-077	8/27/2009	COPPER	0.002	U	MG/L
MW-077	8/27/2009	CYANIDE	0.005	U	MG/L
MW-077	8/27/2009	DIBROMOMETHANE	0.001	U	MG/L
MW-077	8/27/2009	ETHYLBENZENE	0.001	U	MG/L
MW-077	8/27/2009	FLUORIDE	0.11		MG/L
MW-077	8/27/2009	FLUORODIBROMOMETHANE	0.0223		MG/L
MW-077	8/27/2009	FREE CYANIDE	0.0017	U	MG/L
MW-077	8/27/2009	GALLIUM	0.005	U	MG/L
MW-077	8/27/2009	HARDNESS	150		MG/L
MW-077	8/27/2009	IRON	0.15		MG/L
MW-077	8/27/2009	LEAD	0.002	U	MG/L
MW-077	8/27/2009	M+P-XYLENES	0.001	U	MG/L
MW-077	8/27/2009	MANGANESE	0.015		MG/L
MW-077	8/27/2009	MERCURY	0.0002	U	MG/L
MW-077	8/27/2009	METHYL IODIDE	0.001	U	MG/L
MW-077	8/27/2009	METHYLENE CHLORIDE	0.001	U	MG/L
MW-077	8/27/2009	NICKEL	0.005	U	MG/L
MW-077	8/27/2009	NITRITE	0.005	U	MG/L
MW-077	8/27/2009	NITRITE/NITRATE-N	0.05	U	MG/L
MW-077	8/27/2009	O-XYLENE	0.001	U	MG/L
MW-077	8/27/2009	SELENIUM	0.005	U	MG/L
MW-077	8/27/2009	SILVER	0.002	U	MG/L
MW-077	8/27/2009	SODIUM	7.4		MG/L
MW-077	8/27/2009	STYRENE	0.001	U	MG/L
MW-077	8/27/2009	SULFATE	28		MG/L
MW-077	8/27/2009	TETRACHLOROETHENE	0.001	U	MG/L
MW-077	8/27/2009	THALLIUM	0.002	U	MG/L
MW-077	8/27/2009	TOLUENE	0.001	U	MG/L
MW-077	8/27/2009	TOTAL DISSOLVED SOLIDS	190		MG/L
MW-077	8/27/2009	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-077	8/27/2009	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-077	8/27/2009	TRANS-1,4-DICHLORO-2-BUTENE	0.001	U	MG/L
MW-077	8/27/2009	TRICHLOROETHENE	0.001	U	MG/L
MW-077	8/27/2009	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-077	8/27/2009	TURBIDITY	8.7		NTU
MW-077	8/27/2009	VANADIUM	0.005	U	MG/L
MW-077	8/27/2009	VINYL ACETATE	0.001	U	MG/L



Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-077	8/27/2009	VINYL CHLORIDE	0.001	U	MG/L
MW-077	8/27/2009	ZINC	0.015	U	MG/L
MW-077	3/18/2010	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-077	3/18/2010	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-077	3/18/2010	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-077	3/18/2010	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-077	3/18/2010	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-077	3/18/2010	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-077	3/18/2010	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-077	3/18/2010	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-077	3/18/2010	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-077	3/18/2010	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-077	3/18/2010	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-077	3/18/2010	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-077	3/18/2010	1,4-DICHLOROBENZENE	0.001	U	MG/L
MW-077	3/18/2010	2-BUTANONE	0.005	U	MG/L
MW-077	3/18/2010	2-HEXANONE	0.005	U	MG/L
MW-077	3/18/2010	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-077	3/18/2010	ACETONE	0.005	U	MG/L
MW-077	3/18/2010	ACRYLONITRILE	0.005	U	MG/L
MW-077	3/18/2010	ALKALINITY	80		MG/L
MW-077	3/18/2010	AMMONIA	0.19		MG/L
MW-077	3/18/2010	ANTIMONY	0.002	U	MG/L
MW-077	3/18/2010	ARSENIC	0.002	U	MG/L
MW-077	3/18/2010	BARIIUM	0.016		MG/L
MW-077	3/18/2010	BENZENE	0.001	U	MG/L
MW-077	3/18/2010	BERYLLIUM	0.001	U	MG/L
MW-077	3/18/2010	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-077	3/18/2010	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-077	3/18/2010	BROMOFORM	0.001	U	MG/L
MW-077	3/18/2010	BROMOMETHANE	0.001	U	MG/L
MW-077	3/18/2010	CADMIUM	0.0005	U	MG/L
MW-077	3/18/2010	CALCIUM	40		MG/L
MW-077	3/18/2010	CARBON DISULFIDE	0.001	U	MG/L
MW-077	3/18/2010	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-077	3/18/2010	CHEMICAL OXYGEN DEMAND	19		MG/L
MW-077	3/18/2010	CHLORIDE	8		MG/L
MW-077	3/18/2010	CHLOROBENZENE	0.001	U	MG/L
MW-077	3/18/2010	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-077	3/18/2010	CHLOROETHANE	0.001	U	MG/L
MW-077	3/18/2010	CHLOROFORM	0.001	U	MG/L
MW-077	3/18/2010	CHLOROMETHANE	0.001	U	MG/L
MW-077	3/18/2010	CHROMIUM	0.0025	U	MG/L
MW-077	3/18/2010	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-077	3/18/2010	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-077	3/18/2010	COBALT	0.005	U	MG/L
MW-077	3/18/2010	COPPER	0.002	U	MG/L
MW-077	3/18/2010	CYANIDE	0.005	U	MG/L
MW-077	3/18/2010	DIBROMOMETHANE	0.001	U	MG/L
MW-077	3/18/2010	ETHYLBENZENE	0.001	U	MG/L
MW-077	3/18/2010	FLUORIDE	0.10	U	MG/L
MW-077	3/18/2010	FREE CYANIDE	0.0034	U	MG/L
MW-077	3/18/2010	HARDNESS	120		MG/L
MW-077	3/18/2010	IRON	0.035		MG/L
MW-077	3/18/2010	LEAD	0.002	U	MG/L
MW-077	3/18/2010	MAGNESIUM	4		MG/L
MW-077	3/18/2010	MANGANESE	0.0073		MG/L
MW-077	3/18/2010	MERCURY	0.0002	U	MG/L
MW-077	3/18/2010	METHYL IODIDE	0.001	U	MG/L
MW-077	3/18/2010	METHYL TERT-BUTYL ETHER	0.001	U	MG/L
MW-077	3/18/2010	METHYLENE CHLORIDE	0.001	U	MG/L
MW-077	3/18/2010	NICKEL	0.005	U	MG/L
MW-077	3/18/2010	NITRATE	0.20		MG/L
MW-077	3/18/2010	O-XYLENE	0.001	U	MG/L
MW-077	3/18/2010	POTASSIUM	0.98		MG/L
MW-077	3/18/2010	SELENIUM	0.005	U	MG/L
MW-077	3/18/2010	SILVER	0.002	U	MG/L
MW-077	3/18/2010	SODIUM	7.4		MG/L
MW-077	3/18/2010	STYRENE	0.001	U	MG/L
MW-077	3/18/2010	SULFATE	34		MG/L
MW-077	3/18/2010	TETRACHLOROETHENE	0.001	U	MG/L
MW-077	3/18/2010	THALLIUM	0.002	U	MG/L
MW-077	3/18/2010	TOLUENE	0.001	U	MG/L
MW-077	3/18/2010	TOTAL DISSOLVED SOLIDS	170		MG/L
MW-077	3/18/2010	TOTAL XYLENES	0.001	U	MG/L
MW-077	3/18/2010	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-077	3/18/2010	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-077	3/18/2010	TRANS-1,4-DICHLORO-2-BUTENE	0.001	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-077	3/18/2010	TRICHLOROETHENE	0.001	U	MG/L
MW-077	3/18/2010	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-077	3/18/2010	TURBIDITY	0.63		NTU
MW-077	3/18/2010	VANADIUM	0.005	U	MG/L
MW-077	3/18/2010	VINYL ACETATE	0.001	U	MG/L
MW-077	3/18/2010	VINYL CHLORIDE	0.001	U	MG/L
MW-077	3/18/2010	ZINC	0.01	U	MG/L
MW-077	8/26/2010	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-077	8/26/2010	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-077	8/26/2010	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-077	8/26/2010	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-077	8/26/2010	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-077	8/26/2010	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-077	8/26/2010	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-077	8/26/2010	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-077	8/26/2010	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-077	8/26/2010	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-077	8/26/2010	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-077	8/26/2010	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-077	8/26/2010	1,4-DICHLOROBENZENE	0.001	U	MG/L
MW-077	8/26/2010	2-BUTANONE	0.005	U	MG/L
MW-077	8/26/2010	2-HEXANONE	0.005	U	MG/L
MW-077	8/26/2010	4-BROMOFLUOROBENZENE	0.0236		MG/L
MW-077	8/26/2010	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-077	8/26/2010	ACETONE	0.005	U	MG/L
MW-077	8/26/2010	ACRYLONITRILE	0.005	U	MG/L
MW-077	8/26/2010	ALKALINITY	110		MG/L
MW-077	8/26/2010	AMMONIA	0.10	U	MG/L
MW-077	8/26/2010	ANTIMONY	0.001	U	MG/L
MW-077	8/26/2010	ARSENIC	0.001	U	MG/L
MW-077	8/26/2010	BARIUM	0.023		MG/L
MW-077	8/26/2010	BENZENE	0.001	U	MG/L
MW-077	8/26/2010	BERYLLIUM	0.001	U	MG/L
MW-077	8/26/2010	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-077	8/26/2010	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-077	8/26/2010	BROMOFORM	0.001	U	MG/L
MW-077	8/26/2010	BROMOMETHANE	0.001	U	MG/L
MW-077	8/26/2010	CADMIUM	0.0005	U	MG/L
MW-077	8/26/2010	CALCIUM	55		MG/L
MW-077	8/26/2010	CARBON DISULFIDE	0.001	U	MG/L
MW-077	8/26/2010	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-077	8/26/2010	CHEMICAL OXYGEN DEMAND	10	U	MG/L
MW-077	8/26/2010	CHLORIDE	9		MG/L
MW-077	8/26/2010	CHLOROBENZENE	0.001	U	MG/L
MW-077	8/26/2010	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-077	8/26/2010	CHLOROETHANE	0.001	U	MG/L
MW-077	8/26/2010	CHLOROFORM	0.001	U	MG/L
MW-077	8/26/2010	CHLOROMETHANE	0.001	U	MG/L
MW-077	8/26/2010	CHROMIUM	0.0014		MG/L
MW-077	8/26/2010	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-077	8/26/2010	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-077	8/26/2010	COBALT	0.0025	U	MG/L
MW-077	8/26/2010	COPPER	0.001	U	MG/L
MW-077	8/26/2010	CYANIDE	0.005	U	MG/L
MW-077	8/26/2010	DIBROMOMETHANE	0.001	U	MG/L
MW-077	8/26/2010	ETHYLBENZENE	0.001	U	MG/L
MW-077	8/26/2010	FLUORIDE	0.15		MG/L
MW-077	8/26/2010	FLUORODIBROMOMETHANE	0.0251		MG/L
MW-077	8/26/2010	FREE CYANIDE	0.0034	U	MG/L
MW-077	8/26/2010	HARDNESS	160		MG/L
MW-077	8/26/2010	IRON	0.03		MG/L
MW-077	8/26/2010	LEAD	0.001	U	MG/L
MW-077	8/26/2010	M+P-XYLENES	0.001	U	MG/L
MW-077	8/26/2010	MAGNESIUM	5.6		MG/L
MW-077	8/26/2010	MANGANESE	0.0035		MG/L
MW-077	8/26/2010	MERCURY	0.0002	U	MG/L
MW-077	8/26/2010	METHYL IODIDE	0.001	U	MG/L
MW-077	8/26/2010	METHYL TERT-BUTYL ETHER	0.001	U	MG/L
MW-077	8/26/2010	METHYLENE CHLORIDE	0.001	U	MG/L
MW-077	8/26/2010	NICKEL	0.0025	U	MG/L
MW-077	8/26/2010	NITRATE	2.6		MG/L
MW-077	8/26/2010	NITRITE	0.012	U	MG/L
MW-077	8/26/2010	NITRITE/NITRATE-N	2.6		MG/L
MW-077	8/26/2010	O-XYLENE	0.001	U	MG/L
MW-077	8/26/2010	POTASSIUM	0.81		MG/L
MW-077	8/26/2010	SELENIUM	0.0025	U	MG/L
MW-077	8/26/2010	SILVER	0.0012		MG/L
MW-077	8/26/2010	SODIUM	7.8		MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-077	8/26/2010	STYRENE	0.001	U	MG/L
MW-077	8/26/2010	SULFATE	29		MG/L
MW-077	8/26/2010	TETRACHLOROETHENE	0.001	U	MG/L
MW-077	8/26/2010	THALLIUM	0.001	U	MG/L
MW-077	8/26/2010	TOLUENE	0.001	U	MG/L
MW-077	8/26/2010	TOTAL DISSOLVED SOLIDS	230		MG/L
MW-077	8/26/2010	TOTAL XYLENES	0.0014	U	MG/L
MW-077	8/26/2010	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-077	8/26/2010	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-077	8/26/2010	TRANS-1,4-DICHLORO-2-BUTENE	0.001	U	MG/L
MW-077	8/26/2010	TRICHLOROETHENE	0.001	U	MG/L
MW-077	8/26/2010	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-077	8/26/2010	TURBIDITY	2.5		NTU
MW-077	8/26/2010	VANADIUM	0.0025	U	MG/L
MW-077	8/26/2010	VINYL ACETATE	0.001	U	MG/L
MW-077	8/26/2010	VINYL CHLORIDE	0.001	U	MG/L
MW-077	8/26/2010	ZINC	0.005	U	MG/L
MW-077	2/23/2011	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-077	2/23/2011	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-077	2/23/2011	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-077	2/23/2011	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-077	2/23/2011	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-077	2/23/2011	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-077	2/23/2011	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-077	2/23/2011	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-077	2/23/2011	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-077	2/23/2011	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-077	2/23/2011	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-077	2/23/2011	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-077	2/23/2011	1,4-DICHLOROBENZENE	0.001	U	MG/L
MW-077	2/23/2011	2-BUTANONE	0.005	U	MG/L
MW-077	2/23/2011	2-HEXANONE	0.005	U	MG/L
MW-077	2/23/2011	4-BROMOFLUOROBENZENE	0.0254		MG/L
MW-077	2/23/2011	4-METHYL-2-PENTANONE	0.005		MG/L
MW-077	2/23/2011	ACETONE	0.005	U	MG/L
MW-077	2/23/2011	ACRYLONITRILE	0.005	U	MG/L
MW-077	2/23/2011	ALKALINITY	100		MG/L
MW-077	2/23/2011	AMMONIA	0.14		MG/L
MW-077	2/23/2011	ANTIMONY	0.002	U	MG/L
MW-077	2/23/2011	ARSENIC	0.002	U	MG/L
MW-077	2/23/2011	BARIIUM	0.016		MG/L
MW-077	2/23/2011	BENZENE	0.001	U	MG/L
MW-077	2/23/2011	BERYLLIUM	0.001	U	MG/L
MW-077	2/23/2011	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-077	2/23/2011	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-077	2/23/2011	BROMOFORM	0.001	U	MG/L
MW-077	2/23/2011	BROMOMETHANE	0.001	U	MG/L
MW-077	2/23/2011	CADMIUM	0.0005		MG/L
MW-077	2/23/2011	CALCIUM	41		MG/L
MW-077	2/23/2011	CARBON DISULFIDE	0.001	U	MG/L
MW-077	2/23/2011	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-077	2/23/2011	CHEMICAL OXYGEN DEMAND	18		MG/L
MW-077	2/23/2011	CHLORIDE	3.5		MG/L
MW-077	2/23/2011	CHLOROBENZENE	0.001	U	MG/L
MW-077	2/23/2011	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-077	2/23/2011	CHLOROETHANE	0.001	U	MG/L
MW-077	2/23/2011	CHLOROFORM	0.001	U	MG/L
MW-077	2/23/2011	CHLOROMETHANE	0.001	U	MG/L
MW-077	2/23/2011	CHROMIUM	0.002	U	MG/L
MW-077	2/23/2011	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-077	2/23/2011	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-077	2/23/2011	COBALT	0.005	U	MG/L
MW-077	2/23/2011	COPPER	0.001	U	MG/L
MW-077	2/23/2011	CYANIDE	0.005	U	MG/L
MW-077	2/23/2011	DIBROMOMETHANE	0.001	U	MG/L
MW-077	2/23/2011	ETHYLBENZENE	0.001	U	MG/L
MW-077	2/23/2011	FLUORIDE	0.14		MG/L
MW-077	2/23/2011	FLUORODIBROMOMETHANE	0.025		MG/L
MW-077	2/23/2011	FREE CYANIDE	0.0034	U	MG/L
MW-077	2/23/2011	HARDNESS	120		MG/L
MW-077	2/23/2011	IRON	0.065		MG/L
MW-077	2/23/2011	LEAD	0.001	U	MG/L
MW-077	2/23/2011	M+P-XYLENES	0.001	U	MG/L
MW-077	2/23/2011	MAGNESIUM	4.1		MG/L
MW-077	2/23/2011	MANGANESE	0.0049		MG/L
MW-077	2/23/2011	MERCURY	0.0002	U	MG/L
MW-077	2/23/2011	METHYL IODIDE	0.001	U	MG/L
MW-077	2/23/2011	METHYL TERT-BUTYL ETHER	0.001	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-077	2/23/2011	METHYLENE CHLORIDE	0.001	U	MG/L
MW-077	2/23/2011	NICKEL	0.005	U	MG/L
MW-077	2/23/2011	NITRATE	0.05	U	MG/L
MW-077	2/23/2011	O-XYLENE	0.001	U	MG/L
MW-077	2/23/2011	POTASSIUM	0.74		MG/L
MW-077	2/23/2011	SELENIUM	0.005	U	MG/L
MW-077	2/23/2011	SILVER	0.001	U	MG/L
MW-077	2/23/2011	SODIUM	6.3		MG/L
MW-077	2/23/2011	STYRENE	0.001	U	MG/L
MW-077	2/23/2011	SULFATE	27		MG/L
MW-077	2/23/2011	TETRACHLOROETHENE	0.001	U	MG/L
MW-077	2/23/2011	THALLIUM	0.001	U	MG/L
MW-077	2/23/2011	TOLUENE	0.001	U	MG/L
MW-077	2/23/2011	TOTAL DISSOLVED SOLIDS	140		MG/L
MW-077	2/23/2011	TOTAL XYLENES	0.0014	U	MG/L
MW-077	2/23/2011	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-077	2/23/2011	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-077	2/23/2011	TRANS-1,4-DICHLORO-2-BUTENE	0.001	U	MG/L
MW-077	2/23/2011	TRICHLOROETHENE	0.001	U	MG/L
MW-077	2/23/2011	TRICHLOROFUOROMETHANE	0.001	U	MG/L
MW-077	2/23/2011	TURBIDITY	0.74		NTU
MW-077	2/23/2011	VANADIUM	0.005	U	MG/L
MW-077	2/23/2011	VINYL ACETATE	0.001	U	MG/L
MW-077	2/23/2011	VINYL CHLORIDE	0.001	U	MG/L
MW-077	2/23/2011	ZINC	0.005	U	MG/L
MW-077	8/25/2011	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-077	8/25/2011	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-077	8/25/2011	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-077	8/25/2011	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-077	8/25/2011	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-077	8/25/2011	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-077	8/25/2011	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-077	8/25/2011	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-077	8/25/2011	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-077	8/25/2011	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-077	8/25/2011	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-077	8/25/2011	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-077	8/25/2011	1,4-DICHLOROBENZENE	0.001	U	MG/L
MW-077	8/25/2011	2-BUTANONE	0.005	U	MG/L
MW-077	8/25/2011	2-HEXANONE	0.005	U	MG/L
MW-077	8/25/2011	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-077	8/25/2011	ACETONE	0.025	U	MG/L
MW-077	8/25/2011	ACRYLONITRILE	0.005	U	MG/L
MW-077	8/25/2011	ALKALINITY	140		MG/L
MW-077	8/25/2011	AMMONIA	0.037	J	MG/L
MW-077	8/25/2011	ANTIMONY	0.002	U	MG/L
MW-077	8/25/2011	ARSENIC	0.002	U	MG/L
MW-077	8/25/2011	BARIUM	0.022		MG/L
MW-077	8/25/2011	BENZENE	0.001	U	MG/L
MW-077	8/25/2011	BERYLLIUM	0.00011	J	MG/L
MW-077	8/25/2011	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-077	8/25/2011	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-077	8/25/2011	BROMOFORM	0.001	U	MG/L
MW-077	8/25/2011	BROMOMETHANE	0.001	U	MG/L
MW-077	8/25/2011	CADMIUM	0.004	U	MG/L
MW-077	8/25/2011	CALCIUM	71		MG/L
MW-077	8/25/2011	CARBON DISULFIDE	0.001	U	MG/L
MW-077	8/25/2011	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-077	8/25/2011	CHEMICAL OXYGEN DEMAND	10	U	MG/L
MW-077	8/25/2011	CHLORIDE	16		MG/L
MW-077	8/25/2011	CHLOROBENZENE	0.001	U	MG/L
MW-077	8/25/2011	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-077	8/25/2011	CHLOROETHANE	0.001	U	MG/L
MW-077	8/25/2011	CHLOROFORM	0.001	U	MG/L
MW-077	8/25/2011	CHLOROMETHANE	0.001	U	MG/L
MW-077	8/25/2011	CHROMIUM	0.01	U	MG/L
MW-077	8/25/2011	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-077	8/25/2011	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-077	8/25/2011	COBALT	0.01	U	MG/L
MW-077	8/25/2011	COPPER	0.0011	J	MG/L
MW-077	8/25/2011	CYANIDE	0.005	U	MG/L
MW-077	8/25/2011	DIBROMOMETHANE	0.001	U	MG/L
MW-077	8/25/2011	ETHYLBENZENE	0.001	U	MG/L
MW-077	8/25/2011	FLUORIDE	0.064	J	MG/L
MW-077	8/25/2011	FREE CYANIDE	0.005	U	MG/L
MW-077	8/25/2011	HARDNESS	200		MG/L
MW-077	8/25/2011	IRON	0.27		MG/L
MW-077	8/25/2011	LEAD	0.002	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-077	8/25/2011	MAGNESIUM	6.1	B	MG/L
MW-077	8/25/2011	MANGANESE	0.018		MG/L
MW-077	8/25/2011	MERCURY	0.0002	U	MG/L
MW-077	8/25/2011	METHYL IODIDE	0.001	U	MG/L
MW-077	8/25/2011	METHYL TERT-BUTYL ETHER	0.001	U	MG/L
MW-077	8/25/2011	METHYLENE CHLORIDE	0.001	U	MG/L
MW-077	8/25/2011	NICKEL	0.0024	J	MG/L
MW-077	8/25/2011	NITRATE	3.4		MG/L
MW-077	8/25/2011	POTASSIUM	1.1		MG/L
MW-077	8/25/2011	SELENIUM	0.00043	J	MG/L
MW-077	8/25/2011	SILVER	0.01	U	MG/L
MW-077	8/25/2011	SODIUM	8.8		MG/L
MW-077	8/25/2011	STYRENE	0.001	U	MG/L
MW-077	8/25/2011	SULFATE	24		MG/L
MW-077	8/25/2011	TETRACHLOROETHENE	0.00076	J	MG/L
MW-077	8/25/2011	THALLIUM	0.002	U	MG/L
MW-077	8/25/2011	TOLUENE	0.001	U	MG/L
MW-077	8/25/2011	TOTAL DISSOLVED SOLIDS	200		MG/L
MW-077	8/25/2011	TOTAL XYLENES	0.0014	U	MG/L
MW-077	8/25/2011	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-077	8/25/2011	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-077	8/25/2011	TRANS-1,4-DICHLORO-2-BUTENE	0.001	U	MG/L
MW-077	8/25/2011	TRICHLOROETHENE	0.001	U	MG/L
MW-077	8/25/2011	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-077	8/25/2011	TURBIDITY	17		NTU
MW-077	8/25/2011	VANADIUM	0.0019	J	MG/L
MW-077	8/25/2011	VINYL ACETATE	0.001	U	MG/L
MW-077	8/25/2011	VINYL CHLORIDE	0.001	U	MG/L
MW-077	8/25/2011	ZINC	0.0023	J	MG/L
MW-077	2/29/2012	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-077	2/29/2012	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-077	2/29/2012	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-077	2/29/2012	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-077	2/29/2012	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-077	2/29/2012	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-077	2/29/2012	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-077	2/29/2012	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-077	2/29/2012	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-077	2/29/2012	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-077	2/29/2012	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-077	2/29/2012	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-077	2/29/2012	1,4-DICHLOROBENZENE	0.001	U	MG/L
MW-077	2/29/2012	2-BUTANONE	0.005	U	MG/L
MW-077	2/29/2012	2-HEXANONE	0.005	U	MG/L
MW-077	2/29/2012	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-077	2/29/2012	ACETONE	0.005	U	MG/L
MW-077	2/29/2012	ACRYLONITRILE	0.005	U	MG/L
MW-077	2/29/2012	ALKALINITY	120		MG/L
MW-077	2/29/2012	AMMONIA	0.067	J	MG/L
MW-077	2/29/2012	ANTIMONY	0.002	U	MG/L
MW-077	2/29/2012	ARSENIC	0.002	U	MG/L
MW-077	2/29/2012	BARIUM	0.026		MG/L
MW-077	2/29/2012	BENZENE	0.001	U	MG/L
MW-077	2/29/2012	BERYLLIUM	0.002	U	MG/L
MW-077	2/29/2012	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-077	2/29/2012	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-077	2/29/2012	BROMOFORM	0.001	U	MG/L
MW-077	2/29/2012	BROMOMETHANE	0.001	U	MG/L
MW-077	2/29/2012	CADMIUM	0.004	U	MG/L
MW-077	2/29/2012	CALCIUM	64		MG/L
MW-077	2/29/2012	CARBON DISULFIDE	0.001	U	MG/L
MW-077	2/29/2012	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-077	2/29/2012	CHEMICAL OXYGEN DEMAND	10		MG/L
MW-077	2/29/2012	CHLORIDE	21		MG/L
MW-077	2/29/2012	CHLOROBENZENE	0.001	U	MG/L
MW-077	2/29/2012	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-077	2/29/2012	CHLOROETHANE	0.001	U	MG/L
MW-077	2/29/2012	CHLOROFORM	0.001	U	MG/L
MW-077	2/29/2012	CHLOROMETHANE	0.001	U	MG/L
MW-077	2/29/2012	CHROMIUM	0.01	U	MG/L
MW-077	2/29/2012	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-077	2/29/2012	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-077	2/29/2012	COBALT	0.01	U	MG/L
MW-077	2/29/2012	COPPER	0.0017	J	MG/L
MW-077	2/29/2012	CYANIDE	0.005	U	MG/L
MW-077	2/29/2012	DIBROMOMETHANE	0.001	U	MG/L
MW-077	2/29/2012	ETHYLBENZENE	0.001	U	MG/L
MW-077	2/29/2012	FLUORIDE	0.44		MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-077	2/29/2012	FREE CYANIDE	0.005	U	MG/L
MW-077	2/29/2012	HARDNESS	190		MG/L
MW-077	2/29/2012	IRON	0.22		MG/L
MW-077	2/29/2012	LEAD	0.002	U	MG/L
MW-077	2/29/2012	MAGNESIUM	6.4		MG/L
MW-077	2/29/2012	MANGANESE	0.0076	J	MG/L
MW-077	2/29/2012	MERCURY	0.0002	U	MG/L
MW-077	2/29/2012	METHYL IODIDE	0.001	U	MG/L
MW-077	2/29/2012	METHYL TERT-BUTYL ETHER	0.001	U	MG/L
MW-077	2/29/2012	METHYLENE CHLORIDE	0.001	U	MG/L
MW-077	2/29/2012	NICKEL	0.0032	J	MG/L
MW-077	2/29/2012	NITRATE	2.9		MG/L
MW-077	2/29/2012	NITRITE	0.012	U	MG/L
MW-077	2/29/2012	NITRITE/NITRATE-N	2.9		MG/L
MW-077	2/29/2012	POTASSIUM	1		MG/L
MW-077	2/29/2012	SELENIUM	0.035	U	MG/L
MW-077	2/29/2012	SILVER	0.01	U	MG/L
MW-077	2/29/2012	SODIUM	9.8	B	MG/L
MW-077	2/29/2012	STYRENE	0.001	U	MG/L
MW-077	2/29/2012	SULFATE	28	B	MG/L
MW-077	2/29/2012	TETRACHLOROETHENE	0.001	U	MG/L
MW-077	2/29/2012	THALLIUM	0.002	U	MG/L
MW-077	2/29/2012	TOLUENE	0.001	U	MG/L
MW-077	2/29/2012	TOTAL DISSOLVED SOLIDS	210		MG/L
MW-077	2/29/2012	TOTAL XYLENES	0.001	U	MG/L
MW-077	2/29/2012	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-077	2/29/2012	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-077	2/29/2012	TRANS-1,4-DICHLORO-2-BUTENE	0.005	U	MG/L
MW-077	2/29/2012	TRICHLOROETHENE	0.001	U	MG/L
MW-077	2/29/2012	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-077	2/29/2012	TURBIDITY	10		NTU
MW-077	2/29/2012	VINYL ACETATE	0.001	U	MG/L
MW-077	2/29/2012	VINYL CHLORIDE	0.001	U	MG/L
MW-077	2/29/2012	ZINC	0.0017	J	MG/L
MW-077	8/23/2012	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-077	8/23/2012	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-077	8/23/2012	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-077	8/23/2012	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-077	8/23/2012	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-077	8/23/2012	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-077	8/23/2012	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-077	8/23/2012	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-077	8/23/2012	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-077	8/23/2012	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-077	8/23/2012	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-077	8/23/2012	1,4-DICHLOROETHANE	0.001	U	MG/L
MW-077	8/23/2012	2-BUTANONE	0.005	U	MG/L
MW-077	8/23/2012	2-HEXANONE	0.005	U	MG/L
MW-077	8/23/2012	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-077	8/23/2012	ACETONE	0.005	U	MG/L
MW-077	8/23/2012	ACRYLONITRILE	0.005	U	MG/L
MW-077	8/23/2012	ALKALINITY	110		MG/L
MW-077	8/23/2012	AMMONIA	1	U	MG/L
MW-077	8/23/2012	ANTIMONY	0.002	U	MG/L
MW-077	8/23/2012	ARSENIC	0.002	U	MG/L
MW-077	8/23/2012	BARIUM	0.024		MG/L
MW-077	8/23/2012	BENZENE	0.001	U	MG/L
MW-077	8/23/2012	BERYLLIUM	0.00026	J	MG/L
MW-077	8/23/2012	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-077	8/23/2012	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-077	8/23/2012	BROMOFORM	0.001	U	MG/L
MW-077	8/23/2012	BROMOMETHANE	0.001	U	MG/L
MW-077	8/23/2012	CADMIUM	0.004	U	MG/L
MW-077	8/23/2012	CALCIUM	48		MG/L
MW-077	8/23/2012	CARBON DISULFIDE	0.001	U	MG/L
MW-077	8/23/2012	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-077	8/23/2012	CHEMICAL OXYGEN DEMAND	11		MG/L
MW-077	8/23/2012	CHLORIDE	11		MG/L
MW-077	8/23/2012	CHLOROBENZENE	0.001	U	MG/L
MW-077	8/23/2012	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-077	8/23/2012	CHLOROETHANE	0.001	U	MG/L
MW-077	8/23/2012	CHLOROFORM	0.001	U	MG/L
MW-077	8/23/2012	CHLOROMETHANE	0.001	U	MG/L
MW-077	8/23/2012	CHROMIUM	0.0015	J	MG/L
MW-077	8/23/2012	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-077	8/23/2012	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-077	8/23/2012	COBALT	0.00038	J	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-077	8/23/2012	COPPER	0.0021	J	MG/L
MW-077	8/23/2012	CYANIDE	0.0021	J	MG/L
MW-077	8/23/2012	DIBROMOMETHANE	0.001	U	MG/L
MW-077	8/23/2012	ETHYLBENZENE	0.001	U	MG/L
MW-077	8/23/2012	FLUORIDE	0.19		MG/L
MW-077	8/23/2012	FREE CYANIDE	0.005	U	MG/L
MW-077	8/23/2012	HARDNESS	140		MG/L
MW-077	8/23/2012	IRON	1.2		MG/L
MW-077	8/23/2012	LEAD	0.00071	J	MG/L
MW-077	8/23/2012	MAGNESIUM	5.6		MG/L
MW-077	8/23/2012	MANGANESE	0.086		MG/L
MW-077	8/23/2012	MERCURY	0.0002	U	MG/L
MW-077	8/23/2012	METHYL IODIDE	0.001	U	MG/L
MW-077	8/23/2012	METHYL TERT-BUTYL ETHER	0.001	U	MG/L
MW-077	8/23/2012	METHYLENE CHLORIDE	0.001	U	MG/L
MW-077	8/23/2012	NICKEL	0.0029	J	MG/L
MW-077	8/23/2012	NITRATE	2.8		MG/L
MW-077	8/23/2012	POTASSIUM	1		MG/L
MW-077	8/23/2012	SELENIUM	0.035	U	MG/L
MW-077	8/23/2012	SILVER	0.01	U	MG/L
MW-077	8/23/2012	SODIUM	7.6		MG/L
MW-077	8/23/2012	STYRENE	0.001	U	MG/L
MW-077	8/23/2012	SULFATE	20		MG/L
MW-077	8/23/2012	TETRACHLOROETHENE	0.001	U	MG/L
MW-077	8/23/2012	THALLIUM	0.002	U	MG/L
MW-077	8/23/2012	TOLUENE	0.001	U	MG/L
MW-077	8/23/2012	TOTAL DISSOLVED SOLIDS	190		MG/L
MW-077	8/23/2012	TOTAL XYLENES	0.001	U	MG/L
MW-077	8/23/2012	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-077	8/23/2012	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-077	8/23/2012	TRANS-1,4-DICHLORO-2-BUTENE	0.005	U	MG/L
MW-077	8/23/2012	TRICHLOROETHENE	0.001	U	MG/L
MW-077	8/23/2012	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-077	8/23/2012	TURBIDITY	6.6		NTU
MW-077	8/23/2012	VANADIUM	0.002	J	MG/L
MW-077	8/23/2012	VINYL ACETATE	0.001	U	MG/L
MW-077	8/23/2012	VINYL CHLORIDE	0.001	U	MG/L
MW-077	8/23/2012	ZINC	0.0049	J	MG/L
MW-077	2/27/2013	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-077	2/27/2013	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-077	2/27/2013	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-077	2/27/2013	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-077	2/27/2013	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-077	2/27/2013	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-077	2/27/2013	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-077	2/27/2013	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-077	2/27/2013	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-077	2/27/2013	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-077	2/27/2013	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-077	2/27/2013	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-077	2/27/2013	1,4-DICHLOROBENZENE	0.001	U	MG/L
MW-077	2/27/2013	2-BUTANONE	0.005	U	MG/L
MW-077	2/27/2013	2-HEXANONE	0.005	U	MG/L
MW-077	2/27/2013	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-077	2/27/2013	ACETONE	0.005	U	MG/L
MW-077	2/27/2013	ACRYLONITRILE	0.005	U	MG/L
MW-077	2/27/2013	ALKALINITY	80		MG/L
MW-077	2/27/2013	AMMONIA	1	U	MG/L
MW-077	2/27/2013	ANTIMONY	0.00075	J	MG/L
MW-077	2/27/2013	ARSENIC	0.002	U	MG/L
MW-077	2/27/2013	BARIUM	0.019		MG/L
MW-077	2/27/2013	BENZENE	0.001	U	MG/L
MW-077	2/27/2013	BERYLLIUM	0.002	U	MG/L
MW-077	2/27/2013	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-077	2/27/2013	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-077	2/27/2013	BROMOFORM	0.001	U	MG/L
MW-077	2/27/2013	BROMOMETHANE	0.001	U	MG/L
MW-077	2/27/2013	CADMIUM	0.004	U	MG/L
MW-077	2/27/2013	CALCIUM	44		MG/L
MW-077	2/27/2013	CARBON DISULFIDE	0.001	U	MG/L
MW-077	2/27/2013	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-077	2/27/2013	CHEMICAL OXYGEN DEMAND	10	U	MG/L
MW-077	2/27/2013	CHLORIDE	16		MG/L
MW-077	2/27/2013	CHLOROBENZENE	0.001	U	MG/L
MW-077	2/27/2013	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-077	2/27/2013	CHLOROETHANE	0.001	U	MG/L
MW-077	2/27/2013	CHLOROFORM	0.001	U	MG/L
MW-077	2/27/2013	CHLOROMETHANE	0.001	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-077	2/27/2013	CHROMIUM	0.01	U	MG/L
MW-077	2/27/2013	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-077	2/27/2013	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-077	2/27/2013	COBALT	0.01	U	MG/L
MW-077	2/27/2013	COPPER	0.015		MG/L
MW-077	2/27/2013	CYANIDE	0.0019	J	MG/L
MW-077	2/27/2013	DIBROMOMETHANE	0.001	U	MG/L
MW-077	2/27/2013	ETHYLBENZENE	0.001	U	MG/L
MW-077	2/27/2013	FLUORIDE	0.31		MG/L
MW-077	2/27/2013	FREE CYANIDE	0.005	U	MG/L
MW-077	2/27/2013	HARDNESS	130		MG/L
MW-077	2/27/2013	IRON	0.28		MG/L
MW-077	2/27/2013	LEAD	0.002	U	MG/L
MW-077	2/27/2013	MAGNESIUM	4.8		MG/L
MW-077	2/27/2013	MANGANESE	0.016		MG/L
MW-077	2/27/2013	MERCURY	0.0002	U	MG/L
MW-077	2/27/2013	METHYL IODIDE	0.001	U	MG/L
MW-077	2/27/2013	METHYL TERT-BUTYL ETHER	0.001	U	MG/L
MW-077	2/27/2013	METHYLENE CHLORIDE	0.001	U	MG/L
MW-077	2/27/2013	NICKEL	0.017		MG/L
MW-077	2/27/2013	NITRATE	0.06	U	MG/L
MW-077	2/27/2013	POTASSIUM	1	B	MG/L
MW-077	2/27/2013	SELENIUM	0.035	U	MG/L
MW-077	2/27/2013	SILVER	0.01	U	MG/L
MW-077	2/27/2013	SODIUM	9.5	B	MG/L
MW-077	2/27/2013	STYRENE	0.001	U	MG/L
MW-077	2/27/2013	SULFATE	24		MG/L
MW-077	2/27/2013	TETRACHLOROETHENE	0.001	U	MG/L
MW-077	2/27/2013	THALLIUM	0.002	U	MG/L
MW-077	2/27/2013	TOLUENE	0.001	U	MG/L
MW-077	2/27/2013	TOTAL DISSOLVED SOLIDS	160		MG/L
MW-077	2/27/2013	TOTAL XYLENES	0.001	U	MG/L
MW-077	2/27/2013	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-077	2/27/2013	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-077	2/27/2013	TRANS-1,4-DICHLORO-2-BUTENE	0.005	U	MG/L
MW-077	2/27/2013	TRICHLOROETHENE	0.001	U	MG/L
MW-077	2/27/2013	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-077	2/27/2013	TURBIDITY	12		NTU
MW-077	2/27/2013	VANADIUM	0.0013	J	MG/L
MW-077	2/27/2013	VINYL ACETATE	0.001	U	MG/L
MW-077	2/27/2013	VINYL CHLORIDE	0.001	U	MG/L
MW-077	2/27/2013	ZINC	0.0046	J	MG/L
MW-077	8/29/2013	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-077	8/29/2013	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-077	8/29/2013	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-077	8/29/2013	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-077	8/29/2013	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-077	8/29/2013	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-077	8/29/2013	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-077	8/29/2013	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-077	8/29/2013	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-077	8/29/2013	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-077	8/29/2013	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-077	8/29/2013	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-077	8/29/2013	1,4-DICHLOROBENZENE	0.001	U	MG/L
MW-077	8/29/2013	2-BUTANONE	0.005	U	MG/L
MW-077	8/29/2013	2-HEXANONE	0.005	U	MG/L
MW-077	8/29/2013	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-077	8/29/2013	ACETONE	0.005	U	MG/L
MW-077	8/29/2013	ACRYLONITRILE	0.01	U	MG/L
MW-077	8/29/2013	ALKALINITY	180		MG/L
MW-077	8/29/2013	AMMONIA	1	U	MG/L
MW-077	8/29/2013	ANTIMONY	0.002	U	MG/L
MW-077	8/29/2013	ARSENIC	0.002	U	MG/L
MW-077	8/29/2013	BARIUM	0.028		MG/L
MW-077	8/29/2013	BENZENE	0.001	U	MG/L
MW-077	8/29/2013	BERYLLIUM	0.002	U	MG/L
MW-077	8/29/2013	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-077	8/29/2013	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-077	8/29/2013	BROMOFORM	0.001	U	MG/L
MW-077	8/29/2013	BROMOMETHANE	0.001	U	MG/L
MW-077	8/29/2013	CADMIUM	0.004	U	MG/L
MW-077	8/29/2013	CALCIUM	74		MG/L
MW-077	8/29/2013	CARBON DISULFIDE	0.001	U	MG/L
MW-077	8/29/2013	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-077	8/29/2013	CHEMICAL OXYGEN DEMAND	10	U	MG/L
MW-077	8/29/2013	CHLORIDE	21	B	MG/L
MW-077	8/29/2013	CHLOROBENZENE	0.001	U	MG/L



Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-077	8/29/2013	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-077	8/29/2013	CHLOROETHANE	0.001	U	MG/L
MW-077	8/29/2013	CHLOROFORM	0.001	U	MG/L
MW-077	8/29/2013	CHLOROMETHANE	0.001	U	MG/L
MW-077	8/29/2013	CHROMIUM	0.0011	J	MG/L
MW-077	8/29/2013	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-077	8/29/2013	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-077	8/29/2013	COBALT	0.01	U	MG/L
MW-077	8/29/2013	COPPER	0.00059	J	MG/L
MW-077	8/29/2013	CYANIDE	0.005	U	MG/L
MW-077	8/29/2013	DIBROMOMETHANE	0.001	U	MG/L
MW-077	8/29/2013	ETHYLBENZENE	0.001	U	MG/L
MW-077	8/29/2013	FLUORIDE	0.12		MG/L
MW-077	8/29/2013	FREE CYANIDE	0.005	U	MG/L
MW-077	8/29/2013	HARDNESS	220		MG/L
MW-077	8/29/2013	IRON	0.73		MG/L
MW-077	8/29/2013	LEAD	0.002	U	MG/L
MW-077	8/29/2013	MAGNESIUM	7.6		MG/L
MW-077	8/29/2013	MANGANESE	0.016		MG/L
MW-077	8/29/2013	MERCURY	0.0002	U	MG/L
MW-077	8/29/2013	METHYL IODIDE	0.002	U	MG/L
MW-077	8/29/2013	METHYL TERT-BUTYL ETHER	0.002	U	MG/L
MW-077	8/29/2013	METHYLENE CHLORIDE	0.001	U	MG/L
MW-077	8/29/2013	NICKEL	0.0014	J	MG/L
MW-077	8/29/2013	NITRATE	0.06	U	MG/L
MW-077	8/29/2013	POTASSIUM	1.3		MG/L
MW-077	8/29/2013	SELENIUM	0.035	U	MG/L
MW-077	8/29/2013	SILVER	0.01	U	MG/L
MW-077	8/29/2013	SODIUM	10	B	MG/L
MW-077	8/29/2013	STYRENE	0.001	U	MG/L
MW-077	8/29/2013	SULFATE	26		MG/L
MW-077	8/29/2013	TETRACHLOROETHENE	0.001	U	MG/L
MW-077	8/29/2013	THALLIUM	0.002	U	MG/L
MW-077	8/29/2013	TOLUENE	0.001	U	MG/L
MW-077	8/29/2013	TOTAL DISSOLVED SOLIDS	310		MG/L
MW-077	8/29/2013	TOTAL XYLENES	0.001	U	MG/L
MW-077	8/29/2013	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-077	8/29/2013	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-077	8/29/2013	TRANS-1,4-DICHLORO-2-BUTENE	0.005	U	MG/L
MW-077	8/29/2013	TRICHLOROETHENE	0.001	U	MG/L
MW-077	8/29/2013	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-077	8/29/2013	TURBIDITY	7.7		NTU
MW-077	8/29/2013	VANADIUM	0.01	U	MG/L
MW-077	8/29/2013	VINYL ACETATE	0.001	U	MG/L
MW-077	8/29/2013	VINYL CHLORIDE	0.001	U	MG/L
MW-077	8/29/2013	ZINC	0.0067	J	MG/L
MW-077	3/12/2014	1,1,1,2-TETRACHLOROETHANE	0.01	U	MG/L
MW-077	3/12/2014	1,1,1-TRICHLOROETHANE	0.005	U	MG/L
MW-077	3/12/2014	1,1,2,2-TETRACHLOROETHANE	0.005	U	MG/L
MW-077	3/12/2014	1,1,2-TRICHLOROETHANE	0.005	U	MG/L
MW-077	3/12/2014	1,1-DICHLOROETHANE	0.005	U	MG/L
MW-077	3/12/2014	1,1-DICHLOROETHENE	0.005	U	MG/L
MW-077	3/12/2014	1,2,3-TRICHLOROPROPANE	0.005	U	MG/L
MW-077	3/12/2014	1,2-DIBROMO-3-CHLOROPROPANE	0.01	U	MG/L
MW-077	3/12/2014	1,2-DIBROMOETHANE	0.005	U	MG/L
MW-077	3/12/2014	1,2-DICHLOROBENZENE	0.005	U	MG/L
MW-077	3/12/2014	1,2-DICHLOROETHANE	0.005	U	MG/L
MW-077	3/12/2014	1,2-DICHLOROPROPANE	0.005	U	MG/L
MW-077	3/12/2014	1,4-DICHLOROBENZENE	0.01	U	MG/L
MW-077	3/12/2014	2-BUTANONE	0.01	U	MG/L
MW-077	3/12/2014	2-HEXANONE	0.01	U	MG/L
MW-077	3/12/2014	4-METHYL-2-PENTANONE	0.01	U	MG/L
MW-077	3/12/2014	ACETONE	0.05	U	MG/L
MW-077	3/12/2014	ACRYLONITRILE	0.10	U	MG/L
MW-077	3/12/2014	ALKALINITY	120		MG/L
MW-077	3/12/2014	AMMONIA	0.045	J	MG/L
MW-077	3/12/2014	ANTIMONY	0.002	U	MG/L
MW-077	3/12/2014	ARSENIC	0.002	U	MG/L
MW-077	3/12/2014	BARIUM	0.023		MG/L
MW-077	3/12/2014	BENZENE	0.005	U	MG/L
MW-077	3/12/2014	BERYLLIUM	0.002	U	MG/L
MW-077	3/12/2014	BROMOCHLOROMETHANE	0.005	U	MG/L
MW-077	3/12/2014	BROMODICHLOROMETHANE	0.005	U	MG/L
MW-077	3/12/2014	BROMOFORM	0.005	U	MG/L
MW-077	3/12/2014	BROMOMETHANE	0.01	U	MG/L
MW-077	3/12/2014	CADMIUM	0.004	U	MG/L
MW-077	3/12/2014	CALCIUM	64		MG/L
MW-077	3/12/2014	CARBON DISULFIDE	0.01	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-077	3/12/2014	CARBON TETRACHLORIDE	0.005	U	MG/L
MW-077	3/12/2014	CHEMICAL OXYGEN DEMAND	10	U	MG/L
MW-077	3/12/2014	CHLORIDE	21		MG/L
MW-077	3/12/2014	CHLOROBENZENE	0.005	U	MG/L
MW-077	3/12/2014	CHLORODIBROMOMETHANE	0.005	U	MG/L
MW-077	3/12/2014	CHLOROETHANE	0.01	U	MG/L
MW-077	3/12/2014	CHLOROFORM	0.005	U	MG/L
MW-077	3/12/2014	CHLOROMETHANE	0.01	U	MG/L
MW-077	3/12/2014	CHROMIUM	0.0013	J	MG/L
MW-077	3/12/2014	CIS-1,2-DICHLOROETHENE	0.005	U	MG/L
MW-077	3/12/2014	CIS-1,3-DICHLOROPROPENE	0.005	U	MG/L
MW-077	3/12/2014	COBALT	0.01	U	MG/L
MW-077	3/12/2014	COPPER	0.01	U	MG/L
MW-077	3/12/2014	CYANIDE	0.004	J	MG/L
MW-077	3/12/2014	DIBROMOMETHANE	0.005	U	MG/L
MW-077	3/12/2014	ETHYLBENZENE	0.005	U	MG/L
MW-077	3/12/2014	FLUORIDE	0.28		MG/L
MW-077	3/12/2014	FREE CYANIDE	0.005	U	MG/L
MW-077	3/12/2014	HARDNESS	180		MG/L
MW-077	3/12/2014	IRON	0.005	U	MG/L
MW-077	3/12/2014	LEAD	0.002	U	MG/L
MW-077	3/12/2014	MAGNESIUM	6.1		MG/L
MW-077	3/12/2014	MANGANESE	0.01	U	MG/L
MW-077	3/12/2014	MERCURY	0.0002	U	MG/L
MW-077	3/12/2014	METHYL IODIDE	0.005	U	MG/L
MW-077	3/12/2014	METHYL TERT-BUTYL ETHER	0.005	U	MG/L
MW-077	3/12/2014	METHYLENE CHLORIDE	0.01	U	MG/L
MW-077	3/12/2014	NICKEL	0.0016	J	MG/L
MW-077	3/12/2014	NITRATE	2.7		MG/L
MW-077	3/12/2014	POTASSIUM	1		MG/L
MW-077	3/12/2014	SELENIUM	0.00044	J	MG/L
MW-077	3/12/2014	SILVER	0.01	U	MG/L
MW-077	3/12/2014	SODIUM	9.7	B	MG/L
MW-077	3/12/2014	STYRENE	0.005	U	MG/L
MW-077	3/12/2014	SULFATE	28		MG/L
MW-077	3/12/2014	TETRACHLOROETHENE	0.005	U	MG/L
MW-077	3/12/2014	THALLIUM	0.002	U	MG/L
MW-077	3/12/2014	TOLUENE	0.005	U	MG/L
MW-077	3/12/2014	TOTAL DISSOLVED SOLIDS	230		MG/L
MW-077	3/12/2014	TOTAL XYLENES	0.005	U	MG/L
MW-077	3/12/2014	TRANS-1,2-DICHLOROETHENE	0.005	U	MG/L
MW-077	3/12/2014	TRANS-1,3-DICHLOROPROPENE	0.005	U	MG/L
MW-077	3/12/2014	TRANS-1,4-DICHLORO-2-BUTENE	0.005	U	MG/L
MW-077	3/12/2014	TRICHLOROETHENE	0.005	U	MG/L
MW-077	3/12/2014	TRICHLOROFUOROMETHANE	0.01	U	MG/L
MW-077	3/12/2014	TURBIDITY	0.78		NTU
MW-077	3/12/2014	VANADIUM	0.01	U	MG/L
MW-077	3/12/2014	VINYL ACETATE	0.01	U	MG/L
MW-077	3/12/2014	VINYL CHLORIDE	0.002	U	MG/L
MW-077	3/12/2014	ZINC	0.00089	J	MG/L
MW-077	3/11/2015	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-077	3/11/2015	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-077	3/11/2015	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-077	3/11/2015	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-077	3/11/2015	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-077	3/11/2015	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-077	3/11/2015	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-077	3/11/2015	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-077	3/11/2015	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-077	3/11/2015	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-077	3/11/2015	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-077	3/11/2015	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-077	3/11/2015	1,4-DICHLOROBENZENE	0.001	U	MG/L
MW-077	3/11/2015	2-BUTANONE	0.005	U	MG/L
MW-077	3/11/2015	2-HEXANONE	0.005	U	MG/L
MW-077	3/11/2015	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-077	3/11/2015	ACETONE	0.0016	J	MG/L
MW-077	3/11/2015	ACRYLONITRILE	0.005	U	MG/L
MW-077	3/11/2015	ALKALINITY	80		MG/L
MW-077	3/11/2015	AMMONIA	1	U	MG/L
MW-077	3/11/2015	ANTIMONY	0.001	U	MG/L
MW-077	3/11/2015	ARSENIC	0.00046	J	MG/L
MW-077	3/11/2015	BARIUM	0.017		MG/L
MW-077	3/11/2015	BENZENE	0.001	U	MG/L
MW-077	3/11/2015	BERYLLIUM	0.002	U	MG/L
MW-077	3/11/2015	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-077	3/11/2015	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-077	3/11/2015	BROMOFORM	0.001	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-077	3/11/2015	BROMOMETHANE	0.001	U	MG/L
MW-077	3/11/2015	CADMIUM	0.004	U	MG/L
MW-077	3/11/2015	CALCIUM	35		MG/L
MW-077	3/11/2015	CARBON DISULFIDE	0.001	U	MG/L
MW-077	3/11/2015	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-077	3/11/2015	CHEMICAL OXYGEN DEMAND	10	U	MG/L
MW-077	3/11/2015	CHLORIDE	12		MG/L
MW-077	3/11/2015	CHLOROENZENE	0.001	U	MG/L
MW-077	3/11/2015	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-077	3/11/2015	CHLOROETHANE	0.001	U	MG/L
MW-077	3/11/2015	CHLOROFORM	0.001	U	MG/L
MW-077	3/11/2015	CHLOROMETHANE	0.001	U	MG/L
MW-077	3/11/2015	CHROMIUM	0.01	U	MG/L
MW-077	3/11/2015	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-077	3/11/2015	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-077	3/11/2015	COBALT	0.01	U	MG/L
MW-077	3/11/2015	COPPER	0.00078	J	MG/L
MW-077	3/11/2015	CYANIDE	0.005	U	MG/L
MW-077	3/11/2015	DIBROMOMETHANE	0.001	U	MG/L
MW-077	3/11/2015	ETHYLBENZENE	0.001	U	MG/L
MW-077	3/11/2015	FLUORIDE	0.23		MG/L
MW-077	3/11/2015	FREE CYANIDE	0.005	U	MG/L
MW-077	3/11/2015	GALLIUM	0.005	U	MG/L
MW-077	3/11/2015	HARDNESS	100		MG/L
MW-077	3/11/2015	IRON	0.17	B	MG/L
MW-077	3/11/2015	LEAD	0.002	U	MG/L
MW-077	3/11/2015	MAGNESIUM	3.5		MG/L
MW-077	3/11/2015	MANGANESE	0.0051	J	MG/L
MW-077	3/11/2015	MERCURY	0.0002	U	MG/L
MW-077	3/11/2015	METHYL IODIDE	0.001	U	MG/L
MW-077	3/11/2015	METHYL TERT-BUTYL ETHER	0.002	U	MG/L
MW-077	3/11/2015	METHYLENE CHLORIDE	0.001	U	MG/L
MW-077	3/11/2015	NICKEL	0.0014	J	MG/L
MW-077	3/11/2015	NITRATE	3		MG/L
MW-077	3/11/2015	NITRITE	0.012	U	MG/L
MW-077	3/11/2015	NITRITE/NITRATE-N	3		MG/L
MW-077	3/11/2015	POTASSIUM	0.80		MG/L
MW-077	3/11/2015	SELENIUM	0.035	U	MG/L
MW-077	3/11/2015	SILVER	0.01	U	MG/L
MW-077	3/11/2015	SODIUM	8.6		MG/L
MW-077	3/11/2015	STYRENE	0.001	U	MG/L
MW-077	3/11/2015	SULFATE	20		MG/L
MW-077	3/11/2015	TETRACHLOROETHENE	0.001	U	MG/L
MW-077	3/11/2015	THALLIUM	0.002	U	MG/L
MW-077	3/11/2015	TOLUENE	0.001	U	MG/L
MW-077	3/11/2015	TOTAL DISSOLVED SOLIDS	120		MG/L
MW-077	3/11/2015	TOTAL XYLENES	0.001	U	MG/L
MW-077	3/11/2015	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-077	3/11/2015	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-077	3/11/2015	TRANS-1,4-DICHLORO-2-BUTENE	0.001	U	MG/L
MW-077	3/11/2015	TRICHLOROETHENE	0.001	U	MG/L
MW-077	3/11/2015	TRICHLOROFLUOROMETHANE	0.001	U	MG/L
MW-077	3/11/2015	TURBIDITY	7.4		NTU
MW-077	3/11/2015	VANADIUM	0.0011	J	MG/L
MW-077	3/11/2015	VINYL ACETATE	0.001	U	MG/L
MW-077	3/11/2015	VINYL CHLORIDE	0.001	U	MG/L
MW-077	3/11/2015	ZINC	0.0022	J	MG/L
MW-077	8/20/2015	1,1,1,2-TETRACHLOROETHANE	0.002	U	MG/L
MW-077	8/20/2015	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-077	8/20/2015	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-077	8/20/2015	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-077	8/20/2015	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-077	8/20/2015	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-077	8/20/2015	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-077	8/20/2015	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-077	8/20/2015	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-077	8/20/2015	1,2-DICHLOROENZENE	0.005	U	MG/L
MW-077	8/20/2015	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-077	8/20/2015	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-077	8/20/2015	1,4-DICHLOROENZENE	0.001	U	MG/L
MW-077	8/20/2015	2-BUTANONE	0.002	U	MG/L
MW-077	8/20/2015	2-HEXANONE	0.002	U	MG/L
MW-077	8/20/2015	4-METHYL-2-PENTANONE	0.001	U	MG/L
MW-077	8/20/2015	ACETONE	0.005	U	MG/L
MW-077	8/20/2015	ACRYLONITRILE	0.01	U	MG/L
MW-077	8/20/2015	ALKALINITY	160		MG/L
MW-077	8/20/2015	AMMONIA	1	U	MG/L
MW-077	8/20/2015	ANTIMONY	0.001	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-077	8/20/2015	ARSENIC	0.001	U	MG/L
MW-077	8/20/2015	BARIUM	0.027		MG/L
MW-077	8/20/2015	BENZENE	0.001	U	MG/L
MW-077	8/20/2015	BERYLLIUM	0.001	U	MG/L
MW-077	8/20/2015	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-077	8/20/2015	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-077	8/20/2015	BROMOFORM	0.001	U	MG/L
MW-077	8/20/2015	BROMOMETHANE	0.002	U	MG/L
MW-077	8/20/2015	CADMIUM	0.0005	U	MG/L
MW-077	8/20/2015	CALCIUM	71		MG/L
MW-077	8/20/2015	CARBON DISULFIDE	0.002	U	MG/L
MW-077	8/20/2015	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-077	8/20/2015	CHEMICAL OXYGEN DEMAND	10	U	MG/L
MW-077	8/20/2015	CHLORIDE	19		MG/L
MW-077	8/20/2015	CHLOROBENZENE	0.001	U	MG/L
MW-077	8/20/2015	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-077	8/20/2015	CHLOROETHANE	0.002	U	MG/L
MW-077	8/20/2015	CHLOROFORM	0.001	U	MG/L
MW-077	8/20/2015	CHLOROMETHANE	0.002	U	MG/L
MW-077	8/20/2015	CHROMIUM	0.002	U	MG/L
MW-077	8/20/2015	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-077	8/20/2015	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-077	8/20/2015	COBALT	0.005	U	MG/L
MW-077	8/20/2015	COPPER	0.001	U	MG/L
MW-077	8/20/2015	CYANIDE	0.005	U	MG/L
MW-077	8/20/2015	DIBROMOMETHANE	0.001	U	MG/L
MW-077	8/20/2015	ETHYLBENZENE	0.001	U	MG/L
MW-077	8/20/2015	FLUORIDE	0.21	B	MG/L
MW-077	8/20/2015	FREE CYANIDE	0.005	U	MG/L
MW-077	8/20/2015	HARDNESS	28		MG/L
MW-077	8/20/2015	IRON	0.005	U	MG/L
MW-077	8/20/2015	LEAD	0.001	U	MG/L
MW-077	8/20/2015	M+P-XYLENES	0.001	U	MG/L
MW-077	8/20/2015	MAGNESIUM	6.8		MG/L
MW-077	8/20/2015	MANGANESE	0.0012		MG/L
MW-077	8/20/2015	MERCURY	0.0002	U	MG/L
MW-077	8/20/2015	METHYL IODIDE	0.01	U	MG/L
MW-077	8/20/2015	METHYL TERT-BUTYL ETHER	0.002	U	MG/L
MW-077	8/20/2015	METHYLENE CHLORIDE	0.002	U	MG/L
MW-077	8/20/2015	NICKEL	0.005	U	MG/L
MW-077	8/20/2015	NITRATE	2.7		MG/L
MW-077	8/20/2015	O-XYLENE	0.001	U	MG/L
MW-077	8/20/2015	POTASSIUM	0.95		MG/L
MW-077	8/20/2015	SELENIUM	0.005	U	MG/L
MW-077	8/20/2015	SILVER	0.001	U	MG/L
MW-077	8/20/2015	SODIUM	12		MG/L
MW-077	8/20/2015	STYRENE	0.001	U	MG/L
MW-077	8/20/2015	SULFATE	23		MG/L
MW-077	8/20/2015	TETRACHLOROETHENE	0.001	U	MG/L
MW-077	8/20/2015	THALLIUM	0.001	U	MG/L
MW-077	8/20/2015	TOLUENE	0.001	U	MG/L
MW-077	8/20/2015	TOTAL DISSOLVED SOLIDS	290		MG/L
MW-077	8/20/2015	TOTAL XYLENES	0.001	U	MG/L
MW-077	8/20/2015	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-077	8/20/2015	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-077	8/20/2015	TRANS-1,4-DICHLORO-2-BUTENE	0.001	U	MG/L
MW-077	8/20/2015	TRICHLOROETHENE	0.001	U	MG/L
MW-077	8/20/2015	TRICHLOROFLUOROMETHANE	0.002	U	MG/L
MW-077	8/20/2015	TURBIDITY	0.39		NTU
MW-077	8/20/2015	VANADIUM	0.005	U	MG/L
MW-077	8/20/2015	VINYL ACETATE	0.002	U	MG/L
MW-077	8/20/2015	VINYL CHLORIDE	0.002	U	MG/L
MW-077	8/20/2015	ZINC	0.005	U	MG/L
MW-077	3/16/2016	1,1,1,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-077	3/16/2016	1,1,1-TRICHLOROETHANE	0.001	U	MG/L
MW-077	3/16/2016	1,1,2,2-TETRACHLOROETHANE	0.001	U	MG/L
MW-077	3/16/2016	1,1,2-TRICHLOROETHANE	0.001	U	MG/L
MW-077	3/16/2016	1,1-DICHLOROETHANE	0.001	U	MG/L
MW-077	3/16/2016	1,1-DICHLOROETHENE	0.001	U	MG/L
MW-077	3/16/2016	1,2,3-TRICHLOROPROPANE	0.001	U	MG/L
MW-077	3/16/2016	1,2-DIBROMO-3-CHLOROPROPANE	0.001	U	MG/L
MW-077	3/16/2016	1,2-DIBROMOETHANE	0.001	U	MG/L
MW-077	3/16/2016	1,2-DICHLOROBENZENE	0.001	U	MG/L
MW-077	3/16/2016	1,2-DICHLOROETHANE	0.001	U	MG/L
MW-077	3/16/2016	1,2-DICHLOROPROPANE	0.001	U	MG/L
MW-077	3/16/2016	1,4-DICHLOROBENZENE	0.001	U	MG/L
MW-077	3/16/2016	2-BUTANONE	0.005	U	MG/L
MW-077	3/16/2016	2-HEXANONE	0.005	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-077	3/16/2016	4-METHYL-2-PENTANONE	0.005	U	MG/L
MW-077	3/16/2016	ACETONE	0.005	U	MG/L
MW-077	3/16/2016	ACRYLONITRILE	0.005	U	MG/L
MW-077	3/16/2016	ALKALINITY	130		MG/L
MW-077	3/16/2016	AMMONIA	1	U	MG/L
MW-077	3/16/2016	ANTIMONY	0.001	U	MG/L
MW-077	3/16/2016	ARSENIC	0.0013		MG/L
MW-077	3/16/2016	BARIUM	0.0229		MG/L
MW-077	3/16/2016	BENZENE	0.001	U	MG/L
MW-077	3/16/2016	BERYLLIUM	0.001	U	MG/L
MW-077	3/16/2016	BROMOCHLOROMETHANE	0.001	U	MG/L
MW-077	3/16/2016	BROMODICHLOROMETHANE	0.001	U	MG/L
MW-077	3/16/2016	BROMOFORM	0.001	U	MG/L
MW-077	3/16/2016	BROMOMETHANE	0.001	U	MG/L
MW-077	3/16/2016	CADMIUM	0.0005	U	MG/L
MW-077	3/16/2016	CALCIUM	63		MG/L
MW-077	3/16/2016	CARBON DISULFIDE	0.001	U	MG/L
MW-077	3/16/2016	CARBON TETRACHLORIDE	0.001	U	MG/L
MW-077	3/16/2016	CHEMICAL OXYGEN DEMAND	6.4	J	MG/L
MW-077	3/16/2016	CHLORIDE	22		MG/L
MW-077	3/16/2016	CHLOROBENZENE	0.001	U	MG/L
MW-077	3/16/2016	CHLORODIBROMOMETHANE	0.001	U	MG/L
MW-077	3/16/2016	CHLOROETHANE	0.001	U	MG/L
MW-077	3/16/2016	CHLOROFORM	0.001	U	MG/L
MW-077	3/16/2016	CHLOROMETHANE	0.001	U	MG/L
MW-077	3/16/2016	CHROMIUM	0.002	U	MG/L
MW-077	3/16/2016	CIS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-077	3/16/2016	CIS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-077	3/16/2016	COBALT	0.005	U	MG/L
MW-077	3/16/2016	COPPER	0.001	U	MG/L
MW-077	3/16/2016	CYANIDE	0.005	U	MG/L
MW-077	3/16/2016	DIBROMOMETHANE	0.001	U	MG/L
MW-077	3/16/2016	ETHYLBENZENE	0.001	U	MG/L
MW-077	3/16/2016	FLUORIDE	0.18		MG/L
MW-077	3/16/2016	FREE CYANIDE	0.005	U	MG/L
MW-077	3/16/2016	HARDNESS	182		MG/L
MW-077	3/16/2016	IRON	0.0359		MG/L
MW-077	3/16/2016	LEAD	0.001	U	MG/L
MW-077	3/16/2016	MAGNESIUM	5.9		MG/L
MW-077	3/16/2016	MANGANESE	0.0023		MG/L
MW-077	3/16/2016	MERCURY	0.0002	U	MG/L
MW-077	3/16/2016	METHYL IODIDE	0.001	U	MG/L
MW-077	3/16/2016	METHYL TERT-BUTYL ETHER	0.002	U	MG/L
MW-077	3/16/2016	METHYLENE CHLORIDE	0.001	U	MG/L
MW-077	3/16/2016	NICKEL	0.005	U	MG/L
MW-077	3/16/2016	NITRATE	2.4		MG/L
MW-077	3/16/2016	NITRITE	0.012	U	MG/L
MW-077	3/16/2016	NITRITE/NITRATE-N	2.4		MG/L
MW-077	3/16/2016	POTASSIUM	1.02		MG/L
MW-077	3/16/2016	SELENIUM	0.005	U	MG/L
MW-077	3/16/2016	SILVER	0.001	U	MG/L
MW-077	3/16/2016	SODIUM	9.97		MG/L
MW-077	3/16/2016	STYRENE	0.001	U	MG/L
MW-077	3/16/2016	SULFATE	25		MG/L
MW-077	3/16/2016	TETRACHLOROETHENE	0.001	U	MG/L
MW-077	3/16/2016	THALLIUM	0.001	U	MG/L
MW-077	3/16/2016	TOLUENE	0.001	U	MG/L
MW-077	3/16/2016	TOTAL DISSOLVED SOLIDS	250		MG/L
MW-077	3/16/2016	TOTAL XYLENES	0.001	U	MG/L
MW-077	3/16/2016	TRANS-1,2-DICHLOROETHENE	0.001	U	MG/L
MW-077	3/16/2016	TRANS-1,3-DICHLOROPROPENE	0.001	U	MG/L
MW-077	3/16/2016	TRANS-1,4-DICHLORO-2-BUTENE	0.001	U	MG/L
MW-077	3/16/2016	TRICHLOROETHENE	0.001	U	MG/L
MW-077	3/16/2016	TRICHLOROFLUOROMETHANE	0.002	U	MG/L
MW-077	3/16/2016	TURBIDITY	1		NTU
MW-077	3/16/2016	VANADIUM	0.005	U	MG/L
MW-077	3/16/2016	VINYL ACETATE	0.001	U	MG/L
MW-077	3/16/2016	VINYL CHLORIDE	0.001	U	MG/L
MW-077	3/16/2016	ZINC	0.005	U	MG/L
MW-077	3/21/2017	1,1,1,2-TETRACHLOROETHANE	0.0001	U	MG/L
MW-077	3/21/2017	1,1,1-TRICHLOROETHANE	0.0001	U	MG/L
MW-077	3/21/2017	1,1,2,2-TETRACHLOROETHANE	0.0001	U	MG/L
MW-077	3/21/2017	1,1,2-TRICHLOROETHANE	0.0001	U	MG/L
MW-077	3/21/2017	1,1-DICHLOROETHANE	0.0001	U	MG/L
MW-077	3/21/2017	1,1-DICHLOROETHENE	0.0001	U	MG/L
MW-077	3/21/2017	1,2,3-TRICHLOROPROPANE	0.0003	U	MG/L
MW-077	3/21/2017	1,2-DIBROMO-3-CHLOROPROPANE	0.0002	U	MG/L
MW-077	3/21/2017	1,2-DIBROMOETHANE	0.0001	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-077	3/21/2017	1,2-DICHLOROBENZENE	0.0001	U	MG/L
MW-077	3/21/2017	1,2-DICHLOROETHANE	0.0001	U	MG/L
MW-077	3/21/2017	1,2-DICHLOROPROPANE	0.0001	U	MG/L
MW-077	3/21/2017	1,4-DICHLOROBENZENE	0.0001	U	MG/L
MW-077	3/21/2017	2-BUTANONE	0.001	U	MG/L
MW-077	3/21/2017	2-HEXANONE	0.001	U	MG/L
MW-077	3/21/2017	4-METHYL-2-PENTANONE	0.001	U	MG/L
MW-077	3/21/2017	ACETONE	0.003	U	MG/L
MW-077	3/21/2017	ACRYLONITRILE	0.001	U	MG/L
MW-077	3/21/2017	ALKALINITY	121		MG/L
MW-077	3/21/2017	AMMONIA-N	0.20	U	MG/L
MW-077	3/21/2017	ANTIMONY	0.00048	U	MG/L
MW-077	3/21/2017	ARSENIC	0.00068	U	MG/L
MW-077	3/21/2017	BARIUM	0.0208		MG/L
MW-077	3/21/2017	BENZENE	0.0001	U	MG/L
MW-077	3/21/2017	BERYLLIUM	0.00011	U	MG/L
MW-077	3/21/2017	BROMOCHLOROMETHANE	0.0001	U	MG/L
MW-077	3/21/2017	BROMODICHLOROMETHANE	0.0001	U	MG/L
MW-077	3/21/2017	BROMOFORM	0.0001	U	MG/L
MW-077	3/21/2017	BROMOMETHANE	0.0001	U	MG/L
MW-077	3/21/2017	CADMIUM	0.00019	U	MG/L
MW-077	3/21/2017	CALCIUM	48.5		MG/L
MW-077	3/21/2017	CARBON DISULFIDE	0.0004	U	MG/L
MW-077	3/21/2017	CARBON TETRACHLORIDE	0.0001	U	MG/L
MW-077	3/21/2017	CHEMICAL OXYGEN DEMAND	3.0	U	MG/L
MW-077	3/21/2017	CHLORIDE	8.6		MG/L
MW-077	3/21/2017	CHLOROBENZENE	0.0001	U	MG/L
MW-077	3/21/2017	CHLORODIBROMOMETHANE	0.0001	U	MG/L
MW-077	3/21/2017	CHLOROETHANE	0.0001	U	MG/L
MW-077	3/21/2017	CHLOROFORM	0.0001	U	MG/L
MW-077	3/21/2017	CHLOROMETHANE	0.0002	U	MG/L
MW-077	3/21/2017	CHROMIUM	0.0015	J	MG/L
MW-077	3/21/2017	CIS-1,2-DICHLOROETHENE	0.0001	U	MG/L
MW-077	3/21/2017	CIS-1,3-DICHLOROPROPENE	0.0001	U	MG/L
MW-077	3/21/2017	COBALT	0.0020	J	MG/L
MW-077	3/21/2017	COPPER	0.0041	U	MG/L
MW-077	3/21/2017	CYANIDE	0.0050	U	MG/L
MW-077	3/21/2017	DIBROMOMETHANE	0.0001	U	MG/L
MW-077	3/21/2017	ETHYLBENZENE	0.0001	U	MG/L
MW-077	3/21/2017	FLUORIDE	0.11		MG/L
MW-077	3/21/2017	FREE CYANIDE	0.0020	U	MG/L
MW-077	3/21/2017	HARDNESS AS CaCO3	141		MG/L
MW-077	3/21/2017	IRON	0.172		MG/L
MW-077	3/21/2017	LEAD	0.00012	J	MG/L
MW-077	3/21/2017	MAGNESIUM	4.94		MG/L
MW-077	3/21/2017	MAGNESIUM	4.75		MG/L
MW-077	3/21/2017	MANGANESE	0.0048	J	MG/L
MW-077	3/21/2017	MERCURY	0.000050	U	MG/L
MW-077	3/21/2017	METHYL IODIDE	0.0001	U	MG/L
MW-077	3/21/2017	METHYL TERT-BUTYL ETHER	0.0001	U	MG/L
MW-077	3/21/2017	METHYLENE CHLORIDE	0.0002	U	MG/L
MW-077	3/21/2017	NICKEL	0.0028	U	MG/L
MW-077	3/21/2017	NITRATE-N	4.6		MG/L
MW-077	3/21/2017	PH	8.0		S.U.
MW-077	3/21/2017	POTASSIUM	0.917		MG/L
MW-077	3/21/2017	SELENIUM	0.0097	U	MG/L
MW-077	3/21/2017	SILVER	0.0019	U	MG/L
MW-077	3/21/2017	SODIUM	8.45		MG/L
MW-077	3/21/2017	SPECIFIC CONDUCTANCE	305		UMHOS/CM
MW-077	3/21/2017	STYRENE	0.0001	U	MG/L
MW-077	3/21/2017	SULFATE	15.4		MG/L
MW-077	3/21/2017	TEMPERATURE	22.1		C
MW-077	3/21/2017	TETRACHLOROETHENE	0.0001	U	MG/L
MW-077	3/21/2017	THALLIUM	0.00016	U	MG/L
MW-077	3/21/2017	TOLUENE	0.0001	U	MG/L
MW-077	3/21/2017	TOTAL DISSOLVED SOLIDS	190		MG/L
MW-077	3/21/2017	TOTAL XYLENES	0.0001	U	MG/L
MW-077	3/21/2017	TRANS-1,2-DICHLOROETHENE	0.0001	U	MG/L
MW-077	3/21/2017	TRANS-1,3-DICHLOROPROPENE	0.0001	U	MG/L
MW-077	3/21/2017	TRANS-1,4-DICHLORO-2-BUTENE	0.001	U	MG/L
MW-077	3/21/2017	TRICHLOROETHENE	0.0001	U	MG/L
MW-077	3/21/2017	TRICHLOROFLUOROMETHANE	0.0001	U	MG/L
MW-077	3/21/2017	TURBIDITY	7.1		NTU
MW-077	3/21/2017	VANADIUM	0.0016	U	MG/L
MW-077	3/21/2017	VINYL ACETATE	0.0002	U	MG/L
MW-077	3/21/2017	VINYL CHLORIDE	0.0001	U	MG/L
MW-077	3/21/2017	ZINC	0.0035	U	MG/L
MW-077	9/5/2017	1,1,1,2-TETRACHLOROETHANE	0.10	U	UG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-077	9/5/2017	1,1,1-TRICHLOROETHANE	0.10	U	UG/L
MW-077	9/5/2017	1,1,2,2-TETRACHLOROETHANE	0.10	U	UG/L
MW-077	9/5/2017	1,1,2-TRICHLOROETHANE	0.10	U	UG/L
MW-077	9/5/2017	1,1-DICHLOROETHANE	0.10	U	UG/L
MW-077	9/5/2017	1,1-DICHLOROETHENE	0.10	U	UG/L
MW-077	9/5/2017	1,2,3-TRICHLOROPROPANE	0.30	U	UG/L
MW-077	9/5/2017	1,2-DIBROMO-3-CHLOROPROPANE	0.20	U	UG/L
MW-077	9/5/2017	1,2-DIBROMOETHANE	0.10	U	UG/L
MW-077	9/5/2017	1,2-DICHLOROBENZENE	0.10	U	UG/L
MW-077	9/5/2017	1,2-DICHLOROETHANE	0.10	U	UG/L
MW-077	9/5/2017	1,2-DICHLOROPROPANE	0.10	U	UG/L
MW-077	9/5/2017	1,4-DICHLOROBENZENE	0.10	U	UG/L
MW-077	9/5/2017	2-BUTANONE	1	U	UG/L
MW-077	9/5/2017	2-HEXANONE	1	U	UG/L
MW-077	9/5/2017	4-METHYL-2-PENTANONE	1	U	UG/L
MW-077	9/5/2017	ACETONE	3	U	UG/L
MW-077	9/5/2017	ACRYLONITRILE	1	U	UG/L
MW-077	9/5/2017	ALKALINITY	176		MG/L
MW-077	9/5/2017	AMMONIA	0.25	U	MG/L
MW-077	9/5/2017	ANTIMONY	0.00045	U	MG/L
MW-077	9/5/2017	ARSENIC	0.00072	U	MG/L
MW-077	9/5/2017	BARIIUM	0.0377		MG/L
MW-077	9/5/2017	BENZENE	0.10	U	UG/L
MW-077	9/5/2017	BERYLLIUM	0.000071	U	MG/L
MW-077	9/5/2017	BROMOCHLOROMETHANE	0.10	U	UG/L
MW-077	9/5/2017	BROMODICHLOROMETHANE	0.10	U	UG/L
MW-077	9/5/2017	BROMOFORM	0.10	U	UG/L
MW-077	9/5/2017	BROMOMETHANE	0.10	U	UG/L
MW-077	9/5/2017	CADMIUM	0.00015	U	MG/L
MW-077	9/5/2017	CALCIUM	92.6		MG/L
MW-077	9/5/2017	CARBON DISULFIDE	0.40	U	UG/L
MW-077	9/5/2017	CARBON TETRACHLORIDE	0.10	U	UG/L
MW-077	9/5/2017	CHEMICAL OXYGEN DEMAND	3	J	MG/L
MW-077	9/5/2017	CHLORIDE	34.7		MG/L
MW-077	9/5/2017	CHLOROBENZENE	0.10	U	UG/L
MW-077	9/5/2017	CHLORODIBROMOMETHANE	0.10	U	UG/L
MW-077	9/5/2017	CHLOROETHANE	0.10	U	UG/L
MW-077	9/5/2017	CHLOROFORM	0.10	U	UG/L
MW-077	9/5/2017	CHLOROMETHANE	0.20	U	UG/L
MW-077	9/5/2017	CHROMIUM	0.00087	U	MG/L
MW-077	9/5/2017	CIS-1,2-DICHLOROETHENE	0.10	U	UG/L
MW-077	9/5/2017	CIS-1,3-DICHLOROPROPENE	0.10	U	UG/L
MW-077	9/5/2017	COBALT	0.0021	J	MG/L
MW-077	9/5/2017	COPPER	0.004	U	MG/L
MW-077	9/5/2017	CYANIDE	0.005	U	MG/L
MW-077	9/5/2017	DIBROMOMETHANE	0.10	U	UG/L
MW-077	9/5/2017	ETHYLBENZENE	0.10	U	UG/L
MW-077	9/5/2017	FLUORIDE	0.12		MG/L
MW-077	9/5/2017	FREE CYANIDE	0.002	U	MG/L
MW-077	9/5/2017	HARDNESS AS CaCO3	271		MG/L
MW-077	9/5/2017	IRON	0.0781	J	MG/L
MW-077	9/5/2017	LEAD	0.00011	U	MG/L
MW-077	9/5/2017	MAGNESIUM	9.57		MG/L
MW-077	9/5/2017	MAGNESIUM	9.36		MG/L
MW-077	9/5/2017	MANGANESE	0.005	J	MG/L
MW-077	9/5/2017	MERCURY	0.00005	U	MG/L
MW-077	9/5/2017	METHYL IODIDE	0.10	U	UG/L
MW-077	9/5/2017	METHYL TERT-BUTYL ETHER	0.10	U	UG/L
MW-077	9/5/2017	METHYLENE CHLORIDE	0.20	U	UG/L
MW-077	9/5/2017	NICKEL	0.004	U	MG/L
MW-077	9/5/2017	NITRATE-N	6.1		MG/L
MW-077	9/5/2017	PH	7.1		S.U.
MW-077	9/5/2017	POTASSIUM	1.08		MG/L
MW-077	9/5/2017	SELENIUM	0.0093	U	MG/L
MW-077	9/5/2017	SILVER	0.0024	U	MG/L
MW-077	9/5/2017	SODIUM	14.4		MG/L
MW-077	9/5/2017	SPECIFIC CONDUCTANCE	596		UMHOS/CM
MW-077	9/5/2017	STYRENE	0.10	U	UG/L
MW-077	9/5/2017	SULFATE	42.3		MG/L
MW-077	9/5/2017	TEMPERATURE	22.9		C
MW-077	9/5/2017	TETRACHLOROETHENE	0.30	J	UG/L
MW-077	9/5/2017	THALLIUM	0.00012	U	MG/L
MW-077	9/5/2017	TOLUENE	0.10	U	UG/L
MW-077	9/5/2017	TOTAL DISSOLVED SOLIDS	327		MG/L
MW-077	9/5/2017	TOTAL XYLENES	0.10	U	UG/L
MW-077	9/5/2017	TRANS-1,2-DICHLOROETHENE	0.10	U	UG/L
MW-077	9/5/2017	TRANS-1,3-DICHLOROPROPENE	0.10	U	UG/L
MW-077	9/5/2017	TRANS-1,4-DICHLORO-2-BUTENE	1	U	UG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-077	9/5/2017	TRICHLOROETHENE	0.10	U	UG/L
MW-077	9/5/2017	TRICHLOROFLUOROMETHANE	0.10	U	UG/L
MW-077	9/5/2017	TURBIDITY	4.9		NTU
MW-077	9/5/2017	VANADIUM	0.0016	U	MG/L
MW-077	9/5/2017	VINYL ACETATE	0.20	U	UG/L
MW-077	9/5/2017	VINYL CHLORIDE	0.10	U	UG/L
MW-077	9/5/2017	ZINC	0.0039	U	MG/L
MW-077	3/6/2018	1,1,1,2-TETRACHLOROETHANE	0.0001	U	MG/L
MW-077	3/6/2018	1,1,1-TRICHLOROETHANE	0.0001	U	MG/L
MW-077	3/6/2018	1,1,2,2-TETRACHLOROETHANE	0.0001	U	MG/L
MW-077	3/6/2018	1,1,2-TRICHLOROETHANE	0.0001	U	MG/L
MW-077	3/6/2018	1,1-DICHLOROETHANE	0.0001	U	MG/L
MW-077	3/6/2018	1,1-DICHLOROETHENE	0.0001	U	MG/L
MW-077	3/6/2018	1,2,3-TRICHLOROPROPANE	0.0003	U	MG/L
MW-077	3/6/2018	1,2-DIBROMO-3-CHLOROPROPANE	0.0002	U	MG/L
MW-077	3/6/2018	1,2-DIBROMOETHANE	0.0001	U	MG/L
MW-077	3/6/2018	1,2-DICHLOROETHANE	0.0001	U	MG/L
MW-077	3/6/2018	1,2-DICHLOROBENZENE	0.0001	U	MG/L
MW-077	3/6/2018	1,2-DICHLOROPROPANE	0.0001	U	MG/L
MW-077	3/6/2018	1,4-DICHLOROBENZENE	0.0001	U	MG/L
MW-077	3/6/2018	2-BUTANONE	0.001	U	MG/L
MW-077	3/6/2018	2-HEXANONE	0.001	U	MG/L
MW-077	3/6/2018	4-METHYL-2-PENTANONE	0.001	U	MG/L
MW-077	3/6/2018	ACETONE	0.003	U	MG/L
MW-077	3/6/2018	ACRYLONITRILE	0.001	U	MG/L
MW-077	3/6/2018	ALKALINITY	193		MG/L
MW-077	3/6/2018	AMMONIA-N	0.25	U	MG/L
MW-077	3/6/2018	ANTIMONY	0.00045	U	MG/L
MW-077	3/6/2018	ARSENIC	0.00072	U	MG/L
MW-077	3/6/2018	BARIUM	0.0467		MG/L
MW-077	3/6/2018	BENZENE	0.0001	U	MG/L
MW-077	3/6/2018	BERYLLIUM	0.000071	U	MG/L
MW-077	3/6/2018	BROMOCHLOROMETHANE	0.0001	U	MG/L
MW-077	3/6/2018	BROMODICHLOROMETHANE	0.0001	U	MG/L
MW-077	3/6/2018	BROMOFORM	0.0001	U	MG/L
MW-077	3/6/2018	BROMOMETHANE	0.0001	U	MG/L
MW-077	3/6/2018	CADMIUM	0.00015	U	MG/L
MW-077	3/6/2018	CALCIUM	113		MG/L
MW-077	3/6/2018	CARBON DISULFIDE	0.0004	U	MG/L
MW-077	3/6/2018	CARBON TETRACHLORIDE	0.0001	U	MG/L
MW-077	3/6/2018	CHEMICAL OXYGEN DEMAND	3	U	MG/L
MW-077	3/6/2018	CHLORIDE	32.8		MG/L
MW-077	3/6/2018	CHLOROETHENE	0.0001	U	MG/L
MW-077	3/6/2018	CHLORODIBROMOMETHANE	0.0001	U	MG/L
MW-077	3/6/2018	CHLOROETHANE	0.0001	U	MG/L
MW-077	3/6/2018	CHLOROFORM	0.0001	U	MG/L
MW-077	3/6/2018	CHLOROMETHANE	0.0002	U	MG/L
MW-077	3/6/2018	CHROMIUM	0.00087	U	MG/L
MW-077	3/6/2018	CIS-1,2-DICHLOROETHENE	0.0001	U	MG/L
MW-077	3/6/2018	CIS-1,3-DICHLOROPROPENE	0.0001	U	MG/L
MW-077	3/6/2018	COBALT	0.0017	U	MG/L
MW-077	3/6/2018	COPPER	0.004	U	MG/L
MW-077	3/6/2018	CYANIDE	0.005	U	MG/L
MW-077	3/6/2018	DIBROMOMETHANE	0.0001	U	MG/L
MW-077	3/6/2018	ETHYLBENZENE	0.0001	U	MG/L
MW-077	3/6/2018	FLUORIDE	0.10	J	MG/L
MW-077	3/6/2018	FREE CYANIDE	0.002	U	MG/L
MW-077	3/6/2018	HARDNESS AS CaCO3	327		MG/L
MW-077	3/6/2018	IRON	0.0982	J	MG/L
MW-077	3/6/2018	LEAD	0.00011	U	MG/L
MW-077	3/6/2018	MAGNESIUM	11		MG/L
MW-077	3/6/2018	MANGANESE	0.0025	J	MG/L
MW-077	3/6/2018	MERCURY	0.00005	U	MG/L
MW-077	3/6/2018	METHYL IODIDE	0.0001	U	MG/L
MW-077	3/6/2018	METHYL TERT-BUTYL ETHER	0.0001	U	MG/L
MW-077	3/6/2018	METHYLENE CHLORIDE	0.0002	U	MG/L
MW-077	3/6/2018	NICKEL	0.004	U	MG/L
MW-077	3/6/2018	NITRATE-N	7		MG/L
MW-077	3/6/2018	PH	7.4		S.U.
MW-077	3/6/2018	POTASSIUM	1.3		MG/L
MW-077	3/6/2018	SELENIUM	0.0093	U	MG/L
MW-077	3/6/2018	SILVER	0.0024	U	MG/L
MW-077	3/6/2018	SODIUM	16.6		MG/L
MW-077	3/6/2018	SPECIFIC CONDUCTANCE	681		UMHOS/CM
MW-077	3/6/2018	STYRENE	0.0001	U	MG/L
MW-077	3/6/2018	SULFATE	89.3		MG/L
MW-077	3/6/2018	TEMPERATURE	21.9		C
MW-077	3/6/2018	TETRACHLOROETHENE	0.0002	J	MG/L



Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-077	3/6/2018	THALLIUM	0.00012	U	MG/L
MW-077	3/6/2018	TOLUENE	0.0001	U	MG/L
MW-077	3/6/2018	TOTAL DISSOLVED SOLIDS	402		MG/L
MW-077	3/6/2018	TOTAL XYLENES	0.0001	U	MG/L
MW-077	3/6/2018	TRANS-1,2-DICHLOROETHENE	0.0001	U	MG/L
MW-077	3/6/2018	TRANS-1,3-DICHLOROPROPENE	0.0001	U	MG/L
MW-077	3/6/2018	TRANS-1,4-DICHLORO-2-BUTENE	0.001	U	MG/L
MW-077	3/6/2018	TRICHLOROETHENE	0.0001	U	MG/L
MW-077	3/6/2018	TRICHLOROFLUOROMETHANE	0.0001	U	MG/L
MW-077	3/6/2018	TURBIDITY	3.5		NTU
MW-077	3/6/2018	VANADIUM	0.0016	U	MG/L
MW-077	3/6/2018	VINYL ACETATE	0.0002	U	MG/L
MW-077	3/6/2018	VINYL CHLORIDE	0.0001	U	MG/L
MW-077	3/6/2018	ZINC	0.0039	U	MG/L
MW-077	9/24/2018	FLUORIDE	0.0910	J	MG/L
MW-077	3/7/2019	FLUORIDE	0.16		MG/L
MW-077	8/28/2019	ALKALINITY	215		MG/L
MW-077	8/28/2019	AMMONIA-N	0.25	U	MG/L
MW-077	8/28/2019	ANTIMONY	0.00041	U	MG/L
MW-077	8/28/2019	ARSENIC	0.00068	U K4	MG/L
MW-077	8/28/2019	BARIUM	0.0369		MG/L
MW-077	8/28/2019	BERYLLIUM	0.000091	U	MG/L
MW-077	8/28/2019	CADMIUM	0.00015	U	MG/L
MW-077	8/28/2019	CALCIUM	88.5		MG/L
MW-077	8/28/2019	CHEMICAL OXYGEN DEMAND	4.1	J	MG/L
MW-077	8/28/2019	CHLORIDE	26.2		MG/L
MW-077	8/28/2019	CHROMIUM	0.00092	J	MG/L
MW-077	8/28/2019	COBALT	0.00016	U	MG/L
MW-077	8/28/2019	COPPER	0.0099	U	MG/L
MW-077	8/28/2019	CYANIDE	0.056		MG/L
MW-077	8/28/2019	FLUORIDE	0.44	J	MG/L
MW-077	8/28/2019	FREE CYANIDE	0.002	U	MG/L
MW-077	8/28/2019	HARDNESS AS CaCO3	262		MG/L
MW-077	8/28/2019	IRON	0.0228	U	MG/L
MW-077	8/28/2019	LEAD	0.0011	U	MG/L
MW-077	8/28/2019	MAGNESIUM	10.1		MG/L
MW-077	8/28/2019	MANGANESE	0.0049	U	MG/L
MW-077	8/28/2019	MERCURY	0.00005	U	MG/L
MW-077	8/28/2019	NICKEL	0.0006	U	MG/L
MW-077	8/28/2019	NITRATE-N	2.9		MG/L
MW-077	8/28/2019	PH	7.5		S.U.
MW-077	8/28/2019	POTASSIUM	1.16		MG/L
MW-077	8/28/2019	SELENIUM	0.00065	U	MG/L
MW-077	8/28/2019	SILVER	0.00017	U	MG/L
MW-077	8/28/2019	SODIUM	15.7		MG/L
MW-077	8/28/2019	SPECIFIC CONDUCTANCE	596		UMHOS/CM
MW-077	8/28/2019	SULFATE	39.7		MG/L
MW-077	8/28/2019	TEMPERATURE	23.9		C
MW-077	8/28/2019	THALLIUM	0.00011	U	MG/L
MW-077	8/28/2019	TOTAL DISSOLVED SOLIDS	339		MG/L
MW-077	8/28/2019	TURBIDITY	0.40	J	NTU
MW-077	8/28/2019	VANADIUM	0.00057	J	MG/L
MW-077	8/28/2019	ZINC	0.0062	U	MG/L
MW-077	3/10/2020	ALKALINITY	224		MG/L
MW-077	3/10/2020	AMMONIA-N	0.25	U	MG/L
MW-077	3/10/2020	ANTIMONY	0.00041	U	MG/L
MW-077	3/10/2020	ARSENIC	0.00068	U	MG/L
MW-077	3/10/2020	BARIUM	0.042		MG/L
MW-077	3/10/2020	BERYLLIUM	0.00012	U	MG/L
MW-077	3/10/2020	CADMIUM	0.00015	U	MG/L
MW-077	3/10/2020	CALCIUM	103		MG/L
MW-077	3/10/2020	CHEMICAL OXYGEN DEMAND	6.4	J	MG/L
MW-077	3/10/2020	CHLORIDE	20.8		MG/L
MW-077	3/10/2020	CHROMIUM	0.0011	J	MG/L
MW-077	3/10/2020	COBALT	0.00016	U	MG/L
MW-077	3/10/2020	COPPER	0.00089	J	MG/L
MW-077	3/10/2020	CYANIDE	0.005	U	MG/L
MW-077	3/10/2020	FLUORIDE	0.25	U	MG/L
MW-077	3/10/2020	FREE CYANIDE	0.002	U	MG/L
MW-077	3/10/2020	HARDNESS AS CaCO3	300		MG/L
MW-077	3/10/2020	IRON	0.0976		MG/L
MW-077	3/10/2020	LEAD	0.00008	J	MG/L
MW-077	3/10/2020	MAGNESIUM	10.7		MG/L
MW-077	3/10/2020	MANGANESE	0.0039		MG/L
MW-077	3/10/2020	MERCURY	0.00005	U	MG/L
MW-077	3/10/2020	NICKEL	0.0006	U	MG/L
MW-077	3/10/2020	NITRATE-N	2.8		MG/L
MW-077	3/10/2020	POTASSIUM	1.31		MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-077	3/10/2020	SELENIUM	0.00028	U	MG/L
MW-077	3/10/2020	SILVER	0.00017	U	MG/L
MW-077	3/10/2020	SODIUM	14		MG/L
MW-077	3/10/2020	SPECIFIC CONDUCTANCE	600		UMHOS/CM
MW-077	3/10/2020	SULFATE	48.5		MG/L
MW-077	3/10/2020	THALLIUM	0.00013	U	MG/L
MW-077	3/10/2020	TOTAL DISSOLVED SOLIDS	369		MG/L
MW-077	3/10/2020	TURBIDITY	6.7		NTU
MW-077	3/10/2020	VANADIUM	0.00071		MG/L
MW-077	3/10/2020	ZINC	0.0062	U	MG/L
MW-077	9/15/2020	ALKALINITY	220		MG/L
MW-077	9/15/2020	AMMONIA-N	0.75	U	MG/L
MW-077	9/15/2020	ANTIMONY	0.001	U	MG/L
MW-077	9/15/2020	ARSENIC	0.002	U	MG/L
MW-077	9/15/2020	BARIUM	0.043		MG/L
MW-077	9/15/2020	BERYLLIUM	0.0005	U	MG/L
MW-077	9/15/2020	CADMIUM	0.0005	U	MG/L
MW-077	9/15/2020	CALCIUM	98		MG/L
MW-077	9/15/2020	CHEMICAL OXYGEN DEMAND	15	U	MG/L
MW-077	9/15/2020	CHLORIDE	27		MG/L
MW-077	9/15/2020	CHROMIUM	0.00089	J	MG/L
MW-077	9/15/2020	COBALT	0.0005	U	MG/L
MW-077	9/15/2020	COPPER	0.00036	J	MG/L
MW-077	9/15/2020	CYANIDE	0.01	U	MG/L
MW-077	9/15/2020	FLUORIDE	0.50	U	MG/L
MW-077	9/15/2020	FREE CYANIDE	0.006	U	MG/L
MW-077	9/15/2020	HARDNESS AS CaCO3	290		MG/L
MW-077	9/15/2020	IRON	0.049	J	MG/L
MW-077	9/15/2020	LEAD	0.0005	U	MG/L
MW-077	9/15/2020	MAGNESIUM	11		MG/L
MW-077	9/15/2020	MANGANESE	0.0025		MG/L
MW-077	9/15/2020	MERCURY	0.0002	U	MG/L
MW-077	9/15/2020	NICKEL	0.001	U	MG/L
MW-077	9/15/2020	NITRATE-N	3		MG/L
MW-077	9/15/2020	PH	7.4	HF	S.U.
MW-077	9/15/2020	POTASSIUM	1.2		MG/L
MW-077	9/15/2020	SELENIUM	0.001	U	MG/L
MW-077	9/15/2020	SILVER	0.0005	U	MG/L
MW-077	9/15/2020	SODIUM	15	*	MG/L
MW-077	9/15/2020	SPECIFIC CONDUCTANCE	600		US/CM
MW-077	9/15/2020	SULFATE	43		MG/L
MW-077	9/15/2020	TEMPERATURE	22.5	HF	C
MW-077	9/15/2020	THALLIUM	0.0005	U	MG/L
MW-077	9/15/2020	TOTAL DISSOLVED SOLIDS	350		MG/L
MW-077	9/15/2020	TURBIDITY	3.5		NTU
MW-077	9/15/2020	VANADIUM	0.00034	J	MG/L
MW-077	9/15/2020	ZINC	0.01	U	MG/L
MW-077	3/29/2021	ALKALINITY	220		MG/L
MW-077	3/29/2021	ALUMINIUM	0.025	U	MG/L
MW-077	3/29/2021	ARSENIC	0.002	U	MG/L
MW-077	3/29/2021	BARIUM	0.042		MG/L
MW-077	3/29/2021	BERYLLIUM	0.0005	U	MG/L
MW-077	3/29/2021	CADMIUM	0.0005	U	MG/L
MW-077	3/29/2021	CHLORIDE	20		MG/L
MW-077	3/29/2021	CHROMIUM	0.00042	J	MG/L
MW-077	3/29/2021	FLUORIDE	0.29	J	MG/L
MW-077	3/29/2021	LEAD	0.0005	U	MG/L
MW-077	3/29/2021	MERCURY	0.002	U	MG/L
MW-077	3/29/2021	NICKEL	0.001	U	MG/L
MW-077	3/29/2021	NITRATE-N	2.7		MG/L
MW-077	3/29/2021	PH	7.5	HF	S.U.
MW-077	3/29/2021	SELENIUM	0.001	U	MG/L
MW-077	3/29/2021	SODIUM	13		MG/L
MW-077	3/29/2021	SPECIFIC CONDUCTANCE	570		US/CM
MW-077	3/29/2021	SULFATE	43		MG/L
MW-077	3/29/2021	TEMPERATURE	21.9	HF	C
MW-077	3/29/2021	TOTAL DISSOLVED SOLIDS	340		MG/L
MW-077	3/29/2021	TURBIDITY	1	U	NTU
MW-077	9/20/2021	ALKALINITY	230		MG/L
MW-077	9/20/2021	ALUMINIUM	0.032		MG/L
MW-077	9/20/2021	ARSENIC	0.002	U	MG/L
MW-077	9/20/2021	BARIUM	0.042		MG/L
MW-077	9/20/2021	BERYLLIUM	0.0005	U	MG/L
MW-077	9/20/2021	CADMIUM	0.0005	U	MG/L
MW-077	9/20/2021	CHLORIDE	18		MG/L
MW-077	9/20/2021	CHROMIUM	0.00084	J	MG/L
MW-077	9/20/2021	FLUORIDE	0.15		MG/L
MW-077	9/20/2021	LEAD	0.0005	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-077	9/20/2021	MERCURY	0.0002	U	MG/L
MW-077	9/20/2021	NICKEL	0.001	U	MG/L
MW-077	9/20/2021	NITRATE-N	2.6		MG/L
MW-077	9/20/2021	PH	7.3	HF	S.U.
MW-077	9/20/2021	SELENIUM	0.001	U	MG/L
MW-077	9/20/2021	SODIUM	13		MG/L
MW-077	9/20/2021	SPECIFIC CONDUCTANCE	590		US/CM
MW-077	9/20/2021	SULFATE	45		MG/L
MW-077	9/20/2021	TEMPERATURE	23.2	HF	C
MW-077	9/20/2021	TOTAL DISSOLVED SOLIDS	350		MG/L
MW-077	9/20/2021	TURBIDITY	1	U	NTU
MW-077	3/29/2022	ALKALINITY	250		MG/L
MW-077	3/29/2022	ALUMINUM	19	J	UG/L
MW-077	3/29/2022	ARSENIC	0.002	U	MG/L
MW-077	3/29/2022	BARIUM	0.046		MG/L
MW-077	3/29/2022	BERYLLIUM	0.0005	U	MG/L
MW-077	3/29/2022	CADMIUM	0.0005	U	MG/L
MW-077	3/29/2022	CHLORIDE	28		MG/L
MW-077	3/29/2022	CHROMIUM	0.00067	J	MG/L
MW-077	3/29/2022	FLUORIDE	0.14		MG/L
MW-077	3/29/2022	LEAD	0.0005	U	MG/L
MW-077	3/29/2022	MERCURY	0.0002		MG/L
MW-077	3/29/2022	NICKEL	0.001	U	MG/L
MW-077	3/29/2022	NITRATE-N	2.2		MG/L
MW-077	3/29/2022	PH	7.1	HF	S.U.
MW-077	3/29/2022	SELENIUM	0.001	U	MG/L
MW-077	3/29/2022	SODIUM	14		MG/L
MW-077	3/29/2022	SPECIFIC CONDUCTANCE	630		US/CM
MW-077	3/29/2022	SULFATE	47		MG/L
MW-077	3/29/2022	TEMPERATURE	22.3	HF	C
MW-077	3/29/2022	TOTAL DISSOLVED SOLIDS	360		MG/L
MW-077	3/29/2022	TURBIDITY	1	U	NTU
MW-111	3/22/2017	1,1,1,2-TETRACHLOROETHANE	0.0001	U	MG/L
MW-111	3/22/2017	1,1,1-TRICHLOROETHANE	0.0001	U	MG/L
MW-111	3/22/2017	1,1,2,2-TETRACHLOROETHANE	0.0001	U	MG/L
MW-111	3/22/2017	1,1,2-TRICHLOROETHANE	0.0001	U	MG/L
MW-111	3/22/2017	1,1-DICHLOROETHANE	0.0001	U	MG/L
MW-111	3/22/2017	1,1-DICHLOROETHENE	0.0001	U	MG/L
MW-111	3/22/2017	1,2,3-TRICHLOROPROPANE	0.0003	U	MG/L
MW-111	3/22/2017	1,2-DIBROMO-3-CHLOROPROPANE	0.0002	U	MG/L
MW-111	3/22/2017	1,2-DIBROMOETHANE	0.0001	U	MG/L
MW-111	3/22/2017	1,2-DICHLOROBENZENE	0.0001	U	MG/L
MW-111	3/22/2017	1,2-DICHLOROETHANE	0.0001	U	MG/L
MW-111	3/22/2017	1,2-DICHLOROPROPANE	0.0001	U	MG/L
MW-111	3/22/2017	1,4-DICHLOROBENZENE	0.0001	U	MG/L
MW-111	3/22/2017	2-BUTANONE	0.001	U	MG/L
MW-111	3/22/2017	2-HEXANONE	0.001	U	MG/L
MW-111	3/22/2017	4-METHYL-2-PENTANONE	0.001	U	MG/L
MW-111	3/22/2017	ACETONE	0.003	U	MG/L
MW-111	3/22/2017	ACRYLONITRILE	0.001	U	MG/L
MW-111	3/22/2017	ALKALINITY	20.8		MG/L
MW-111	3/22/2017	AMMONIA-N	0.20	U	MG/L
MW-111	3/22/2017	ANTIMONY	0.00048	U	MG/L
MW-111	3/22/2017	ARSENIC	0.00068	U	MG/L
MW-111	3/22/2017	BARIUM	0.0435		MG/L
MW-111	3/22/2017	BENZENE	0.0001	U	MG/L
MW-111	3/22/2017	BERYLLIUM	0.00027	J	MG/L
MW-111	3/22/2017	BROMOCHLOROMETHANE	0.0001	U	MG/L
MW-111	3/22/2017	BROMODICHLOROMETHANE	0.0001	U	MG/L
MW-111	3/22/2017	BROMOFORM	0.0001	U	MG/L
MW-111	3/22/2017	BROMOMETHANE	0.0001	U	MG/L
MW-111	3/22/2017	CADMIUM	0.00019	U	MG/L
MW-111	3/22/2017	CALCIUM	18.5		MG/L
MW-111	3/22/2017	CARBON DISULFIDE	0.0004	U	MG/L
MW-111	3/22/2017	CARBON TETRACHLORIDE	0.0001	U	MG/L
MW-111	3/22/2017	CHEMICAL OXYGEN DEMAND	3.0	U	MG/L
MW-111	3/22/2017	CHLORIDE	15.9		MG/L
MW-111	3/22/2017	CHLOROBENZENE	0.0001	U	MG/L
MW-111	3/22/2017	CHLORODIBROMOMETHANE	0.0001	U	MG/L
MW-111	3/22/2017	CHLOROETHANE	0.0001	U	MG/L
MW-111	3/22/2017	CHLOROFORM	0.0001	U	MG/L
MW-111	3/22/2017	CHLOROMETHANE	0.0002	U	MG/L
MW-111	3/22/2017	CHROMIUM	0.0018	J	MG/L
MW-111	3/22/2017	CIS-1,2-DICHLOROETHENE	0.0001	U	MG/L
MW-111	3/22/2017	CIS-1,3-DICHLOROPROPENE	0.0001	U	MG/L
MW-111	3/22/2017	COBALT	0.0020	J	MG/L
MW-111	3/22/2017	COPPER	0.0041	U	MG/L
MW-111	3/22/2017	CYANIDE	0.0050	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-111	3/22/2017	DIBROMOMETHANE	0.0001	U	MG/L
MW-111	3/22/2017	ETHYLBENZENE	0.0001	U	MG/L
MW-111	3/22/2017	FLUORIDE	0.050	U	MG/L
MW-111	3/22/2017	FREE CYANIDE	0.0020	U	MG/L
MW-111	3/22/2017	HARDNESS AS CaCO3	68.2		MG/L
MW-111	3/22/2017	IRON	0.193		MG/L
MW-111	3/22/2017	LEAD	0.00018	J	MG/L
MW-111	3/22/2017	MAGNESIUM	5.38		MG/L
MW-111	3/22/2017	MAGNESIUM	5.60		MG/L
MW-111	3/22/2017	MANGANESE	0.0426		MG/L
MW-111	3/22/2017	MERCURY	0.000050	U	MG/L
MW-111	3/22/2017	METHYL IODIDE	0.0001	U	MG/L
MW-111	3/22/2017	METHYL TERT-BUTYL ETHER	0.0001	U	MG/L
MW-111	3/22/2017	METHYLENE CHLORIDE	0.0002	U	MG/L
MW-111	3/22/2017	NICKEL	0.0039	J	MG/L
MW-111	3/22/2017	NITRATE-N	4.0		MG/L
MW-111	3/22/2017	PH	6.0		S.U.
MW-111	3/22/2017	POTASSIUM	1.51		MG/L
MW-111	3/22/2017	SELENIUM	0.0097	U	MG/L
MW-111	3/22/2017	SILVER	0.0019	U	MG/L
MW-111	3/22/2017	SODIUM	4.94		MG/L
MW-111	3/22/2017	SPECIFIC CONDUCTANCE	177		UMHOS/CM
MW-111	3/22/2017	STYRENE	0.0001	U	MG/L
MW-111	3/22/2017	SULFATE	25.8		MG/L
MW-111	3/22/2017	TEMPERATURE	22.5		C
MW-111	3/22/2017	TETRACHLOROETHENE	0.0001	U	MG/L
MW-111	3/22/2017	THALLIUM	0.00016	U	MG/L
MW-111	3/22/2017	TOLUENE	0.0001	U	MG/L
MW-111	3/22/2017	TOTAL DISSOLVED SOLIDS	140		MG/L
MW-111	3/22/2017	TOTAL XYLENES	0.0001	U	MG/L
MW-111	3/22/2017	TRANS-1,2-DICHLOROETHENE	0.0001	U	MG/L
MW-111	3/22/2017	TRANS-1,3-DICHLOROPROPENE	0.0001	U	MG/L
MW-111	3/22/2017	TRANS-1,4-DICHLORO-2-BUTENE	0.001	U	MG/L
MW-111	3/22/2017	TRICHLOROETHENE	0.0001	U	MG/L
MW-111	3/22/2017	TRICHLOROFUOROMETHANE	0.0001	U	MG/L
MW-111	3/22/2017	TURBIDITY	13.7		NTU
MW-111	3/22/2017	VANADIUM	0.0016	U	MG/L
MW-111	3/22/2017	VINYL ACETATE	0.0002	U	MG/L
MW-111	3/22/2017	VINYL CHLORIDE	0.0001	U	MG/L
MW-111	3/22/2017	ZINC	0.0053	J	MG/L
MW-111	9/7/2017	1,1,1,2-TETRACHLOROETHANE	0.10	U	UG/L
MW-111	9/7/2017	1,1,1-TRICHLOROETHANE	0.10	U	UG/L
MW-111	9/7/2017	1,1,2,2-TETRACHLOROETHANE	0.10	U	UG/L
MW-111	9/7/2017	1,1,2-TRICHLOROETHANE	0.10	U	UG/L
MW-111	9/7/2017	1,1-DICHLOROETHANE	0.10	U	UG/L
MW-111	9/7/2017	1,1-DICHLOROETHENE	0.10	U	UG/L
MW-111	9/7/2017	1,2,3-TRICHLOROPROPANE	0.30	U	UG/L
MW-111	9/7/2017	1,2-DIBROMO-3-CHLOROPROPANE	0.20	U	UG/L
MW-111	9/7/2017	1,2-DIBROMOETHANE	0.10	U	UG/L
MW-111	9/7/2017	1,2-DICHLOROBENZENE	0.10	U	UG/L
MW-111	9/7/2017	1,2-DICHLOROETHANE	0.10	U	UG/L
MW-111	9/7/2017	1,2-DICHLOROPROPANE	0.10	U	UG/L
MW-111	9/7/2017	1,4-DICHLOROBENZENE	0.10	U	UG/L
MW-111	9/7/2017	2-BUTANONE	1	U	UG/L
MW-111	9/7/2017	2-HEXANONE	1	U	UG/L
MW-111	9/7/2017	4-METHYL-2-PENTANONE	1	U	UG/L
MW-111	9/7/2017	ACETONE	3	U	UG/L
MW-111	9/7/2017	ACRYLONITRILE	1	U	UG/L
MW-111	9/7/2017	ALKALINITY	40.3		MG/L
MW-111	9/7/2017	AMMONIA	0.25	U	MG/L
MW-111	9/7/2017	ANTIMONY	0.00045	U	MG/L
MW-111	9/7/2017	ARSENIC	0.00072	U	MG/L
MW-111	9/7/2017	BARIUM	0.0251		MG/L
MW-111	9/7/2017	BENZENE	0.10	U	UG/L
MW-111	9/7/2017	BERYLLIUM	0.00012	J	MG/L
MW-111	9/7/2017	BROMOCHLOROMETHANE	0.10	U	UG/L
MW-111	9/7/2017	BROMODICHLOROMETHANE	0.10	U	UG/L
MW-111	9/7/2017	BROMOFORM	0.10	U	UG/L
MW-111	9/7/2017	BROMOMETHANE	0.10	U	UG/L
MW-111	9/7/2017	CADMIUM	0.00015	U	MG/L
MW-111	9/7/2017	CALCIUM	23.6		MG/L
MW-111	9/7/2017	CARBON DISULFIDE	0.40	U	UG/L
MW-111	9/7/2017	CARBON TETRACHLORIDE	0.10	U	UG/L
MW-111	9/7/2017	CHEMICAL OXYGEN DEMAND	3	U	MG/L
MW-111	9/7/2017	CHLORIDE	14.4		MG/L
MW-111	9/7/2017	CHLOROBENZENE	0.10	U	UG/L
MW-111	9/7/2017	CHLORODIBROMOMETHANE	0.10	U	UG/L
MW-111	9/7/2017	CHLOROETHANE	0.10	U	UG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-111	9/7/2017	CHLOROFORM	0.10	U	UG/L
MW-111	9/7/2017	CHLOROMETHANE	0.20	U	UG/L
MW-111	9/7/2017	CHROMIUM	0.0018	J	MG/L
MW-111	9/7/2017	CIS-1,2-DICHLOROETHENE	0.10	U	UG/L
MW-111	9/7/2017	CIS-1,3-DICHLOROPROPENE	0.10	U	UG/L
MW-111	9/7/2017	COBALT	0.0017	U	MG/L
MW-111	9/7/2017	COPPER	0.004	U	MG/L
MW-111	9/7/2017	CYANIDE	0.005	U	MG/L
MW-111	9/7/2017	DIBROMOMETHANE	0.10	U	UG/L
MW-111	9/7/2017	ETHYLBENZENE	0.10	U	UG/L
MW-111	9/7/2017	FLUORIDE	0.14		MG/L
MW-111	9/7/2017	FREE CYANIDE	0.002	U	MG/L
MW-111	9/7/2017	HARDNESS AS CaCO3	76.7		MG/L
MW-111	9/7/2017	IRON	0.154		MG/L
MW-111	9/7/2017	LEAD	0.00021	J	MG/L
MW-111	9/7/2017	MAGNESIUM	4.29		MG/L
MW-111	9/7/2017	MAGNESIUM	4.44		MG/L
MW-111	9/7/2017	MANGANESE	0.0163		MG/L
MW-111	9/7/2017	MERCURY	0.00005	U	MG/L
MW-111	9/7/2017	METHYL IODIDE	0.10	U	UG/L
MW-111	9/7/2017	METHYL TERT-BUTYL ETHER	0.10	U	UG/L
MW-111	9/7/2017	METHYLENE CHLORIDE	0.20	U	UG/L
MW-111	9/7/2017	NICKEL	0.004	U	MG/L
MW-111	9/7/2017	NITRATE-N	3.7		MG/L
MW-111	9/7/2017	PH	6.6		S.U.
MW-111	9/7/2017	POTASSIUM	1.01		MG/L
MW-111	9/7/2017	SELENIUM	0.0093	U	MG/L
MW-111	9/7/2017	SILVER	0.0024	U	MG/L
MW-111	9/7/2017	SODIUM	4.12		MG/L
MW-111	9/7/2017	SPECIFIC CONDUCTANCE	199		UMHOS/CM
MW-111	9/7/2017	STYRENE	0.10	U	UG/L
MW-111	9/7/2017	SULFATE	18.8		MG/L
MW-111	9/7/2017	TEMPERATURE	22.9		C
MW-111	9/7/2017	TETRACHLOROETHENE	0.10	U	UG/L
MW-111	9/7/2017	THALLIUM	0.00012	U	MG/L
MW-111	9/7/2017	TOLUENE	0.10	U	UG/L
MW-111	9/7/2017	TOTAL DISSOLVED SOLIDS	142		MG/L
MW-111	9/7/2017	TOTAL XYLENES	0.10	U	UG/L
MW-111	9/7/2017	TRANS-1,2-DICHLOROETHENE	0.10	U	UG/L
MW-111	9/7/2017	TRANS-1,3-DICHLOROPROPENE	0.10	U	UG/L
MW-111	9/7/2017	TRANS-1,4-DICHLORO-2-BUTENE	1	U	UG/L
MW-111	9/7/2017	TRICHLOROETHENE	0.10	U	UG/L
MW-111	9/7/2017	TRICHLOROFLUOROMETHANE	0.10	U	UG/L
MW-111	9/7/2017	TURBIDITY	21		NTU
MW-111	9/7/2017	VANADIUM	0.0016	U	MG/L
MW-111	9/7/2017	VINYL ACETATE	0.20	U	UG/L
MW-111	9/7/2017	VINYL CHLORIDE	0.10	U	UG/L
MW-111	9/7/2017	ZINC	0.0039	U	MG/L
MW-111	3/6/2018	1,1,1,2-TETRACHLOROETHANE	0.0001	U	MG/L
MW-111	3/6/2018	1,1,1-TRICHLOROETHANE	0.0001	U	MG/L
MW-111	3/6/2018	1,1,2,2-TETRACHLOROETHANE	0.0001	U	MG/L
MW-111	3/6/2018	1,1,2-TRICHLOROETHANE	0.0001	U	MG/L
MW-111	3/6/2018	1,1-DICHLOROETHANE	0.0001	U	MG/L
MW-111	3/6/2018	1,1-DICHLOROETHENE	0.0001	U	MG/L
MW-111	3/6/2018	1,2,3-TRICHLOROPROPANE	0.0003	U	MG/L
MW-111	3/6/2018	1,2-DIBROMO-3-CHLOROPROPANE	0.0002	U	MG/L
MW-111	3/6/2018	1,2-DIBROMOETHANE	0.0001	U	MG/L
MW-111	3/6/2018	1,2-DICHLOROBENZENE	0.0001	U	MG/L
MW-111	3/6/2018	1,2-DICHLOROETHANE	0.0001	U	MG/L
MW-111	3/6/2018	1,2-DICHLOROPROPANE	0.0001	U	MG/L
MW-111	3/6/2018	1,4-DICHLOROBENZENE	0.0001	U	MG/L
MW-111	3/6/2018	2-BUTANONE	0.001	U	MG/L
MW-111	3/6/2018	2-HEXANONE	0.001	U	MG/L
MW-111	3/6/2018	4-METHYL-2-PENTANONE	0.001	U	MG/L
MW-111	3/6/2018	ACETONE	0.003	U	MG/L
MW-111	3/6/2018	ACRYLONITRILE	0.001	U	MG/L
MW-111	3/6/2018	ALKALINITY	14.6		MG/L
MW-111	3/6/2018	AMMONIA-N	0.25	U	MG/L
MW-111	3/6/2018	ANTIMONY	0.00045	U	MG/L
MW-111	3/6/2018	ARSENIC	0.00072	U	MG/L
MW-111	3/6/2018	BARIUM	0.0464		MG/L
MW-111	3/6/2018	BENZENE	0.0001	U	MG/L
MW-111	3/6/2018	BERYLLIUM	0.00034	J	MG/L
MW-111	3/6/2018	BROMOCHLOROMETHANE	0.0001	U	MG/L
MW-111	3/6/2018	BROMODICHLOROMETHANE	0.0001	U	MG/L
MW-111	3/6/2018	BROMOFORM	0.0001	U	MG/L
MW-111	3/6/2018	BROMOMETHANE	0.0001	U	MG/L
MW-111	3/6/2018	CADMIUM	0.00015	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-111	3/6/2018	CALCIUM	11.4		MG/L
MW-111	3/6/2018	CARBON DISULFIDE	0.0004	U	MG/L
MW-111	3/6/2018	CARBON TETRACHLORIDE	0.0001	U	MG/L
MW-111	3/6/2018	CHEMICAL OXYGEN DEMAND	3	U	MG/L
MW-111	3/6/2018	CHLORIDE	8.4		MG/L
MW-111	3/6/2018	CHLOROBENZENE	0.0001	U	MG/L
MW-111	3/6/2018	CHLORODIBROMOMETHANE	0.0001	U	MG/L
MW-111	3/6/2018	CHLOROETHANE	0.0001	U	MG/L
MW-111	3/6/2018	CHLOROFORM	0.0001	U	MG/L
MW-111	3/6/2018	CHLOROMETHANE	0.0002	U	MG/L
MW-111	3/6/2018	CHROMIUM	0.0011	J	MG/L
MW-111	3/6/2018	CIS-1,2-DICHLOROETHENE	0.0001	U	MG/L
MW-111	3/6/2018	CIS-1,3-DICHLOROPROPENE	0.0001	U	MG/L
MW-111	3/6/2018	COBALT	0.0017	U	MG/L
MW-111	3/6/2018	COPPER	0.004	U	MG/L
MW-111	3/6/2018	CYANIDE	0.005	U	MG/L
MW-111	3/6/2018	DIBROMOMETHANE	0.0001	U	MG/L
MW-111	3/6/2018	ETHYLBENZENE	0.0001	U	MG/L
MW-111	3/6/2018	FLUORIDE	0.057	J	MG/L
MW-111	3/6/2018	FREE CYANIDE	0.002	U	MG/L
MW-111	3/6/2018	HARDNESS AS CaCO3	48.3		MG/L
MW-111	3/6/2018	IRON	0.0413	J	MG/L
MW-111	3/6/2018	LEAD	0.00011	U	MG/L
MW-111	3/6/2018	MAGNESIUM	4.82		MG/L
MW-111	3/6/2018	MANGANESE	0.0103		MG/L
MW-111	3/6/2018	MERCURY	0.00005	U	MG/L
MW-111	3/6/2018	METHYL IODIDE	0.0001	U	MG/L
MW-111	3/6/2018	METHYL TERT-BUTYL ETHER	0.0001	U	MG/L
MW-111	3/6/2018	METHYLENE CHLORIDE	0.0002	U	MG/L
MW-111	3/6/2018	NICKEL	0.004	U	MG/L
MW-111	3/6/2018	NITRATE-N	3.3		MG/L
MW-111	3/6/2018	PH	6.2		S.U.
MW-111	3/6/2018	POTASSIUM	1.66		MG/L
MW-111	3/6/2018	SELENIUM	0.0093	U	MG/L
MW-111	3/6/2018	SILVER	0.0024	U	MG/L
MW-111	3/6/2018	SODIUM	3.44		MG/L
MW-111	3/6/2018	SPECIFIC CONDUCTANCE	130		UMHOS/CM
MW-111	3/6/2018	STYRENE	0.0001	U	MG/L
MW-111	3/6/2018	SULFATE	15.3		MG/L
MW-111	3/6/2018	TEMPERATURE	21.6		C
MW-111	3/6/2018	TETRACHLOROETHENE	0.0001	U	MG/L
MW-111	3/6/2018	THALLIUM	0.00012	U	MG/L
MW-111	3/6/2018	TOLUENE	0.0001	U	MG/L
MW-111	3/6/2018	TOTAL DISSOLVED SOLIDS	89.5		MG/L
MW-111	3/6/2018	TOTAL XYLENES	0.0001	U	MG/L
MW-111	3/6/2018	TRANS-1,2-DICHLOROETHENE	0.0001	U	MG/L
MW-111	3/6/2018	TRANS-1,3-DICHLOROPROPENE	0.0001	U	MG/L
MW-111	3/6/2018	TRANS-1,4-DICHLORO-2-BUTENE	0.001	U	MG/L
MW-111	3/6/2018	TRICHLOROETHENE	0.0001	U	MG/L
MW-111	3/6/2018	TRICHLOROFLUOROMETHANE	0.0001	U	MG/L
MW-111	3/6/2018	TURBIDITY	2.5		NTU
MW-111	3/6/2018	VANADIUM	0.0016	U	MG/L
MW-111	3/6/2018	VINYL ACETATE	0.0002	U	MG/L
MW-111	3/6/2018	VINYL CHLORIDE	0.0001	U	MG/L
MW-111	3/6/2018	ZINC	0.0061	J	MG/L
MW-111	9/24/2018	FLUORIDE	0.0790	J	MG/L
MW-111	3/6/2019	FLUORIDE	0.05	U	MG/L
MW-111	8/27/2019	ALKALINITY	24.3		MG/L
MW-111	8/27/2019	AMMONIA-N	0.25	U	MG/L
MW-111	8/27/2019	ANTIMONY	0.00041	U	MG/L
MW-111	8/27/2019	ARSENIC	0.00068	U	MG/L
MW-111	8/27/2019	BARIUM	0.031		MG/L
MW-111	8/27/2019	BERYLLIUM	0.0002	J	MG/L
MW-111	8/27/2019	CADMIUM	0.00015	U	MG/L
MW-111	8/27/2019	CALCIUM	12.3		MG/L
MW-111	8/27/2019	CHEMICAL OXYGEN DEMAND	7	J	MG/L
MW-111	8/27/2019	CHLORIDE	7.5		MG/L
MW-111	8/27/2019	CHROMIUM	0.0015	J	MG/L
MW-111	8/27/2019	COBALT	0.00016	U	MG/L
MW-111	8/27/2019	COPPER	0.0099	U	MG/L
MW-111	8/27/2019	CYANIDE	0.005	U	MG/L
MW-111	8/27/2019	FLUORIDE	0.13		MG/L
MW-111	8/27/2019	FREE CYANIDE	0.002	U	MG/L
MW-111	8/27/2019	HARDNESS AS CaCO3	48.1		MG/L
MW-111	8/27/2019	IRON	0.0928	J	MG/L
MW-111	8/27/2019	LEAD	0.0011	U	MG/L
MW-111	8/27/2019	MAGNESIUM	4.25		MG/L
MW-111	8/27/2019	MANGANESE	0.0081	J	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-111	8/27/2019	MERCURY	0.00005	U	MG/L
MW-111	8/27/2019	NICKEL	0.0023	J	MG/L
MW-111	8/27/2019	NITRATE-N	3.2		MG/L
MW-111	8/27/2019	PH	6.2		S.U.
MW-111	8/27/2019	POTASSIUM	1.31		MG/L
MW-111	8/27/2019	SELENIUM	0.00065	U	MG/L
MW-111	8/27/2019	SILVER	0.00017	U	MG/L
MW-111	8/27/2019	SODIUM	2.81		MG/L
MW-111	8/27/2019	SPECIFIC CONDUCTANCE	130		UMHOS/CM
MW-111	8/27/2019	SULFATE	13.9		MG/L
MW-111	8/27/2019	TEMPERATURE	23.7		C
MW-111	8/27/2019	THALLIUM	0.00011	U	MG/L
MW-111	8/27/2019	TOTAL DISSOLVED SOLIDS	72		MG/L
MW-111	8/27/2019	TURBIDITY	9.3		NTU
MW-111	8/27/2019	VANADIUM	0.00049	J	MG/L
MW-111	8/27/2019	ZINC	0.0062	U	MG/L
MW-111	3/11/2020	ALKALINITY	14.7		MG/L
MW-111	3/11/2020	AMMONIA-N	1.3		MG/L
MW-111	3/11/2020	ANTIMONY	0.00041	U	MG/L
MW-111	3/11/2020	ARSENIC	0.00068	U	MG/L
MW-111	3/11/2020	BARIUM	0.0345		MG/L
MW-111	3/11/2020	BERYLLIUM	0.0003	J	MG/L
MW-111	3/11/2020	CADMIUM	0.00015	U	MG/L
MW-111	3/11/2020	CALCIUM	8.05		MG/L
MW-111	3/11/2020	CHEMICAL OXYGEN DEMAND	5	U	MG/L
MW-111	3/11/2020	CHLORIDE	5.9		MG/L
MW-111	3/11/2020	CHROMIUM	0.00079	J	MG/L
MW-111	3/11/2020	COBALT	0.00023	J	MG/L
MW-111	3/11/2020	COPPER	0.00036	U	MG/L
MW-111	3/11/2020	CYANIDE	0.005	U	MG/L
MW-111	3/11/2020	FLUORIDE	0.05	U	MG/L
MW-111	3/11/2020	FREE CYANIDE	0.002	U	MG/L
MW-111	3/11/2020	HARDNESS AS CaCO3	35.3		MG/L
MW-111	3/11/2020	IRON	0.047	J	MG/L
MW-111	3/11/2020	LEAD	0.000071	U	MG/L
MW-111	3/11/2020	MAGNESIUM	3.7		MG/L
MW-111	3/11/2020	MANGANESE	0.0067		MG/L
MW-111	3/11/2020	MERCURY	0.00005	U	MG/L
MW-111	3/11/2020	NICKEL	0.0019		MG/L
MW-111	3/11/2020	NITRATE-N	2.4		MG/L
MW-111	3/11/2020	POTASSIUM	1.4		MG/L
MW-111	3/11/2020	SELENIUM	0.00028	U	MG/L
MW-111	3/11/2020	SILVER	0.00017	U	MG/L
MW-111	3/11/2020	SODIUM	2.71		MG/L
MW-111	3/11/2020	SPECIFIC CONDUCTANCE	96.1		UMHOS/CM
MW-111	3/11/2020	SULFATE	18.3		MG/L
MW-111	3/11/2020	THALLIUM	0.00013	U	MG/L
MW-111	3/11/2020	TOTAL DISSOLVED SOLIDS	64.5		MG/L
MW-111	3/11/2020	TURBIDITY	5.7		NTU
MW-111	3/11/2020	VANADIUM	0.00055		MG/L
MW-111	3/11/2020	ZINC	0.0062	U	MG/L
MW-111	9/15/2020	ALKALINITY	33		MG/L
MW-111	9/15/2020	AMMONIA-N	0.75	U	MG/L
MW-111	9/15/2020	ANTIMONY	0.001	U	MG/L
MW-111	9/15/2020	ARSENIC	0.002	U	MG/L
MW-111	9/15/2020	BARIUM	0.037		MG/L
MW-111	9/15/2020	BERYLLIUM	0.00021	J	MG/L
MW-111	9/15/2020	CADMIUM	0.0005	U	MG/L
MW-111	9/15/2020	CALCIUM	16		MG/L
MW-111	9/15/2020	CHEMICAL OXYGEN DEMAND	15	U	MG/L
MW-111	9/15/2020	CHLORIDE	8.7		MG/L
MW-111	9/15/2020	CHROMIUM	0.0014	J	MG/L
MW-111	9/15/2020	COBALT	0.0005	U	MG/L
MW-111	9/15/2020	COPPER	0.001	U	MG/L
MW-111	9/15/2020	CYANIDE	0.01	U	MG/L
MW-111	9/15/2020	FLUORIDE	0.50	U	MG/L
MW-111	9/15/2020	FREE CYANIDE	0.006	U	MG/L
MW-111	9/15/2020	HARDNESS AS CaCO3	60		MG/L
MW-111	9/15/2020	IRON	0.024	J	MG/L
MW-111	9/15/2020	LEAD	0.00011	J	MG/L
MW-111	9/15/2020	MAGNESIUM	5.1		MG/L
MW-111	9/15/2020	MANGANESE	0.0049		MG/L
MW-111	9/15/2020	MERCURY	0.0002	U	MG/L
MW-111	9/15/2020	NICKEL	0.0019		MG/L
MW-111	9/15/2020	NITRATE-N	3.1		MG/L
MW-111	9/15/2020	PH	6.4	HF	S.U.
MW-111	9/15/2020	POTASSIUM	1.4		MG/L
MW-111	9/15/2020	SELENIUM	0.001	U	MG/L

Appendix B  
North Landfill Historical Groundwater Analytical Data  
Quantum Maryland, LLC  
Frederick, MD

MW-111	9/15/2020	SILVER	0.0005	U	MG/L
MW-111	9/15/2020	SODIUM	3.3	*	MG/L
MW-111	9/15/2020	SPECIFIC CONDUCTANCE	150		US/CM
MW-111	9/15/2020	SULFATE	14		MG/L
MW-111	9/15/2020	TEMPERATURE	21.9	HF	C
MW-111	9/15/2020	THALLIUM	0.0005	U	MG/L
MW-111	9/15/2020	TOTAL DISSOLVED SOLIDS	94		MG/L
MW-111	9/15/2020	TURBIDITY	5		NTU
MW-111	9/15/2020	VANADIUM	0.0005	U	MG/L
MW-111	9/15/2020	ZINC	0.01	U	MG/L
MW-111	3/30/2021	ALKALINITY	15		MG/L
MW-111	3/30/2021	ALUMINIUM	0.10		MG/L
MW-111	3/30/2021	ARSENIC	0.002	U	MG/L
MW-111	3/30/2021	BARIUM	0.035		MG/L
MW-111	3/30/2021	BERYLLIUM	0.00032	J	MG/L
MW-111	3/30/2021	CADMIUM	0.0005	U	MG/L
MW-111	3/30/2021	CHLORIDE	7.1	F1	MG/L
MW-111	3/30/2021	CHROMIUM	0.00035	J	MG/L
MW-111	3/30/2021	FLUORIDE	0.058	J	MG/L
MW-111	3/30/2021	LEAD	0.0005	U	MG/L
MW-111	3/30/2021	MERCURY	0.002	U	MG/L
MW-111	3/30/2021	NICKEL	0.0018		MG/L
MW-111	3/30/2021	NITRATE-N	1.9		MG/L
MW-111	3/30/2021	PH	5.9	HF	S.U.
MW-111	3/30/2021	SELENIUM	0.001	U	MG/L
MW-111	3/30/2021	SODIUM	2.8		MG/L
MW-111	3/30/2021	SPECIFIC CONDUCTANCE	95		US/CM
MW-111	3/30/2021	SULFATE	9.8		MG/L
MW-111	3/30/2021	TEMPERATURE	22.5	HF	C
MW-111	3/30/2021	TOTAL DISSOLVED SOLIDS	63		MG/L
MW-111	3/30/2021	TURBIDITY	2.1		NTU
MW-111	9/21/2021	ALKALINITY	14		MG/L
MW-111	9/21/2021	ALUMINIUM	0.039		MG/L
MW-111	9/21/2021	ARSENIC	0.002	U	MG/L
MW-111	9/21/2021	BARIUM	0.049		MG/L
MW-111	9/21/2021	BERYLLIUM	0.0004	J	MG/L
MW-111	9/21/2021	CADMIUM	0.0005	U	MG/L
MW-111	9/21/2021	CHLORIDE	17		MG/L
MW-111	9/21/2021	CHROMIUM	0.00057	J	MG/L
MW-111	9/21/2021	FLUORIDE	0.50	U*+	MG/L
MW-111	9/21/2021	LEAD	0.0005	U	MG/L
MW-111	9/21/2021	MERCURY	0.0002	U	MG/L
MW-111	9/21/2021	NICKEL	0.0026		MG/L
MW-111	9/21/2021	NITRATE-N	2.5		MG/L
MW-111	9/21/2021	PH	5.9	HF	S.U.
MW-111	9/21/2021	SELENIUM	0.001	U	MG/L
MW-111	9/21/2021	SODIUM	4.3		MG/L
MW-111	9/21/2021	SPECIFIC CONDUCTANCE	140		US/CM
MW-111	9/21/2021	SULFATE	10		MG/L
MW-111	9/21/2021	TEMPERATURE	22.7	HF	C
MW-111	9/21/2021	TOTAL DISSOLVED SOLIDS	80		MG/L
MW-111	9/21/2021	TURBIDITY	1	U	NTU
MW-111	3/30/2022	ALKALINITY	12		MG/L
MW-111	3/30/2022	ALUMINIUM	70		UG/L
MW-111	3/30/2022	ARSENIC	0.002	U	MG/L
MW-111	3/30/2022	BARIUM	0.048		MG/L
MW-111	3/30/2022	BERYLLIUM	0.00045	J	MG/L
MW-111	3/30/2022	CADMIUM	0.0005	U	MG/L
MW-111	3/30/2022	CHLORIDE	19		MG/L
MW-111	3/30/2022	CHROMIUM	0.00078	J	MG/L
MW-111	3/30/2022	FLUORIDE	0.10	U	MG/L
MW-111	3/30/2022	LEAD	0.0005	U	MG/L
MW-111	3/30/2022	MERCURY	0.00013	J	MG/L
MW-111	3/30/2022	NICKEL	0.0023	^5-	MG/L
MW-111	3/30/2022	NITRATE-N	3.3	Hen	MG/L
MW-111	3/30/2022	PH	5.7	HF	S.U.
MW-111	3/30/2022	SELENIUM	0.001	U	MG/L
MW-111	3/30/2022	SODIUM	4.8	^5-	MG/L
MW-111	3/30/2022	SPECIFIC CONDUCTANCE	150		US/CM
MW-111	3/30/2022	SULFATE	13		MG/L
MW-111	3/30/2022	TEMPERATURE	22.4	HF	C
MW-111	3/30/2022	TOTAL DISSOLVED SOLIDS	66		MG/L
MW-111	3/30/2022	TURBIDITY	1.1		NTU