

Lead Poisoning Prevention Program

Childhood Blood Lead Surveillance in Maryland

Annual Report 2007 Number and percentage of prevalence and incidence cases by age and county of residence Supplementary Data Tables: Supplement #3



Lead Poisoning Prevention Program: Childhood Lead Registry Number and percentage of prevalence and incidence cases by age and county of residence (Annual Report 2007)

Allegany County

| | Population | | | | | | |
|-------------|------------|----------|---------|------------------|---------|------------------------|---------|
| | of | Children | Tested | Prevalence Cases | | Incidence Cases | |
| Age Group | Children | Number | Percent | Number | Percent | Number | Percent |
| Under One | 836 | 24 | 2.9 | 0 | 0.0 | 0 | 0.0 |
| One Year | 841 | 553 | 65.8 | 5 | 0.9 | 5 | 0.9 |
| Two Years | 867 | 430 | 49.6 | 6 | 1.4 | 5 | 1.2 |
| Three Years | 826 | 77 | 9.3 | 0 | 0.0 | 0 | 0.0 |
| Four Years | 789 | 89 | 11.3 | 1 | 1.1 | 1 | 1.1 |
| Five Years | 798 | 58 | 7.3 | 0 | 0.0 | 0 | 0.0 |
| Total | 4,957 | 1,231 | 24.8 | 12 | 1.0 | 11 | 0.9 |
| | | | | | | | |
| 6-17 Years | 11,220 | 31 | 0.3 | 0 | 0.0 | | |

Anne Arundel County

| | Population | | | | | | |
|-------------|------------|----------|---------|------------------|---------|------------------------|---------|
| | of | Children | Tested | Prevalence Cases | | Incidence Cases | |
| Age Group | Children | Number | Percent | Number | Percent | Number | Percent |
| Under One | 7,488 | 570 | 7.6 | 0 | 0.0 | 0 | 0.0 |
| One Year | 7,559 | 2,711 | 35.9 | 10 | 0.4 | 8 | 0.3 |
| Two Years | 7,268 | 1,667 | 22.9 | 6 | 0.4 | 6 | 0.4 |
| Three Years | 7,189 | 613 | 8.5 | 1 | 0.2 | 1 | 0.2 |
| Four Years | 7,114 | 589 | 8.3 | 1 | 0.2 | 1 | 0.2 |
| Five Years | 7,160 | 465 | 6.5 | 1 | 0.2 | 0 | 0.0 |
| Total | 43,779 | 6,615 | 15.1 | 19 | 0.3 | 16 | 0.2 |
| | | | | | | | |
| 6-17 Years | 82,933 | 262 | 0.3 | 0 | 0.0 | | |

Baltimore County

| | Population | | | | | | |
|-------------|------------|----------|---------|------------------|---------|------------------------|---------|
| | of | Children | Tested | Prevalence Cases | | Incidence Cases | |
| Age Group | Children | Number | Percent | Number | Percent | Number | Percent |
| Under One | 10,174 | 1,807 | 17.8 | 4 | 0.2 | 4 | 0.2 |
| One Year | 10,132 | 5,679 | 56.1 | 14 | 0.2 | 12 | 0.2 |
| Two Years | 9,929 | 4,489 | 45.2 | 21 | 0.5 | 18 | 0.4 |
| Three Years | 9,824 | 1,628 | 16.6 | 11 | 0.7 | 10 | 0.6 |
| Four Years | 10,011 | 1,510 | 15.1 | 9 | 0.6 | 6 | 0.4 |
| Five Years | 9,725 | 1,142 | 11.7 | 3 | 0.3 | 2 | 0.2 |
| Total | 59,794 | 16,255 | 27.2 | 62 | 0.4 | 52 | 0.3 |
| | | | | | | | |
| 6-17 Years | 123,546 | 800 | 0.6 | 5 | 0.6 | | |

Lead Poisoning Prevention Program: Childhood Lead Registry
Number and percentage of prevalence and incidence cases by age and county of residence
(Annual Report 2007)

Baltimore City

| | Population | | | | | | |
|-------------|------------|----------|---------|------------------|---------|------------------------|---------|
| | of | Children | Tested | Prevalence Cases | | Incidence Cases | |
| Age Group | Children | Number | Percent | Number | Percent | Number | Percent |
| Under One | 9,959 | 1,613 | 16.2 | 18 | 1.1 | 17 | 1.1 |
| One Year | 9,488 | 5,982 | 63.0 | 212 | 3.5 | 187 | 3.1 |
| Two Years | 9,054 | 4,736 | 52.3 | 174 | 3.7 | 126 | 2.7 |
| Three Years | 8,971 | 2,194 | 24.5 | 108 | 4.9 | 58 | 2.6 |
| Four Years | 8,706 | 1,825 | 21.0 | 75 | 4.1 | 31 | 1.7 |
| Five Years | 8,964 | 1,320 | 14.7 | 37 | 2.8 | 16 | 1.2 |
| Total | 55,142 | 17,670 | 32.0 | 624 | 3.5 | 435 | 2.5 |
| | | | | | | | |
| 6-17 Years | 112,426 | 1,664 | 1.5 | 40 | 2.4 | | |

Calvert County

| | Population | | | , | | | |
|-------------|------------|----------|---------|------------|----------|-----------|---------|
| | of | Children | Tested | Prevalence | ce Cases | Incidence | e Cases |
| Age Group | Children | Number | Percent | Number | Percent | Number | Percent |
| Under One | 1,097 | 102 | 9.3 | 0 | 0.0 | 0 | 0.0 |
| One Year | 1,055 | 357 | 33.8 | 0 | 0.0 | 0 | 0.0 |
| Two Years | 1,169 | 162 | 13.9 | 1 | 0.6 | 1 | 0.6 |
| Three Years | 1,116 | 55 | 4.9 | 0 | 0.0 | 0 | 0.0 |
| Four Years | 1,176 | 67 | 5.7 | 0 | 0.0 | 0 | 0.0 |
| Five Years | 1,197 | 42 | 3.5 | 0 | 0.0 | 0 | 0.0 |
| Total | 6,810 | 785 | 11.5 | 1 | 0.1 | 1 | 0.1 |
| | | | | | | | |
| 6-17 Years | 15,530 | 38 | 0.2 | 0 | 0.0 | | |

Caroline County

| | Population | | | | | | |
|-------------|------------|----------|---------|------------------|---------|------------------------|---------|
| | of | Children | Tested | Prevalence Cases | | Incidence Cases | |
| Age Group | Children | Number | Percent | Number | Percent | Number | Percent |
| Under One | 393 | 27 | 6.9 | 0 | 0.0 | 0 | 0.0 |
| One Year | 373 | 374 | 100.2 | 2 | 0.5 | 2 | 0.5 |
| Two Years | 400 | 297 | 74.3 | 4 | 1.3 | 1 | 0.3 |
| Three Years | 462 | 58 | 12.6 | 0 | 0.0 | 0 | 0.0 |
| Four Years | 409 | 60 | 14.7 | 1 | 1.7 | 1 | 1.7 |
| Five Years | 453 | 40 | 8.8 | 1 | 2.5 | 1 | 2.5 |
| Total | 2,490 | 856 | 34.4 | 8 | 0.9 | 5 | 0.6 |
| 6-17 Years | 5,607 | 12 | 0.2 | 1 | 8.3 | | |

Lead Poisoning Prevention Program: Childhood Lead Registry
Number and percentage of prevalence and incidence cases by age and county of residence
(Annual Report 2007)

Carroll County

| | Population | | | • | | | |
|-------------|------------|----------|---------|------------------|---------|------------------------|---------|
| | of | Children | Tested | Prevalence Cases | | Incidence Cases | |
| Age Group | Children | Number | Percent | Number | Percent | Number | Percent |
| Under One | 2,135 | 146 | 6.8 | 0 | 0.0 | 0 | 0.0 |
| One Year | 2,184 | 569 | 26.1 | 1 | 0.2 | 1 | 0.2 |
| Two Years | 2,271 | 280 | 12.3 | 0 | 0.0 | 0 | 0.0 |
| Three Years | 2,260 | 169 | 7.5 | 0 | 0.0 | 0 | 0.0 |
| Four Years | 2,326 | 133 | 5.7 | 2 | 1.5 | 1 | 0.8 |
| Five Years | 2,370 | 107 | 4.5 | 0 | 0.0 | 0 | 0.0 |
| Total | 13,546 | 1,404 | 10.4 | 3 | 0.2 | 2 | 0.1 |
| | | | | | | | |
| 6-17 Years | 29,120 | 69 | 0.2 | 0 | 0.0 | | |

Cecil County

| | Population | | | , | | | |
|-------------|------------|----------|---------|------------|----------|-----------|---------|
| | of | Children | Tested | Prevalence | ce Cases | Incidence | e Cases |
| Age Group | Children | Number | Percent | Number | Percent | Number | Percent |
| Under One | 1,328 | 87 | 6.6 | 0 | 0.0 | 0 | 0.0 |
| One Year | 1,303 | 535 | 41.1 | 1 | 0.2 | 1 | 0.2 |
| Two Years | 1,318 | 169 | 12.8 | 2 | 1.2 | 2 | 1.2 |
| Three Years | 1,281 | 149 | 11.6 | 1 | 0.7 | 1 | 0.7 |
| Four Years | 1,359 | 139 | 10.2 | 1 | 0.7 | 0 | 0.0 |
| Five Years | 1,305 | 107 | 8.2 | 1 | 0.9 | 0 | 0.0 |
| Total | 7,894 | 1,186 | 15.0 | 6 | 0.5 | 4 | 0.3 |
| | | | | | | | |
| 6-17 Years | 16,306 | 63 | 0.4 | 1 | 1.6 | | |

Charles County

| | Population | | | | | | |
|-------------|------------|----------|---------|------------------|---------|------------------------|---------|
| | of | Children | Tested | Prevalence Cases | | Incidence Cases | |
| Age Group | Children | Number | Percent | Number | Percent | Number | Percent |
| Under One | 1,835 | 261 | 14.2 | 0 | 0.0 | 0 | 0.0 |
| One Year | 1,924 | 639 | 33.2 | 0 | 0.0 | 0 | 0.0 |
| Two Years | 1,962 | 493 | 25.1 | 1 | 0.2 | 1 | 0.2 |
| Three Years | 1,885 | 240 | 12.7 | 0 | 0.0 | 0 | 0.0 |
| Four Years | 1,911 | 219 | 11.5 | 0 | 0.0 | 0 | 0.0 |
| Five Years | 2,012 | 147 | 7.3 | 0 | 0.0 | 0 | 0.0 |
| Total | 11,529 | 1,999 | 17.3 | 1 | 0.1 | 1 | 0.1 |
| | | | | | | | |
| 6-17 Years | 23,859 | 119 | 0.5 | 0 | 0.0 | | |

Lead Poisoning Prevention Program: Childhood Lead Registry
Number and percentage of prevalence and incidence cases by age and county of residence
(Annual Report 2007)

Dorchester County

| | Population | | | | | | |
|-------------|------------|----------|---------|------------------|---------|------------------------|---------|
| | of | Children | Tested | Prevalence Cases | | Incidence Cases | |
| Age Group | Children | Number | Percent | Number | Percent | Number | Percent |
| Under One | 377 | 12 | 3.2 | 0 | 0.0 | 0 | 0.0 |
| One Year | 343 | 293 | 85.4 | 5 | 1.7 | 4 | 1.4 |
| Two Years | 380 | 207 | 54.5 | 2 | 1.0 | 1 | 0.5 |
| Three Years | 368 | 81 | 22.0 | 1 | 1.2 | 1 | 1.2 |
| Four Years | 358 | 56 | 15.6 | 1 | 1.8 | 1 | 1.8 |
| Five Years | 375 | 27 | 7.2 | 0 | 0.0 | 0 | 0.0 |
| Total | 2,201 | 676 | 30.7 | 9 | 1.3 | 7 | 1.0 |
| | | | | | | | |
| 6-17 Years | 5,066 | 34 | 0.7 | 0 | 0.0 | | |

Frederick County

| | Population | | | 3 | | | |
|-------------|------------|----------|---------|------------|----------|-----------|---------|
| | of | Children | Tested | Prevalence | ce Cases | Incidence | e Cases |
| Age Group | Children | Number | Percent | Number | Percent | Number | Percent |
| Under One | 3,023 | 217 | 7.2 | 0 | 0.0 | 0 | 0.0 |
| One Year | 3,147 | 1,488 | 47.3 | 6 | 0.4 | 6 | 0.4 |
| Two Years | 3,118 | 638 | 20.5 | 3 | 0.5 | 3 | 0.5 |
| Three Years | 3,115 | 369 | 11.8 | 0 | 0.0 | 0 | 0.0 |
| Four Years | 3,143 | 380 | 12.1 | 0 | 0.0 | 0 | 0.0 |
| Five Years | 3,140 | 373 | 11.9 | 1 | 0.3 | 1 | 0.3 |
| Total | 18,686 | 3,465 | 18.5 | 10 | 0.3 | 10 | 0.3 |
| | | | | | | | |
| 6-17 Years | 36,365 | 152 | 0.4 | 0 | 0.0 | | |

Garrett County

| | Population | | | | | | |
|-------------|------------|----------|---------|------------------|---------|------------------------|---------|
| | of | Children | Tested | Prevalence Cases | | Incidence Cases | |
| Age Group | Children | Number | Percent | Number | Percent | Number | Percent |
| Under One | 412 | 19 | 4.6 | 0 | 0.0 | 0 | 0.0 |
| One Year | 400 | 197 | 49.2 | 1 | 0.5 | 1 | 0.5 |
| Two Years | 402 | 166 | 41.3 | 1 | 0.6 | 1 | 0.6 |
| Three Years | 379 | 67 | 17.7 | 0 | 0.0 | 0 | 0.0 |
| Four Years | 410 | 47 | 11.5 | 0 | 0.0 | 0 | 0.0 |
| Five Years | 429 | 45 | 10.5 | 0 | 0.0 | 0 | 0.0 |
| Total | 2,432 | 541 | 22.2 | 2 | 0.4 | 2 | 0.4 |
| | | | | | | | |
| 6-17 Years | 5,259 | 15 | 0.3 | 0 | 0.0 | | |

Lead Poisoning Prevention Program: Childhood Lead Registry
Number and percentage of prevalence and incidence cases by age and county of residence
(Annual Report 2007)

Harford County

| | Population | | | · | | | | |
|-------------|------------|----------|---------|------------|------------------|--------|------------------------|--|
| | of | Children | Tested | Prevalence | Prevalence Cases | | Incidence Cases | |
| Age Group | Children | Number | Percent | Number | Percent | Number | Percent | |
| Under One | 3,406 | 525 | 15.4 | 0 | 0.0 | 0 | 0.0 | |
| One Year | 3,545 | 1,015 | 28.6 | 1 | 0.1 | 1 | 0.1 | |
| Two Years | 3,443 | 768 | 22.3 | 1 | 0.1 | 1 | 0.1 | |
| Three Years | 3,591 | 368 | 10.2 | 1 | 0.3 | 1 | 0.3 | |
| Four Years | 3,465 | 364 | 10.5 | 2 | 0.5 | 2 | 0.5 | |
| Five Years | 3,498 | 306 | 8.7 | 1 | 0.3 | 0 | 0.0 | |
| Total | 20,947 | 3,346 | 16.0 | 6 | 0.2 | 5 | 0.1 | |
| | | | | | | | | |
| 6-17 Years | 41,137 | 195 | 0.5 | 0 | 0.0 | | | |

Howard County

| | Population | | | J | | | |
|-------------|------------|----------|---------|------------|----------|-----------|---------|
| | of | Children | Tested | Prevalence | ce Cases | Incidence | e Cases |
| Age Group | Children | Number | Percent | Number | Percent | Number | Percent |
| Under One | 3,963 | 245 | 6.2 | 0 | 0.0 | 0 | 0.0 |
| One Year | 3,934 | 804 | 20.4 | 2 | 0.2 | 2 | 0.2 |
| Two Years | 4,039 | 538 | 13.3 | 0 | 0.0 | 0 | 0.0 |
| Three Years | 4,128 | 311 | 7.5 | 0 | 0.0 | 0 | 0.0 |
| Four Years | 4,115 | 241 | 5.9 | 1 | 0.4 | 0 | 0.0 |
| Five Years | 4,177 | 195 | 4.7 | 0 | 0.0 | 0 | 0.0 |
| Total | 24,355 | 2,334 | 9.6 | 3 | 0.1 | 2 | 0.1 |
| | | | | | | | |
| 6-17 Years | 46,177 | 203 | 0.4 | 1 | 0.5 | | |

Kent County

| | Population | | | | | | |
|-------------|------------|----------|---------|------------------|---------|------------------------|---------|
| | of | Children | Tested | Prevalence Cases | | Incidence Cases | |
| Age Group | Children | Number | Percent | Number | Percent | Number | Percent |
| Under One | 222 | 37 | 16.7 | 0 | 0.0 | 0 | 0.0 |
| One Year | 204 | 129 | 63.2 | 1 | 0.8 | 1 | 0.8 |
| Two Years | 196 | 85 | 43.4 | 1 | 1.2 | 0 | 0.0 |
| Three Years | 179 | 41 | 23.0 | 0 | 0.0 | 0 | 0.0 |
| Four Years | 184 | 28 | 15.2 | 0 | 0.0 | 0 | 0.0 |
| Five Years | 213 | 14 | 6.6 | 0 | 0.0 | 0 | 0.0 |
| Total | 1,197 | 334 | 27.9 | 2 | 0.6 | 1 | 0.3 |
| | | | | | | | |
| 6-17 Years | 2,964 | 7 | 0.2 | 0 | 0.0 | | |
| | | | | | | | |

Refer to page 10 for terms and definitions.

Donulation

Lead Poisoning Prevention Program: Childhood Lead Registry
Number and percentage of prevalence and incidence cases by age and county of residence
(Annual Report 2007)

Montgomery County

| | Population | | | | | | | |
|-------------|------------|----------|---------|------------|------------------|--------|------------------------|--|
| | of | Children | Tested | Prevalence | Prevalence Cases | | Incidence Cases | |
| Age Group | Children | Number | Percent | Number | Percent | Number | Percent | |
| Under One | 13,842 | 3,718 | 26.9 | 7 | 0.2 | 7 | 0.2 | |
| One Year | 13,388 | 4,831 | 36.1 | 12 | 0.2 | 12 | 0.2 | |
| Two Years | 13,221 | 4,057 | 30.7 | 5 | 0.1 | 5 | 0.1 | |
| Three Years | 12,993 | 2,053 | 15.8 | 2 | 0.1 | 2 | 0.1 | |
| Four Years | 13,153 | 2,229 | 16.9 | 4 | 0.2 | 2 | 0.1 | |
| Five Years | 12,667 | 1,386 | 10.9 | 5 | 0.4 | 3 | 0.2 | |
| Total | 79,264 | 18,274 | 23.1 | 35 | 0.2 | 31 | 0.2 | |
| | | | | | | | | |
| 6-17 Years | 146,509 | 1,095 | 0.7 | 5 | 0.5 | | | |

Prince George's County

| | Population | | | | | | |
|-------------|------------|----------|---------|------------------|---------|------------------------|---------|
| | of | Children | Tested | Prevalence Cases | | Incidence Cases | |
| Age Group | Children | Number | Percent | Number | Percent | Number | Percent |
| Under One | 12,865 | 1,865 | 14.5 | 2 | 0.1 | 2 | 0.1 |
| One Year | 12,981 | 5,632 | 43.4 | 6 | 0.1 | 6 | 0.1 |
| Two Years | 12,865 | 4,024 | 31.3 | 10 | 0.2 | 9 | 0.2 |
| Three Years | 12,778 | 2,305 | 18.0 | 11 | 0.5 | 10 | 0.4 |
| Four Years | 12,623 | 2,528 | 20.0 | 5 | 0.2 | 4 | 0.2 |
| Five Years | 12,714 | 1,717 | 13.5 | 4 | 0.2 | 4 | 0.2 |
| Total | 76,826 | 18,071 | 23.5 | 38 | 0.2 | 35 | 0.2 |
| | | | | | | | |
| 6-17 Years | 144,814 | 1,450 | 1.0 | 8 | 0.6 | | |

Queen Anne's County

| | Population | | | | | | |
|-------------|------------|----------|---------|------------------|---------|------------------------|---------|
| | of | Children | Tested | Prevalence Cases | | Incidence Cases | |
| Age Group | Children | Number | Percent | Number | Percent | Number | Percent |
| Under One | 603 | 43 | 7.1 | 0 | 0.0 | 0 | 0.0 |
| One Year | 579 | 281 | 48.6 | 2 | 0.7 | 1 | 0.4 |
| Two Years | 547 | 188 | 34.3 | 1 | 0.5 | 1 | 0.5 |
| Three Years | 598 | 76 | 12.7 | 1 | 1.3 | 0 | 0.0 |
| Four Years | 542 | 66 | 12.2 | 0 | 0.0 | 0 | 0.0 |
| Five Years | 594 | 49 | 8.2 | 0 | 0.0 | 0 | 0.0 |
| Total | 3,462 | 703 | 20.3 | 4 | 0.6 | 2 | 0.3 |
| | | | | | | | |
| 6-17 Years | 7,022 | 28 | 0.4 | 0 | 0.0 | | |

Lead Poisoning Prevention Program: Childhood Lead Registry Number and percentage of prevalence and incidence cases by age and county of residence (Annual Report 2007)

Saint Mary's County

| | Population | | | | | | | |
|-------------|------------|----------|---------|------------|------------------|--------|------------------------|--|
| | of | Children | Tested | Prevalence | Prevalence Cases | | Incidence Cases | |
| Age Group | Children | Number | Percent | Number | Percent | Number | Percent | |
| Under One | 1,337 | 253 | 18.9 | 0 | 0.0 | 0 | 0.0 | |
| One Year | 1,394 | 549 | 39.4 | 0 | 0.0 | 0 | 0.0 | |
| Two Years | 1,443 | 418 | 29.0 | 1 | 0.2 | 1 | 0.2 | |
| Three Years | 1,366 | 111 | 8.1 | 0 | 0.0 | 0 | 0.0 | |
| Four Years | 1,361 | 75 | 5.5 | 1 | 1.3 | 0 | 0.0 | |
| Five Years | 1,474 | 62 | 4.2 | 0 | 0.0 | 0 | 0.0 | |
| Total | 8,375 | 1,468 | 17.5 | 2 | 0.1 | 1 | 0.1 | |
| | | | | | | | | |
| 6-17 Years | 16,365 | 23 | 0.1 | 1 | 4.3 | | | |

Somerset County

| | Population | | | J | | | |
|-------------|------------|----------|---------|-----------|----------|-----------|---------|
| | of | Children | Tested | Prevalenc | ce Cases | Incidence | e Cases |
| Age Group | Children | Number | Percent | Number | Percent | Number | Percent |
| Under One | 288 | 39 | 13.5 | 0 | 0.0 | 0 | 0.0 |
| One Year | 239 | 208 | 87.1 | 0 | 0.0 | 0 | 0.0 |
| Two Years | 262 | 170 | 64.8 | 1 | 0.6 | 1 | 0.6 |
| Three Years | 254 | 51 | 20.1 | 1 | 2.0 | 1 | 2.0 |
| Four Years | 282 | 44 | 15.6 | 0 | 0.0 | 0 | 0.0 |
| Five Years | 252 | 17 | 6.7 | 0 | 0.0 | 0 | 0.0 |
| Total | 1,577 | 529 | 33.5 | 2 | 0.4 | 2 | 0.4 |
| 6-17 Years | 3,424 | 24 | 0.7 | 1 | 4.2 | | |

Talbot County

| | Population | | | | | | | |
|-------------|------------|----------|---------|------------|------------------|--------|------------------------|--|
| | of | Children | Tested | Prevalence | Prevalence Cases | | Incidence Cases | |
| Age Group | Children | Number | Percent | Number | Percent | Number | Percent | |
| Under One | 385 | 21 | 5.4 | 0 | 0.0 | 0 | 0.0 | |
| One Year | 342 | 304 | 88.9 | 1 | 0.3 | 1 | 0.3 | |
| Two Years | 399 | 238 | 59.7 | 0 | 0.0 | 0 | 0.0 | |
| Three Years | 407 | 75 | 18.4 | 2 | 2.7 | 1 | 1.3 | |
| Four Years | 403 | 35 | 8.7 | 1 | 2.9 | 1 | 2.9 | |
| Five Years | 414 | 29 | 7.0 | 0 | 0.0 | 0 | 0.0 | |
| Total | 2,351 | 702 | 29.9 | 4 | 0.6 | 3 | 0.4 | |
| | | | | | | | | |
| 6-17 Years | 5,115 | 14 | 0.3 | 0 | 0.0 | | | |

Lead Poisoning Prevention Program: Childhood Lead Registry
Number and percentage of prevalence and incidence cases by age and county of residence
(Annual Report 2007)

Washington County

| | Population | | _ | • | | | |
|-------------|------------|----------|---------|------------|----------|-----------|---------|
| | of | Children | Tested | Prevalence | ce Cases | Incidence | e Cases |
| Age Group | Children | Number | Percent | Number | Percent | Number | Percent |
| Under One | 1,881 | 124 | 6.6 | 0 | 0.0 | 0 | 0.0 |
| One Year | 1,765 | 1,108 | 62.8 | 3 | 0.3 | 3 | 0.3 |
| Two Years | 1,811 | 760 | 42.0 | 3 | 0.4 | 3 | 0.4 |
| Three Years | 1,794 | 330 | 18.4 | 1 | 0.3 | 0 | 0.0 |
| Four Years | 1,724 | 392 | 22.7 | 1 | 0.3 | 0 | 0.0 |
| Five Years | 1,733 | 350 | 20.2 | 0 | 0.0 | 0 | 0.0 |
| Total | 10,709 | 3,064 | 28.6 | 8 | 0.3 | 6 | 0.2 |
| | | | | | | | |
| 6-17 Years | 20,969 | 110 | 0.5 | 1 | 0.9 | | |

Wicomico County

| | Population | | | J | | | |
|-------------|------------|----------|---------|------------|----------|-----------|---------|
| | of | Children | Tested | Prevalence | ce Cases | Incidence | e Cases |
| Age Group | Children | Number | Percent | Number | Percent | Number | Percent |
| Under One | 1,268 | 218 | 17.2 | 0 | 0.0 | 0 | 0.0 |
| One Year | 1,151 | 1,053 | 91.5 | 5 | 0.5 | 3 | 0.3 |
| Two Years | 1,172 | 855 | 73.0 | 11 | 1.3 | 9 | 1.1 |
| Three Years | 1,236 | 399 | 32.3 | 3 | 0.8 | 0 | 0.0 |
| Four Years | 1,062 | 306 | 28.8 | 4 | 1.3 | 2 | 0.7 |
| Five Years | 1,142 | 144 | 12.6 | 0 | 0.0 | 0 | 0.0 |
| Total | 7,031 | 2,975 | 42.3 | 23 | 0.8 | 14 | 0.5 |
| | | | | | | | |
| 6-17 Years | 14,859 | 154 | 1.0 | 2 | 1.3 | | |

Worcester County

| | Population | | | | | | |
|-------------|------------|----------|---------|------------------|---------|------------------------|---------|
| | of | Children | Tested | Prevalence Cases | | Incidence Cases | |
| Age Group | Children | Number | Percent | Number | Percent | Number | Percent |
| Under One | 541 | 66 | 12.2 | 0 | 0.0 | 0 | 0.0 |
| One Year | 508 | 293 | 57.7 | 4 | 1.4 | 4 | 1.4 |
| Two Years | 537 | 316 | 58.8 | 1 | 0.3 | 1 | 0.3 |
| Three Years | 470 | 138 | 29.3 | 1 | 0.7 | 0 | 0.0 |
| Four Years | 462 | 74 | 16.0 | 0 | 0.0 | 0 | 0.0 |
| Five Years | 516 | 60 | 11.6 | 1 | 1.7 | 0 | 0.0 |
| Total | 3,035 | 947 | 31.2 | 7 | 0.7 | 5 | 0.5 |
| | | | | | | | |
| 6-17 Years | 6,698 | 57 | 0.9 | 0 | 0.0 | | |

Lead Poisoning Prevention Program: Childhood Lead Registry
Number and percentage of prevalence and incidence cases by age and county of residence
(Annual Report 2007)

County Unknown

| | Population | | | | | | |
|-------------|------------|-----------------|---------|------------------|---------|------------------------|---------|
| | of | Children Tested | | Prevalence Cases | | Incidence Cases | |
| Age Group | Children | Number | Percent | Number | Percent | Number | Percent |
| Under One | | 24 | | 0 | 0.0 | 0 | 0.0 |
| One Year | | 102 | | 0 | 0.0 | 0 | 0.0 |
| Two Years | | 66 | | 1 | 1.5 | 1 | 1.5 |
| Three Years | | 32 | | 0 | 0.0 | 0 | 0.0 |
| Four Years | | 28 | | 0 | 0.0 | 0 | 0.0 |
| Five Years | | 26 | | 0 | 0.0 | 0 | 0.0 |
| Total | | 278 | | 1 | 0.4 | 1 | 0.4 |
| | | | | | | | |
| 6-17 Years | | 19 | | 0 | 0.0 | | |

Statewide

| Population | | | | | | |
|------------|--|---|---|---|--|--|
| of | Children Tested | | Prevalence Cases | | Incidence Cases | |
| Children | Number | Percent | Number | Percent | Number | Percent |
| 79,659 | 12,063 | 15.1 | 31 | 0.3 | 30 | 0.2 |
| 78,779 | 35,686 | 45.3 | 294 | 0.8 | 261 | 0.7 |
| 78,074 | 26,217 | 33.6 | 257 | 1.0 | 197 | 0.8 |
| 77,470 | 11,990 | 15.5 | 145 | 1.2 | 86 | 0.7 |
| 77,084 | 11,524 | 14.9 | 110 | 1.0 | 53 | 0.5 |
| 77,324 | 8,228 | 10.6 | 55 | 0.7 | 27 | 0.3 |
| 468,390 | 105,708 | 22.6 | 892 | 0.8 | 654 | 0.6 |
| 923 290 | 6 638 | 0.7 | 66 | 1.0 | | |
| | of Children 79,659 78,779 78,074 77,470 77,084 77,324 | of Children Number 79,659 12,063 78,779 35,686 78,074 26,217 77,470 11,990 77,084 11,524 77,324 8,228 468,390 105,708 | of Children Children Tested 79,659 12,063 15.1 78,779 35,686 45.3 78,074 26,217 33.6 77,470 11,990 15.5 77,084 11,524 14.9 77,324 8,228 10.6 468,390 105,708 22.6 | of Children Children Tested Number Prevalence 79,659 12,063 15.1 31 78,779 35,686 45.3 294 78,074 26,217 33.6 257 77,470 11,990 15.5 145 77,084 11,524 14.9 110 77,324 8,228 10.6 55 468,390 105,708 22.6 892 | of Children Children Tested Prevalence Cases 79,659 12,063 15.1 31 0.3 78,779 35,686 45.3 294 0.8 78,074 26,217 33.6 257 1.0 77,470 11,990 15.5 145 1.2 77,084 11,524 14.9 110 1.0 77,324 8,228 10.6 55 0.7 468,390 105,708 22.6 892 0.8 | of Children Children Tested Prevalence Cases Incidence 79,659 12,063 15.1 31 0.3 30 78,779 35,686 45.3 294 0.8 261 78,074 26,217 33.6 257 1.0 197 77,470 11,990 15.5 145 1.2 86 77,084 11,524 14.9 110 1.0 53 77,324 8,228 10.6 55 0.7 27 468,390 105,708 22.6 892 0.8 654 |

Terms and definitions:

- 1. County assignment in the order of available address information is based on census tract or zip code of the address.
- 2. Population of children has been adapted from US Census Bureau age-sex population projection at the state level for 2007.
- 3. Prevalence is based on number of children with blood lead level $\geq 10~\mu g/dL$ who may have had one or more EBL in the past.
- 4. Incidence is based on number of children with the first blood lead level $\geq 10 \ \mu g/dL$ in 2007. Incidence data is not calculated for children 6-17 years old.