
## Maryland's Lower Delmarva Peninsula



### TABLE OF CONTENTS

	<u>Page</u>
Introduction	1
Choptank Region	5
• Choptank River Area 02-13-04*	7
Lower Choptank River	8
Upper Choptank River	12
• Tuckahoe Creek	19
Lower Eastern Shore Region	25
• Pocomoke River Area 02-13-02*	26
<ul> <li>Lower Pocomoke River, Dividing Creek, Nassawango Creek,</li> </ul>	
Adkins Race	27
Upper Pocomoke River	36
Manokin River	47
• Nanticoke River Area 02-13-03*	57
<ul> <li>Lower Wicomico River Area, Wicomico Creek Drainage,</li> </ul>	
Wicomico River	58
Marshyhope Creek	68
• Transquaking River, Chicamacomico	78
Coastal Bays Region	88
• Coastal Bays Area 02-13-01*	89
Assawoman Bay Drainage	90
Isle of Wight Bay Drainage, St. Martins River	97
• Sinepuxent Bay Drainage	112
Newport Bay Drainage	118
Chincoteague Bay Drainage	123

<sup>\*</sup> The six-digit basin name used by DNR

#### Introduction

Section 303(d) of the federal Clean Water Act directs states to identify and list waters, known as water quality limited segments (WQLSs), for which technology-based effluent controls of a specified substance are inadequate to achieve water quality standards (40 Code of Federal Regulations 130.7(b)(i - iii)). For each WQLS each state must establish a Total Maximum Daily Load (TMDL). A TMDL establishes the ceiling for the total sum of pollutant loads that a body of water can receive and still meet water quality standards.

As a coordinating framework for Maryland's TMDL program, the Maryland Department of the Environment has developed a whole basin, watershed cycling approach. This approach focuses on protecting Maryland's water quality by developing and implementing TMDLs in a comprehensive fashion, by drainage basin. By adopting drainage basins as the primary management units, MDE addresses the appropriate natural spatial domain and is able to consolidate the necessary resources with sufficient spatial focus.

This report compiles data collected in 1998 (except for the Pokomoke where 1997 data was also used) for the following major watersheds on Maryland's Lower Delmarva Peninsula: Coastal Bays, Choptank, Wicomico, Transquaking/Chicamacomico, Pokomoke, Manokin, and Marshyhope.

#### Maryland's Watershed Cycling Strategy

Under the whole basin framework, the State is divided into five regions. Monitoring activities are being cycled through these regions over a five-year period (Figure 1). The cycling process was initiated in the Lower Delmarva Peninsula region in 1998. This approach allows a significant amount of resources to be concentrated in 20% of the State at any given time, thereby increasing both the efficient use of resources and the intensity of water quality evaluations.

In each region, MDE collects water quality data for three wet periods (March, April, May) and three dry periods (July, August, September) for use in estimating watershed model loading rates, and for water quality model calibration and validation. Note that these data collection efforts currently focus on characterizing the water body systems (flow, geometry, etc.) and water quality attributes associated with eutrophication problems (i.e., over enrichment with nutrients, causing excessive algal growth, which leads to loss of water clarity and the potential for low dissolved oxygen levels).

Because the five-year cycle repeats itself, the watershed cycling strategy establishes a natural evaluation framework. As the cycle is completed for a given watershed, field monitoring will be conducted again where it was conducted five-years beforehand. This will provide an opportunity to assess the initial results of the TMDL and implementation activities. This watershed cycling framework is endorsed by the federal Environmental Protection Agency (EPA). A similar framework is used by many other states (e.g., Delaware has been using a similar approach for about 4 years).

#### **Data Collection Methodology**

Table 1

Key Parameters Ascertained by Monitoring within the Watershed Cycling Strategy

Parameter	Units
Silicate	mg/l
Dissolved Organic Carbon	filtered mg/as C
Particulate Carbon	mg/l as C
Total Suspended Solids	mg/l
Particulate Nitrogen	filtered mg/l as N
Ammonia	mg/l as N
Nitrate and Nitrite	filtered mg/l as N
Nitrite	filtered mg/l N
Total Dissolved Phosphorus	mg/l as P
Orthophosphate	mg/l as P
Particulate Phosphorus	mg/l as P
BOD 5 day <sup>1</sup>	mg/l
Chlorophyll a	μg/l
Pheophytin a	mg/l
pН	std unit
Dissolved Oxygen	mg/l
Specific Conductance	μs/cm
Salinity	ppt
Temperature	degree C
Stream flow	cfs

<u>Field</u>: A network of monitoring sites located on all major tributaries in each watershed was sampled during both high and low flow periods by MDE's Field Monitoring Program to obtain a broad characterization of water quality conditions. Measurements of stream flow were made at the time of each sampling event, using either U.S. Geological Survey gages or in-situ measurements of flow velocity and cross-sectional area.

<u>Laboratory</u>: Standard laboratory methods were used to analyze samples for the constituents included above. All collections are discrete grab samples interval collections using multiple laboratories. Nutrient chemistry is analyzed by the University of Maryland, Chesapeake Biological Laboratory, using their protocols. BOD5, active chlorophyll *a*, and pheophytin are analyzed by the Department of Health and Mental Hygiene. Physical in-situ measurements are done for water and air temperature, dissolved oxygen, conductivity, salinity and pH. Flows are measured at all free flowing "watershed" sites using standard hydrological techniques, primarily the stream segmentation method.

-

<sup>&</sup>lt;sup>1</sup> BOD was not collected at all stations because of lab constraints.

<u>Data Management</u>: The monitoring effort was coordinated with parallel data management activities. The data collected in the field was assembled and verified using standard software maintained for this purpose by the MDE-TARSA Computer Modeling Program. After the data has gone through data QA/QC process it is archived in SAS data sets for future use.


#### **Report Organization**

The report is organized by geographic region delineated by three major drainage basins. The Lower Eastern Shore drainage basin consists of the DNR 6-digit watersheds for the Pocomoke River and the Nanticoke River. The other two drainage basins are the DNR 6-digit watersheds for the Choptank River and the Maryland Coastal Bays (see cover page). The cover page shows the smaller 8-digit basins contained within the larger 6-digit basins. This organization is reflected in the Table of Contents which also names basins not mentioned because they were not reported as impaired on Maryland's 303d list.

In general, for each 8-digit basin there is a map with stations, graphical presentations of data, and a station description list. The graphs include the parameters of most interest: chlorophyll *a*, dissolved oxygen, total suspended solids, BOD, dissolved inorganic nitrogen, dissolved inorganic phosphorus, total nitrogen and total phosphorus. Data is presented for the mainstem of the river, high flow (January-May) first and then low flow (July-October) followed by the same presentation for the tributaries. The graphs present data from the mouth of the water body progressively upstream.

# Proposed Regions for the TMDL Watershed 5-Year Cycling Strategy

#### Youghlogheny





Choptank River Region


# Choptank River Area


**Lower Choptank River** 


**Upper Choptank River** 

**Tuckahoe Creek** 

### Lower Choptank River Monitoring Stations









MDE Monitoring Stations
 Major Roads
 Roads
 Lower Choptank River
 Watershed 02130403


1012345 Kilometers




High Flow Conditions (January - May)













High Flow Conditions (January - May)

Stations are presented from left to right in downstream to upstream order












Low Flow Conditions (July - October)











x 13-Jul-98 04-Aug-98 Δ 08-Sep-98
-----------------------------------


Low Flow Conditions (July - October)

















High Flow Conditions (January - May)










x 09-Mar-98	" 30-Mar-98	Δ 06-Apr-98
X (19-1VIAL-90		$\Delta$ (iii)-Aiii-90


High Flow Conditions (January - May)

Stations are presented from left to right in downstream to upstream order













Low Flow Conditions (July - October)

Stations are presented from left to right in downstream to upstream order













x 13-Jul-98 04-Aug-98  $\triangle$  08-Sep-98


Low Flow Conditions (July - October)












# CHOPTANK RIVER STATION LIST


Station Code	Lat/Long	Description	
Choptank Rive	Choptank River:		
XEH6036*	38°36.144' 76°07.042'	1500 yds. south of Howell Pt., mid-channel.	
XEH4766*	38°34.832' 76°03.585'	500 yds. WNW of old Rt. 50 bridge crossing, midchannel.	
XEH5397*	38°35.460' 76°00.434'	675 yds. NW of Oystershell Pt.	
XEI7915*	38°37.999' 75°59.377'	700 yds. WSW of red buoy #2, off Cabin Cr. confluence. Mid-channel.	
XFI0531*	38°40.407' 75°56.854'	300 yds. NE of Bow Knee Pt. at confluence of Hunting Cr.	
XFI1903*	38°41.900' 75°59.450'	At Frazier Pt., due east of Lloyd's Landing.	
CHO0367	38°45.464' 75°59.886'	At Rt. 331 crossing, upstream of Williams Cr.	
CHO0400*	38°46.726' 75°56.946'	0.6 miles above Kingston Landing, day beacon "59". At McCarty's Wharf.	
CHO0429*	38°48.349' 75°54.580'	At Ganeys Wharf, 1500 yds. below Tuckahoe confluence.	
CHO0449*	38°49.190' 75°52.914'	Just below Robbin's Cr., between Todd's Wharf and Downs Landing.	
CHO0501*	38°51.478' 75°50.804'	Downstream of Denton Lagoon effluent, just above Martinak Park boat ramp.	
CHO0518*	38°53.261' 75°50.373'	At Bus. Rt. 404(Meeting House Rd.) in Denton, near boat ramp.	
CHO0594	38°58.400' 75°48.058'	In Greensboro at Sunset Ave. E. road crossing.	
CHO0626	38°59.870' 75°47.132'	At USGS gage station on Red Bridges Rd.	
CHO0654	39°01.826′ 75°45.510′	At Rt. 287 road crossing.	
CHO0747	39°04.099' 75°44.200'	At impoundment spillage of Mud Mill Pond on Mud Mill Rd.	
Unnamed Creek:			
UHO0008	38°44.972' 76°00.454'	Unpaved road crossing end of N. Dover Rd.below discharge of Easton lagoon.	


Station Code	Lat/Long	Description	
Chapel Branch	Chapel Branch:		
CPL0014	38°54.748' 75°49.093'	At Rt. 313 road crossing.	
Forge Branch:			
FOR0008	38°57.270' 75°49.792'	At Rt. 480 road crossing.	
Gravelly Branch:			
GVB0004	38°59.694' 75°46.929'	At Draper's Mill Rd. crossing.	
Broadway Branch:			
BDB0000	39°01.185' 75°46.634'	Below impoundment spillage, above confluence with Choptank.	

<sup>\*</sup>Boat Stations

### Tuckahoe River Monitoring Stations











1012345 Kilometers




**Tuckahoe River** 

High Flow Conditions (January - May)










x 09-Mar-98	" 30-Mar-98	Δ 06-Apr-98	1
11 07 1,101 70	,, 2011201	_ 00 1-p1 > 0	ı


**Tuckahoe River** 

High Flow Conditions (January - May)












#### **Tuckahoe River**


Low Flow Conditions (July - October)

Stations are presented from left to right in downstream to upstream order












**Tuckahoe River** 


Low Flow Conditions (July - October)

Stations are presented from left to right in downstream to upstream order









#### TUCKAHOE CREEK STATION LIST

Station Code	Lat/Long	Description	
Tuckahoe Creek:	Tuckahoe Creek:		
TUK0006	38°49.218' 75°54.402'	0.6 miles up from confluence with Choptank.	
TUK0022	38°49.915' 75°54.833'	At Rt. 328 bridge crossing.	
TUK0104	38°53.542' 75°56.843'	Off Stony Pt., collected from bank.	
TUK0125	38°54.940' 75°56.806'	In Hillsboro, at Main St. bridge.	
TUK0181	38°58.052' 75°56.550'	At Crouse Mill Rd. bridge crossing. (Spillage of Tuckahoe Cr. Impoundment Dam.)	
Piney Branch:		•	
PEB0005	38°57.602' 75°55.824'	At Eveland Rd. crossing.	
Mason Branch:	·		
MAS0015	39°00.274' 75°54.636'	At Mason Branch Rd. crossing	
MAS0048	39°01.987' 75°52.955'	In Bridgetown, at Rt. 304 bridge crossing	
Long Marsh Ditch:		'	
LOM0001	39°04.096' 75°51.169'	At Rt. 313 crossing.	
German Branch:	·		
GER0014	39°00.537' 75°56.215'	At Ruthburg - Bridgetown Rd. crossing (Rt. 304). (Flow- staff gage)	
GER0032	39°01.936' 75°56.700'	At Dever Branch Rd. crossing.	
GER0045	39°03.034' 75°57.055'	At Hope - Roe Rd. crossing. (Flow - staff gage)	

# Lower Eastern Shore Region


### Pocomoke River Area


Lower Pocomoke River, Dividing Creek, Nassawango Creek, Adkins Race


Upper Pocomoke River

Manokin River


# Lower Pocomoke River Monitoring Stations Including Nassawango and Dividing Creeks










High Flow Conditions (January - May)













High Flow Conditions (January - May)

Stations are presented from left to right in downstream to upstream order













 $\times$  05-Feb-98  $\square$  03-Mar-98  $\triangle$  18-Mar-98

Low Flow Conditions (July - October)














Low Flow Conditions (July - October)














#### Pocomoke River Tributaries (Adkins Race, Nassawango Creek, and Dividing Creek)


High Flow Conditions (January - May)

Stations are grouped by tributaries and presented from left to right in downstream to upstream order











 $\times$  05-Feb-98  $\square$  03-Mar-98  $\triangle$  18-Mar-98


#### Pocomoke River Tributaries (Adkins Race, Nassawango Creek, and Dividing Creek)


High Flow Conditions (January - May)

Stations are grouped by tributaries and presented from left to right in downstream to upstream order











 $\times$  05-Feb-98  $\square$  03-Mar-98  $\triangle$  18-Mar-98


#### Pokomoke River Tributaries (Adkins Race, Nassawango Creek, and Dividing Creek)


Low Flow Conditions (July - October)

Stations are grouped by tributaries and are presented left to right in downstream to upstream order











 $\times$  23-Jul-97  $\square$  06-Aug-97  $\triangle$  20-Aug-97  $\diamondsuit$  16-Sep-97  $\bigcirc$  09-Jul-98


#### Pokomoke River Tributaries (Adkins Race, Nassawango Creek, and Dividing Creek)


Low Flow Conditions (July - October)

Stations are grouped by tributaries and are presented left to right in downstream to upstream order












 $\times$ 23-Jul-97  $\square$ 06-Aug-97  $\triangle$ 20-Aug-97  $\diamondsuit$ 16-Sep-97  $\bigcirc$ 09-Jul-98

# Upper Pocomoke River Monitoring Stations










High Flow Conditions (January - May)

Stations are presented from left to right in downstream to upstream order










× 05-Feb-98 □ 03-Mar-98 △ 18-Mar-98


High Flow Conditions (January - May)

Stations are presented from left to right in downstream to upstream order













× 05-Feb-98 □ 03-Mar-98 △ 18-Mar-98

Low Flow Conditions (July - October)













Low Flow Conditions (July - October)












## Pocomoke River Tributaries (Adkins Race, Nassawango Creek, and Dividing Creek)


High Flow Conditions (January - May)

Stations are grouped by tributaries and presented from left to right in downstream to upstream order











 $\times$  05-Feb-98  $\square$  03-Mar-98  $\triangle$  18-Mar-98


## Pocomoke River Tributaries (Adkins Race, Nassawango Creek, and Dividing Creek)


High Flow Conditions (January - May)

Stations are grouped by tributaries and presented from left to right in downstream to upstream order











 $\times$ 05-Feb-98  $\square$ 03-Mar-98  $\triangle$  18-Mar-98


## Pokomoke River Tributaries (Adkins Race, Nassawango Creek, and Dividing Creek)


Low Flow Conditions (July - October)

Stations are grouped by tributaries and are presented left to right in downstream to upstream order











 $\times$ 23-Jul-97  $\square$  06-Aug-97  $\triangle$  20-Aug-97  $\Diamond$  16-Sep-97  $\bigcirc$  09-Jul-98


#### Pokomoke River Tributaries (Adkins Race, Nassawango Creek, and Dividing Creek)


Low Flow Conditions (July - October)

Stations are grouped by tributaries and are presented left to right in downstream to upstream order










 $\times$  23-Jul-97  $\square$  06-Aug-97  $\triangle$  20-Aug-97  $\diamond$  16-Sep-97  $\bigcirc$  09-Jul-98


# POKOMOKE RIVER STATION LIST


Station Code	Lat/Long	Description	
<u>Pocomoke River</u> :	L	,	
XAK7010	37°56.895' 75°38.923'	At buoy "M" SSE of Williams PT.	
POK0014	37°58.871' 75°38.251'	Off ramp at Shelltown.	
POK0057	38°00.661' 75°37.901'	0.5 miles upstream of silo at Cedar Hall.	
POK0087	38°02.375' 75°39.649'	Off ramp at town of Rehobeth.	
POK0164	38°04.291' 75°34.588'	At water tower below railroad bridge 1.8 miles from Puncheon Landing.	
POK0187	38°05.08' 75°33.24'	Upriver of Town Branch and launch ramp.	
POK0232	38°07.26' 75°29.70'	At Milburn Landing.	
POK0270	38°08.74' 75°27.00'	Mouth of Corkers Creek, below Shad Landing.	
POK0296	38°09.52' 75°25.36'	Mouth of Nassawango Creek.	
POK0312	38°10.42' 75°24.30'	Off Snow Hill sewage treatment plant.	
POK0373	38°13.412' 75°21.761'	At Porters Crossing Road.	
POK0426	38°19.936' 75°19.536'	At Whiton Crossing Road.	
POK0476	38°19.937' 75°19.537'	At Purnell Road crossing.	
POK0527	38°23.350' 75°19.526'	At Md. Rt. 346 road crossing (USGS gage).	
POK0543	38°26.343' 75°19.689'	At Sheppards Road crossing.	
<u>Dividing Creek</u> :			
DIV0091	38°09.731' 75°33.123'	At Fleming Mill Pond Road crossing.	
DIV0113	38°11.209' 75°33.201'	At Five Bridges Road crossing.	
DIV0142	38°13.279' 75°34.619'	At Meadow Bridge Rd. crossing.	
Nassawango Creek	Nassawango Creek:		
NAS0073	38°13.751' 75°28.300'	At Rt. 12 road crossing. (USGS Gage)	
NAS0101	38°15.709' 75°27.793'	At Mt. Olive Church Road crossing.	
NAS0139	38°18.506' 75°28.042'	At Johnson Road crossing.	

Station Code	Lat/Long	Description
Adkins Race:		
ADK0019	38°19.862' 75°22.452'	At Willards Whiton Road crossing below Adkins Pond.


# Manokin River Monitoring Stations









MDE Monitoring Stations
 Major Roads
 Roads
 Manokin River
 Watershedmano.shp







High Flow Conditions (January-May)











High Flow Conditions (January-May)















Low Flow Conditions (July - October)













Low Flow Conditions (July - October)













High Flow Conditions (January-May)

Stations are grouped by tributaries and stations are presented from left to right in downstream to upstream order













High Flow Conditions (January-May)

Stations are grouped by tributaries and Stations are presented from left to right in downstream to upstream order












× 10-Feb-98 □ 16-Mar-98 △ 23-Mar-98


Low Flow Conditions (July - October)

Stations are grouped by tributaries and Stations are presented from left to right in downstream to upstream order












×22-Jul-98 □19-Aug-98 △16-Sep-98


Low Flow Conditions (July - October)

Stations are grouped by tributaries and Stations are presented from left to right in downstream to upstream order









# MANOKIN STATION LIST

Station Code	Lat/ Long	Description	
Manokin River:			
XBI8199*	38°08.390' 75°50.088'	800 yds. West of Cormal Pt., mid-channel. Depth-2m.	
XBJ8215*	38°08.187' 75°49.591'	At buoy R "8", on line from Locust Pt. and Cormal Pt. Depth-3m.	
XBJ8724*	38°09.398' 75°46.674'	500 yds. West off Revels Pt., mid-channel	
XBJ9344*	38°09.357' 75°45.855'	Off Top Pt. (Rockpile), upstream of Clarence Barnes Rd., mid-channel.	
MNK0116*	38°09.740' 75°44.926'	800 yds. up river from power cables, mid-channel off white house.	
MNK0146*	38°10.629' 75°43.367'	Off Nelson pier, mid-channel.	
MNK0169*	38°11.884' 75°42.124'	Near Princess Anne WWTP discharge Pt.	
MNK0183	38°12.261' 75°41.956'	At Business Rt. 13 crossing.	
Back Creek:			
XBJ8226*	38°08.259' 75°47.598'	East of Raccoon Pt., mid-channel.	
BXK0031	38°08.131' 75°45.074'	At Millard Long Rd. crossing.	
BXK0080	38°07.994' 75°42.716'	At Sign Post Rd. crossing.	
BXK0095	38°07.794' 75°41.275'	At Old Princess Anne Rd crossing.	
Kings Creek:			
KNG0010	38°09.893' 75°43.223'	At Stewart Neck Rd. crossing.	
KNG0048	38°09.922' 75°41.335'	At Rt. 13 crossing.	
KNG0064	38°09.438' 75°39.993'	At Arden Station Rd. crossing.	
Taylor Branch:	Taylor Branch:		
TYL0000*	38°11.060' 75°42.660'	At Taylor Branch, mid-channel.	
TYL0034	38°11.464' 75°40.207'	At McCormick Swamp Rd. crossing.	
MKB0015	38°12.849' 75°40.279'	At gage house.	


# Nanticoke River Area


Lower Wicomico River Area, Wicomico Creek Drainage, Wicomico River


**Marshyhope Creek** 

**Transquaking River** 


# Wicomico Creek, Wicomico River and Lower Wicomico Monitoring Stations









High Flow Condition (January-May)











10 5 1 00	1135 00	A 1 A 00	
x 18-Feb-98	11-Mar-98	$\Delta$ 1-Apr-98	

High Flow Condition ( January-May)













$x$ 18-Feb-98 11-Mar-98 $\Delta$ 1-Apr-98	x 18-Feb-98	11-Mar-98	$\Delta$ 1-Apr-98
---	-------------	-----------	-------------------

Low Flow Condition ( July-October)















Low Flow Condition (July-October)














High Flow Condition ( January-May )

Stations are presented from left to right in downstream to upstream order










× 18-Feb-98 □ 11-Mar-98 △ 1-Apr-98


High Flow Condition ( January-May )

Stations are presented from left to right in downstream to upstream order












× 18-Feb-98 □ 11-Mar-98 △ 1-Apr-98


Low Flow Condition (July-October)

Stations are presented from left to right in downstream to upstream order













x 28-Jul-98 24-Aug-98 Δ 22-Sept-98

Low Flow Conditions (July-October)










x 28-Jul-98	24-Aug-98	$\Delta$ 22-Sept-98	
-------------	-----------	---------------------	--


## WICOMICO STATION LIST


Station Code	Lat/Long	Description
Lower Wicomico	River:	
XCI4789*	38°15.503' 75°49.466'	1000 yds. NE of Websters Cove, at red FL "17".
WIW0050*	38°16.060' 75°47.235'	At Whitehaven Rd. (Rt.352)
WIW0105*	38°18.689' 75°45.131'	At Pea Hill, due north of Collins Wharf. In channel at marker "33".
WIW0127*	38°20.006' 75°43.835'	Just off Greenhill Country Club at Cox Landing.
WIW0141*	38°20.552' 75°41.657'	At Upper Ferry Rd. crossing, SE of Catchpenny.
WIW0161*	38°20.545' 75°39.895'	At Patricks Landing, due north of Sabers Cr. at buoy Fl "45".
WIW0187*	38°20.610' 75°37.992'	Off Shad Pt., Gumby Landing at buoy Fl. "53".
WIW0221	38°22.295' 75°36.135'	Discharge of Johnson Pond at its control structure.
WIW0241	38°24.528' 75°35.695'	At Naylor Mill Rd. crossing, below Demar's effluent discharge.
Greenhill Creek:		
GHC0013	38°18.860' 75°46.221'	Tidal waters of creek at Whitehaven Rd. (Rt.352).
Beaverdam Cree	k:	
BVM0007	38°21.168' 75°34.359'	Discharge of Shumaker Pond at weir.At Shumaker Rd. crossing.
Tony Tank Creek		
TTC0011	38°20.498' 75°37.574'	Tidal confluence of creek and Wicomico R., at River Rd.
Shiles Creek:	·	
SIS0024	38°16.325' 75°48.802'	Tidal waters of Shiles Cr. at Messick Rd.
<u>Wicomico Creek</u>	<del>:</del>	
WIC0009*	38°17.077' 75°44.904'	At Redden Ferry Rd. crossing.
WIC0029*	38°16.734'75°43.740'	At Wagner Landing, 0.2 miles upstream of Back Cr.
WIC0049*	38°15.940' 75°43.075'	At Polk Landing. 4.9 miles from mouth of creek.
WIC0073	38°16.975' 75°41.339'	Impound spillage of Allen Pond to head of tidal creek.
Wicomico River:		
Leonard Mill Por	nd:	
LPR0020	38°25.397'75°33.957'	Impoundment spillage of pond at Rt. 13.
Andrews Branch	:	
ADW0001	38°26.089'75°33.196'	At entry to Leonard Mill Pond, south of Delmar, at Leonard Mill Park.

<sup>\*</sup> Boat stations

# Marshyhope Creek Monitoring Stations










# **Marshyhope Creek Mainstem**

High Flow Conditions (Jan-May)











## **Marshyhope Creek Mainstem**


High Flow Conditions (Jan-May)














### **Marshyhope Creek Mainstem**


Low Flow Conditions (July-October)

Stations are presented from left to right in downstream to upstream order











× 15-Jul-98 □ 05-Aug-98 △ 09-Sep-98


### **Marshyhope Creek Mainstem**


Low Flow Conditions (July-October)

Stations are presented from left to right in downstream to upstream order












 $\times$  15-Jul-98  $\square$  05-Aug-98  $\triangle$  09-Sep-98


High Flow Conditions (Jan-May)

Stations are grouped by tributaries and Stations are presented from left to right in downstream to upstream order













High Flow Conditions (Jan-May)

Stations are grouped by tributaries and Stations are presented from left to right in downstream to upstream order













Low Flow Conditions (July-October)

Stations are grouped by tributaries and stations are presented from left to right in downstream to upstream order












×15-Jul-98 □ 05-Aug-98 △ 09-Sep-98


Low Flow Conditions (July-October)


Stations are grouped by tributaries and Stations are presented from left to right in downstream to upstream order














# MARSHYHOPE CREEK STATION LIST

Station Code	Lat/Long	Description		
Marshyhope Creek:				
MRH0006	38°31.852' 75°45.998'	At Walnut Landing, 0.5 miles from mouth.		
MRH0058	38°34.624' 75°47.672'	At Md. Rt. 14 bridge crossing at Brookville.		
MRH0097	38°37.848' 75°49.051'	At Harrison Ferry Rd. crossing.		
MRH0164	38°41.663' 75°46.334'	Central Ave. (Md. Rt. 306) crossing, at Federalsburg.		
MRH0225	38°45.730' 75°43.377'	At Noble Rd. crossing (Del. RD 572).		
MRH0311	38°50.987' 75°40.418'	At Fisher Br. Rd. crossing in Delaware. (USGS gage house)		
Wrights Branch:				
WRB0005	38°36.823' 75°49.940'	At Palmers Mill Rd. crossing.		
Tull Branch:				
TUL0008	38°43.500' 75°46.763'	Long Swamp Rd. crossing.		
Smithville Ditch:				
SMD0003	38°45.789' 75°44.201'	At Bloomery Rd. crossing.		

## Transquaking/Chicamacomico Monitoring Stations








- Chico\_tmdl.shp
- MDE Monitoring Stations √ Major Roads ✓ Roads


/ Roads / Transquaking River ] Watershed 02130308






High Flow Conditions (January - May)













High Flow Conditions (January - May)

Stations are presented from left to right in downstream to upstream order













Low Flow Conditions (July - October)















Low Flow Conditions (July - October)












High Flow Conditions (January - May)











x 12-Fe	eb-98 "	16-Mar-98	∆ 23-Mar-98
---------	---------	-----------	-------------

High Flow Conditions (January - May)













Low Flow Conditions (July - October)













Low Flow Conditions (July - October)

Stations are presented from left to right in downstream to upstream order









x 21-Jul-98 18-Aug-98 Δ 15-Sep-98

# TRANSQUAKING/CHICAMACOMICO STATION LIST

Station Code	Lat/Long	Description		
Transquaking River:				
XDI1306*	38°11.882' 75°42.124'	Tidal Fishing Bay, 1500 yds. east of Blackwater Pt.		
TRQ0008*	38°22.159' 75°00.604'	.8 miles from mouth of Fishing Bay proper, where river narrows sharply.		
TRQ0025*	38°23.082' 75°59.782'	½ mile upstream of confluence of Doctors Cr.		
TRQ0037*	38°23.701' 75°00.089'	½ mile downstream of canal confluence.		
TRQ0088*	38°24.987' 75°59.575'	At Bestpitch Ferry Rd. bridge in Fishing Bay WMA.		
TRQ0129*	38°26.605' 76°00.423'	3 miles upstream of Chicamacomico confluence.		
TRQ0146	38°27.948' 76°00.020'	At DeCoursey Bridge crossing, NE of Bucktown.		
TRQ0210	38°30.763' 75°58.110'	At Drawbridge Rd. crossing, south of Linkwood.		
TRQ0224	38°32.224' 75°57.474'	At Linkwood Rd. crossing, at Higgins Mill Pond.		
Chicamacomico River:				
CCM0002*	38°25.703' 75°57.438'	At Brickhouse Landing, 2 miles above Transquaking River.		
CCM0069	38°26.535' 75°54.252'	Tidal, at Drawbridge Rd. crossing.		
CCM0113	38°28.899' 75°53.034'	Tidal, at New Bridge Rd. crossing.		
CCM0136	38°30.902' 75°52.775'	Where Rt. 50 crosses river, below Big Mill Pond.		
CCM0160	38°32.143' 75°52.738'	At Maiden Forest Rd. crossing, above Big Mill Pond.		


<sup>\*</sup>Boat stations


Coastal Bays Region

## Coastal Bays Area

Assawoman Bay Drainage Isle of Wight Bay Drainage Sinepuxent Bay Drainage Newport Bay Drainage Chincoteague Bay Drainage

## Assawoman Bay Monitoring Stations






MDE Monitoring Stations
Major Roads
Roads
Assawoman Bay
Watershed 02130102







**Assawoman Bay** 

High Flow Conditions (January - May)











### **Assawoman Bay**

High Flow Conditions (January - May)




**Assawoman Bay** 

Low Flow Conditions (July - October)



### **Assawoman Bay**

Low Flow Conditions (July - October)




# ISLE OF WIGHT BAY AND ASSAWOMAN STATION LIST


Station Code	Lat/Long	Description		
Isle of Wight Bay:				
XDN0146	38°20.054' 75°05.386'	100 yds. north of Rt. 50 bridge in channel adjacent to waterfront bar.		
XDN2438	38°21.273' 75°05.345'	Mid-channel at red daymarker "8".		
XDN2340	38°22.400' 75°06.150'	Mid-bay, 1000 yds. west of daymarker "14".		
XDN3445	38°23.348' 75°05.521'	Mid-channel under Rt. 90 bridge crossing of Assawomen Bay.		
XDN4851	38°24.800' 75°05.400'	NNW of Devil Island by 0.3 miles. Between silo on west shore and pyramid condos on barrier island.		
XDN5737 (UC-7)	38°25.700' 75°06.300'	Midway between pt. with green house and pt. due north of silo.		
XDN6454	38°26.500' 75°04.650'	~ 0.5 miles east of Johns Hammock Island and 0.5 miles west of trailer park.		
TUV0011	38°21.510' 75°07.886'	Confluence of Turville Cr. and Herring Cr.		
TUV0034	38°21.521' 75°10.127'	Rt. 586 (Ocean Downs Rd.) crossing.		
HEC0012	38°20.375' 75°07.812'	Rt. 50 crossing, downstream side of bridge.		
MKL0010	38°22.353' 75°08.068'	One mile upstream from the mouth of creek.		
St. Martin Rive	er:	·		
XDN3527	38°23.451' 75°07.288'	Mouth of river at Rt. 90 crossing.		
XDN3724	38°24.162' 75°08.563'	Mid-channel NNE of Margots Island.		
XDN4118	38°24.354' 75°08.971'	Mid-channel off Hen and Chicken Islands.		
XDN4506	38°24.653' 75°09.722'	200 yds. SSW of Hasty Pt.; at edge of 4 ft. contour.		
Shingle Landir	Shingle Landing Prog:			
SPR0002	38°24.405' 75°10.509'	Between Spring Br. and Piney Island, near northern shore of island.		
(South) Church Branch:				
SBR0022	38°23.697' 75°12.341'	At Rt. 113 road crossing.		

Station Code	Lat/Long	Description			
Middle Branch:					
MXE0011	38°24.048' 75°12.720'	At Rt. 113 road crossing.			
BIH0009	38°24.532' 75°12.728'	At Rt. 113 road crossing.			
Bishopville Pro	Bishopville Prong:				
XDM4391	38°24.827' 75°10.631'	Mid-channel 300 yds. upstream from mouth of Perkins Cr.			
XDM4486	38°25.497' 75°11.333'	Mid-channel off Day Rd.			
BSH0029	38°26.477' 75°11.589'	Approx. 200 yds. below dam behind white house.			
Buntings Branch:					
BNT0000	38°26.535' 75°11.671'	Bishopville Pond behind dam; sample at west side.			
BNT0012	38°27.360' 75°12.420'	Rt. 54 crossing in Delaware.			
Assawoman Bay:					
Georgetown Branch:					
GET0005	38°27.231' 75°08.281'	Selby Rd. crossing in Delaware.			
Roy Creek:					
XDN7545	38°27.488' 75°05.420'	Mid-channel off Keen-Wik subdivision.			
The Ditch between Assawoman and Little Assawoman Bay:					
XDN7261	38°27.166′ 75°03.831′	Rt. 54 crossing of "the Ditch".			

### Isle of Wight Bay Monitoring Stations







● MDE Monitoring Stations /\// Major Roads /\// Roads


> / Isle of Wright Bay | Watershed 02130103


1 0 1 2 3 4 5 Kilometers




High Flow Conditions (January - May)

Stations are presented from left to right in downstream to upstream order








 $\times$  14-Apr-98  $\Box$  21-Apr-98  $\Delta$  28-Apr-98

High Flow Conditions (January - May)

Stations are presented from left to right in downstream to upstream order




□ 21-Apr-98


 $\triangle$  28-Apr-98


 $\times$  14-Apr-98


Low Flow Conditions (July-October)

Stations are presented from left to right in downstream to upstream order











×11-Aug-98 □01-Sep-98 △29-Sep-98


Low Flow Conditions (July-October)




High Flow Conditions (January - May)

Stations are presented from left to right in downstream to upstream order








102


High Flow Conditions (January - May)


Stations are presented from left to right in downstream to upstream order





103

Low Flow Conditions (July - October)










Low Flow Conditions (July - October)

Stations are presented from left to right in downstream to upstream order





105


### Isle of Wight Bay (Tributaries to St. Martin River)


High Flow Conditions (January - May)

Stations are grouped by tributaries and stations are presented from left to right in downstream to upstream order










### Isle of Wight Bay (Tributaries to St. Martin River)

High Flow Conditions (January - May)

Stations are grouped by tributaries and Stations are presented from left to right in downstream to upstream order




107

### Isle of Wight Bay (Tributaries to St. Martin River)

Low Flow Conditions (July - October)


Stations are grouped by tributaries and stations are presented from left to right in downstream to upstream order





### Isle of Wight Bay (Tributaries to St. Martin River)


Low Flow Conditions (July - October)

Stations are grouped by tributaries and Stations are presented from left to right in downstream to upstream order










×11-Aug-98 □ 01-Sep-98 △ 29-Sep-98


## ISLE OF WIGHT BAY AND ASSAWOMAN STATION LIST


Station Code	Lat/Long	Description		
Isle of Wight Bay:				
XDN0146	38°20.054' 75°05.386'	100 yds. north of Rt. 50 bridge in channel adjacent to waterfront bar.		
XDN2438	38°21.273' 75°05.345'	Mid-channel at red daymarker "8".		
XDN2340	38°22.400' 75°06.150'	Mid-bay, 1000 yds. west of daymarker "14".		
XDN3445	38°23.348' 75°05.521'	Mid-channel under Rt. 90 bridge crossing of Assawomen Bay.		
XDN4851	38°24.800' 75°05.400'	NNW of Devil Island by 0.3 miles. Between silo on west shore and pyramid condos on barrier island.		
XDN5737 (UC-7)	38°25.700' 75°06.300'	Midway between pt. with green house and pt. due north of silo.		
XDN6454	38°26.500' 75°04.650'	~ 0.5 miles east of Johns Hammock Island and 0.5 miles west of trailer park.		
TUV0011	38°21.510' 75°07.886'	Confluence of Turville Cr. and Herring Cr.		
TUV0034	38°21.521' 75°10.127'	Rt. 586 (Ocean Downs Rd.) crossing.		
HEC0012	38°20.375' 75°07.812'	Rt. 50 crossing, downstream side of bridge.		
MKL0010	38°22.353' 75°08.068'	One mile upstream from the mouth of creek.		
St. Martin River:				
XDN3527	38°23.451' 75°07.288'	Mouth of river at Rt. 90 crossing.		
XDN3724	38°24.162' 75°08.563'	Mid-channel NNE of Margots Island.		
XDN4118	38°24.354' 75°08.971'	Mid-channel off Hen and Chicken Islands.		
XDN4506	38°24.653' 75°09.722'	200 yds. SSW of Hasty Pt.; at edge of 4 ft. contour.		
Shingle Landing	Prog:	1		
SPR0002	38°24.405' 75°10.509'	Between Spring Br. and Piney Island, near northern shore of island.		
(South) Church E	Branch:	1		
SBR0022	38°23.697' 75°12.341'	At Rt. 113 road crossing.		

Station Code	Lat/Long	Description		
Middle Branch:				
MXE0011	38°24.048' 75°12.720'	At Rt. 113 road crossing.		
BIH0009	38°24.532' 75°12.728'	At Rt. 113 road crossing.		
Bishopville Prong:				
XDM4391	38°24.827' 75°10.631'	Mid-channel 300 yds. upstream from mouth of Perkins Cr.		
XDM4486	38°25.497' 75°11.333'	Mid-channel off Day Rd.		
BSH0029	38°26.477' 75°11.589'	Approx. 200 yds. below dam behind white house.		
Buntings Branch:				
BNT0000	38°26.535' 75°11.671'	Bishopville Pond behind dam; sample at west side.		
BNT0012	38°27.360' 75°12.420'	Rt. 54 crossing in Delaware.		
Assawoman Bay:				
Georgetown Branch:				
GET0005	38°27.231' 75°08.281'	Selby Rd. crossing in Delaware.		
Roy Creek:				
XDN7545	38°27.488' 75°05.420'	Mid-channel off Keen-Wik subdivision.		
The Ditch between Assawoman and Little Assawoman Bay:				
XDN7261	38°27.166′ 75°03.831′	Rt. 54 crossing of "the Ditch".		

### Sinepuxent Bay Monitoring Stations








MDE Monitoring Stations
 Major Roads
 Roads
 Sinepuxent Bay
 Watershed 02130104







**Sinepuxent Bay** 

High Flow Conditions (January - May)









**Sinepuxent Bay** 


High Flow Conditions (January - May)





**Sinepuxent Bay** 


Low Flow Conditions (July - October)












**Sinepuxent Bay** 

Low Flow Conditions (July - October)

Stations are presented from left to right in downstream to upstream order





□ 02-Sep-98


∆ 30-Sep-98

 $\times$  12-Aug-98

### Newport Bay Monitoring Stations









MDE Monitoring Stations
 Major Roads
 Roads
 Newport Bay
 Watershed 02130105







High Flow Conditions (January - May)










High Flow Conditions (January - May)

Stations are presented from left to right in downstream to upstream order





□ 22-Apr-98


△ 29-Apr-98


 $\times$  15-Apr-98

Low Flow Conditions (July - October)













Low Flow Conditions (July - October)

Stations are presented from left to right in downstream to upstream order











× 12-Aug-98 □ 02-Sep-98 △ 30-Sep-98

### Chincoteague Bay Monitoring Stations






MDE Monitoing Stations
Major Roads
Roads
Chincoteague Bay
Watershed 02130106


1012345 Kilometers




High Flow Conditions (January - May)

Stations are presented from left to right in downstream to upstream order








× 15-Apr-98 □ 22-Apr-98 △ 29-Apr-98


### Chincoteague Bay, Maryland

High Flow Conditions (January - May)




### Chincoteague Bay, Maryland

Low Flow Conditions (July-October)





### Chincoteague Bay, Maryland


Low Flow Conditions (July -October)




High Flow Conditions (January - May)
Stations are presented from left to right in downstream to upstream order









 $High\ Flow\ Conditions\ (January\ -\ May)$ 





Low Flow Conditions (July-October)

Stations are presented from left to right in downstream to upstream order













× 12-Aug-98 □ 02-Sep-98 △ 30-Sep-98

Low Flow Conditions (July-October)









# SINEPUXENT BAY, NEWPORT BAY AND CHINCOTEAGUE BAY STATION LIST

Station code	Lat/Long	Description		
Sinepuxent Bay:				
XDN0146	38°20.054' 75°05.386'	100 yds. North of Rt. 50 bridge in channel adjacent to waterfront bar.		
XCN7523	38°17.524' 75°07.657'	At buoy "G-11A"; mid-channel.		
XCN4811	38°14.775' 75°08.982'	Mid-channel at Assateague Island bridge, buoy "19".		
XCM3892	38°12.850' 75°10.824'	At buoy "N-28"; mid-channel.		
Newport Bay:				
XCM3378	38°13.400′ 75°13.400′	Mid-bay; 1 mile east of Out Pt.		
XCM5081	38°15.250' 75°11.600'	Mouth of Greys Inlet.		
Newport Bay Drainage:				
TRC0043	38°17.662' 75°10.669'	Trappe Creek at end of Dinges Rd		
TRC0059	38°18.881' 75°11.484'	Trappe Creek at Rt. 376 crossing, east of Berlin.		
KIT0015	38°19.875' 75°12.077'	Kitts Branch at Flower St. road crossing		
AYR0017	38°17.697' 75°09.758'	Ayer Creek at Rt. 376 road crossing.		
Chincoteague Bay:				
XCM0159	38°10.094' 75°14.213'	At Fl. Buoy "39", 1.2 miles east of Ricks Pt.		
XBM8149	38°05.918' 75°16.515'	Mid-bay 1.2 miles south of Robins Marsh at daymarker "R-28".		
XBM5932	38°08.117' 75°15.062'	At Fl. "R-24", 1 mile east of Martin Pt.		
XBM1301	38°01.287' 75°19.989'	MdVa. border at daymarker "R-18".		
Johnson Bay:				
XBM4002	38°04.021' 75°19.862'	At flashing daymarker "1", south of Tizzard Island.		
Chincoteague Inlet:				
XAL6532	37°56.514' 75°26.806'	Mosquito Cr. Bridge.		
XAL6243	37°56.249' 75°25.659'	Cockle Cr. At Rt. 175 bridge.		
XAL6149	37°56.102' 75°24.987'	Queen Sound Channel at Va. Rt. 175 bridge.		
XAL6259	37°56.215' 75°24.056'	From bridge over Wire Narrows.		
XAL6173	37°56.137' 75°22.758'	Chincoteague/Black Narrows Channel at Va. Rt. 175 bridge; sample eastern channel.		
XAL5089	37°55.115' 75°21.068'	Assateague Channel Toll bridge.		