III. <u>SAMPLE COLLECTION INFORMATION</u>: (This page must be submitted if it was used by the sample collector during sample collection; otherwise, it is <u>optional</u> as long as the <u>Laboratory Results Reporting Form (EDD)</u>, Laboratory Chain of Custody (COC) form, or similar form contains this information including the date/time of the water last used at the outlets prior to sample collection. For additional samples, please make copies of this page.)

1	-			1 1		1	1.0					
Outlet ID (corresponding to Floor Plan ID)	Laboratory Sample ID/ Sample Bottle #	1st Draw	Flush	Outlet Type	Outlet Use Code	Building Name/ID #	Outlet Roo Function/A Type		Outlet Description/Location	Is sample collected pre- or post-filter (if the outlet has filter)?	Date and Time Water Last Used	Date and Time Sample Collected
XYZ-001	AA12345-001	\checkmark		Faucet, Cold	□co □nc	01 Main	Teachers' Loi kitchenett		Sink closest to the door,rightfaucet	Pre-Filter Post-Filter Outlet does <u>not</u> have filter Not sure	Date: 03/24/202 Time: 4:00PM	Date: 03/25/2021 Time: 6:05AM
					Со					Pre-Filter Post-Filter	Date:	Date:
					□ NC					$\Box_{\underline{\text{not}}}^{\text{Outlet does}} \text{have filter} \Box^{\text{Not sure}}$	Time:	Time:
					Со					Pre-Filter Post-Filter		Date:
					NC					$\Box \frac{\text{Outlet does}}{\text{not have filter}} \Box \text{Not sure}$	Time:	Time:
					Со					Pre-Filter Post-Filter		Date:
					□ NC					$\Box_{\underline{\text{not}}}^{\text{Outlet does}} \Box_{\text{Not sure}}$	Time:	Time:
					Со					Pre-Filter Post-Filter	Date:	Date:
					□ NC					$\Box_{\underline{\text{not}}}^{\text{Outlet does}} \text{Not sure}$	Time:	Time:
					Со					Pre-Filter Post-Filter		Date:
					□ NC					$\Box_{\underline{\text{not}}}^{\text{Outlet does}} \Box_{\text{Not sure}}^{\text{Outlet does}}$	Time:	Time:
					Со					Pre-Filter Post-Filter		Date:
					□ NC					$\Box_{\underline{\text{not}}}^{\text{Outlet does}} \Box_{\text{Not sure}}^{\text{Outlet does}}$	Time:	Time:
					СО					Pre-Filter Post-Filter	Date:	Date:
					NC						Time:	Time:
Common Outlet • F tkpnkpi "Y cvg • F tkpnkpi "Y cvg • Uccpf/Cnpg'D • Dqwg'Hkngt IH • Dqwg'Hkngt IH • Bottle Filler/Fo • Faucet, Cold • Utility Sink Fa • Commercial Sp • Commercial K	t"Hqwpvckp"/"Dw t"Hqwpvckp"/"Eqo qwrg"Hkngt qwrckp"Eqo dq"/ gwpvckp"Eqo dq"/ gwpvckp"Eqo dq"/ puntain Combo - ucet, Cold orayer, Cold	qngt "Uv{ ""Dqwng ""Hqwpw • Founta • Ice M • Soda • Hot I	ng "Hkngt ckp"Dwd ain Coo Iachine Machin	 Ha Ki Cl Cl Cl digt''U{ng Cl cl cl cl cl ne Cl ne Cl achine Cl 	allway tchen assroom assroom assroom assroom assroom assroom		omics) Dark Room) Dark Room) Cation) I/Tech Shop)	 Offi Tead Con Nurse Bath Lock Wei 	chers' Lounge/Break Room ference Room se's Office/Health Room nroom ker Room ght/Training/Fitness Roon litorium	Laundry RoomLibraryMedia CenterConcessions	oset (Re drin pre NC: Noi (Re han clea	

• Gymnasium

• Other

Rev. 10/19/2023

• Student Workroom/Maker Space

• Spigot (with threads for hose connection)