CITY OF BALTIMORE

BRANDON M. SCOTT, MAYOR



DEPARTMENT OF PUBLIC WORKS

Jason W. Mitchell, Acting Director Abel Wolman Municipal Building, 6th Floor 200 N. Holliday Street Baltimore, Maryland 21202

August 19, 2021

Submitted by email
Mr. Umm-e-hani Iqbal
Natural Resource Planner
Water and Science Administration
Maryland Department of the Environment
1800 Washington Boulevard
Baltimore, Maryland 21230

Dear Mr. Iqbal:

Enclosed you will find the revised permit renewal application for Patapsco Wastewater Treatment Plant, currently NPDES Permit # MD0021601 and State Discharge Permit 15-DP-0580.

The oil & grease results for FOG tests performed on Patapsco effluent in April, May, June and July 2021 are now complete.

The revised portions of this application are:

- 1) page 8 Section 3.15 Answer changed from no to yes.
- 2) page 15 Table B April-July 2021 oil & grease results completed.
- 3) footnotes notes added for Section 3.15 and Table B.

If you need additional information, please contact me at (410) 396-2898 or $\frac{1}{2}$ neal.jackson@baltimorecity.gov .

Sincerely yours,

Neal Jackson Plant Manager

attachments NJ:rl

CC:

Mr. Michael Hallmen

Ms. Pat Boyle Mr. Ron Wicks 21-DP-0580

AI: 3076

SFP 1 = 2021

CITY OF BALTIMORE

BRANDON M. SCOTT, Mayor



DEPARTMENT OF PUBLIC WORKS

Matthew W. Garbark, Acting Director Abel Wolman Municipal Building, 6th Floor 200 N. Holliday Street Baltimore, Maryland 21202

April 30, 2021

Mr. Mahendra Chawla, WMA Wastewater Discharge Permit Program Maryland Department of the Environment 1800 Washington Boulevard, STE-420 Baltimore, MD 21230-1708

Dear Mr. Chawla:

Enclosed you will find the revised permit renewal application for Patapsco Wastewater Treatment Plant, currently NPDES Permit # MD0021601 and State Discharge Permit 15-DP-0580.

Patapsco will revise this application once more, when we receive the oil & grease results for tests to be performed on Patapsco effluent in May, June and July 2021.

The revised portions of this application are:

- 1) Workers' Compensation Certificate of Compliance & Certification information added
- 2) Page 7 Section 3.8 Design removal rates added
- 3) page 8 Section 3.17 Answer changed from no to yes
- 4) page 15 Table B April 2021 Oil & grease, total dissolved solids results added
- 5) page 17 Table C April 2021 hardness, total phenolic compounds results added
- 6) Table E added
- 7) Footnotes revised

If you need additional information, please contact me at (410) 396-2898 or neal.jackson@baltimorecity.gov .

Sincerely,

Neal Jackson Plant Manager

attachments NJ:rl

CC:

Mr. Michael Gallagher

Ms. Pat Boyle Mr. Ron Wicks Mr. Paul DeSantis

E	PA Identifica	tion Number	NPDES F	Permit Number	0.4	Facility Name		Form Approved 03/05/19
4.00	MDD052	340973	MDO	0021601	Patap	sco Wastewater Trea Plant	tment	OMB No. 2040-0004
Form 2A NPDES	1	EPA			ation for NF	ronmental Protection DES Permit to Disch	arge W	astewater
		CIC ADDI IOAT	IONE STATE	NEW AND	EXISTING	PUBLICLY OWNED T	REATM	IENT WORKS
Facility Information	1.1	Patapsco Wa: Mailing addre 3501 Asiatic A City or town Baltimore Contact name	estewater Treatme ess (street or P.O	ent Plant . box) Title Plant Manag	ger	State Maryland Phone number 410-396-2898 Identifier) State		ZIP code 21226 Email address neal.jackson@baltimorecity.galling address ZIP code
	1.2		tion for a facility t → See instruction requirements	ns on data sub	mission	lischarge?		
ation	1.3 /V.J.	Applicant nam	re, Department or P.o	of Public Work		ve? ☑ No → SKI	P to Iter	n 1.4.
Applicant Information	al	City or town Baltimore Contact name Neal Jackson	(first and last)	Title Plant Manage	·r	State MD Phone number (410) 396-2898		ZIP code 21226 Email address
Ap	N.J.4 10/2/21 1.5	☐ Owner		ner, operator,	or both? (Ch Operator	eck only one response	V	neal.jackson@baltimorecity.gc
		☑ Facility			Applicant			Facility and applicant (they are one and the same)
ermits	1.6	Indicate below number for each	any existing envi ch.)			all that apply and prin	t or type	the corresponding permit
Existing Environmental Permits		NPDES water) MD002	(discharges to su 1601			azardous waste)		UIC (underground injection control)
ig Enviro		PSD (air	emissions) 00812		Nonattain	ment program (CAA)		NESHAPs (CAA)
Existin		Ocean d	umping (MPRSA		Dredge or 404)	fill (CWA Section	V	Other (specify) 12-SW-0629

EPA Identification Number NPDES Permit Number Facility Name

MDD052340973 MD0021601 Plant

Plant

Form Approved 03/05/19 OMB No. 2040-0004

Form 2A NPDES

≎EPA

U.S. Environmental Protection Agency Application for NPDES Permit to Discharge Wastewater

NEW AND EXISTING PUBLICLY OWNED TREATMENT WORKS SECTION 1. BASIC APPLICATION INFORMATION FOR ALL APPLICANTS (40 CFR 122.21(j)(1) and (9)) Facility name 1.1 Patapsco Wastewater Treatment Plant Mailing address (street or P.O. box) 3501 Asiatic Avenue City or town State ZIP code Facility Information Baltimore Marvland 21226 Contact name (first and last) Title Phone number Email address Neal Jackson Plant Manager 410-396-2898 neal.jackson@baltimorecity.go Same as mailing address Location address (street, route number, or other specific identifier) City or town ZIP code State 1.2 Is this application for a facility that has yet to commence discharge? Yes → See instructions on data submission Νo requirements for new dischargers. 1.3 Is applicant different from entity listed under Item 1.1 above? \square No → SKIP to Item 1.4. Yes Applicant name Applicant address (street or P.O. box) Applicant Information ZIP code City or town State Contact name (first and last) Title Phone number Email address 1.4 Is the applicant the facility's owner, operator, or both? (Check only one response.) Owner 囨 Operator Both 1.5 To which entity should the NPDES permitting authority send correspondence? (Check only one response.) Facility and applicant Facility Applicant (they are one and the same) Indicate below any existing environmental permits. (Check all that apply and print or type the corresponding permit 1.6 **Existing Environmental Permits** number for each.) **Existing Environmental Permits** RCRA (hazardous waste) V NPDES (discharges to surface V UIC (underground injection water) control) MD0021601 MDD052340973 PSD (air emissions) NESHAPs (CAA) Nonattainment program (CAA) П П 24-005-00812 Ocean dumping (MPRSA) Dredge or fill (CWA Section V Other (specify) П 404) 12-SW-0629

[. idenuicau		NPDES Permit NU		Patapsco Wastewate		Form Approved 03/05/19 OMB No. 2040-0004			
	MDD0523		MD002160		Plant Plant		1			
·	1.7	Municipality	Population	ation reque	sted below for the treatn Collection System Ty			_		
		Served	Served		(indicate percentage)		· ·	Owne	rship Sta	tus
_		Baltimore City	96,000	100	% separate sanitary sewer	r	Ø	Own		Maintain
Vec					% combined storm and sa	nitary sewer		Own		Maintain
Se			<u></u>	100	Unknown % separate sanitary sewer	<u> </u>		Own Own		Maintain Maintain
tio		Baltimore County	285,000	100	% combined storm and sa		1	Own		Maintain
pula					Unknown			Own		Maintain
2		Anne Arundel	39,000	100	% separate sanitary sewer			Own		Maintain
and		County			% combined storm and sal Unknown	nitary sewer	1	Own Own		Maintain Maintain
ᇤ		Harvard County	84.000	100	% separate sanitary sewer	,		Own		Maintain
Syst		Howard County	84,000		% combined storm and sai		1	Own		Maintain
5		T-4-1			Unknown			Own		Maintain
Collection System and Population Served		Total Population Served	504,000							
				Sepa	ırate Sanitary Sewer Sy	/stem		Combine Sanita	d Storm ary Sewe	
		Total percentage sewer line (in mi	e of each type of les)			100 %				0 %
ıft	1.8	Is the treatment	works located in Indi	an Country	?					
2		☐ Yes			✓ No					
an (1.9	Does the facility	discharge to a recei	ving water t	that flows through Indian	Country?				
Indian Country		☐ Yes			✓ No					İ
	1.10	Provide design a	and actual flow rates	in the desig	gnated spaces.			Design	Flow Ra	te
_										73.0 mgd
ctua				Annual	Average Flow Rates (/	Actual)	. 1] . 1	- 1 · .		
d A		Two Y	ears Ago		Last Year			Thi	s Year	
Design and Actual Flow Rates			70.3 mgd		5	2.6 mgd				^{49.4} mgd
esi(Maxim	um Daily Flow Rates (A	Actual)		t jake		<u> </u>
		Two Yo	ears Ago	e e e	Last Year			Thi	s Year	
			217.5 mgđ		14	6.7 mgd			1	.11.1 mgd
छ	1.11	Provide the total			oints to waters of the Un					
e ë			Tota	l Number	of Effluent Discharge P	oints by Typ)e		<u> </u>	
Discharge Points by Type		Treated Efflue	ent Untreated	Effluent	Combined Sewer Overflows	Bypas	ses		Constr Emerg Overfi	ency

	videntitica: VIDD052:		5 Permit Number D0021601	Patapsco	Facility Name Wastewater Tre	Form Approved 03/05/19 OMB No. 2040-0004									
11		Is Other Than to Waters of th		06	Plant										
;	1.12	Does the POTW discharge will discharge to waters of the United States and the United States are the United States are the United States are the United States and the United States are the United States are the United States are the United States are the United States and the United States are the United Sta	astewater to b	pasins, ponds, or o	other surface impo		do not have outlets for								
	1.13	Provide the location of each	surface impou				ie table below.								
				npoundment Loc	ation and Disch										
		Location		Discharged	aily Volume I to Surface ndment	Contin	uous or Intermittent (check one)								
					gpd	☐ Contin☐ Interm	ittent								
					gpd	☐ Contin☐ Interm	ittent								
sp					gpd	☐ Contin☐ Interm									
etho	1.14	Is wastewater applied to land	1?	_											
<u>≅</u>	4.45														
pos	1.15	Provide the land application site and discharge data requested below. Land Application Site and Discharge Data													
Outfalls and Other Discharge or Disposal Methods		Location	-	Size	Average Da	ily Volume	Continuous or Intermittent (check one)								
Discha				acres		gpd	☐ Continuous ☐ Intermittent								
Other				acres		gpd	☐ Continuous ☐ Intermittent								
lls and	1.16	Is effluent transported to ano	ther facility for	acres	1	gpd	☐ Continuous ☐ Intermittent								
Outfa		☐ Yes			lo → SKIP to Iter										
	1,17	Describe the means by which	n the effluent is	s transported (e.g.	, tank truck, pipe).										
	1.18	Is the effluent transported by Yes		☑ No	SKIP to Item	1.20.									
	1.19	Provide information on the tra	ansporter belov		<u></u>		· · · · · · · · · · · · · · · · · · ·								
		Entity name	·	Transpor	ter Data Mailing address	s (street or P.O	. box)								
-		City or town			State		ZIP code								
		Contact name (first and last)			Title										
		Phone number			Email address										

EPA Form 3510-2A (Revised 3-19)

Page 3

		Gori Number	N	MD0021601 Patapsco			Facility Name Wastewater Treatme	Form Approved 03/05/19 OMB No. 2040-0004		
	4DD052 1.20		ow indica			tact inform	Plant ation NPDES numbe	r and av	verage daily flow rate of the	
	1,20	receiving facilit						i, aliu a	verage daily now rate of the	
		Facility name	· · · · · · · · · · · · · · · · · · ·	•	Re	ceiving Fa	cility Data Mailing address (str	ant or D	O havi	
pane		•		N/A				et of P.	O. box)	
Contin		City or town					State		ZIP code	
) spot	•	Contact name	(first and I	ast)			Title			
ıl Meth		Phone number					Email address	-		
ispos		NPDES numbe			···	None	Average daily flow ra		mgd	
or D	1.21						ready mentioned in Ite percolation, undergro		through 1.21 that do not oction)?	
harge		☐ Yes				_ ~	SKIP to Item 1.2	•	,	
Disc	1.22	Provide inform	ation in the							
iger		Disposal	<u> </u>				er Disposal Methods Annual Average			
Outfalls and Other Discharge or Disposal Methods Continued		Method Description	nie nie	posal Site		e of sal Site	Daily Discharge		ontinuous or Intermittent (check one)	
utfalls				· · · · · · · · · · · · · · · · · · ·	 	acre			Continuous Intermittent	
0						acre	s gpc		Continuous Intermittent	
						acre	s gpc		Continuous Intermittent	
	1.23						11(n)? (Check all that apply.			
Variance Requests			jes into m	S permitting authority to determine what information needs to be arine waters (CWA Water quality related effluent li 302(b)(2))					•	
> &		✓ Not appl				002 (~)(~))			
# # # . #	1.24	Are any operat			pects (relate	d to waster	water treatment and e	ffluent q	uality) of the treatment works	
		✓ Yes	•			☐ No ·	→SKIP to Section 2.			
	1.25	Provide location			n for each co	ontractor in	addition to a descript	ion of th	e contractor's operational	
					Coi	ntractor In	formation			
		<u>i</u>		Con	tractor 1	· .	Contractor 2		Contractor 3	
nation		Contractor nam (company nam	e)	Synagro Wat	er Technolog	gies Mo	hawk Cryo, LLC			
Infom		Mailing address (street or P.O.	box)	3501 Asiatic	Ave.	970	1 Niagra Falls Blvd. Su	ite 2A		
Contractor Information		City, state, and code		Baltimore, N	ID 21226	Nia	gra Falis, NY 14304			
Cont		Contact name (last)	first and	Robert Abbo	tt	Dav	id Martin			
		Phone number		(410) 354-23	81	(710	5) 266-2796			
		Email address		rabbott@SYN	NAGRO.com	dma	dmartin@mohawkcryo.com			
		Operational and maintenance responsibilities contractor		Solids Handling			Oversight & maintenance of the Liquid Oxygen Plant			

EPA Identification Number NPDES Permit Number

MDD052340973

MD0021601

Facility Name Patapsco Wastewater Treatment Plant

Form Approved 03/05/19 OMB No. 2040-0004

SECTIO	ON 2. AD	DITIONAL INFORMA	ATION (40 CFR 122	.21(j)(1) and (2))				
Mo	Outfal	ls to Waters of the L	Inited States					•
F.	2.1	Does the treatment	works have a desig	n flow greater than	or equal to	0.1 mgd?		
Design Flow		✓ Yes		☐ No	SKIP to S	Section 3.		
	2.2		ent works' current av	rerage daily volume	of inflow	Average l	Daily Volume of Inflo	w and Infiltration
trati		and infiltration.						2,600,000 gpd
Inflow and Infiltration			he facility is taking to					
v and		Baltimore City is und under Phase 1 of thi					=	
Se l		monitoring is stil un			, 0000 31101	ir a accircase	. or 40% iii ian. 1030	CONSTRUCTION
	2.3	Have you attached	a topographic map t	to this application t	nat contains	all the requi	red information? (Se	e instructions for
ograph Map		specific requiremen					ou mormanom (oo	
Topographic Map		✓ Yes		П ,	o			
	2.4		a process flow diagr			tion that cor	stains all the require	d information?
Flow Diagram			r specific requireme		тио прриос	alon mat oo	tanto an inc require	a imomitation:
Dia		✓ Yes		☐ No				
	2.5	Are improvements t	to the facility schedu	led?				
		✓ Yes		☐ No	→ SKIP to	Section 3.		
_		Briefly list and desc	ribe the scheduled i	mprovements.				
entatio		1. SC-991 Liquid Ox	ygen Plant Improver	ments. Study near	completion.	Start date	not yet defined. See	footnote at end.
nents and Schedules of Implementation		2. SC-994 Clarifler a	nd Thickener Rehab	oilitation. Study ne	ar completio	on. Start dat	e not yet defined.	
ules of		3. SC-926 Electrical	Distribution & Secu	rity Upgrade. Bid-ı	eady. Start	date not yet	defined.	
Sched		4. SC-938 Headworl	ks Facility Improvem	nents. Design near	completion.	Start date	not yet defined.	
and	2.6	Provide scheduled	or actual dates of co	mpletion for impro	vements.			
emts				or Actual Dates	of Completion	on for impro	vements	Attainment of
Scheduled Improven		Scheduled Improvement (from above)	Outfalls (list outfall number)	Begin Construction (MM/DD/YYYY)	Cons	End struction DD/YYYY)	Begin Discharge (MM/DD/YYYY)	Operational Level (MM/DD/YYYY)
dulec		1.	001A					
Sche		2.	001A					
·		3.	001A					
	·	4.	001A				·	
	2.7	Have appropriate por response.	ermits/clearances co	oncerning other fed	eral/state re	quirements b	een obtained? Brief	ly explain your
		Yes		No		V	None required of	or applicable
		Explanation:						

NPDES Permit Number Facility Name Form Approved 03/05/19
Patapsco Wastewater Treatment OMB No. 2040-0004
Plant

1	MDD052	340973	MD0021601	Totapaco	Pla	nt		OI	VID 140. 2040-0004
SECTIO	ON 3. IN	ORMATION ON EFFLUEN	F DISCHARGES (40 CF	R 122.21(j	(3) to (5))			
	3.1	Provide the following inform	nation for each outfall. (a	Attach addi	tional sh	eets if you	have more t	han three out	falls.)
			Outfall Number	001	Out	fall Numb	er	Outfall Nu	mber
		State	Maryland	-					
Falls		County	Baltimore Ci	ty					
Description of Outfalls		City or town	Baltimore						
ption		Distance from shore		824 ft.			ft.		ft.
Descri	:	Depth below surface		18 ft.			ft.		ft.
_		Average daily flow rate	6	52.4 mgd			mgd		mgd
		Latitude	39° 14′	0" N or !	0	,	" Nor	0	Nor
		Longitude		17" N or	0	,	" N or	•	" E or
Jata	3.2	Do any of the outfalls desc	ribed under Item 3.1 hav	/e seasona	l or perio 교		rges? ➤ SKIP to Ite	em 3 4	
- g	3.3	If so, provide the following	information for each ann	dicable out					
ischa		ii oo, provide ate tellowing	Outfall Number		1	ıtfall Num	ber	Outfall N	lumber
dic D		Number of times per year			+				
Seasonal or Periodic Discharge Data		discharge occurs Average duration of each discharge (specify units)							
sonal		Average flow of each discharge		mgd			mg	t	mgd
Ses		Months in which discharge occurs							
	3.4	Are any of the outfalls lister	d under Item 3.1 equippo	ed with a di	ffuser?				
		✓ Yes				No → Sh	KIP to Item 3	.6.	
/pe	3.5	Briefly describe the diffuse	1		1				 -
ır Ty			Outfall Number	001	Ou	tfall Numi	per	Outfail N	umber
Diffuser T)			Sodium bisulfite diffu	ıser					
-									
Waters of the U.S.	3.6	Does the treatment works discharge points?	discharge or plan to disc	harge wast	tewater to	o waters o	f the United	States from o	ne or more
Wat the		✓ Yes				No → SK	IP to Section	۱6.	

EPA Identification Number

EPA Identification Number NPDES Permit Number Form Approved 03/05/19 OMB No. 2040-0004 Facility Name Patapsco Wastewater Treatment MDD052340973 MD0021601 **Plant** Provide the receiving water and related information (if known) for each outfall. Outfall Number 001 **Outfall Number** Outfall Number Receiving water name Patapsco River Name of watershed, river, Patpasco River Mesohaline or stream system Receiving Water Description U.S. Soil Conservation Service 14-digit watershed code Name of state management/river basin U.S. Geological Survey 8-digit hydrologic 02-13-09-03 cataloging unit code Critical low flow (acute) 488.70 cfs cfs cfs Critical low flow (chronic) cfs cfs cfs 1,052.50 Total hardness at critical mg/L of ma/L of mg/L of 1.35 low flow CaCO₃ CaCO₃ CaCO₃ 3.8 Provide the following information describing the treatment provided for discharges from each outfall. Outfall Number 001A Outfall Number **Outfall Number Highest Level of** Primary **Primary** Primary Treatment (check all that Equivalent to Equivalent to Equivalent to apply per outfall) secondary secondary secondary Secondary Secondary 7 Secondary \square Advanced Advanced Advanced Other (specify) Other (specify) Other (specify) Freatment Description **Design Removal Rates by** Outfall BOD₅ or CBOD₅ % % % 97.1 TSS % % 96.0 % □ Not applicable ☐ Not applicable □ Not applicable **Phosphorus** 92.2 % % % □ Not applicable □ Not applicable ☐ Not applicable Nitrogen % % 89.1 % Other (specify) □ Not applicable ☐ Not applicable ☐ Not applicable % % %

EP	A Identifica	ation Number	NPDES P	ermit Number	D-1		y Name			pproved 03/05/19
	MDD052			021601		Pl	water Treatı lant			B No. 2040-0004
ntinued 4	3.9	l season, descri	/pe of disinfectior be below. bleach; dechlorir			h outfa	all in the tabl	e below. If dis	infection vari	es by
දු	7) 6 7	10 11		Outfall Num	ner 001	6	utfall Numb	ior	Outfall Nu	ımbar
Treatment Description Continued		Disinfection typ	De l	Blead						
atment D		Seasons used		all						
Tree		Dechlorination	J <u>'</u>	☐ Not applica ☑ Yes ☐ No	able		Not appli Yes No	cable	Not	applicable
	3.10	✓ Yes	pleted monitoring	for all Table A p			ned the resu No		ication packa	
ale outer	3.11	Have you cond discharges or o	ucted any WET ton any receiving v	ests during the 4 water near the di	1.5 years prior t scharge points	to the d ?		pplication on		s'ytilk
	3.12	Indicate the nu discharges by	mber of acute an outfall number or	d chronic WET to of the receiving Outfall Nur	water near the	discha	the last per arge points. itfall Numbe		e of the facilit Outfall Nu	
				Acute	Chronic	A	cute	Chronic	Acute	Chronic
		Number of test water Number of test		0	8					
	3.13	water	nent works have	0 a design flow gre	o eater than or ed	qual to	-	(ID to Hom 2 d		
esting Data	3.14	Does the POTV reasonable pot	V use chlorine for ential to discharg	e chlorine in its e	effluent?	where		(IP to Item 3.1 nent process,		have
100	3.15		Complete Table I					mplete Table		
Effluent T	: 3,13	package?	pleted monitoring	тог ан аррисаріе	i abie is poliui	ants a	nd aπacned No	the results to	this applicati	on
	3.16	 The facility The POTV The NPDE sample off each of its 	ore of the following has a design flow has an approve sometimes and partiting authors additional particles additional particles.	w greater than o d pretreatment p nority has informa ameters (Table I s (Table E).	r equal to 1 mg program or is re ed the POTW t D), or submit th	equired hat it n	to develop	for the paran	neters in Tabl	e C, must xicity for
		<u> </u>	 Complete Table applicable. 					IP to Section		
Sun.	3.17	Have you comp package? Yes	leted monitoring	for all applicable	Table C pollut	ants a	nd attached No	the results to	this applicati	on
	3.18	Have you comp	leted monitoring sults to this applic	for all applicable cation package?	Table D pollut	ants re		our NPDES p	ermitting auth	ority and
		☑ Yes					No addition	nal sampling authority.	required by N	IPDES

EPA Ideni	incation Number	NPDES Permit Number Patap:			Facility Name Form Approved Patapsco Wastewater Treatment OMB No. 20			
	052340973	MD0021601			Plant	OMB No. 2040-0004		
3.1	9 Has the POT\ or (2) at least	N conducted either (1) mi four annual WET tests in	nimum of for the past 4.5	ur quarterly WET years?	tests for one year	preceding this permit application		
	✓ Yes				Item 3.2			
3.2	10 Have you pre	viously submitted the resu	ilts of the ab	ove tests to you				
	☑ Yes				Item 3.2			
3.2			tted to your I	NPDES permittir	g authority and pro	vide a summary of the results.		
		ate(s) Submitted _(MM/DD/YYYY)			Summary of	Results		
			Nont	oxic				
intinued		03/12/2021	See f	ootnotes for oth	er dates of report s	submittals.		
3.2	2 Regardless of toxicity?	how you provided your W	VET testing of	fata to the NPDI	ES permitting autho	rity, did any of the tests result in		
g	Yes			V	No → SKIP to	Item 3.26.		
3.2 3.2 3.2		ause(s) of the toxicity:						
3.2	4 Has the treatm	nent works conducted a to	xicity reduct	_	Al- NOKIDA-I	4000		
3.2		of any toxicity reduction	evaluations	conducted	No → SKIP to I	tem 3,26,		
3.20	2 Hove you com	ploted Table E for all and	Cartin author		4			
3,2		pleted Table E for all app	licable outra	is and attached		oplication package? Decause previously submitted		
	☐ Yes					ne NPDES permitting authority.		
		HARGES AND HAZARD						
4.1	Does the POT ✓ Yes	W receive discharges fror	m Sius of N	SCIUs?	No → SKIP to Ite	4.7		
% 4,2		mber of SIUs and NSCIU	le that disch:	arge to the POT		:III 4.7 ,		
astr	Traisate die rie	Number of SIUs	o triat dioorit	arge to into 1 o 1		per of NSCIUs		
M snc		22						
4.3	Does the POT	W have an approved pret	reatment pro	gram?				
Haz H	✓ Yes				No			
Industrial Discharges and Hazardous Wastes	identical to tha	nitted either of the followir t required in Table F: (1) a 2) a pretreatment prograr	a pretreatme	DES permitting and program annu	authority that contai ual report submitted	ns information substantially within one year of the		
isci	✓ Yes				No → SKIP to Ite	m 4.6.		
ie 4.5	Identify the title	and date of the annual re	eport or pret	reatment progra	m referenced in Iter	m 4.4. SKIP to Item 4.7.		
ndustr		Baltimore Co., Howard Co						
⊆ 4.6	Have you com	oleted and attached Table	F to this ap	plication packag	e?			
	☐ Yes				No			

EP.	A Identifica	tion Number	N	NPDES F	Permit Number		ity Name		roved 03/05/19
	MDD052	340973		MD	0021601		ewater Treatment Plant	OWB	No. 2040-0004
	4.7	Does the POT regulated as F	W receive	e, or ha ardous	s it been notified tha wastes pursuant to	t it will receive, b 40 CFR 261?	y truck, rail, or dedicat	ted pipe, any waste	s that are
!		☐ Yes				V	No → SKIP to Item	4.9.	
	4.8	If yes, provide	the follow	ing info	ormation:				
1 F		Hazardous \ Numbe				Transport Meth eck all that apply)		Annual Amount of Waste Received	Units
					Truck		Rail		
Industrial Discharges and Hazardous Wastes Continued					Dedicated pipe		Other (specify)	,	
les C					Truck		Rail		
ous Was					Dedicated pipe		Other (specify)		
zard					Truck		Rail		
and Ha					Dedicated pipe		Other (specify)		
ges									
Dischar	4.9	including those				nd Sections 3004	rastewaters that original (7) or 3008(h) of RCR	A?	ctivities,
Ē		Yes				<u> </u>	No → SKIP to Sect		
Indust	4.10	Does the POT specified in 40	W receive CFR 261.	or exp .30(d) a	pect to receive) less and 261.33(e)?	than 15 kilogram	ns per month of non-ac	cute hazardous was	tes as
		☐ Yes →	SKIP to S	Section	5.	V	No		
	4.11	site(s) or facilit	y(ies) at w	vhich th	e wastewater origina	ates; the identitie	application: identificates of the wastewater's e before entering the f	hazardous constitu	
:		☐ Yes					No		
SECTIO	N 5. CO	MBINED SEWE	R OVERF	LOWS	(40 CFR 122.21(j)(8))			
	5.1				a combined sewer s			<u> </u>	
CSO Map and Diagram		☐ Yes				V	No →SKIP to Sect		
E D	5.2	Have you attac	ched a CS	O syste	em map to this appli	cation? (See inst	ructions for map requi	rements.)	
а В а		☐ Yes					No		:
≥	5.3	Have you attac	hed a CS	O syste	em diagram to this a	pplication? (See	instructions for diagra	m requirements.)	
જ		☐ Yes					No		

	MDD052	340973		MD0021601		Patap:	Facility Name Patapsco Wastewater Treatment Plant				Form Approved 03/05/19 OMB No. 2040-0004			
	5.4			de the following	informat	tion. (A			eets a	s neces	sarv.)			
				CSO Outfall							CSO Ou	tfall Nu	mber	
E		City or town								·				
criptie		State and ZIP	code		····					·				
III Des		County												
CSO Outfall Description		Latitude		۰ ,	"	N or:	0	,	"	N or :	0	,	"	N or :
တ္သ		Longitude		• ,	n	N or:	0	,	n	N or:	0	,	n	N or:
		Distance from	shore			ft.				ft.				ft.
		Depth below s	surface			ft.				ft.				ft.
	5.5	Did the POTW	/ monitor any	of the following	items in	the pas	t year for	its CSO	outfal	ls?				
				CSO Outfall	Number		CSO Ou	tfall Nu	nber		CSO Ou	tfall Nu	mber	
O D		Rainfall		☐ Yes	□ No			Yes [□No			l Yes	□ No	
itorin		CSO flow volu		☐ Yes	□ No			Yes [□No			l Yes	□ No	
CSO Monitoring		CSO pollutant concentrations		☐ Yes	□ No			Yes [□No			l Yes	□ No	
8		Receiving water	er quality	☐ Yes	□No			Yes [□No			l Yes	□ No	
		CSO frequenc	у	☐ Yes	□ No			Yes [□No			Yes [□ No	
		Number of stor	rm events	☐ Yes	□ No			Yes [□No			Yes [□No	
	5.6	Provide the fol	lowing inform	ation for each o	f your CS	O outf	alls.							
				CSO Outfall I	Number	·	CSO Ou	tfall Nu	mber		CSO Ou	tfall Nu	mber	
Past Year		Number of CS the past year	O events in		6/	vents				events	1		е	vents
S in P		Average durati	ion per			nours				hours				hours
ven		OTOTIC		☐ Actual or [☐ Actu	al or □	Estim	ated	_ □ Actu	al or 🗆	Estima	ated
CSO Events in		Average volum	ne per event		million ga					allons		mi	illion ga	allons
ŭ				☐ Actual or I			☐ Actu	al or 🗆	Estim	ated	☐ Actu	al or 🗆	Estima	ated
· .		Minimum rainfa a CSO event ir			hes of ra					ainfall			es of ra	
		a ooo eventii	i iasi yeai	☐ Actual or [☐ Actual or ☐ Estimate			al or 🗆	ated	☐ Actual or ☐ Estimated				

E		ation Numbe		ES Permit No			Patans	Facility Name sco Wastewater Treat	ment	Form Approved 03/05/19 OMB No. 2040-0004
		2340973		MD002160				Plant	inche	OND 110. 2040-0004
	5.7	Provide	the information in t	ne table be	low for	each o	f your	CSO outfalls.		
	:			CSO Ou	tfall N	umber	<u> </u>	CSO Outfall Numb	er	CSO Outfall Number
	-	Receivi	ng water name							
		Name o	f watershed/ system			·		· · · · · · · · · · · · · · · · · · ·		101.11
/aten		T .	il Conservation 14-digit		⊐ Unkr	nown		☐ Unknowr	1	☐ Unknown
CSO Receiving Waters		watersh (if know	ed code n)							
O Rec			ment/river basin							
Š			ological Survey Hydrologic Unit known)	[□ Unkn	nown		☐ Unknowr	1	□ Unknown
		water qu	tion of known uality impacts on g stream by CSO							
		(see ins	tructions for es)				ĺ			
SECTI	ON 6. CI	ECKLIST	AND CERTIFICAT	ION STAT	EMEN	T (40 C	FR 122	2.22(a) and (d))		
	6.1	each se	ction, specify in Col	umn 2 any	attachi	ments t	at you hat you	nave completed and a are enclosing to aler	are submittir t the permit	ng with your application. For ting authority. Note that not
			Ill applicants are required to provide Column 1 Section 1: Pagic Application					Colu	mn 2	
			Section 1: Basic App nformation for Ali Ap	n 1: Basic Application ation for All Applicants			iance i	request(s)		w/ additional attachments
	.	1 11/1	Section 2: Additional	n 2: Additional				nic map	V	w/ process flow diagram
			mormation	mation			w/ additional attachments w/ Table A			
			Section 3: Informatio	n on	✓ w/ Table A ✓ w/ Table B				V	w/ Table D w/ Table E
Statement			Effluent Discharges			w/ Tal				w/ rable E w/ additional attachments
tater			Section 4: Industrial					ISCIU attachments	<u> </u>	w/ Table F
ion S			Discharges and Haza Vastes	ardous		w/ add	ditional	attachments	_	
更			Section 5: Combined	Sewer		w/ CS	O map			w/ additional attachments
3			Overflows			w/ CS	O syst	em diagram		
Checklist and Certification			Section 6: Checklist a Certification Statement		v	w/ atta	achmer	nts		
cklis	6.2	Certifica	ation Statement						V	11,1 at 1,1 at 1
SHO CHE		accorda submitte for gathe complete and imp	nce with a system d d. Based on my inq ering the information e. I am aware that th risonment for knowi	esigned to uiry of the , the inform ere are sig ng violatior	assure person nation s gnifican ns.	that que or pers submitte	alified ons wi ed is, to	personnel properly ga no manage the system o the best of my know	ather and ev n, or those p rledge and b	direction or supervision in valuate the information persons directly responsible velief, true, accurate, and uding the possibility of fine
		! "	rint or type first and	last name)				Official ti	tle
		Neal Jack	son						Plant Mar	nager
		Signatur	e / /	4				,	Date sign	ned
	-		Il ga	m	_				08/19/20	21

Form Approved 03/05/19 OMB No. 2040-0004

	Maximum Da	ily Discharge	A	verage Daily Dischar	ge	Analytical	ML or MDL
Pollutant	Value*	Units	Value	Units	Number of Samples	Method ¹	(include units)
Biochemical oxygen demand ☑ BOD₅ or ☐ CBOD₅ (report one)	50	ppm	9	ppm	366	S5210B-11	2.0 ☑ ML ☐ MDL
Fecal coliform- Enterococci	2,420	MPN/100mls	17	MPN/100mls	366	SM Enterolert	1 MPN/ ☐ ML
Design flow rate	111.1	mgd	49.4	mgd	8,784		
pH (minimum)	6.25						
pH (maximum)	8.20						
Temperature (winter)	62.8	Degrees Fahrenheit	59.8	Degrees Fahrenheit	270		
Temperature (summer)	75.2	Degrees Fahrenheit	73.5	Degrees Fahrenheit	285		
Total suspended solids (TSS)	203	ppm	10	ppm	366	S 2540D-11	5 ☑ ML

Sampling shall be conducted according to sufficiently sensitive test procedures (i.e., methods) approved under 40 CFR 136 for the analysis of pollutants or pollutant parameters or required under 40 CFR chapter I, subchapter N or O. See instructions and 40 CFR 122.21(e)(3).

EPA Form 3510-2A (Revised 3-19) Page 13

This page intentionally left blank

EPA Identification Number NPDES Permit Number Facility Name Outfall Number Form Approved 03/05/19

MDD052340973 MD0021601 Plant 001A Facility Name Outfall Number Form Approved 03/05/19

Patapsco Wastewater Treatment Plant 001A

MDD052340973	MD002160:		Plant	001A		J. J	
ABLE B. EFFLUENT PARAMETI	ERS FOR ALL POTWS	WITH A FLOW EQ	JAL TO OR GREATE	R THAN 0.1 MGD		<u> </u>	
	Maximum Daily Discharge		A	verage Daily Discha	rge		
Pollutant	Value	Units	Value	Units	Number of Samples	Analytical Method ¹	ML or MDL (include units)
Ammonia (as N)	20.7	ppm	2.97	ppm	366	ASTM D6919-09	0.100 ppm ☐ ML ☐ MDL
Chlorine (total residual, TRC)²	ND	ppm	ND	ppm	1,098	EPA 330.5	0.05 ppm ☐ ML MDL
Dissolved oxygen	12.8	ppm	9.6	ppm	1,098	SM 4500-G	0.03 ppm ☑ ML ☑ MDL
Nitrate/nitrite	778	ppm	1.20	ppm	366	EPA 353.2	0.10 ppm ☑ ML ☐ MDL
Kjeldahl nitrogen	31.1	ppm	5.4	ppm	366	S4500 NH3G-1	1.0 ppm ☐ ML ☐ MDL
Oil and grease	10 (max avg - 4 sets)	ppm	6 (avg of avg - 4 sets)	ppm	4 sets of 4 samples	EPA 1664 A	5 ppm ☐ ML
Phosphorus	6.00	ppm	0.73	ppm	366	EPA 365.1	0.10 ppm ☐ ML
Total dissolved solids	570	ppm	421	ppm	5	SM 2540C-97	25 ppm ☐ ML

¹ Sampling shall be conducted according to sufficiently sensitive test procedures (i.e., methods) approved under 40 CFR 136 for the analysis of pollutants or pollutant parameters or required under 40 CFR chapter I, subchapter N or O. See instructions and 40 CFR 122.21(e)(3).

² Facilities that do not use chlorine for disinfection, do not use chlorine elsewhere in the treatment process, and have no reasonable potential to discharge chlorine in their effluent are not required to report data for chlorine.

This page intentionally left blank

Facility Name Outfall Number Form Approved 03/05/19
Patapsco Wastewater Treatment OMB No. 2040-0004

MDD052340973	MD0021601 Patapso		sco Wastewater Treatment Plant		001A		OMB No. 2040-000		
ABLE C. EFFLUENT PARAMETER	RS FOR SELECTED	POTWS							
Pollutant	Maximum Daily Discharge		A	verage l	Daily Discha	<u> </u>	Analytical	ML or MDL	
Tonumik	Value	Units		Value	Units		Number of Samples	Method ¹	(include units)
etals, Cyanide, and Total Phenols	s				13.7				
Hardness (as CaCO ₃)	230	ppm		211		ppm	5	SM 2340 C	1 ppm ☐ MDL
Antimony, total recoverable	1.30	ppb		0.30		ppb	12	EPA 200.8	1.0 ppb ☐ MDL
Arsenic, total recoverable	1.10	ppb		0.50		ppb	12	EPA 200.8	0.50 ppb ☐ ML ☐ MDL
Beryllium, total recoverable	ND	ppb		ND		ppb	12	EPA 200.8	0.50 ppb ☐ MDL
Cadmium, total recoverable	1.10	ppb		0.20		ppb	12	EPA 200.8	0.16 ppb ☐ ML ☑ MDL
Chromium, total recoverable	1.00	ppb		0.50		ppb	12	EPA 200.8	0.33 ppb ☐ ML
Copper, total recoverable	5.8	ppb		3.2		ppb	12	EPA 200.8	1.0 ppb ☐ ML
Lead, total recoverable	0.47	ppb		0.10		ppb	12	EPA 200.8	0.33 ppb ☐ ML ☑ MDL
Mercury, total recoverable	ND	ppb		ND		ppb	12	EPA 245.1	0.20 ppb ML MDL
Nickel, total recoverable	4.4	ppb		3.8		ppb	12	EPA 200.8	2.5 ppb ML
Selenium, total recoverable	0.86	ppb		0.10		ppb	12	EPA 200.8	2.0 ppb ML
Silver, total recoverable	ND	ppb	~	ND		ppb	12	EPA 200.8	0.50 ppb ☐ ML ☐ MDL
Thallium, total recoverable	0.45	ppb		0.10	-	ppb	12	EPA 200.8	0.50 ppb ML
Zinc, total recoverable	11.1	ppb		6.5		ppb	12	EPA 200.8	2.5 ppb ML
Cyanide	16	ppb		8.3		ppb	48	SM4500CN-G/ASTM	2.0 ppb ML
Total phenolic compounds	ND	ppm		ND		ppm	12	EPA 420.4	0.01 ppm ML
latile Organic Compounds									2 (100
Acrolein	ND	ppb		ND		ppb	12	EPA 624.1	2.5 ppb 口ML
Acrylonitrile	ND	ppb		ND		ppb	12	EPA 624.1	5.0 ppb ☑ ML
Benzene	ND	ppb		ND		ppb	12	EPA 624.1	0.50 ppb ☑ ML □ MDL
Bromoform	4.80	ppb		0.61		ppb	12	EPA 624.1	0.50 ppb ☐ ML

EPA Identification Number

NPDES Permit Number

Facility Name Outfall Number Form Approved 03/05/19
Patapsco Wastewater Treatment OMB No. 2040-0004
Plant 001A

MDD052340973	MD0021601 Pata		etapsco Wastewater Treatment Plant			001A		OMB No. 2040-0004
TABLE C. EFFLUENT PARAMETE	RS FOR SELECTE	D POTWS						
	Maximum Daily Discharge			Average Daily Discharge			Analytical	ML or MDL
Pollutant	Value	Units	Value		Units	Number of Samples	Method ¹	(include units)
Carbon tetrachloride	ND	ppb	ND		ppb	12	EPA 624.1	1.0 ppb ☐ MDL
Chlorobenzene	ND	ppb	ND		ppb	12	EPA 624.1	0.50 ppb ☐ ML
Chlorodibromomethane	21.20	ppb	3.54		ppb	12	EPA 624.1	0.50 ppb ☑ ML ☑ MDL
Chloroethane	ND	ppb	ND		ppb	12	EPA 624.1	1.0 ppb ☐ ML
2-chloroethylvinyl ether	ND	ppb	ND		ppb	12	EPA 624.1	5.0 ppb ☐ ML
Chloroform	25	ppb	13.4		ppb	12	EPA 624.1	0.50 ppb ☑ ML □ MDL
Dichlorobromomethane	21.7	ppb	6.7		ppb	12	EPA 624.1	0.50 ppb ☐ ML
1,1-dichloroethane	ND	ppb	ND		ppb	12	EPA 624.1	0.50 ppb ☐ ML ☐ MDL
1,2-dichloroethane	ND	ppb	ND		ppb	12	EPA 624.1	0.50 ppb ☐ ML
trans-1,2-dichloroethylene	NĎ	ppb	ND		ppb	12	EPA 624.1	0.50 ppb ☐ ML
1,1-dichloroethylene	ND	ppb	ND		ppb	12	EPA 624.1	0.50 ppb ☑ ML ☐ MDL
1,2-dichloropropane	ND	ppb	ND		ppb	12	EPA 624.1	0.50 ppb ☑ ML MDL
1,3-dichloropropylene	ND	ppb	ND		ppb	12	EPA 624.1	0.50 ppb ☑ ML □ MDL
Ethylbenzene	ND	ppb	ND		ppb	12	EPA 624.1	0.50 ppb ☑ ML □ MDL
Methyl bromide	0.79	ppb	0.15		ppb	12	EPA 624.1	0.42 ppb ☐ ML ☑ MDL
Methyl chloride	0.34	ppb	0.03		ppb	12	EPA 624.1	0.33 ppb ☐ ML ☑ MDL
Methylene chloride	0.85	ppb	0.35		ppb	12	EPA 624.1	0.14 ppb ☐ ML ☑ MDL
1,1,2,2-tetrachloroethane	ND	ppb	ND		ppb	12	EPA 624.1	0.50 ppb ☑ ML ☐ MDL
Tetrachloroethylene	0.46	ppb	0.04		ppb	12	EPA 624.1	0.50 ppb ☑ ML
Toluene	2.30	ppb	0.53		ppb	12	EPA 624.1	0.24 ppb ☐ ML ☑ MDL
1,1,1-trichloroethane	ND	ppb	ND		ppb	12	EPA 624.1	0.50 ppb ☐ ML ☐ MDL
1,1,2-trichloroethane	ND	ppb	ND		ppb	12	EPA 624.1	0.50 ppb ☐ ML ☐ MDL

EPA Identification Number

NPDES Permit Number

EPA Identification Number NPDES Permit Number Facility Name Outfall Number Form Approved 03/05/19 OMB No. 2040-0004 Patapsco Wastewater Treatment MDD052340973 MD0021601 001A Plant TABLE C. EFFLUENT PARAMETERS FOR SELECTED POTWS **Maximum Daily Discharge Average Daily Discharge** Analytical ML or MDL Pollutant Number of Method1 (include units) Value Units Value Units Samples 0.50 ppb ☐ ML ☐ MDL Trichloroethylene ND ppb ND ppb 12 EPA 624.1 0.50 ppb ☐ ML Vinyl chloride ND ppb ND ppb 12 EPA 624.1 Acid-Extractable Compounds ☑ ML p-chloro-m-cresol ND ND ppb ppb 12 EPA 625.1 2.8 ppb ☐ MDL 2-chlorophenol ND ppb ND ppb 12 EPA 625.1 2.8 ppb ☐ MDL ☑ ML □ MDL 2,4-dichlorophenol ND 2.8 ppb ppb ND ppb 12 EPA 625.1 Ø ML □ MDL 2,4-dimethylphenol ND ppb ND ppb 12 EPA 625.1 2.8 ppb ☑ ML □ MDL 4.6-dinitro-o-cresol ND ppb ND 12 5.7 ppb ppb EPA 625.1 Ø ML □ MDL 2,4-dinitrophenol ND ND ppb 5.7 ppb ppb 12 EPA 625.1 Ø ML □ MDL 2-nitrophenol ND ppb ND ppb 12 2.8 ppb EPA 625.1 ☑ ML 4-nitrophenol ND ppb ND 2.8 ppb 12 ppb EPA 625.1 Ø ML □ MDL Pentachlorophenol ND ppb ND ppb 12 EPA 625.1 5.7 ppb Ø ML □ MDL Phenol ND ppb ND ppb 7.5 ppb 12 EPA 625.1 2.8 ppb ☐ ML ☐ MDL 2.4.6-trichlorophenol ND ppb ND ppb 12 EPA 625.1 **Base-Neutral Compounds** 1.4 ppb ☐ ML ☐ MDL Acenaphthene ND ppb ND ppb 12 EPA 625.1 1.4 ppb ☐ ML ☐ MDL Acenaphthylene ND ND ppb ppb 12 EPA 625.1 1.4 ppb ☐ ML ☐ MDL Anthracene ND ppb ND ppb 12 EPA 625.1 ☑ ML Benzidine ND ND ppb ppb 12 EPA 625.1 3.8 ppb 1,4 ppb ☑ ML ☐ MDL Benzo(a)anthracene ND ppb ND ppb 12 EPA 625.1 ØML Benzo(a)pyrene ND ppb ND 12 1.4 ppb ppb EPA 625.1 ☐ MDL ☑ ML 3.4-benzofluoranthene ND ppb ND ppb 12 EPA 625.1 1.4 ppb ☐ MDL

EPA Identification Number NPDES Permit Number Facility Name Outfall Number Form Approved 03/05/19

MDD052340973 MD0021601 Plant 001A

Facility Name Outfall Number Form Approved 03/05/19

OMB No. 2040-0004

11155052510373	1410002	1001	Plant		OUIA	1	
ABLE C. EFFLUENT PARAMETEI	RS FOR SELECTE	D POTWS					
5.8	Maximum	Daily Discharge		Average Daily Discha	Analytical	ML or MDL	
Pollutant	Value	Units	Value	Units	Number of Samples	Method ¹	(include units)
Benzo(ghi)perylene	ND	ppb	ND	ppb	12	EPA 625.1	1.4 ppb ☐ ML ☐ MDL
Benzo(k)fluoranthene	ND	ppb	ND	ppb	12	EPA 625.1	1.4 ppb ☐ ML ☐ MDL
Bis (2-chloroethoxy) methane	ND	ppb	ND	ppb	12	EPA 625.1	2.8 ppb ☐ MDL
Bis (2-chloroethyl) ether	NĐ	ppb	ND	ppb	12	EPA 625.1	2.8 ppb ☐ MDL
Bis (2-chloroisopropyl) ether	ND	ppb	ND	ppb	12	EPA 625.1	2.8 ppb ☐ MDL
Bis (2-ethylhexyl) phthalate	1.90	ppb	0.34	ppb	12	EPA 625.1	0.79 ppb ☐ ML ☑ MDL
4-bromophenyl phenyl ether	NĐ	ppb	ND	ppb	12	EPA 625.1	2.8 ppb ☐ ML
Butyl benzyl phthalate	ND	ppb	ND	ppb	12	EPA 625.1	2.8 ppb ☐ MDL
2-chloronaphthalene	ND	ppb	ND	ppb	12	EPA 625.1	2.8 ppb ☐ MDL
4-chlorophenyl phenyl ether	ND	ppb	ND	ppb	12	EPA 625.1	2.8 ppb ☐ ML
Chrysene	ND	ppb	ND	ppb	12	EPA 625.1	1.4 ppb ☐ ML
di-n-butyl phthalate	0.58	ppb	0.05	ppb	12	EPA 625.1	0.53 ppb ☐ ML ☑ MDL
di-n-octyl phthalate	ND	ppb	ND	ppb	12	EPA 625.1	2.8 ppb ☑ ML ☐ MDL
Dibenzo(a,h)anthracene	ND	ppb	ND	ppb	12	EPA 625.1	1.4 ppb ML MDL
1,2-dichlorobenzene	ND	ppb	ND	ppb	12	EPA 624.1	1.0 ppb ☐ ML
1,3-dichlorobenzene	NĐ	ppb	ND	ppb	12	EPA 624.1	1.0 ppb ☐ ML ☐ MDL
1,4-dichlorobenzene	ND	ppb	ND	ppb	12	EPA 624.1	1.0 ppb ☐ ML
3,3-dichlorobenzidine	ND	ppb	ND	ppb	12	EPA 625.1	2.8 ppb ☐ ML
Diethyl phthalate	ND	ppb	ND	ppb	12	EPA 625.1	2.8 ppb ☐ ML
Dimethyl phthalate	ND	ppb	ND	ppb	12	EPA 625.1	2.8 ppb ☐ ML
2,4-dinitrotoluene	ND	ppb	ND	ppb	12	EPA 625.1	2.8 ppb ML
2,6-dinitrotoluene	1.20	ppb	0.16	ppb	12	EPA 625.1	0.38 ppb ☐ ML ☑ MDL

EPA Identification Number NPDES Permit Number Facility Name Outfall Number Form Approved 03/05/19

MDD052340973 MD0021601 Plant 001A Form Approved 03/05/19

MDD032340973	1010002160) <u> </u>	Plant		UULA		
ABLE C. EFFLUENT PARAMETER	S FOR SELECTED	POTWS					
	Maximum Daily Discharge		A	verage Daily Dischar	Analytical	ML or MDL	
Pollutant	Value	Units	Value	Units	Number of Samples	Method ¹	(include units)
1,2-diphenylhydrazine	ND	ppb	ND	ppb	12	EPA 625.1	2.8 ppb ☐ ML
Fluoranthene	ND	ppb	ND	ppb	12	EPA 625.1	1.4 ppb 🖸 ML
Fluorene	ND	ppb	ND	ррь	12	EPA 625.1	1.4 ppb ☐ MC
Hexachlorobenzene	ND	ppb	ND	ppb	12	EPA 625.1	2.8 ppb ☐ ML
Hexachlorobutadiene	ND	ppb	ND	ppb	12	EPA 625.1	2.8 ppb ☐ ML
Hexachlorocyclo-pentadiene	ND	ppb	ND	ppb	12	EPA 625.1	2.8 ppb 🖂 ML
Hexachloroethane	ND	ppb	ND	ppb	12	EPA 625.1	2.8 ppb ☐ ML
Indeno(1,2,3-cd)pyrene	ND	ppb	ND	ppb	12	EPA 625.1	1.4 ppb ☑ ML
Isophorone	ND	ppb	ND	ppb	12	EPA 625.1	2.8 ppb ☐ ML
Naphthalene	ND	ppb	ND	ppb	12	EPA 625.1	1.4 ppb ☑ ML
Nitrobenzene	ND	ppb	ND	ppb	12	EPA 625.1	2.8 ppb ☑ ML
N-nitrosodi-n-propylamine	ND	ppb	ND	ppb	12	EPA 625.1	2.8 ppb ☑ ML
N-nitrosodimethylamine	ND	ppb	ND	ppb	12	EPA 625.1	2.8 ppb ☐ MD
N-nitrosodiphenylamine	ND	ppb	ND	ppb	12	EPA 625.1	2.8 ppb ☐ ML
Phenanthrene	ND	ppb	ND	ppb	12	EPA 625.1	1.4 ppb ☐ ML
Pyrene	ND	ррь	ND	ppb	12	EPA 625.1	1.4 ppb ☐ ML
1,2,4-trichlorobenzene	ND	ppb	ND	ppb	12	EPA 625.1	2.8 ppb ☐ ML

¹ Sampling shall be conducted according to sufficiently sensitive test procedures (i.e., methods) approved under 40 CFR 136 for the analysis of pollutants or pollutant parameters or required under 40 CFR Chapter I, Subchapter N or O. See instructions and 40 CFR 122.21(e)(3).

This page intentionally left blank.

EPA Identification Number NPDES Permit Number Facility Name Outfall Number Form Approved 03/05/19

MDD052340973 MD0021601 Plant 001A

Facility Name Outfall Number Form Approved 03/05/19

OMB No. 2040-0004

MDD052340973	MD0021601		Plant		001A		
BLE D. ADDITIONAL POLLUTAN							
Pollutant (list)	Maximum Dail Value	y Discharge Units	Value Av	erage Daily Discharg Units	Number of Samples	Analytical Method ¹	ML or MDL (include units)
☐ No additional sampling is requi	red by NPDES permi	tting authority.	· · · · · · · · · · · · · · · · · · ·		* <u> </u>	:	
PCB Congeners	1,840	pg/L	1,359	pg/L	4	1668A-TMD	* Varies 🗆 Mi
* Detection limits vary among		¥					□ ML
the 209 congeners. See							□ ML
quarterly reports submitted							□ ML
for 2020.							□ ML
							□ MI
							□ MI
							□ MI
							□ ML
							□ MI
							□ MI
							□ M!
							□ M1
							□ M1 □ M0
							□ M1 □ M2
							□ M.L
							□ ML

Sampling shall be conducted according to sufficiently sensitive test procedures (i.e., methods) approved under 40 CFR 136 for the analysis of pollutants or pollutant parameters or required under 40 CFR chapter I, subchapter N or O. See instructions and 40 CFR 122.21(e)(3).

This page intentionally left blank

EPA Identification Number NPDES Permit Number Facility Name Outfall Number Form Approved 03/05/19 OMB No. 2040-0004 Patapsco WWTP MDD052340973 MD0021601 001A TABLE E. EFFLUENT MONITORING FOR WHOLE EFFLUENT TOXICITY The table provides response space for one whole effluent toxicity sample. Copy the table to report additional test results. **Test Information** Test Number ¹⁸⁻¹² Test Number ¹⁸⁻¹² Test Number 19-11 Test species Americamysis bahia Cyprinodon variegatus Americamysis bahia Age at initiation of test 7 days <24 hours 7 days Outfall number 001 001 001 Date sample collected 02/14/2018 02/14/2018 02/10/2019 Date test started 02/15/2018 02/15/2018 02/12/2019 Duration 7 days 7 days 7 days **Toxicity Test Methods** Test method number USEPA 1007.0 USEPA 1004.0 USEPA 1007.0 Manual title EPA-821-R-02-014 EPA-821-R-02-014 EPA-821-R-02-014 Edition number and year of publication 3rd Edition, October 2002 3rd Edition, October 2002 3rd Edition, October 2002 Page number(s) 214-292 55-116 214-292 Sample Type Check one: ☐ Grab ☐ Grab ☐ Grab 24-hour composite 24-hour composite Sample Location Check one: ☐ Before Disinfection ☐ Before Disinfection ☐ Before disinfection ☐ After Disinfection ☐ After Disinfection ☐ After disinfection After Dechlorination After Dechlorination After dechlorination Point in Treatment Process Describe the point in the treatment process Final Effluent Discharge Final Effluent Discharge Final Effluent Discharge at which the sample was collected for each test.

☐ Acute

Chronic

☑ Both

☐ Acute

Chronic

☑ Both

or both. (Check one response.)

Indicate for each test whether the test was

performed to asses acute or chronic toxicity,

☐ Acute

☑ Both

☐ Chronic

Toxicity Type

EPA Identification Number MDD052340973 NPDES Permit Number MD0021601 Facility Name Patapsco WWTP Outfall Number 001A Form Approved 03/05/19 OMB No. 2040-0004

The state of the s							
TABLE E. EFFLUENT MONITORING FOR W	HOLE EFFLUENT T	OXICITY					
The table provides response space for one wh	ole effluent toxicity s	ample. Copy the table to re	port additional test re	sults.			
	Test N	umber	Test No	umber <u>18-125</u>	Test N	umber	
Test Type			1				
Indicate the type of test performed. (Check one	☐ Static		☐ Static		☐ Static		
response.)	☑ Static-renewal		Static-renewal		Static-renewal		
	☐ Flow-through		☐ Flow-through		☐ Flow-through		
Source of Dilution Water			.		<u> </u>		
Indicate the source of dilution water. (Check		er	☑ Laboratory water	er	☑ Laboratory wat	ter	
one response.)	☐ Receiving water		Receiving wate		☐ Receiving water		
If laboratory water, specify type.		tificial seawater		ificial seawater		tificial seawater	
If receiving water, specify source.							
Type of Dilution Water							
Indicate the type of dilution water. If salt	☐ Fresh water		☐ Fresh water		☐ Fresh water		
water, specify "natural" or type of artificial sea salts or brine used.	Salt water (specify)		Salt water (spec	ifv)	Salt water (spec	rifv)	
sea saits of brille used.					(1)		
Percentage Effluent Used							
Specify the percentage effluent used for all	100 50 25	5, 12.5 and 6.25%	100 E0 3E	12 F and 6 25%	100 F0 25 12 F and 6 25%		
concentrations in the test series.	100, 30, 23	5, 12.5 and 6.25%	100, 50, 25	, 12.5 and 6.25%	100, 50, 25, 12.5 and 6.25%		
Parameters Tested							
Check the parameters tested.	₩ pH	Ammonia	₩ pH	☐ Ammonia	№ рН	Ammonia	
	☑ Salinity	☐ Dissolved oxygen	Salinity	Dissolved oxygen	☑ Salinity	Dissolved oxygen	
	☑ Temperature	Dissolved oxygen	☑ Temperature	Dissolved oxygen	☑ Temperature	Dissolved oxygen	
Acute Test Results	- Temperature		Temperature		Temperature		
Percent survival in 100% effluent		65 %		100 %		88 %	
LC ₅₀		>100%	>100%		>100%		
95% confidence interval		Not Calcuable %		Not Calcuable %	Not Calcuable		
Control percent survival		88 %		100 %	95		
				A 4 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5		The second secon	

 EPA Identification Number
 NPDES Permit Number
 Facility Name
 Outfall Number
 Form Approved 03/05/19

 MDD052340973
 MD0021601
 Patapsco WWTP
 001A
 OMB No. 2040-0004

IVIDD052340973	MD0021601	T dtapses VV	001A		SMB 140. 2040 0004		
TABLE E. EFFLUENT MONITORING FOR	WHOLE EFFLUENT TOX	ICITY					
The table provides response space for one v	whole effluent toxicity sam	ple. Copy the table to re	port additional test resu	lts.			
	Test Number 18-12		Test Number 18-12		Test Number 19-11		
Acute Test Results Continued			1				
Other (describe)			Acute results calculate toxicity test data.	ed from the chronic	Acute results calculated from the chronic toxicity test data.		
Chronic Test Results							
NOEC		50 %		100 %	50 %		
IC ₂₅		42.7% %		>100 %	70.0 %		
Control percent survival		80 %		100 %		90 %	
Other (describe)							
Quality Control/Quality Assurance							
Is reference toxicant data available?	✓ Yes	□ No	☑ Yes	□ No	☑ Yes	□No	
Was reference toxicant test within acceptable bounds?	☑ Yes	□ No	✓ Yes	□ No	☑ Yes	□ No	
What date was reference toxicant test run (MM/DD/YYYY)?	02/13/2018		02/13/2018		02/13/2019		
Other (describe)							

TABLE 1 (Page 3 of 3)

EPA Identification Number NPDES Permit Number Facility Name Outfall Number OMB No. 2040-0004

MDD052340973 MD0021601 Patapsco WWTP 001A

MDD032340373	1D0021601		
E E. EFFLUENT MONITORING FOR WHO	LE EFFLUENT TOXICITY	report additional tast results	
Table provides response space for one whole	e effluent toxicity sample. Copy the table to	report additional test results.	
et Information	Test Number <u>19-12</u>	Test Number 20-08	Test Number 20-08
		Americamysis bahia	Cyprinodon variegatus
st species	Cyprinodon variegatus	7 days	<24 hours
ge at initiation of test	<24 hours	001	001
utfall number	001	02/10/2020	02/10/2020
ate sample collected	02/14/2018	02/11/2020	02/11/2020
ate test started	02/12/2018	7 days	7 days
uration	7 days	,,	•
oxicity Test Methods	USEPA 1004.0	USEPA 1007.0	USEPA 1004.0
est method number	EPA-821-R-02-014	EPA-821-R-02-014	EPA-821-R-02-014
Manual title	3rd Edition, October 2002	3rd Edition, October 2002	3rd Edition, October 2002
dition number and year of publication	55-116	214-292	55-116
Page number(s)	35-110		
Sample Type Check one:	☐ Grab ☑ 24-hour composite	☐ Grab ☑ 24-hour composite	Grab 24-hour composite
Sample Location Check one:	☐ Before Disinfection ☐ After Disinfection ☑ After Dechlorination	☐ Before Disinfection ☐ After Disinfection ☑ After Dechlorination	☐ Before disinfection ☐ After disinfection ☑ After dechlorination
Point in Treatment Process Describe the point in the treatment process at which the sample was collected for each test.	Final Effluent Discharge	Final Effluent Discharge	Final Effluent Discharge
Toxicity Type Indicate for each test whether the test was performed to asses acute or chronic toxicity,	☐ Acute ☐ Chronic	☐ Acute ☐ Chronic	☐ Acute ☐ Chronic
or both. (Check one response.)	☑ Both	☑ Both	☑ Both

 EPA Identification Number
 NPDES Permit Number
 Facility Name
 Outfall Number

 MDD052340973
 MD0021601
 Patapsco WWTP
 001A

Form Approved 03/05/19 OMB No. 2040-0004

HOLE EFFLUENT TO	CICITY	t - dditional toot root	ulto			
ole effluent toxicity sam	iple. Copy the table to re	port additional test resu	JIIS.		20-083	
Test Nun	nber <u>19-120</u>	Test Nur	mber	Test Nur	nber	
☐ Static		☐ Static				
Static-renewal		Static-renewal				
		☐ Flow-through		☐ Flow-through		
				_		
☑ Laboratory water			r		r	
		☐ Receiving water				
	icial seawater	20 ppt arti	ficial seawater	20 ppt arti	ficial seawater	
20 pp. s						
☐ Fresh water ☑ Salt water (specify)		☐ Fresh water		☐ Fresh water ☑ Salt water (specify)		
		Salt water (speci	fy)			
100, 50, 25	, 12.5 and 6.25%	100, 50, 25	, 12.5 and 6.25%	100, 50, 25, 12.5 and 6.25%		
In	│	□ NH	Ammonia	☑ pH	☐ Ammonia	
			Dissolved oxygen	☒ Salinity☑ Temperature	☑ Dissolved oxygen	
Temperature						
	95	%	90 %		100	
			>100%		>100%	
		%	Not Calcuable %		Not Calcuable	
Not Calcuable %			98 %		100	
	Test Num Test Num Static Static-renewal Flow-through Laboratory water Receiving water 20 ppt artif Fresh water Salt water (specif	Test Number 19-120 Static Static-renewal Flow-through Laboratory water Receiving water 20 ppt artificial seawater Fresh water Salt water (specify) 100, 50, 25, 12.5 and 6.25% □ pH Salinity □ Temperature 95 0 >100% Not Calcuable	Test Number 19-120 Static Static Static-renewal Static Static-renewal Implementation Implementati	Test Number 19-120 Test Number 20-082 □ Static □ Static □ Static-renewal □ Flow-through □ Laboratory water □ Receiving water □ 20 ppt artificial seawater □ Presh water □ Salt water (specify) □ Salt water (specify) □ Dissolved oxygen □ Temperature □ Presh water □ Salt water (specify) □ Temperature □ Presh water □ Salt water (specify) □ Temperature □ Presh water □ Salt water (specify) □ Premperature □ Presh water □ Salt water (specify) □ Premperature □ Presh water □ Salt water (specify) □ Temperature □ Presh water □ Salt water (specify) □ Premperature □ Presh water □ Salt water (specify) □ Salt water (specify) □ Not Calcuable % □ Not Calcuable % □ Not Calcuable %	Test Number 19-120 Test Number 20-082 Test Num Static	

EPA Identification Number NPDES Permit Number Facility Name Outfall Number Form Approved 03/05/19
MDD052340973 MD0021601 Patapsco WWTP 001A Form Approved 03/05/19

MDD052340973	MD0021601						
TABLE E. EFFLUENT MONITORING FOR	WHOLE EFFLUENT TOXI	CITY					
The table provides response space for one v	whole effluent toxicity samp	le. Copy the table to re	port additional test result	S.			
	Test Number 19-12		Test Number 20-08		Test Numl	per <u>20-08</u>	
Acute Test Results Continued					T		
Other (describe)	Acute results calculated toxicity test data.	from the chronic	Acute results calculated toxicity test data.	d from the chronic	Acute results calculated from the chronic toxicity test data.		
Chronic Test Results				W	1	100 %	
NOEC		100 %		25 %			
IC ₂₅		>100 %		35.2 %			
Control percent survival		98 %	98 %			100 %	
Other (describe)							
Quality Control/Quality Assurance					Г —		
Is reference toxicant data available?	✓ Yes	□ No	✓ Yes	□ No	✓ Yes	□ No	
Was reference toxicant test within acceptable bounds?	✓ Yes	□ No	✓ Yes	□ No	☑ Yes	□ No	
What date was reference toxicant test run (MM/DD/YYYY)?	02/26/2019		02/04/20	20	02/11/2020		
Other (describe)	1						

TABLE 2 (PAGE 3 OF 3)

 EPA Identification Number
 NPDES Permit Number
 Facility Name
 Outfall Number

 MDD052340973
 MD0021601
 Patapsco WWTP
 001A

Form Approved 03/05/19 OMB No. 2040-0004

TABLE E. EFFLUENT MONITORING FOR W	HOLE EFFLUENT TOXICITY		
The table provides response space for one wh	nole effluent toxicity sample. Copy the table	to report additional test results.	
Test Information			
	Test Number 21-00	Test Number 21-00	Test Number
Test species	Americamysis bahia	Cyprinodon variegatus	
Age at initiation of test	7 days	<24 hours	
Outfall number	001	001	
Date sample collected	01/11/2021	01/11/2021	
Date test started	01/12/2021	01/12/2021	
Duration	7 days	7 days	
Toxicity Test Methods			
Test method number	USEPA 1007.0	USEPA 1004.0	
Manual title	EPA-821-R-02-014	EPA-821-R-02-014	
Edition number and year of publication	3rd Edition, October 2002	3rd Edition, October 2002	
Page number(s)	214-292	55-116	
Sample Type			
Check one:	☐ Grab	☐ Grab	Grab
		☑ 24-hour composite	☐ 24-hour composite
Sample Location			
Check one:	☐ Before Disinfection	☐ Before Disinfection	☐ Before disinfection
	☐ After Disinfection	☐ After Disinfection	☐ After disinfection
	After Dechlorination	☑ After Dechlorination	☐ After dechlorination
Point in Treatment Process			
Describe the point in the treatment process at which the sample was collected for each test.	Final Effluent Discharge	Final Effluent Discharge	
Toxicity Type	1	1	
Indicate for each test whether the test was	☐ Acute	☐ Acute	☐ Acute
performed to asses acute or chronic toxicity, or both. (Check one response.)	☐ Chronic	Chronic	Chronic
OF DOUT. (Check one response.)	☑ Both	☑ Both	Both

EPA Identification Number	NPDES Permit Number	Facility Name	Outfall Number	Form Appr
MDD052340973	MD0021601	Patapsco WWTP	001A	ОМВ

EPA Identification Number NI MDD052340973	PDES Permit Number Facility Nat MD0021601 Patapsco W				Form Approved 03/05/19 OMB No. 2040-0004	
				UUIA		
TABLE E. EFFLUENT MONITORING FOR W						
The table provides response space for one wh	nole effluent toxicity sa	ample. Copy the table to re	port additional test res	sults.		
	Test Number 21-004		Test Number 21-003		Test Number	
Test Type						
Indicate the type of test performed. (Check or response.)	☐ Static		☐ Static		☐ Static	
	☑ Static-renewal		☑ Static-renewal		☐ Static-renewal	
	☐ Flow-through		☐ Flow-through		☐ Flow-through	
Source of Dilution Water	1 — 1.0		riew allough		riew allough	
Indicate the source of dilution water. (Check					☐ Laboratory water	
one response.)	☐ Receiving water		☐ Receiving water		Receiving water	
If laboratory water, specify type.	20 ppt artificial seawater		20 ppt artificial seawater		— reserving water	
If receiving water, specify source.						
Type of Dilution Water			I			
Indicate the type of dilution water. If salt water, specify "natural" or type of artificial	☐ Fresh water		☐ Fresh water		☐ Fresh water	
sea salts or brine used.	Salt water (specify)		Salt water (specify)		Salt water (specify)	
Percentage Effluent Used	,					
Specify the percentage effluent used for all concentrations in the test series.	all 100, 50, 25, 12.5 and 6.25%		100, 50, 25, 12.5 and 6.25%			
Parameters Tested	Ι_	I —	Ι	T_	Г	
Check the parameters tested.	反 pH	☐ Ammonia	⊠ pH	☐ Ammonia	pН	☐ Ammonia
		∑ Dissolved oxygen	■ Salinity	Dissolved oxygen	☐ Salinity	Dissolved oxygen
	✓ Temperature		✓ Temperature		☐ Temperature	
Acute Test Results	•					
Percent survival in 100% effluent	93 %		100 %			%
LC ₅₀	>100%		>100%			
95% confidence interval	Not Calcuable %		Not Calcuable %			%
Control percent survival	98 %		100 %			%

EPA Identification Number NPDES Permit Number Facility Name Outfall Number Form Approved 03/05/19 OMB No. 2040-0004 Patapsco WWTP MDD052340973 MD0021601 001A TABLE E. EFFLUENT MONITORING FOR WHOLE EFFLUENT TOXICITY The table provides response space for one whole effluent toxicity sample. Copy the table to report additional test results. Test Number 21-00 Test Number ²¹⁻⁰⁰ **Test Number Acute Test Results Continued** Other (describe) Acute results calculated from the chronic Acute results calculated from the chronic toxicity test data. toxicity test data. **Chronic Test Results** NOEC 100 % 100 % IC₂₅ >100 % >100 % Control percent survival 85 % 100 % Other (describe) Quality Control/Quality Assurance Is reference toxicant data available? ✓ Yes ☐ No ✓ Yes ☐ No ☐ Yes ☐ No Was reference toxicant test within ✓ Yes ☐ No ☐ No ✓ Yes ☐ No ☐ Yes acceptable bounds? What date was reference toxicant test run 01/05/2021 01/05/2021 (MM/DD/YYYY)?

TABLE 3 (page 3 of 3)

Other (describe)

This page intentionally left blank

EPA Identification Number	NPDES Permit Number	Facility Name
MDD052340973	MD0021601	Patapsco WWTP

MDD052340973	MD0021601		Patapsco WWTP				OMB No. 2040	0-0004
TABLE F. INDUSTRIAL DISCHARGE INFORMAT								
Response space is provided for three SIUs. Copy to	he table to report information	on for additional SIUs.		·=· =				
	SIU 1	<u>-07</u>	SIU <u>1</u>	<u>-1C</u>		SIU	<u>1-0C</u>	
Name of SIU	1-07310 Almag Plating Co	огр	1-10714 Turnbull. LLC			1-00528 Solvay USA,	Inc.	
Mailing address (street or P.O. box)	1800 Cherry Hill Rd		3100 Viona Avenue			3440 Fairfield Avenu	9	
City, state, and ZIP code	Baltimore, MD 21230		Baltimore, MD 21230			Baltimore, MD 2122	6	
Description of all industrial processes that affect or contribute to the discharge.	Hard coating, anodizing, phosphating, black oxide silver and gold plating	passivating, zinc e operation, and	Surface preparation be of materials(metal)use marine furniture		pating	production of surfact monomers, and spec requiring the process sulfation, esterificati	ialty chemicals, of amidation,	
List the principal products and raw materials that affect or contribute to the SIU's discharge.	Metal Finishing Job shop Acids, caustics, dyes,plat		Manufacturer of meta Powder coating, acids, metals, upholstery, ad	caustics, lubric		acids, alcohols, amm camphene, carbon d carbonate, sodium h ether, coconut oil, di triethanolamine, soc acrylic acid, chlorosu	ioxide, sodium ydroxide, allyl gl ethanolamine, lium metabisulfi	lycidyl
Indicate the average daily volume of wastewater discharged by the SIU.		17,500 gpd		5,380	gpd		55,788	gpd
How much of the average daily volume is attributable to process flow?		16,000 gpd		4,600	gpd		55,000	gpd
How much of the average daily volume is attributable to non-process flow?		1,500 gpd		780	gpd		788	gpd
Is the SIU subject to local limits?	☑ Yes	□ No	✓ Yes	□ No		☑ Yes	□ No	
Is the SIU subject to categorical standards?	☑ Yes	□ No	☑ Yes	□ No		☑ Yes	□ No	

EPA Identification Number NPDES Permit Number Facility Name Form Approved 03/05/19 OMB No. 2040-0004 Patapsco WWTP MDD052340973 MD0021601 TABLE F. INDUSTRIAL DISCHARGE INFORMATION Response space is provided for three SIUs. Copy the table to report information for additional SIUs. SIU <u>1-07</u> SIU_1-10 SIU 1-00 Under what categories and subcategories is the 40 CFR 413 metal Finishing (Ag) 40 CFR 433 metal Finishing (NS) 40 CFR 414 OCPSF SIU subject? Has the POTW experienced problems (e.g., ☑ No ☐ Yes ☑ No upsets, pass-through interferences) in the past 4.5 ☐ Yes ☐ Yes ☑ No years that are attributable to the SIÚ? If yes, describe.

 EPA Identification Number
 NPDES Permit Number
 Facility Name
 Form Approved 03/05/19

 MDD052340973
 MD0021601
 Patapsco WWTP
 OMB No. 2040-0004

MDD052340973	MD0021601 Pataps		Patapsco WWTI	'			OMB No. 204	10-0004
TABLE F. INDUSTRIAL DISCHARGE INFORMAT				<u> </u>				
Response space is provided for three SIUs. Copy to	ne table to report informa	ition for additional SIU	S					
	SIU	1-0C	SI	U <u>1-07</u>		SIU	1-06	
Name of SIU	1-00114 Valley Protein	s	1-07587 USALCO			1-06453 Dana Contain	ner	
Mailing address (street or P.O. box)	1515 Open Street		2601 Cannery Ave			1550 E. Patapsco Ave	nue	
City, state, and ZIP code	Baltimore, MD 21226		Baltimore, Md 2122	26		Baltimore, Maryland	21226	
Description of all industrial processes that affect or contribute to the discharge.	Grease washing in the Evaporator, Barrel and and equipment washd	Tote cleaning, plant	Manufacturing of a warehousing of bag and raw materials			Washing exteriors and truckes	d interiors of ta	anker
List the principal products and raw materials that affect or contribute to the SIU's discharge.	Restaurant grease rend Ethoxyquin, stabilizer, chlorohydrate, caustic, detergent, sodium chlo	aluminum , chlorine gas,	Manufacturing of p chemicals acids, caustics, forn dimethylamine, alu aluminum trihydrat sodium aluminate, polyaluminum chlo	naldehyde, Iminum sulfate, te, acrylamide solu aluminum chloride	ition,	Tanker Truck washing Soap, acid, caustic	3	
Indicate the average daily volume of wastewater discharged by the SIU.		41,400 gpc	Ŀ	10,300	gpd		7,600	gpd
How much of the average daily volume is attributable to process flow?		38,400 gpc	i	8,100	gpd		6,500	gpd
How much of the average daily volume is attributable to non-process flow?		3,000 gpc	i	2,200	gpd		1,000	gpd
Is the SIU subject to local limits?	☑ Yes	□ No	☑ Yes	□ No		✓ Yes	□ No	
Is the SIU subject to categorical standards?	☐ Yes	☑ No	☐ Yes	☑ No		☑ Yes	□ No	

EPA Form 3510-2A (Revised 3-19)

EPA Identification Number NPDES Permit Number Facility Name
MDD052340973 MD0021601 Patapsco WWTP

MDD052340973	MD0021601	T despose state	
TABLE F. INDUSTRIAL DISCHARGE INFORMATI	ON		
Response space is provided for three SIUs. Copy the	e table to report information for additional SIUs	1.07	SIU 1-06
	SIU <u>1-00</u>	SIU 1-07	SiU
Under what categories and subcategories is the SIU subject?	non-categorical	non-categorical	40 CER 442.15 Transportation Equipment Cleaning
Has the POTW experienced problems (e.g., upsets, pass-through interferences) in the past 4.5 years that are attributable to the SIU?	☐ Yes ☑ No	☐ Yes No	☐ Yes ☑ No
If yes, describe.			

EPA Identification Number NPDES Permit Number Facility Name

MDP052340973 MD0021601 Patapsco WWTP

TABLE F. INDUSTRIAL DISCHARGE INFORMATION								
Response space is provided for three SIUs. Copy the table to report information for additional SIUs.								
SIU <u>1</u>	-07	SIU	1-22		. 1. S	IU		
1-07074 Environmental F	Recovery Corp of Man	1-22232 Petroleum M	anagement inc.					
3300 Childs Street		5218 Curtis Avenue		·				
Baltimore, MD 21226		Baltimore, MD 21226						
Pretreated wastewater Contaminated industrial	wastewater							
	10,700 gpd		21,000	gpd			gpd	
	9,300 gpd		20,000	gpd			gpd	
	1,400 gpd		100	gpd			gpd	
☑ Yes	□ No	☑ Yes	□ No		☐ Yes	No		
☑ Yes	□ No	☑ Yes	□ No		☐ Yes	i □ No		
	1-07074 Environmental F 3300 Childs Street Baltimore, MD 21226 Bulk storage and treatment petroleum-contaminated Pretreated wastewater Contaminated industrial	Pretreated wastewater Contaminated industrial wastewater 10,700 gpd 1,400 gpd	SIU_1-07 SIU_ 1-07074 Environmental Recovery Corp of Man 3300 Childs Street 5218 Curtis Avenue Baltimore, MD 21226 Baltimore, MD 21226 Bulk storage and treatment of petroleum-contaminated water Pretreated wastewater Contaminated industrial wastewater Pretreated wastewater Contaminated industrial wastewater 10,700 gpd 1,400 gpd Yes No	siu 1-07 Siu 1-07 Siu 1-07 Siu 1-07 Siu 1-22 1-07074 Environmental Recovery Corp of Man 1-22232 Petroleum Management Inc. 3300 Childs Street 5218 Curtis Avenue Baltimore, MD 21226 Bulk storage and treatment of petroleum-contaminated water Pretreated wastewater Contaminated industrial wastewater 10,700 gpd 10,700 gpd 21,000 9,300 gpd 1,400 gpd 100	siu 1-07 Siu 1-	stu 1-07 Stu 1-07 Stu 1-07 Stu 1-07 Stu 1-07 Stu 1-08 Stu 1-07 Stu 1-08 Stu 1-08 Stu 1-09 Stu	et table to report information for additional SIUs. SIU 1-07 SIU 1-22 SIU	

EPA Identification Number		NPDES Permit Number	Facility Name		F	Orm Approved 03/05/19 OMB No. 2040-0004	
TABLE F. INDUSTRIAL DISCHARGE INFO			,				
Response space is provided for three SIUs.	Copy th	ne table to report information for additi	onal SIUs.	,	· · · · · · · · · · · · · · · · · · ·	<u> </u>	
		SIU_ <u>1-07</u>		SIU_		SIU	_
Under what categories and subcategories is SIU subject?	the	Centralized Waste Treatment Subpa Treatment and Recovery 40 CFR 437	rt B - Oils '.26	Centralized Waste Trea Oils Treatment and Rec 437.26	tment Subpart B - covery 40 CFR		
Has the POTW experienced problems (e.g., upsets, pass-through interferences) in the payears that are attributable to the SIU?	ast 4.5	☐ Yes ☑ No		☐ Yes	☑ No	☐ Yes	□ No
If yes, describe.							

EPA Form 3510-2A (Revised 3-19)

EPA Identification Number	NPDES Permit Number	Facility Name
MDD052340973	MD0021601	Patapsco WWTP

MDD052340973	MD0021601		Patapsco WWTP		OMB		0-0004	
TABLE F. INDUSTRIAL DISCHARGE INFORMAT								
Response space is provided for three SIUs. Copy t								
	SIU B	<u>C1</u>	SIU	BC2		SIU_E	3L3	
Name of SIU	American Metaseal		Bakery Express			Diageo		
Mailing address (street or P.O. box)	1801 Old Sulphur Spring	Rd.	4711 Hollins Ferry Rd.			5001 Washington Blvd	l .	
City, state, and ZIP code	Baltimore, MD 21227		Baltimore, MD 21227			Baltimore, MD 21227		
Description of all industrial processes that affect or contribute to the discharge.			Manufacturer of fresh products.	and frozen bake	ery	Alcoholic Beverages Bo	ottling	
List the principal products and raw materials that affect or contribute to the SIU's discharge.	Nickel plated parts. Electronic solutions.	ctroless nickel	Cakes, donuts, brown yeast, salt, flavor ingr			Bottled beverages. Et demineralized water.	nyi alconol,	
Indicate the average daily volume of wastewater discharged by the StU.		1,837 gpd		26,450	gpd		25,000	gpd
How much of the average daily volume is attributable to process flow?		1,837 gpd		19,350	gpd		22,000	gpd
How much of the average daily volume is attributable to non-process flow?		0 gpd		7,100	gpd		3,000	gpd
Is the SIU subject to local limits?	☐ Yes	□ No	✓ Yes	□ No		☑ Yes	□ No	
Is the SIU subject to categorical standards?	☑ Yes	□ No	☐ Yes	☑ No		☐ Yes	☑ No	

EPA Identification Number	NPDES Permit Number	Facility Name	Form Approved 03/05/19 OMB No. 2040-0004
TABLE F. INDUSTRIAL DISCHARGE INFORMATI	ON	ic.	
Response space is provided for three SIUs. Copy th	e table to report information for additional SIC SIU BC1	SIU BC2	SIU_BC3
Under what categories and subcategories is the SIU subject?	40 CFR 433.15		
Has the POTW experienced problems (e.g.,			☐ Yes ☑ No
upsets, pass-through interferences) in the past 4.5 years that are attributable to the SIU?	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No
If yes, describe.			

EPA Identification Number NPDES Permit Number Facility Name
MDD052340973 MD0021601 Patapsco WWTP

MDD052340973	MD0021601		Patapsco WWTP				OMB No. 204	0-0004
TABLE F. INDUSTRIAL DISCHARGE INFORM								
Response space is provided for three SIUs. Cop				RC5		0114	BC6	
· · · · · · · · · · · · · · · · · · ·	SIU B		SIU _			SIU _		
Name of SIU	Mil-Spec Painting		Northrop Grumman			TAG Engineering, Inc.		
Mailing address (street or P.O. box)	1720 G Belmont Ave.		7223 Aviation Blvd.			6707 Whitestone Rd.		
City, state, and ZIP code	Baltimore, MD 21244		Linthicum, MD 21203			Baltimore, MD 21207		
Description of all industrial processes that affect or contribute to the discharge.	Chromate parts to comp for military / aviation ind coating.	any's specification lustry. Powder	Metal finishing / cyan	ide destruct		Machining, cleaning/c brazing, assembly, chi testing and calibration	romate coating	ng, S,
List the principal products and raw materials that affect or contribute to the SIU's discharge.	t Plated parts. Chromate,	powder paints.	Radar equipment for Lead, copper, tin, alur		try.	Piece parts and comp the defense, aerospa sectors. Raw aluminu brass, copper, tungste	ce, and medica ım, stainless st	1
Indicate the average daily volume of wastewate discharged by the SIU.	r	2,400 gpd		159,111	gpd		5,362	gpd
How much of the average daily volume is attributable to process flow?		2,400 gpd		122,105	gpd		4,208	gpd
How much of the average daily volume is attributable to non-process flow?		0 gpd		37,006	gpd		1,154	gpd
Is the SIU subject to local limits?	☑ Yes	□ No	✓ Yes	□ No	· ·	✓ Yes	□ No	
Is the SIU subject to categorical standards?	☑ Yes	□ No	☑ Yes	□ No		☑ Yes	☐ No	

Form Approved 03/05/19

EPA Identification Number MDD052340973	NPDES Permit Number MD0021601	Facility Name Patapsco WWTP	Form Approved 03/05/19 OMB No. 2040-0004
TABLE F. INDUSTRIAL DISCHARGE INFORMA	ATION		
Response space is provided for three SIUs. Copy	y the table to report information for addition	onal SIUs.	
	SIU BC4	SIU BC5	SIU BC6
Under what categories and subcategories is the SIU subject?	40 CFR 433.17	40 CFR 433.15	40 CFR 433.17
Has the POTW experienced problems (e.g., upsets, pass-through interferences) in the past 4 years that are attributable to the SIU?	.5 ☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No
If yes, describe.			

EPA Identification Number MDD052340973	NPDES Permit Number MD0021601	Facility Name Patapsco WWTP	
MODULE			

EPA Identification Number MDD052340973	NPDES Permit Number MD0021601		Patapsco WWTP						
ABLE F. INDUSTRIAL DISCHARGE INFORMATION	ONinformation	for additional SILIs							
esponse space is provided for three SIUs. Copy the	siu HC:	1	SIU HC2			SIU HC	3		
lame of SIU	CR Daniels		Precoat Metals			Prime Cuts			
failing address (street or P.O. box)	3451 Ellicott Center Drive		6754 Santa Barbara Court			7591 Montevideo Road			
City, state, and ZIP code	Ellicott City, MD 21043		Elkridge, MD 21075			Jessup, MD 20794			
Description of all industrial processes that affect or contribute to the discharge.	The waste stream is general polyethylene plastics man metal finishing	rated from nufacturing and	cleaning, pretreatment and electro-galvanizing process of processing sheet metal			The waste stream is from the rinse waters from the washing off the produce, fruits, and vegetables for packaging.			
List the principal products and raw materials that affect or contribute to the SIU's discharge.	Principal Products: Steel Framing, Textile Fabrics, Products Raw Materials: Steel and Textile Fabrics, Polyethyl Paint, and Chemicals	Aluminum Sheets,	Principal Products: Coating and surface metal conversion of steel Raw Materials: Oiled Aluminum and hot/cold rolled steel sheets, galvanized steel sheets, patented surface conversion chemicals, acids and alkalies for metal cleaning and wastewater, and paints			Principal Products: Packaged Fruits and Vegetables Raw Materials: Fruits and Vegetables			
Indicate the average daily volume of wastewater discharged by the SIU.		2,019 gpd		8,612	gpd 		24,738	gpo	
How much of the average daily volume is attributable to process flow?		15 gpd		8,335	gpd 		24,183	gp:	
How much of the average daily volume is attributable to non-process flow?		2004 gpc	i	277	gpd		555	gp	
Is the SIU subject to local limits?	☑ Yes	☐ No	✓ Yes	□ No		☑ Yes	□ No		
Is the SIU subject to categorical standards?	☑ Yes		☑ Yes	□ No		☐ Yes	☑ No		

Page 29 EPA Form 3510-2A (Revised 3-19)

Form Approved 03/05/19 OMB No. 2040-0004 Facility Name NPDES Permit Number Patapsco WWTP MD0021601 MDD052340973

EPA Identification Number MDD052340973	NPDES Permit Number MD0021601	Patapsco WWTP	
ABLE F. INDUSTRIAL DISCHARGE INFORMATION COPY the Response space is provided for three SIUs. Copy the	ON e table to report information for addition	onal SIUs.	SIU HC3
response space is provided in	SIU HC1	Siu HC2	
Under what categories and subcategories is the SIU subject?	Metal Finishing Category 40 CFR 433.17	Coil Coating Point Source Cate 40 CFR 465.14 40 CFR 465.24 40 CFR 465.34	egory Local Limits
			No ☐ Yes ☑ No
Has the POTW experienced problems (e.g., upsets, pass-through interferences) in the past 4.5	☐ Yes ☑ No	☐ Yes ☑	l No Li Yes Li No
years that are attributable to the SIU? If yes, describe.			

Form Approved 03/05/19

EPA Identification Number NPDES Permit Number		Facility Name	Form Approved 03/05/19 OMB No. 2040-0004			
MDD052340973	MD0021601 Patapsco WWTP		OMB No. 2040-0004			
TABLE F. INDUSTRIAL DISCHARGE INFORMAT	TON					
Response space is provided for three SIUs. Copy t	he table to report information for additional SIUs					
	SIU HC4	SIU HC5	SIU			
Name of SIU	JJ McDonnell Seafood	Northrop Grumman				
Mailing address (street or P.O. box)	7010 Brookdale Drive	7040, 7050, and 7090 Troy Hill Drive				
City, state, and ZIP code	Elkridge, MD 21075	Elkridge, MD 21075				
Description of all industrial processes that affect or contribute to the discharge.	Waste stream is generated from processing and packaging of seafood for resale.	Waste stream varies from government projects.				
List the principal products and raw materials that affect or contribute to the SIU's discharge.	Principal Products: Packaged Seafood Raw Materials: Seafood and Cardboard	Principal Products: Electronic Componer and other classified government equipment Raw Materials: varies depending on projects	nts,			
Indicate the average daily volume of wastewater discharged by the SIU.	21,621 gpd	1357 g	pd gpd			
How much of the average daily volume is attributable to process flow?	20,974 gpd	0 g	pd gpd			
How much of the average daily volume is attributable to non-process flow?	647 gpd	1357 (gpd gpd			

✓ Yes

☐ Yes

☐ No

✓ No

✓ Yes

☐ Yes

☐ No

☑ No

☐ Yes

☐ Yes

☐ No

☐ No

Is the SIU subject to local limits?

Is the SIU subject to categorical standards?

Form Approved 03/05/19 OMB No. 2040-0004 NPDES Permit Number Facility Name EPA Identification Number Patapsco WWTP MDD052340973 MD0021601 TABLE F. INDUSTRIAL DISCHARGE INFORMATION Response space is provided for three SIUs. Copy the table to report information for additional SIUs. SIU HC4 SIU HCS SIU ____ Under what categories and subcategories is the Local Limits Varies depending on operations SIU subject? Has the POTW experienced problems (e.g., ☐ No ☐ Yes ☐ No ☐ Yes ☐ No ☐ Yes upsets, pass-through interferences) in the past 4.5 years that are attributable to the SIÚ? If yes, describe.

EPA Identification Number NPDES Permit Number Facility Name
MDD052340973 MDD0021601 Patapsco WWTP

Form Approved 03/05/19 OMB No. 2040-0004

171000323 10373	11.000022002		•					
TABLE F. INDUSTRIAL DISCHARGE INFORMAT		the few additional OUT-						
Response space is provided for three SIUs. Copy to	T							
	SIU AA1		SIU AA2			SIU AA3		
Name of SIU	Northrop Grumman AT	Ľ	Northrop Grumman ATL			C-Care		
Mailing address (street or P.O. box)	7223 Aviation Blvd		900 International Blvd			979 Corporate Blvd		
City, state, and ZIP code	Linthicum Heights, MD	21090	Linthicum Heights, MD 21090			Linthicum Heights, MD 21090		
Description of all industrial processes that affect or contribute to the discharge.	Metal finishing/Cyanide Destruct		Metal Finishing			Personal Care Products		
List the principal products and raw materials that affect or contribute to the SIU's discharge.	Radar equipment for aerospace industry lead, copper, tin, aluminum		Radar equipment for aerospace industry lead, copper, tin, aluminum			personal care products metals, oil and grease, pH		
Indicate the average daily volume of wastewater discharged by the SIU.		117,119 gpd		no data	gpd		68,450	gpd
How much of the average daily volume is attributable to process flow?	10,500 gpd			no data	gpd		20,000	gpd
How much of the average daily volume is attributable to non-process flow?		110,000 gpd		no data	gpd		48,000	gpd
Is the SIU subject to local limits?	☐ Yes	☑ No	☐ Yes	☑ No		☑ Yes	□ No	
Is the SIU subject to categorical standards?	✓ Yes	□ No	☑ Yes	□ No		☐ Yes	☑ No	

EPA Form 3510-2A (Revised 3-19)

Form Approved 03/05/19 OMB No. 2040-0004 Patapsco WWTP MDD052340976 MD0021601 TABLE F. INDUSTRIAL DISCHARGE INFORMATION Response space is provided for three SIUs. Copy the table to report information for additional SIUs. SIU AA1 SIU AA2 SIU AA3 Under what categories and subcategories is the N/A 40 CRR 469 40 CFR 433 SIU subject? 40 CFR 433 Has the POTW experienced problems (e.g., ☑ No ☑ No upsets, pass-through interferences) in the past 4.5 ☐ Yes ☑ No ☐ Yes ☐ Yes years that are attributable to the SIU? If yes, describe.

Facility Name

NPDES Permit Number

EPA Identification Number

CITY OF BALTIMORE

BRANDON M. SCOTT, MAYOR



DEPARTMENT OF PUBLIC WORKS

Jason W. Mitchell, Acting Director Abel Wolman Municipal Building, 6th Floor 200 N. Holliday Street Baltimore, Maryland 21202

Footnotes to Patapsco WWTP Permit Renewal Application – 2022-2027

EPA ID # MDD052340973; NPDES Permit # MD0021601

Section 1.7 (page 2) Population data based on information gathered during City Fiscal Year 2020 (July 2019 to June 2020).

Section 1.10 (page 2) Flow data are from Patapsco plant effluent from Calendar Years 2018-2020.

Section 2.5 (page 5) The improvements listed here are in early planning stages with no defined timelines yet.

Section 3.8 (page 7) Results provided by Terry L. Zentkovich, PE of RK&K Civil Engineering.

Section 3.15 (page 8) The answer to this question was changed from No to Yes to indicate all monitoring of Table B pollutants is now complete.

Section 3.17 (page 8) Of the five tests for hardness, Martel performed three of these tests; Montebello Lab tested the other two, using SM 2340 C.

Section 3.21 (page 9) Patapsco submitted WET test results from 2018-2021 to meet its annual Biomonitoring requirements. All results were nontoxic. The PDF does not allow more than one date of submission to be displayed. These dates or approximate dates are: 03/12/2021, 06/04/2020, 04/2019 and 03/2018.

Section 3.26 (page 9) Table E Results provided by Michael K. Chanov II, Director of EA Lab.


Table A (page 13) Patapsco no longer tests for Fecal coliform. Results shown are for *Enterococci*. All results shown are from Calendar Year 2020.

Table B (page 15) Oil and grease results are from four sets of four grabs collected in April, May, June and July 2021. FOG results shown in table are from aggregate quantities. For example, the max FOG (10 ppm) shown in Table B is the maximum average of the four sets. Likewise, the average FOG is the average of the average of the four sets. The maximum individual FOG result was 13 ppm. All FOG tests performed by Martel Lab.


Of the five tests for total dissolved solids, Martel performed three of these tests; Montebello Lab tested the other two, using SM 2540 B.

Patapsco Wastewater Treatment Plant

Process Flow Diagram



Patapsco Wastewater Treatment Plant Topo Map in Baltimore (city) County Maryland



Print this map

Map provided by TopoZone.com